ASTRONOMY AND ASTROPHYSICS

A European Journal

Author-Title and Subject Indexes 1994
pp. 727–966

Main Journal: Vols. 281–292
Supplement Series: Vols. 103–108

Published by Springer International on behalf of the Board of Directors

Astronomy and Astrophysics A European Journal

Board of Directors

Chairman:
A. Maeder (Switzerland)

Vice Chairman:
A.G. Hearn (The Netherlands)

D. Alloin (France)
R. Canal (Spain)
G. Contopoulos (Greece)
M. Crézé (France)
J. Einasto (Estonia)
R. Giacconi (ESO)
P. Harmanec (Czech Republic)
K. Mattila (Finland)
P.G. Mezger (Germany)
P.E. Nissen (Denmark)
C. Perola (Italy)
J. Pfleiderer (Austria)
Aa. Sandqvist (Sweden)
J.I. Smak (Poland)
P. Smeyers (Belgium)
B. Szeidl (Hungary)
R. Wielen (Germany)
J. Zverko (Slovak Republic)

Editors-in-Chief

J. Lequeux
Astronomy and Astrophysics
Editorial Office
Observatoire de Paris
61 avenue de l'Observatoire
F-75014 Paris
France

Tel. (33-1) 43290541
Fax (33-1) 43290557
e-mail: aanda@mesiob.obspm.fr (internet)
mesioa:: aanda (span)

M. Grewing
Astronomy and Astrophysics
Editorial Office
c/o Astronomisches Institut
Waldhäuserstrasse 64
D-72076 Tübingen
Germany

Tel. (49-7071) 294982
Telefax (49-7071) 293458
Telex (41) 7262714 ait d
e-mail:
Internet aaptue@ait.physik
uni-tuebingen.de
SPAN AITMVX::AAPTUE

Letter Editor

S.R. Pottasch
Kapteyn Astronomical Institute
P.O. Box 800
NL-9700 AV Groningen
The Netherlands

Tel. (31-50) 634093
Telex (44) 53572 stars nl
Telefax (31-50) 636100

Editorial secretaries

Miss B. Perche
Mrs. M. Rougeot

Mr. W.M. Wettlaufer

Mrs. J. Zwegers-Morris

The exclusive copyright © for all languages and countries, including the right for photomechanical and any other reproduction, also in microform, ist vested in European Southern Observatory (ESO).
The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Springer International 1994
Printed in Germany
Printing and bookbinding: Druckhaus Beltz, 69494 Hemsbach

Author-Title Index 1994

Astronomy and Astrophysics, Volumes 281–292 (1994)

Supplement Series, Volumes 103–108 (1994)

Volumes and page numbers of articles published in the Supplement Series are printed in italics

Aalto S., Booth R.S., Black J.H., Koribalski B., Wielebinski R.: Excitation and kinematics of the central molecular clouds of NGC 1808 **286**, 365

Abad S., Pacheco A.F., Sañudo J.: Rotation of Newtonian boson stars **287**, 1029

Abada-Simon M., Lecacheux A., Louarn P., Dulk G.A., Belkora L., Bookbinder J.A., Rosolen C.: High sensitivity dynamic spectral search for flare star radio bursts **288**, 219

Abbott T.M.C., see Pasquini L., et al. **290**, L17

Abdul Aziz H., see Gunn A.G., et al. **291**, 847

Ábrahám P., see Kun M., et al. **292**, 249

Abraham Z., Vilas Boas J.W.S.: The polarized water maser in Orion: A proto-planetary ring? **290**, 956

Achatz U., see Klein U., et al. **283**, 729

Achilleos N., see Donati J.-F., et al. **285**, 285

Achmad L., see Lamers H.J.G.L.M. **291**, 856

Achterberg A., Ball L.: Particle acceleration at superluminal quasi-perpendicular shocks. Application to SN 1978K and SN 1987A **285**, 687

Achterberg A., Blandford R.D., Reynolds S.P.: Evidence for enhanced MHD turbulence outside sharp-rimmed supernova remnants **281**, 220

Achterberg A., see Krülls W.M. **286**, 314

Acker A., see Cuisinier F., et al. **285**, 943

Acker A., see Cuisinier F., et al. **287**, 227

Acker A., see Jasniewicz G., et al. **286**, 211

Acker A., see Tylenda R., et al. **289**, 1001 ***(106, 559)***

Adam G., see Fitte C. **282**, 11

Adam G., see Rocca-Volmerange B., et al. **292**, 20

Adanti S., Battinelli P., Capuzzo-Dolcetta R., Hodge P.W.: A new automatic identification technique for OB associations in unresolved galaxies **292**, 363 ***(108, 395)***

Adelman C.J., see Adelman S.J., et al. **289**, 666 ***(106, 333)***

Adelman S.J., Aikman G.C.L., Hayes D.S., Philip A.G.D., Sweigart A.V.: **(RN)** The helium-to-hydrogen ratio of the UV-bright star Barnard 29 of Messier 13 **282**, 134

Adelman S.J., Brown B.H., Caliskan H., Reese D.F., Adelman C.J.: *uvby* photometry of the chemically peculiar stars α Andromedae, HD 184905, HR 8216, and HR 8434 **289**, 666 ***(106, 333)***

Adelman S.J., Knox Jr J.R.: *uvby* photometry of the magnetic chemically peculiar stars 63 Andromedae, HD 192913, HR 8240, and 108 Aquarii **281**, 636 ***(103, 1)***

Adelman S.J., see Lopez-Garcia Z. **292**, 353 ***(107, 353)***

Adorf H.M., see Jackson R., et al. **292**, 360 ***(108, 235)***

Adrianzyk G., see Gillet D., et al. **292**, 360 ***(108, 181)***

Aerts C., Mathias P., Gillet D., Waelkens C.: Multiperiodicity and pulsation characteristics of β Cephei **286**, 109

Aerts C., see Mathias P., et al. **283**, 813

Aerts C., see Mathias P., et al. **289**, 875

Aerts C., Waelkens C., De Pauw M.: Mode identification with the moment method in four multiperiodic β Cephei stars: KK Velorum, ν Eri, β CMa, and V 348 Normae **286**, 136

Agabi A., see Martin F., et al. **292**, 360 ***(108, 173)***

Agabi A., see Ziad A., et al. **282**, 102!

Ageorges N., Ménard F., Monin J.-L., Eckart A.: SHARP images of the pre-main sequence star V 536 Aquilae: a highly polarized binary **283**, L5

Agrawal P.C., see Rao A.R., et al. **289**, L43

Agrinier B., see Masnou J.L., et al. **290**, 503

Aguilar L., see Bohigas J., et al. **291**, 595

Aharonian F.A., Drury L.O'C., Völk H.J.: GeV/TeV gamma-ray emission from dense molecular clouds overtaken by supernova shells **285**, 645

Aharonian F.A., see Drury L.O'C., et al. **287**, 959

Ai G., see Liu Y., et al. **283**, 215

Aikman G.C.L., see Adelman S.J., et al. **282**, 134

Aikman G.C.L., see Hill G., et al. **282**, 455

Ajello J.M., Pryor W.R., Barth C.A., Hord C.W., Stewart A.I.F., Simmons K.E., Hall D.T.: Observations of interplanetary Lyman-α with the Galileo Ultraviolet Spectrometer: multiple scattering effects at solar maximum **289**, 283

Akalin A., see Demircan O., et al. **289**, 998 ***(106, 373)***

Akan C., see Foing B.H., et al. **292**, 543

Akan M.C., see Breger M., et al. **289**, 162

Akan M.C., see İbanoğlu C., et al. **281**, 811

Akan M.C., see Keskin V., et al. **287**, 817

Aksenov A.G., Blinnikov S.I.: A Newton iteration method for obtaining equilibria of rapidly rotating stars **290**, 674

Akujor C.E., Lüdke E., Browne I.W.A., Leahy J.P., Garrington S.T., Jackson N., Thomasson P.: Images of 25 extragalactic radio sources observed with MERLIN at 18 cm **287**, 1038 ***(105, 247)***

Alberdi A., see Gómez J.L., et al. **284**, 51

Alberdi A., see Gómez J.L., et al. **292**, 33

Alberdi A., see Lara L., et al. **285**, 393

Albinson J.S., Evans A., Krautter J., Weight A.: Discovery of a giant molecular cloud near the Galactic centre **284**, 971

Albinson J.S., see Hutchinson M.G., et al. **285**, 883

Albinson J.S., see Shenton M., et al. **292**, 102

Albrecht M.A., Heck A.: StarGates. A database of astronomy, space sciences, and related organizations of the world (Announcement of a database) **283**, 715 ***(103, 473)***

Albrecht M.A., Heck A.: StarWords. A database of abbreviations, acronyms, and symbols in astronomy, space sciences, and related fields (Announcement of a database) **283**, 715 ***(103, 471)***

Albrecht R., see Burgarella D., et al. **287**, 769

Albrecht R., see Deharveng J.-M., et al. **288**, 413

Albrecht R., see Schober H.J., et al. **287**, 1038 ***(105, 281)***

Alcaino G., see Wenderoth E., et al. **289**, 664 ***(106, 253)***

Alecian G.: Radiative acceleration in stars due to photoionization **289**, 885

Alekseev I.Y., Gershberg R.E., Ilyin I.V., Shakhovskaya N.I., Shakhovskoy N.M., Avgoloupis S., Mavridis L.N., Seiradakis J.H., Kidger M.R., Panferova I.P., Pustil'nik L.A.: Coordinated observations of the red dwarf flare star EV Lacertae in 1991 **288**, 502

Alissandrakis C.E., see Tsiropoula G., et al. **290**, 285

Allard N.F., Koester D., Feautrier N., Spielfiedel A.: Free-free quasi-molecular absorption and satellites in Lyman-alpha due to collisions with H and H^+ **292**, 364 ***(108, 417)***

Allard N.F., see Holweger H., et al. **290**, L21

Allard N.F., see Koester D., et al. **291**, L9

Allard N.F., see Vidal-Madjar A., et al. **287**, 175

Alloin D., Bica E., Bonatto C., Prugniel P.: *Erratum* ESO 138 G1: a high excitation Seyfert 2 nucleus in a low luminosity early-type galaxy **282**, 1041

Alloin D., see Andreasian N. **290**, 1019 ***(107, 23)***

Alloin D., see Baribaud T., et al. **281**, 638 *(103, 121)*
Alloin D., see Bica E., et al. **283**, 805
Alloin D., see Dietrich M., et al. **284**, 33
Alloin D., see Salamanca I., et al. **282**, 742
Alloin D., see Stirpe G.M., et al. **285**, 857
Alonso A., Arribas S., Martínez-Roger C.: A semi-empirical absolute flux calibration in the near infrared. Direct stellar diameters vs. IRFM determinations **282**, 684
Alonso A., Arribas S., Martínez-Roger C.: Broad band *JHK* infrared photometry of an extended sample of late-type dwarfs and subdwarfs **292**, 353 *(107, 365)*
Altamore A., Maillard J.-P., Viotti R.: Fourier-transform spectroscopy and near-infrared variability of η Carinae **292**, 208
Altan A.Z., see de Boer K.S., et al. **286**, 925
Altaş L., see Bölge H. **288**, 967
Altenhoff W.J., Johnston K.J., Stumpff P., Webster W.J.: Millimeter-wavelength observations of minor planets **287**, 641
Altenhoff W.J., Thum C., Wendker H.J.: Radio emission from stars: a survey at 250 GHz **281**, 161
Altieri B., see Cuillandre J.C., et al. **281**, 603
Altwegg K., Balsiger H., Geiss J.: Abundance and origin of the CH_n^+ ions in the coma of comet P/Halley **290**, 318
Altyntsev A.T., Grechnev V.V., Kachev L.E., Lesovoi S.V., Mansyrev M.I., Molodyakov S.A., Platonov A.V., Saenko I.I., Smolkov G.Y., Sych R.A., Treskov T.A., Zandanov V.G., Esepkina N.A.: The observations of solar microwave bursts at the Siberian solar radio telescope with 56-millisecond resolution **287**, 256
Alvarado F., see Wenderoth E., et al. **289**, 664 *(106, 253)*
Álvarez M., see Belmonte J.A., et al. **283**, 121
Álvarez M., see Sareyan J.P., et al. **291**, 815
Alves M.V., see Chian A.C.-L., et al. **288**, 981
Alves M.V., see Chian A.C.-L., et al. **290**, L13
Aly J.J.: Asymptotic formation of a current sheet in an indefinitely sheared force-free field: an analytical example **288**, 1012
Ambrosini R., see Takahashi Y., et al. **282**, 341
Amram P., Marcelin M., Balkowski C., Cayatte V., Sullivan III W.T., Le Coarer E.: Hα velocity fields and rotation curves of galaxies in clusters **281**, 636 *(103, 5)*
Amram P., see Georgelin Y.M., et al. **292**, 366 *(108, 513)*
Amram P., see Marcelin M., et al. **282**, 363
Amy S., see Dickey J.M., et al. **289**, 357
Andersen J., see Nordström B., et al. **287**, 338
Andersen J., see Storm J., et al. **291**, 121
Anderson K., see Mangeney A., et al. **283**, 982
Anderson L.S., see Murdoch K.A., et al. **284**, L27
Andersson H., Edvardsson B.: Carbon abundances in F and G dwarfs **290**, 590
Andreä J., Drechsel H., Starrfield S.: Element abundances of classical novae **291**, 869
Andreasian N., Alloin D.: More ultraluminous IRAS galaxies as interacting systems **290**, 1019 *(107, 23)*
Andrei A.H.: Catalogue-based of optical and radio positions **290**, 1020 *(107, 51)*
Andreon S.: Morphological segregation of galaxies in clusters. I. The non-uniform distribution of types in the inner region of Perseus **284**, 801
Andriani E., Caimmi R.: Acquisition of angular momentum by tidal torques in expanding, spherical-symmetric density perturbations: an analysis of different approximations. III **289**, 1
Andrievsky S.M., Kovtyukh V.V., Usenko I.A.: The chemical composition of the s-Cepheids. I. α Ursae Minoris (Polaris) and HR 7308 (V 473 Lyrae): unique Cepheids of the Galaxy **281**, 465
Andrievsky S.M., Kovtyukh V.V., Usenko I.A., Klochkova V.G., Galazutdinov G.A.: Chemical composition of selected double-mode Cepheids and the P_1/P_0–[Fe/H] relation **292**, 364 *(108, 433)*
Andrillat Y., Jaschek M., Jaschek C.: A study of Be stars in the wavelength region around Paschen 7 **281**, 639 *(103, 135)*
Andrillat Y., see Jaschek M., et al. **282**, 911
Anglada G., see Eiroa C., et al. **283**, 973
Anglada G., see Eiroa C., et al. **292**, 359 *(108, 73)*
Anglada G., see Persi P., et al. **282**, 233
Angonin-Willaime M.-C., Soucail G., Vanderriest C.: Gravitational lensing of Q 0957+561: a study of the cluster at $z = 0.355$ **291**, 411
Angonin-Willaime M.-C., Vanderriest C., Hammer F., Magain P.: *Erratum* Further observational evidence that MG J0414+0534 is a gravitational mirage **292**, 722
Angonin-Willaime M.-C., Vanderriest C., Hammer F., Magain P.: Further observational evidence that MG J0414+0534 is a gravitational mirage **281**, 388
Annuk K.: Photometry of the Wolf-Rayet binary HD 211853 in the Vilnius photometric system **282**, 137
Anosova J., Orlov V.V., Pavlova N.A.: Dynamics of nearby multiple stars. The α Centauri system **292**, 115
Antia H.M., Basu S.: Nonasymptotic helioseismic inversion for solar structure **292**, 354 *(107, 421)*
Antonelli L.A., see Matt G., et al. **292**, L13
Antonello E.: Fourier coefficients of nonlinear oscillators **285**, 140
Antonello E.: Nonlinear properties of double-mode pulsators **291**, 820
Antonello E.: Resonance effects in fundamental, first overtone and double-mode Cepheids **282**, 835
Antonopoulou E., see Doyle J.G., et al. **283**, 522
Antonopoulou E., see Doyle J.G., et al. **291**, 135
Antov A., see Jetsu L., et al. **281**, 639 *(103, 183)*
Anupama G.C., Kembhavi A.K., Prabhu T.P., Singh K.P., Bhat P.N.: *BVRI* photometry of the Dipper Asterism region in M 67 **282**, 351 *(103, 315)*
Anzer U., see Boffin H.M.J. **284**, 1026
Aoki T., see Haberl F., et al. **288**, 796
Aparicio A., see Vallenari A., et al. **284**, 424
Aparicio A., see Vallenari A., et al. **284**, 447
Apparao K.M.V.: (RN) The spin period and orbital period relation for Be star/white dwarf binary systems **291**, 775
Apparao K.M.V., see Tarafdar S.P. **290**, 159
Appenzeller I., see Mauder W., et al. **285**, 44
Appourchaux T., see Toutain T. **289**, 649
Aretxaga I., see Dietrich M., et al. **284**, 33
Argyropoulos S., see Kontizas M., et al. **290**, 1021 *(107, 77)*
Aringer B., see Hron J. **281**, 139
Armand C., Milliard B.: Ultraviolet (2000 Å) galaxy counts: comparison with predictions **282**, 1
Armand C., Milliard B., Deharveng J.M.: Far-ultraviolet diffuse background and galaxy counts **284**, 12
Armstrong J.T., see Quirrenbach A., et al. **283**, L13
Armstrong J.T., see Quirrenbach A., et al. **285**, 541
Armstrong J.T., see Quirrenbach A., et al. **286**, 1019
Arp H.: ROSAT X-ray survey of an area 10 degrees square around the active radio galaxy Centaurus A **288**, 738
Arp H., see Bi H.G., et al. **282**, 386
Arribas S., see Alonso A., et al. **282**, 684
Arribas S., see Alonso A., et al. **292**, 353 *(107, 365)*
Artru M.-C., see Clausset F., et al. **287**, 666
Artru M.-C., see Gonzalez J.-F. **289**, 209
Arzoumanian Z., see Kanbach G., et al. **289**, 855
Asai K., see Kuulkers E., et al. **289**, 795

Asaoka I., Aschenbach B.: An X-ray study of IC 443 and the discovery of a new supernova remnant by ROSAT **284**, 573
Asaoka I., see Fink H.H., et al. **283**, 635
Aschenbach B., see Asaoka I. **284**, 573
Aschenbach B., see Greiner J., et al. **286**, L35
Ashok N.M., see Bhatt H.C., et al. **289**, 946
Ashoka B.N., Seetha S., Marar T.M.K., Kasturirangan K., Rao U.R., Bhattacharyya J.C.: High speed photometry of PG 1012−029 **283**, 455
Aslanov A., see Foing B.H., et al. **292**, 543
Aspin C.: Scattered near-IR CO emission bands in GGD27-IRS. Observing the circumstellar environment of heavily obscured young PMS stars **281**, L29
Aspin C., Barsony M.: Near-IR imaging photometry of the J−K>4 sources in the Lk Hα 101 infrared cluster **288**, 849
Aspin C., Puxley P.J., Blanco P.R., Piña R.K., Pickup D.A., Paterson M.J., Sylvester J., Laird D.C., Bridger A., Daly P.N., Griffin J.L.: Thermal infrared imaging of GGD 27-IRS. The active pre-main sequence star revealed **292**, L9
Aspin C., Reipurth B., Lehmann T.: Is ESO Hα 279 a pre-main sequence binary? **288**, 165
Aspin C., Sandell G.: **(RN)** Near-IR monitoring of the pre-main sequence star SSV 13: October 1990 to December 1993 **288**, 803
Aspin C., Sandell G., Russell A.P.G.: Near-IR imaging photometry of NGC 1333. I. The embedded PMS stellar population **289**, 663 ***(106, 165)***
Aspin C., Sandell G., Weintraub D.A.: The remarkable pre-main sequence object V 1318 Cygni **282**, L25
Aspin C., see Sandell G., et al. **285**, L1
Atroshchenko I.N., Gadun A.S.: Three-dimensional hydrodynamic models of solar granulation and their application to a spectral analysis problem **291**, 635
Atteia J.-L., Barat C., Boer M., Dezalay J.-P., Niel M., Talon R., Vedrenne G., Hurley K., Sommer M., Sunyaev R., Kuznetsov A., Terekhov O.: Simultaneous observations of γ-ray bursts with Phebus/Granat and Ulysses GRB **288**, 213
Atteia J.-L., see Dezalay J.-P., et al. **286**, 103
Aubier M.G., see Barrow C.H., et al. **286**, 597
Audard N., Provost J.: Seismological properties of intermediate-mass stars **282**, 73
Audinos P., Kahane C., Lucas R.: The radial distribution of HC_3N molecules in IRC+10216 **287**, L5
Auer L., Fabiani Bendicho P., Trujillo Bueno J.: Multidimensional radiative transfer with multilevel atoms. I. ALI method with preconditioning of the rate equations **292**, 599
Auer L.H., Paletou F.: Two-dimensional radiative transfer with partial frequency redistribution. I. General method **285**, 675
Auffret H., see Muller R., et al. **283**, 232
Augarde R., Chalabaev A., Comte G., Kunth D., Maehara H.: Spectrographic study of a large sample of Kiso ultraviolet excess galaxies. I. The data **285**, 355 ***(104, 259)***
Augarde R., see Comte G., et al. **285**, 1
Augusteijn T.: Time resolved spectroscopy of the dwarf nova VY Aquarii in superoutburst and quiescence **292**, 481
Augusteijn T., Heemskerk M.H.M., Zwarthoed G.A.A., van Paradijs J.: Periodicities in the optical brightness variations of the intermediate polar TV Columbae **292**, 351 ***(107, 219)***
Aurass H., see Zaitsev V.V., et al. **291**, 990
Aurière M., Bonnet-Bidaud J.M., Koch-Miramond L.: Hot stars near the position of X0512−401 in the globular cluster NGC 1851 **284**, 457
Aurière M., see Geffert M., et al. **282**, 989
Aurière M., see Mirabel I.F., et al. **282**, L17
Auvergne M., see Belmonte J.A., et al. **283**, 121
Auvergne M., see Hameury J.-M., et al. **292**, 404
Avellar P., see Foing B.H., et al. **292**, 543
Avgoloupis S., see Alekseev I.Y., et al. **288**, 502
Avgoloupis S., see Doyle J.G., et al. **291**, 135
Avgoloupis S., see Gunn A.G., et al. **285**, 157
Avgoloupis S., see Gunn A.G., et al. **285**, 489
Awadalla N.S.: Photoelectric light curve study of the DK Cygni system **289**, 137
Axer M., Fuhrmann K., Gehren T.: Spectroscopic analyses of metal-poor stars. I. Basic data and stellar parameters **291**, 895
Axer M., see Fuhrmann K., et al. **285**, 585
Axford W.I., see Ratkiewicz R., et al. **291**, 935
Axon D., see Dietrich M., et al. **284**, 33
Axon D., see Salamanca I., et al. **282**, 742
Axon D.J., see Robinson A., et al. **291**, 351
Axon D.J., see Stirpe G.M., et al. **285**, 857
Ayres T., see Foing B.H., et al. **292**, 543
Baade R., see Kirsch T. **291**, 535
Baas F., Israel F.P., Koornneef J.: Molecules in the starburst galaxy Henize 2−10 **284**, 403
Baas F., see Hu J.Y., et al. **282**, 350 ***(103, 301)***
Bååth L.B., see Zhang F.J., et al. **281**, 649
Bååth L.B., see Zhang F.J., et al. **287**, 32
Baba N., see Tsumuraya F., et al. **282**, 699
Babel J.: Detection of calcium abundance stratification in Ap stars **283**, 189
Bachiller R., Huggins P.J., Cox P., Forveille T.: Detection of the λ 609 μm line of neutral atomic carbon in the Ring nebula **281**, L93
Bachiller R., see Martín-Pintado J., et al. **286**, 890
Bachiller R., see Thum C., et al. **283**, 582
Bacon R., Emsellem E., Monnet G., Nieto J.L.: Sub-arcsecond 2D photometry and spectrography of the nucleus of M 31: the supermassive black hole revisited **281**, 691
Bacon R., see Emsellem E., et al. **285**, 723
Bacon R., see Emsellem E., et al. **285**, 739
Bacon R., see Rocca-Volmerange B., et al. **292**, 20
Bade N., Fink H.H., Engels D.: New X-ray bright BL Lacertae objects from the ROSAT All-Sky Survey **286**, 381
Bärnbantner O., see Barwig H., et al. **288**, 204
Bässgen G., see Halbwachs J.L., et al. **281**, L25
Bagenal F., see Leblanc Y., et al. **290**, 660
Baglin A., see Belmonte J.A., et al. **283**, 121
Bagnulo S., see Leroy J.L., et al. **284**, 174
Bagnulo S., see Leroy J.L., et al. **284**, 491
Baguhl M., see Grün E., et al. **286**, 915
Baietto J.C., see Gillet D., et al. **292**, 360 ***(108, 181)***
Baize P.: Orbital elements of twelve binary stars *(Text in French)* **289**, 665 ***(106, 267)***
Bajaja E., Huchtmeier W.K., Klein U.: The extended HI halo in NGC 4449 **285**, 385
Bajaja E., see Rizzo J.R. **289**, 922
Bakker E.J.: Spectral line identification of the ultraviolet spectrum of the peculiar post-AGB star HD 101584 (F0Iape) **281**, 640 ***(103, 189)***
Balázs L.G., see Kun M., et al. **292**, 249
Balcells M., see van Dokkum P.G., et al. **286**, 415
Balega I.I., Balega Y.Y., Belkin I.N., Maximov A.F., Orlov V.G., Pluzhnik E.A., Shkhagosheva Z.U., Vasyuk V.A.: Binary star speckle measurements during 1989−1993 from the SAO 6 m and 1 m telescopes in Zelenchuk **287**, 1042 ***(105, 503)***
Balega Y.Y., see Balega I.I., et al. **287**, 1042 ***(105, 503)***
Balick B., see Frank A., et al. **282**, 554
Balkowski C., see Amram P., et al. **281**, 636 ***(103, 5)***

Ball L., see Achterberg A. **285**, 687
Ballester J.L., see Čadež V.M., et al. **282**, 934
Ballester J.L., see Cadez V.M. **292**, 669
Ballester J.L., see Carbonell M., et al. **290**, 983
Ballester P.: Hough transform for robust regression and automated detection **286**, 1011
Ballet J., see Decourchelle A. **287**, 206
Ballet J., see Jourdain E., et al. **281**, L57
Ballet J., see Rothenflug R., et al. **291**, 271
Balsiger H., see Altwegg K., et al. **290**, 318
Balthasar H., Schmidt W.: Polarimetry and spectroscopy of a simple sunspot. IV. Umbral structures observed in Fe I 1027 nm **290**, 649
Balthasar H., see Schmidt W. **283**, 241
Balthasar H., Wiehr E.: Temporal and spatial variation of physical parameters in a quiescent prominence **286**, 639
Baluteau J.-P., see Péquignot D. **283**, 593
Baluteau J.-P., see Péquignot D. **289**, 659
Bandiera R., Chen Y.: The role of electric currents in saturated conduction. II. Suprathermal evaporation of clouds in supernova remnants **284**, 637
Bandiera R., Chen Y.: The role of electric currents in saturated conduction. I. General theory **284**, 629
Banzi M., see Molinari E., et al. **282**, 349 ***(103, 245)***
Bao G., see Hadrava P., et al. **284**, 693
Barat C., see Atteia J.-L., et al. **288**, 213
Barat C., see Dezalay J.-P., et al. **286**, 103
Barbier-Brossat M., Petit M., Figon P.: Third bibliographic catalogue of stellar radial velocities *(Text in French)* **292**, 368 ***(108, 603)***
Barbieri C., see Burgarella D., et al. **287**, 769
Barbieri C., see Deharveng J.-M., et al. **288**, 413
Barbon R., see Patat F., et al. **282**, 731
Barbuy B., de Freitas Pacheco J.A., Castro S.: **(RN)** Oxygen abundances in the Large Magellanic Cloud: a prediction of SN II/SN I rates **283**, 32
Barbuy B., Ortolani S., Bica E.: NGC 6522: an intermediate metallicity globular cluster projected on the Baade Window **285**, 871
Barbuy B., see Bica E., et al. **283**, 67
Barbuy B., see Bica E., et al. **289**, 663 ***(106, 161)***
Barbuy B., see Meliani M.T., et al. **290**, 753
Barbuy B., see Milone A. **292**, 365 ***(108, 449)***
Barbuy B., see Ortolani S., et al. **286**, 444
Barbuy B., see Ortolani S., et al. **292**, 369 ***(108, 653)***
Bard A., Kock M.: Fe I oscillator strengths for lines with excitation energies between 3 and 7 eV **282**, 1014
Barducci A., Cavallini F., Ceppatelli G., Righini A.: The influence of the stray light in the solar image on the Fraunhofer line profiles **281**, 955
Baribaud T., Salamanca I., Alloin D., Wagner S.: Sources of uncertainty in the relative scaling of spectroscopic data **281**, 638 ***(103, 121)***
Baribaud T., see Salamanca I., et al. **282**, 742
Barker D.M., Moss D.: The nonlinear limitation of nonaxisymmetric mean field dynamos by the large scale Lorentz force **283**, 1009
Barnes J., see Rochester G.K., et al. **283**, 884
Barouch E., see Masnou J.L., et al. **290**, 503
Barrado D., Fernández-Figueroa M.J., Montesinos B., De Castro E.: The age-mass relation for chromospherically active binaries. I. The evolutionary status **290**, 137
Barrera L.H., see Mennickent R.E., et al. **289**, 999 ***(106, 427)***
Barret D., Stephen J.B., Olive J.F., Mandrou P., Laurent P., Denis M., Claret A., Cordier B., Churazov E., Gilfanov M., Sunyaev R., Dyachkov A., Khavenson N., Kuleshova N., Kovtunenko V., Sukhanov K.: SIGMA/GRANAT observations of the bright nearby millisecond pulsar PSR J0437–4715 **288**, 472
Barrett P., see Hutchinson M.G., et al. **285**, 883
Barrett P., see Shenton M., et al. **292**, 102
Barrow C.H., Zarka P., Aubier M.G.: Fine structures in solar radio emission at decametre wavelengths **286**, 597
Barsony M., see Aspin C. **288**, 849
Barteldrees A., Dettmar R.-J.: Parameters of stellar disks from CCD surface photometry of edge-on galaxies **283**, 715 ***(103, 475)***
Bartelmann M., Schneider P.: Large-scale correlations between QSOs and IRAS galaxies **284**, 1
Bartelmann M., Schneider P., Hasinger G.: Diffuse X-ray emission around high-redshift, radio-loud QSOs **290**, 399
Bartelmann M., see Kormann R., et al. **284**, 285
Bartelmann M., see Kormann R., et al. **286**, 357
Bartelmann M., Weiss A.: Arc statistics with realistic cluster potentials. I. Method and first results **287**, 1
Barth C.A., see Ajello J.M., et al. **289**, 283
Barth C.S., see Dottori H., et al. **283**, 753
Barth W., Weigelt G., Zinnecker H.: Speckle masking observations of the young binary Z Canis Majoris **291**, 500
Barthel P.D., see Bogers W.J., et al. **287**, 1035 ***(105, 91)***
Barthel P.D., see Gurvits L.I., et al. **291**, 737
Barthel P.D., see Verner D.A., et al. **292**, 362 ***(108, 287)***
Barthès D., Tuchman Y.: Confrontation between power spectra of Mira stars and theoretical models **289**, 429
Bartunov O.S., Blinnikov S.I., Pavlyuk N.N., Tsvetkov D.Y.: A model for Supernova 1993J **281**, L53
Barucci A., see Roques F., et al. **288**, 985
Barwig H., Ritter H., Bärnbantner O.: 1H 1752+081: a new eclipsing probable AM Herculis-type binary **288**, 204
Baschek B., see Kaufer A., et al. **289**, 740
Bastian U., see Halbwachs J.L., et al. **281**, L25
Bastian U., see Röser S., et al. **287**, 1039 ***(105, 301)***
Bastian U., see Röser S. **285**, 875
Basu S., see Antia H.M. **292**, 354 ***(107, 421)***
Bates B., see Lyons M.A., et al. **286**, 535
Batsleer P., Dejonghe H.: The generation of Stäckel potentials for galactic dynamical modeling **287**, 43
Battinelli P., Brandimarti A., Capuzzo-Dolcetta R.: Integrated photometric properties of open clusters **285**, 357 ***(104, 379)***
Battinelli P., see Adanti S., et al. **292**, 363 ***(108, 395)***
Battinelli P., see Haiman Z, et al. **290**, 371
Battistini P., see Fusi Pecci F., et al. **284**, 349
Baudin F., Gabriel A., Gibert D.: Time/frequency analysis of solar *p*-modes **285**, L29
Baudrand J., see Foing B.H., et al. **292**, 543
Baudry A., Brouillet N., Henkel C.: H_2O activity in M 82 and in other members of the M 81 group **287**, 20
Baum S.A., see Robinson A., et al. **291**, 351
Baume G., see Vázquez R.A., et al. **289**, 666 ***(106, 339)***
Baxter D., see Burgarella D., et al. **287**, 769
Baxter D., see Deharveng J.-M., et al. **288**, 413
Bayley A.M., Davis R.J., Haggis J.S., Kärcher H.: Thermal effects on the pointing of the 32-m MERLIN radio telescope at Cambridge **283**, 1051
Beasley A.J., see Frail D.A. **290**, 796
Beck R., Carilli C.L., Holdaway M.A., Klein U.: Multifrequency observations of the radio continuum emission from NGC 253. I. Magnetic fields and rotation measures in the bar and halo **292**, 409
Beck R., Poezd A.D., Shukurov A., Sokoloff D.D.: Dynamos in evolving galaxies **289**, 94
Beck R., see Urbanik M., et al. **287**, 410

Bedding T.R., Robertson J.G., Marson R.G.: An optical interferometer with wavelength dispersion **290**, 340
Bedding T.R., Zijlstra A.A.: Angular diameters of compact planetary nebulae **283**, 955
Bednarek W., Cremonesi O., Treves A.: **(RN)** Estimates of the Compton backscattering feature at ~150 keV in the Crab Nebula pulsar **284**, 85
Begemann B., see Jäger C., et al. **292**, 641
Beideck D.J., see Maniak S.T., et al. **286**, 978
Beigbeder F., see Cuillandre J.C., et al. **281**, 603
Bekki K., Noguchi M.: Gas fueling to the central 10pc in merging galaxies **290**, 7
Belinsky V., De Paolis F., Lee H.W., Ruffini R.: Radiation from a relativistic rotating magnetic dipole: magnetic synchrotron effect **283**, 1018
Belkin I.N., see Balega I.I., et al. **287**, 1042 ***(105, 503)***
Belkora L., see Abada-Simon M., et al. **288**, 219
Bellas-Velidis Y., see Kontizas M., et al. **290**, 1021 ***(107, 77)***
Belloni P., see Thimm G.J. **289**, L27
Belloni T., Hasinger G., Izzo C.: Procedures for the interactive analysis of point sources from the ROSAT XRT/PSPC All-Sky Survey **283**, 1037
Belloni T., Mereghetti S.: ROSAT observation of the giant H II region RCW 49 **286**, 935
Belloni T., see Pasquini L., et al. **290**, L17
Belloni T., see Verbunt F., et al. **285**, 903
Belmahdi M., see Koutchmy S., et al. **281**, 249
Belmonte J.A., Michel E., Álvarez M., Jiang S.Y., Chevreton M., Auvergne M., Liu Y.Y., Goupil M.J., Baglin A., Roca Cortés T., Mangeney A., Dolez N., Valtier J.C., Massacrier G., Sareyan J.P., Schmider F.X., Vidal I.: Time-resolved photometry of BN and BU Cancri, two δ Scuti stars in the Praesepe cluster. Fourth photometry campaign of the STEPHI network **283**, 121
Belyanin A.A., see Zheleznyakov V.V. **287**, 782
Bely-Dubau F., see Cornille M., et al. **287**, 1035 ***(105, 77)***
Benaglia P., see Pöppel W.G.L., et al. **287**, 601
Bendinelli O., see Fusi Pecci F., et al. **284**, 349
Benetti S., Cappellaro E., Turatto M., Della Valle M., Mazzali P.A., Gouiffes C.: The late evolution of the type II SN 1990E **285**, 147
Benetti S., Patat F., Turatto M., Contarini G., Gratton R., Cappellaro E.: Narrow features in the early spectrum of SN 1993J **285**, L13
Benitez E., see Dultzin-Hacyan D. **291**, 720
Bennett K., see Bloemen H., et al. **281**, L5
Bennett K., see Carramiñana A., et al. **290**, 487
Bennett K., see Hanlon L.O., et al. **285**, 161
Bennett K., see Lichti G.G., et al. **292**, 569
Bennett K., see Strong A.W., et al. **292**, 82
Benson P.J., see Little-Marenin I.R., et al. **281**, 451
Bentolila C., see Cayrel de Strobel G., et al. **291**, 505
Benvenuti P., see Rosa M.R. **291**, 1
Benvenuto O.G., see Beskin G., et al. **289**, 141
Benz A.O., Güdel M.: The soft X-ray/microwave ratio of solar and stellar flares and coronae **285**, 621
Benz A.O., see Isliker H. **284**, 701 ***(104, 145)***
Benz A.O., see Isliker H. **285**, 663
Benz A.O., see Krucker S. **285**, 1038
Berdyugina S.V., see Petrov P.P., et al. **290**, 1019 ***(107, 9)***
Berger J.P., see Gillet D., et al. **292**, 360 ***(108, 181)***
Berger M., van der Klis M.: High time resolution observations of Cygnus X-3 with EXOSAT **292**, 175
Bergeron J., see Boisson C., et al. **285**, 377
Bergeron J., see Durret F., et al. **291**, 392
Bergeron J., see Petitjean P. **283**, 759
Berghöfer T.W., Schmitt J.H.M.M.: A long-term X-ray variability study of the O-type stars σ Orionis and ζ Orionis **290**, 435
Berghöfer T.W., Schmitt J.H.M.M.: Are late B-type stars intrinsic X-ray emitters? **292**, L5
Bergvall N., see Rönnback J. **292**, 360 ***(108, 193)***
Berlin A.B., see Larionov M.G., et al. **288**, 1035 ***(106, 119)***
Bernard J.P., Boulanger F., Désert F.X., Giard M., Helou G., Puget J.L.: Dust emission of galactic cirrus from DIRBE observations **291**, L5
Bernard J.P., Giard M., Normand P., Tiphène D.: PAH distribution in BD+30 3639 **289**, 524
Bernard J.P., see Giard M., et al. **291**, 239
Bernardeau F.: The effects of smoothing on the statistical properties of large-scale cosmic fields **291**, 697
Bernstein H.-H.: Global astrometry of HIPPARCOS double stars within the FAST consortium **283**, 293
Bersier D., Blecha A., Golay M., Martinet L.: Far-UV observations of the whirlpool galaxy M 51 **286**, 37
Bersier D., Burki G., Burnet M.: Fundamental parameters of Cepheids. I. Photometric data in the Geneva system **292**, 357 ***(108, 9)***
Bersier D., Burki G., Mayor M., Duquennoy A.: Fundamental parameters of Cepheids. II. Radial velocity data **292**, 358 ***(108, 25)***
Bertaux J.L., see Lallement R., et al. **286**, 898
Bertaux J.L., see Quémerais E., et al. **290**, 941
Bertaux J.L., see Widemann T., et al. **282**, 879
Bertelli G., Bressan A., Chiosi C., Fagotto F., Nasi E.: Theoretical isochrones from models with new radiative opacities **289**, 665 ***(106, 275)***
Bertelli G., see Carraro G., et al. **282**, 352 ***(103, 375)***
Bertelli G., see Fagotto F., et al. **285**, 356 ***(104, 365)***
Bertelli G., see Fagotto F., et al. **287**, 1033 ***(105, 29)***
Bertelli G., see Fagotto F., et al. **287**, 1034 ***(105, 39)***
Bertello L., see Salucci G., et al. **285**, 322
Berthet S., see North P., et al. **281**, 775
Berthet S., see North P., et al. **282**, 351 ***(103, 321)***
Berthet S., see North P., et al. **292**, 350
Berthomieu G., see Morel P., et al. **286**, 91
Bertin G., Bertola F., Buson L.M., Danziger I.J., Dejonghe H., Sadler E.M., Saglia R.P., de Zeeuw P.T., Zeilinger W.W.: A search for dark matter in elliptical galaxies: radially extended spectroscopic observations for six objects **292**, 381
Bertin G., see Block D.L., et al. **288**, 365
Bertin G., see Cipollina M. **288**, 43
Bertin P., see Lallement R., et al. **286**, 898
Bertin P., see Vidal-Madjar A., et al. **287**, 175
Bertola F., see Bertin G., et al. **292**, 381
Bertout C., see Joncour I., et al. **285**, L25
Bertout C., see Joncour I., et al. **291**, L19
Bertsch D.L., see Kanbach G., et al. **289**, 855
Beskin G., Neizvestny S., Plokhotnichenko V., Popova M., Zhuravkov A., Benvenuto O.G., Feinstein C., Méndez M.: **(RN)** Optical study of LMXBs with high temporal resolution: evidence for non-thermal flares from MXB 1735–44 **289**, 141
Beskrovnaya N.G., Pogodin M.A., Shcherbakov A.G., Tarasov A.E.: Profile variations of the Hα emission line in the Herbig B3e star HD 200775 **287**, 564
Best M., Wehrse R.: Synthetic line profiles for supernovae of type II **284**, 507
Bettoni D., Galletta G.: Study of NGC 4442: a link between bars and boxy bulges **281**, 1
Beuermann K., Brandt S., Pietsch W.: SN 1987A: emergence of the soft X-ray source **281**, L45
Beuermann K., see Reinsch K., et al. **291**, L27

Beuermann K., see Reinsch K. **282**, 493
Beust H., Lissauer J.J.: The effects of stellar rotation on the absorption spectra of comets orbiting β Pictoris **282**, 804
Beust H., see Foing B.H., et al. **292**, 543
Beust H., see Vidal-Madjar A., et al. **290**, 245
Beuzit J.-L., see Heydari-Malayeri M. **287**, L17
Beuzit J.-L., Thébault P., Perrin G., Rouan D.: Adaptive optics imaging of the Frosty Leo nebula **291**, L1
Bewick A., see Rochester G.K., et al. **283**, 884
Bhat P.N., see Anupama G.C., et al. **282**, 351 *(103, 315)*
Bhatia R., Piotto G.: Wide area colour magnitude diagrams of the LMC cluster NGC 2214 **283**, 424
Bhatt H.C., Sagar R., Subramaniam A., Gorti U., Chandrasekhar T., Ashok N.M., Ragland S.: **(RN)** SAO 75669: a late-type giant behind the molecular cloud MBM 12 **289**, 946
Bhattacharyya J.C., see Ashoka B.N., et al. **283**, 455
Bhattal A.S., see Whitworth A.P., et al. **290**, 421
Bi H., Börner G.: When does the Richardson–Lucy deconvolution converge? **292**, 364 *(108, 409)*
Bi H.G., Arp H., Zimmermann H.U.: X-ray observations of NGC 3077 **282**, 386
Bianchi L., Lamers H.J.G.L.M., Hutchings J.B., Massey P., Kudritzki R., Herrero A., Lennon D.J.: Ultraviolet and optical spectroscopy of a B supergiant star in M 31 **292**, 213
Bianchini A., see Della Valle M., et al. **287**, 403
Bianchini A., see Iijima T., et al. **283**, 919
Bica E.: **(RN)** Discovery of an obscured globular cluster candidate in the bulge **285**, 868
Bica E., Alloin D., Schmitt H.R.: Integrated spectral properties of star clusters in the near-ultraviolet **283**, 805
Bica E., Ortolani S., Barbuy B.: The globular cluster NGC 6540 **283**, 67
Bica E., Ortolani S., Barbuy B.: The metal-rich globular cluster NGC 6356 **289**, 663 *(106, 161)*
Bica E., see Alloin D., et al. **282**, 1041
Bica E., see Barbuy B., et al. **285**, 871
Bica E., see Ortolani S., et al. **286**, 444
Bica E., see Ortolani S., et al. **292**, 369 *(108, 653)*
Biémont E., Gebarowski R., Zeippen C.J.: Resonance transitions in neutral chlorine **287**, 290
Biémont E., Martin F., Quinet P., Zeippen C.J.: The 4s–4p transitions in neutral phosphorus **283**, 339
Bienaymé O., see Ojha D.K., et al. **284**, 810
Bienaymé O., see Ojha D.K., et al. **290**, 771
Bijaoui A., see Starck J.-L., et al. **283**, 349
Billiau A., see Djurovic D., et al. **288**, 335
Binette L., Magris C.G., Stasińska G., Bruzual A.G.: Photoionization in elliptical galaxies by old stars **292**, 13
Birkle K., see Boehnhardt H. **290**, 1021 *(107, 101)*
Birkle K., see Miranda L.F., et al. **289**, L7
Bisht R.S., see Verma R.P., et al. **284**, 936
Black J.H., see Aalto S., et al. **286**, 365
Black J.H., see Gredel R., et al. **285**, 300
Black J.H., see Jansen D.J., et al. **282**, 605
Black J.H., see Johansson L.E.B., et al. **291**, 89
Blackwell D.E., Lynas-Gray A.E.: Stellar effective temperatures and angular diameters determined by the infrared flux method (IRFM): revisions using improved Kurucz LTE stellar atmospheres **282**, 899
Blades J.C., see Burgarella D., et al. **287**, 769
Blades J.C., see Deharveng J.-M., et al. **288**, 413
Blake G.A., see van Langevelde H.J., et al. **287**, L25
Blancard C., see Cornille M., et al. **287**, 1035 *(105, 77)*
Blanco A., Borghesi A., Fonti S., Orofino V.: Amorphous carbon and silicon carbide grain mixtures in the envelopes of carbon stars **283**, 561
Blanco A., see Orofino V., et al. **282**, 657
Blanco P.R., see Aspin C., et al. **292**, L9
Blandford R.D., see Achterberg A., et al. **281**, 220
Blazit A., see Mourard D., et al. **283**, 705
Blecha A., see Bersier D., et al. **286**, 37
Blecha A., see Reichen M., et al. **289**, 1000 *(106, 523)*
Blinnikov S.I., see Aksenov A.G. **290**, 674
Blinnikov S.I., see Bartunov O.S., et al. **281**, L53
Block D.L., Bertin G., Stockton A., Grosbøl P., Moorwood A.F.M., Peletier R.F.: 2.1 μm images of the evolved stellar disk and the morphological classification of spiral galaxies **288**, 365
Block D.L., Witt A.N., Grosbøl P., Stockton A., Moneti A.: Imaging in the optical and near-infrared regimes. II. Arcsecond spatial resolution of widely distributed cold dust in spiral galaxies **288**, 383
Bloemen H., see Bykov A. **283**, L1
Bloemen H., see Iyudin A.F., et al. **284**, L1
Bloemen H., see Strong A.W., et al. **292**, 82
Bloemen H., Wijnands R., Bennett K., Diehl R., Hermsen W., Lichti G., Morris D., Ryan J., Schönfelder V., Strong A.W., Swanenburg B.N., de Vries C., Winkler C.: COMPTEL observations of the Orion complex: evidence for cosmic-ray induced gamma-ray lines **281**, L5
Bloemhof E.E., Blundell R., Miller R.E.: A 230 GHz SIS receiver for SEST **282**, 318
Blommaert J.A.D.L., Van Langevelde H.J., Michiels W.F.P.: A deep VLA search for OH (1612 MHz) maser sources in the galactic plane **287**, 479
Blundell R., see Bloemhof E.E., et al. **282**, 318
Bocchialini K., Vial J.-C.: Solar chromospheric structures as observed simultaneously in strong UV lines. I. Observations, statistical analysis and characteristic line profiles **287**, 233
Bockelée-Morvan D., Crovisier J., Colom P., Despois D.: The rotational lines of methanol in comets Austin 1990 V and Levy 1990 XX **287**, 647
Bode M.F., see Ivison R.J., et al. **282**, 349 *(103, 201)*
Bodo G., Massaglia S., Ferrari A., Trussoni E.: Kelvin–Helmholtz instability of hydrodynamic supersonic jets **283**, 655
Bodo G., see Kalkofen W., et al. **284**, 976
Böhm C., see Fulle M., et al. **292**, 304
Böhm T., Catala C.: Forbidden lines in Herbig Ae/Be stars: the [O I] (1F) 6300.31 Å and 6363.79 Å lines. I. Observations and qualitative analysis **290**, 167
Boehnhardt H., Birkle K.: Time-variable coma structures in comet P/Swift-Tuttle **290**, 1021 *(107, 101)*
Böhringer H., see Edge A.C., et al. **289**, L34
Böhringer H., see Pierre M., et al. **289**, L37
Böhringer H., see Pierre M., et al. **290**, 725
Böker T., Cruzalèbes P., Hofmann R., Katterloher R., Eckart A., Genzel R., Drapatz S., von der Lühe O.: The MPE imaging beam combiner simulator COSI **288**, 656
Bölge H., Altaş L.: Low-frequency analysis of the sunspot cycles **288**, 967
Boer M., see Atteia J.-L., et al. **288**, 213
Börner G., see Bi H. **292**, 364 *(108, 409)*
Börner G., see Jing Y.P., et al. **284**, 703
Boffi F.R., Stanghellini L.: Filling factors and ionized masses in planetary nebulae **284**, 248
Boffin H.M.J., Anzer U.: Numerical studies of wind accretion using SPH. I. 2D simulations **284**, 1026
Boffin H.M.J., Zacs L.: **(RN)** Examination of the wind accretion scenario for barium stars **291**, 811
Bogdan T.J., see Bünte M. **283**, 642

Bogers W.J., Hes R., Barthel P.D., Zensus J.A.: High resolution radio observations of intermediate redshift quasars and radio galaxies **287**, 1035 ***(105, 91)***
Bohigas J.: Bidimensional spectral analysis of NGC 6302 **288**, 617
Bohigas J., López J.A., Aguilar L.: Bidimensional analysis of the planetary nebula NGC 7009 **291**, 595
Bohlin R.C., Henrichs H.F., Nichols J.S.: High-dispersion microfiche atlas of OB stars for the first 10 years of IUE **287**, 1039 ***(105, 305)***
Boissel P.: Organometallic chemistry and the interstellar medium: experimental evidence of coordination between metal cations and polycyclic hydrocarbons in the gas phase **285**, L33
Boisson C., Durret F., Bergeron J., Petitjean P.: Long slit spectroscopy of extended ionized nebulosities around four quasars **285**, 377
Boisson C., see Robinson A., et al. **291**, 351
Boksenberg A., see Burgarella D., et al. **287**, 769
Boksenberg A., see Deharveng J.-M., et al. **288**, 413
Boller T., Fink H., Schaeidt S.: Discovery of strong X-ray variability in an H II type galaxy **291**, 403
Boller T., see Brinkmann W., et al. **281**, 355
Boller T., see Mas-Hesse J.M., et al. **283**, L9
Bomans D.J., Dennerl K., Kürster M.: Diffuse X-ray emission from the supergiant shell LMC 4 detected with ROSAT **283**, L21
Bomans D.J., see de Boer K.S., et al. **286**, 925
Bommier V., see Landi Degl'Innocenti E. **284**, 865
Bonatto C., see Alloin D., et al. **282**, 1041
Bonazzola S., see Salgado M., et al. **291**, 155
Bonazzola S., see Salgado M., et al. **292**, 365 ***(108, 455)***
Bondi M., Mantovani F., Sherwood W., Tzioumis A., Venturi T.: Amplitude calibration of the European *VLBI* network **282**, 351 ***(103, 365)***
Bondi M., Padrielli L., Gregorini L., Mantovani F., Shapirovskaya N., Spangler S.R.: One-year modulation in the flux density time series of low frequency variables **287**, 390
Bonneau D., see Mourard D., et al. **283**, 705
Bonneau D., see Mourard D., et al. **288**, 675
Bonnet H., see Mellier Y., et al. **289**, L15
Bonnet-Bidaud J.M., see Aurière M., et al. **284**, 457
Bònoli F., see Fusi Pecci F., et al. **284**, 349
Bontekoe T.R., Koper E., Kester D.J.M.: Pyramid maximum entropy images of IRAS survey data **284**, 1037
Bontekoe T.R., see Waters L.B.F.M., et al. **281**, L1
Bookbinder J.A., see Abada-Simon M., et al. **288**, 219
Booth R.S., see Aalto S., et al. **286**, 365
Booth R.S., see Masheder M.R.W., et al. **281**, 871
Bopp B.W., see Jetsu L., et al. **281**, 639 ***(103, 183)***
Borde S., see Lortet M.-C., et al. **292**, 351 ***(107, 193)***
Borgeest U., Schramm K.-J.: The Hamburg Quasar Monitoring program (HQM) at Calar Alto. I. Low amplitude variability in quasars **284**, 764
Borgeest U., see Schramm K.-J., et al. **285**, 358 ***(104, 473)***
Borgeest U., see Schramm K.-J., et al. **289**, 666 ***(106, 349)***
Borghesi A., see Blanco A., et al. **283**, 561
Borgnino J., see Martin F., et al. **292**, 360 ***(108, 173)***
Borgnino J., see Ziad A., et al. **282**, 1021
Boriakoff V., see Smirnova T.V., et al. **286**, 807
Borovićka J.: Line identifications in a fireball spectrum **281**, 638 ***(103, 83)***
Borovička J., see Hudec R., et al. **284**, 499
Borovička J., see Hudec R., et al. **284**, 839
Borra E.F., see Wang M., et al. **285**, 344
Boselli A.: Multifrequency windows on spiral galaxies. IV. Gas content and star formation in the Virgo cluster **292**, 1
Boselli A., Gavazzi G.: Multifrequency windows on spiral galaxies. III. Internal extinction at optical and near-infrared wavelengths **283**, 12
Boselli A., Gavazzi G., Combes F., Lequeux J., Casoli F.: The CO distribution in three peculiar galaxies of the A 1367 cluster **285**, 69
Boselli A., see Gavazzi G., et al. **285**, 355 ***(104, 271)***
Bossi M., see Mantegazza L., et al. **287**, 95
Bottinelli L., see Garcia A.M., et al. **292**, 352 ***(107, 265)***
Bottinelli L., see Paturel G., et al. **286**, 768
Bottinelli L., see Paturel G., et al. **289**, 711
Bouchet F.R., see Colombi S., et al. **281**, 301
Bouchet P., see Roques F., et al. **288**, 985
Boulanger F., Prévot M.L., Gry C.: The contribution of small particles to the extinction curve **284**, 956
Boulanger F., see Bernard J.P., et al. **291**, L5
Boulanger F., see Lequeux J., et al. **292**, 371
Boulesteix J., see Magakian T.Y., et al. **291**, 928
Boulesteix J., see Marcelin M., et al. **282**, 363
Boumier P., van der Raay H.B., Roca Cortés T.: Observation of global solar oscillations with a modified optical resonance spectrometer **290**, 1022 ***(107, 177)***
Bouvier J., see Corporon P., et al. **282**, L21
Bouvier J., see Corporon P., et al. **289**, 660
Bouvier J., see Joncour I., et al. **291**, L19
Bouvier J., see Tessier E., et al. **283**, 827
Bowell E., see Krugly Y.N., et al. **292**, 359 ***(108, 143)***
Bowell E., see Piironen J., et al. **289**, 1002 ***(106, 587)***
Bowyer S., see Deharveng J.-M., et al. **289**, 715
Bowyer S., see Mathioudakis M., et al. **291**, 517
Boyce P.J., Cohen R.J.: A large-scale survey of OH in the galactic centre **292**, 357 ***(107, 563)***
Boyle R.P., see Smriglio F., et al. **292**, 367 ***(108, 581)***
Božić H., see Juza K., et al. **292**, 354 ***(107, 403)***
Bragaglia A., see Munari U., et al. **292**, 501
Brahic A., see Roques F., et al. **288**, 985
Braine J., Dupraz C.: Deep CO observations of dominant cluster galaxies with reported cooling flows **283**, 407
Brand J., Cesaroni R., Caselli P., Catarzi M., Codella C., Comoretto G., Curioni G.P., Curioni P., Di Franco S., Felli M., Giovanardi C., Olmi L., Palagi F., Palla F., Panella D., Pareschi G., Rossi E., Speroni N., Tofani G.: The Arcetri catalogue of H_2O maser sources update **283**, 716 ***(103, 541)***
Brand J., Wouterloot J.G.A.: IRAS sources beyond the solar circle. IV. Maps of far-outer Galaxy molecular clouds **283**, 715 ***(103, 503)***
Brandenburg A., see Rieutord M., et al. **286**, 471
Brandenburg A., see Torkelsson U. **283**, 677
Brandenburg A., see Torkelsson U. **292**, 341
Brandenburg A., see Tuominen I., et al. **284**, 259
Brandimarti A., see Battinelli P., et al. **285**, 357 ***(104, 379)***
Brandt S., see Beuermann K., et al. **281**, L45
Brazier K.T.S., see Kanbach G., et al. **289**, 855
Brechignac P., see Moreels G., et al. **282**, 643
Breger M., Martin B., Garrido R., Jiang S.Y., Li Zhi-ping, Hube D.P., Stich J., Ostermann W., Paparo M.: EP Cancri: a nonradially pulsating δ Scuti star in the Praesepe cluster **281**, 90
Breger M., Ostermann W.M., Jiang S.Y., Li Z.-P., Akan M.C., Evren S., İbanoğlu C., Keskin V., Tunca Z.: Multi-period pulsation of the δ Scuti star 63 Herculis **289**, 162
Bregman J.N., see de Boer K.S., et al. **286**, 925
Bregman J.N., see Huchtmeier W.K., et al. **281**, 327
Breimer T.G.: Extraction of the mean radial mass distribution in clusters of galaxies by observations of weak gravitational imaging **283**, 745

Bremer M.N., see van Ojik R., et al. **289**, 54
Bressan A., see Bertelli G., et al. **289**, 665 *(106, 275)*
Bressan A., see Carraro G., et al. **282**, 352 *(103, 375)*
Bressan A., see Fagotto F., et al. **285**, 356 *(104, 365)*
Bressan A., see Fagotto F., et al. **287**, 1033 *(105, 29)*
Bressan A., see Fagotto F., et al. **287**, 1034 *(105, 39)*
Bretagnon P., see Simon J.L., et al. **282**, 663
Briand C., Lemaire P.: Center-to-limb observations of the λ285.2 nm Mg I UV resonance line **282**, 621
Bridger A., see Aspin C., et al. **292**, L9
Briel U., see Edge A.C., et al. **289**, L34
Brinkmann W., Maraschi L., Treves A., Urry C.M., Warwick R., Siebert J., Wagner S., Edelson R., Fink H., Madejski G.: Multi-wavelength monitoring of the BL Lacutae Object PKS 2155–304. II. The ROSAT Observations **288**, 433
Brinkmann W., see Fink H.H., et al. **283**, 635
Brinkmann W., see Neumann M., et al. **289**, 665 *(106, 303)*
Brinkmann W., Siebert J.: Spectral properties of X-ray loud extragalactic radio sources **285**, 812
Brinkmann W., Siebert J., Boller T.: The X-ray AGN content of the Molonglo 408 MHz Survey: bulk properties of previously optically identified sources **281**, 355
Briot D., see Leister N.V., et al. **287**, 789
Brocato E., Castellani V., Piersimoni A.M.: Core overshooting and the enigma of NGC 1866 **290**, 59
Broeils A.H., van Woerden H.: A search for spiral galaxies with extended H I disks **290**, 1021 *(107, 129)*
Broglia P., Manara A.: **(RN)** Polarimetric observations of 51 Nemausa during its 1991 apparition **281**, 576
Bromage G.E., see Fox D.C., et al. **284**, 91
Brosche P., see Tucholke H.-J., et al. **284**, 701 *(104, 161)*
Brouillet N., see Baudry A., et al. **287**, 20
Brown A., see Fox D.C., et al. **284**, 91
Brown A.G.A., de Geus E.J., de Zeeuw P.T.: The Orion OB 1 association. I. Stellar content **289**, 101
Brown B.H., see Adelman S.J., et al. **289**, 666 *(106, 333)*
Brown J.C., see Wood K. **285**, 220
Brown J.C., see Wood K. **291**, 202
Brown J.C., Wood K.: Inversion of Thomson scattered spectro-polarimetric line profiles to yield the velocity structure of rotating or expanding circumstellar discs **290**, 634
Brown P.J.F., see Kendall T.R., et al. **291**, 851
Brown T.M., see Schou J. **292**, 356 *(107, 541)*
Browne I.W.A., see Akujor C.E., et al. **287**, 1038 *(105, 247)*
Bruch A., Engel A.: A catalogue of *UBV* colours of cataclysmic variables (second edition) **284**, 699 *(104, 79)*
Bruch A., Niehues M., Jones A.F.: The variable light curve of the eclipsing symbiotic star AR Pavonis **287**, 829
Bruch A., see Klein A., et al. **284**, 700 *(104, 99)*
Bruls J.H.M.J., see Carlsson M., et al. **288**, 860
Bruls J.H.M.J., see Solanki S.K. **286**, 269
Brunini A.: **(RN)** Comments on Hills's approximation in the problem of planetary encounters **289**, 637
Brunner H., Lamer G., Worrall D.M., Staubert R.: X-ray spectra of a complete sample of extragalactic core-dominated radio sources **287**, 436
Bruzual A.G., see Binette L., et al. **292**, 13
Buat V., see Deharveng J.-M., et al. **289**, 715
Buat V., Vuillemin A., Burgarella D., Milliard B., Donas J.: The distribution of the ultraviolet emission in the disk of Messier 33 **281**, 666
Buccheri R., see Carramiñana A., et al. **290**, 487
Buchert T., Melott A.L., Weiß A.G.: Testing higher-order Lagrangian perturbation theory against numerical simulations. I. Pancake models **288**, 349
Buchert T., see Mecke K.R., et al. **288**, 697
Buchholz B., Hauschildt P.H., Rammacher W., Ulmschneider P.: An operator splitting method for atmospheres with shocks **285**, 987
Buchler J.R., Buchler N.E.G.: BL Herculis model pulsations. III. Livermore opacities **285**, 213
Buchler J.R., Moskalik P.: Fourier analysis of short-period SMC Cepheids: a comparison with Galactic Cepheids **292**, 450
Buchler J.R., see Goupil M.J. **291**, 481
Buchler J.R., see Kovács G. **281**, 749
Buchler N.E.G., see Buchler J.R. **285**, 213
Buckley D.A.H., see Coe M.J., et al. **289**, 784
Buckley D.A.H., see de Martino D., et al. **284**, 125
Budding E., see Oláh K., et al. **291**, 110
Budtz-Jørgensen C., see Nørgaard-Nielsen H.U., et al. **285**, 705
Bühler P., Courvoisier T.J.-L., Staubert R.: Beamed X-rays in radio-loud quasars **287**, 433
Bünte M., Bogdan T.J.: Magneto-atmospheric waves subject to Newtonian cooling **283**, 642
Buffington A., see Jackson B.V., et al. **292**, 362 *(108, 279)*
Bujarrabal V.: Numerical calculations of SiO maser emission. II. Angular extent **285**, 971
Bujarrabal V.: Numerical calculations of SiO maser emission. I. Intensity and variability **285**, 953
Bujarrabal V., Cernicharo J.: The C/O abundance ratio in the detached circumstellar envelopes around carbon stars **288**, 551
Bujarrabal V., Fuente A., Omont A.: Molecular observations of O- and C-rich circumstellar envelopes **285**, 247
Bujarrabal V., see Pijpers F.P., et al. **286**, 501
Bukvić S., see Djenižе S., et al. **287**, 1035 *(105, 115)*
Buonanno R., Corsi C.E., Buzzoni A., Cacciari C., Ferraro F.R., Fusi Pecci F.: The stellar population of the globular cluster M 3. I. Photographic photometry of 10000 stars **290**, 69
Burbidge G., see Hoyle F., et al. **289**, 729
Burg R., see Hasinger G., et al. **291**, 348
Burgarella D., Paresce F., Meylan G., King I.R., Greenfield P., Baxter D., Jedrzejewski R., Nota A., Albrecht R., Barbieri C., Blades J.C., Boksenberg A., Crane P., Deharveng J.M., Disney M.J., Jakobsen P., Kamperman T.M., Macchetto F., Mackay C.D., Weigelt G.: HST observations of the core of globular cluster NGC 6397 **287**, 769
Burgarella D., see Buat V., et al. **281**, 666
Burke V.M., see Lennon D.J. **282**, 350 *(103, 273)*
Burki G., see Bersier D., et al. **292**, 357 *(108, 9)*
Burki G., see Bersier D., et al. **292**, 358 *(108, 25)*
Burki G., see De Medeiros J.R., et al. **286**, 481
Burki G., see Dougherty S.M., et al. **290**, 609
Burki G., see Gillet D., et al. **286**, 508
Burki G., see Pont F., et al. **285**, 415
Burki G., see Pont F., et al. **287**, 1036 *(105, 165)*
Burnage R., see Gillet D., et al. **292**, 360 *(108, 181)*
Burnet M., see Bersier D., et al. **292**, 357 *(108, 9)*
Burton W.B., see Stark R., et al. **281**, 199
Burwitz V., see Reinsch K., et al. **291**, L27
Busarello G., Capozziello S., de Ritis R., Longo G., Rifatto A., Rubano C., Scudellaro P.: Apparently periodic Universe **283**, 717
Busarello G., see Longo G., et al. **282**, 418
Busarello G., see Longo G., et al. **287**, 1041 *(105, 433)*
Buscher D.F., see Quirrenbach A., et al. **283**, L13
Buscher D.F., see Quirrenbach A., et al. **285**, 541
Buscher D.F., see Quirrenbach A., et al. **286**, 1019
Buser R., see Cuisinier F., et al. **285**, 943
Busetta M., see Carramiñana A., et al. **290**, 487
Buson L.M., see Bertin G., et al. **292**, 381

Buson L.M., see Munari U. **287**, 87
Bussoletti E., see Colangeli L., et al. **284**, 583
Bussoletti E., see Fulle M., et al. **289**, 604
Butler K., see Pauldrach A.W.A., et al. **283**, 525
Butler K., Zeippen C.J.: Atomic data from the IRON Project. V. Effective collision strengths for transitions in the ground configuration of oxygen-like ions **292**, 357 *(**108**, 1)*
Buzzoni A., see Buonanno R., et al. **290**, 69
Buzzoni A., see Covino S., et al. **289**, 775
Buzzoni A., see Molinari E., et al. **282**, 349 *(**103**, 245)*
Buzzoni A., see Molinari E., et al. **292**, 54
Bykov A., Bloemen H.: Gamma-ray spectroscopy of the interstellar medium in the Orion complex **283**, L1
Cacciari C., see Buonanno R., et al. **290**, 69
Cacciari C., see Fusi Pecci F., et al. **284**, 349
Cadez V.M., Ballester J.L.: Local waves in a magnetic arcade embedded in the solar corona **292**, 669
Čadež V.M., Oliver R., Ballester J.L.: The shape of a magnetic arcade embedded in the solar corona **282**, 934
Cagigal M.P., Prieto P.: Autocorrelation central value in clipped photon-counting detection from the moments of the total number of counts **289**, L51
Caimmi R., see Andriani E. **289**, 1
Calamai G., see Richichi A., et al. **286**, 829
Caligari P., see Schüssler M., et al. **281**, L69
Caliskan H., see Adelman S.J., et al. **289**, 666 *(**106**, 333)*
Camenzind M., Lesch H.: Time-evolution of axisymmetric magnetic fields in galaxies **284**, 411
Cammerer M., Shchekinov Y.: Large-scale self-regulation in star-forming systems **283**, 845
Campana S., Pardi M.C.: *Erratum* Do molecular clouds contain accreting black holes? **287**, 348
Cao H., see Foing B.H., et al. **292**, 543
Cao W.D., see Ji S.C., et al. **286**, 588
Cao X., Zhang J.: Stability of a polytropic accretion disk around a black hole **285**, 1047
Caon N., Capaccioli M., D'Onofrio M.: ‚Global mapping' *B*-band photometry of a complete sample of Fornax and Virgo early-type galaxies **289**, 664 *(**106**, 199)*
Caon N., Capaccioli M., D'Onofrio M., Longo G.: New evidence for mergers in compact groups of galaxies **286**, L39
Capaccioli M., see Caon N., et al. **286**, L39
Capaccioli M., see Caon N., et al. **289**, 664 *(**106**, 199)*
Capaccioli M., see Kissler M., et al. **287**, 463
Capaccioli M., see Piotto G., et al. **287**, 371
Capetti A., Macchetto F., Sparks W.B., Miley G.K.: HST observations of 3C 449: discovery of an extended nuclear disk and of possible optical jets **289**, 61
Caplan J., see Zavagno A., et al. **281**, 491
Capozziello S., see Busarello G., et al. **283**, 717
Cappellaro E., see Benetti S., et al. **285**, 147
Cappellaro E., see Benetti S., et al. **285**, L13
Cappellaro E., see Patat F., et al. **282**, 731
Capuzzo-Dolcetta R., see Adanti S., et al. **292**, 363 *(**108**, 395)*
Capuzzo-Dolcetta R., see Battinelli P., et al. **285**, 357 *(**104**, 379)*
Caranicolas N.D.: 1 : 1 : 1 resonant periodic orbits in 3-dimensional galactic-type Hamiltonians **282**, 34
Caranicolas N.D.: A map for galaxy potentials in resonance cases **291**, 754
Caranicolas N.D.: A semi-numerical method for resonances in galactic-type Hamiltonians **287**, 752
Caranicolas N.D., see Vozikis C.L. **288**, 448
Caraveo P.A., see Laurent P., et al. **286**, 838
Carballo R., Sahu M.: **(RN)** Near-infrared observations of new young stellar objects from the IRAS Point Source Catalog **289**, 131
Carbonell M., Oliver R., Ballester J.L.: A search for chaotic behaviour in solar activity **290**, 983
Cardelli J.A., see Shenton M., et al. **287**, 852
Carilli C.L., see Beck R., et al. **292**, 409
Carlsson M., Rutten R.J., Bruls J.H.M.J., Shchukina N.G.: The non-LTE formation of Li I lines in cool stars **288**, 860
Carney B.W., see Storm J., et al. **290**, 443
Carney B.W., see Storm J., et al. **291**, 121
Carquillat J.M., Ginestet N., Duquennoy A., Pédoussaut A.: Contribution to the study of composite spectra. VI. HD 66068–9 *(Text in French)* **289**, 1002 *(**106**, 597)*
Carquillat J.M., see Ginestet N., et al. **292**, 362 *(**108**, 359)*
Carr T.D., see Wang L. **281**, 945
Carramiñana A., Bennett K., Buccheri R., Busetta M., Connors A., Hermsen W., Kuiper L., Lichti G.G., Ryan J., Schönfelder V., Strong A.: On the temporal behaviour of the Crab pulsar as seen by COMPTEL **290**, 487
Carraro G., Chiosi C.: Galactic orbits of the old open clusters NGC 188, NGC 2682, NGC 2420, NGC 752 and NGC 2506 **288**, 751
Carraro G., Chiosi C.: The Galactic system of old open clusters: age calibration and age-metallicity relation **287**, 761
Carraro G., Chiosi C., Bressan A., Bertelli G.: Five old open clusters: NGC 2682, NGC 2243, Berkeley 39, NGC 188 and NGC 6791 **282**, 352 *(**103**, 375)*
Carraro G., Ortolani S.: Deep CCD *BV* photometry of the poorly studied open cluster NGC 4815 **289**, 1001 *(**106**, 573)*
Carraro G., Ortolani S.: Pismis 3: an unstudied old open cluster **291**, 106
Carraro G., Patat F.: CCD *BV* photometry of the intermediate age open cluster NGC 1245 **289**, 397
Carrasco G., Loyola P.: Optical positions of radio stars observed with the Repsold Meridian Circle at Cerro Calan, National Observatory **287**, 1041 *(**105**, 429)*
Carrasco L., see Gavazzi G., et al. **285**, 355 *(**104**, 271)*
Carswell R.F., see Petitjean P., et al. **291**, 29
Carter B., see Shenton M., et al. **287**, 866
Carvalho J.C.: Diffusion effect on the dynamo action at high order approximation **283**, 1046
Carvalho J.C.: Magnetic field in clusters of galaxies **281**, 641
Carvalho J.C.: The age of GHz-peaked-spectrum radio sources **292**, 392
Casali M.M., see Eiroa C., et al. **290**, 599
Caselli P., see Brand J., et al. **283**, 716 *(**103**, 541)*
Casini R., Landi Degl'Innocenti E.: *Erratum* The polarized spectrum of hydrogen in the presence of electric and magnetic fields **287**, 692
Casini R., Landi Degl'Innocenti E.: Properties of the first-order moments of the polarization profiles of hydrogen lines **291**, 668
Casoli F., Gerin M., Encrenaz P.J., Combes F.: **(RN)** Further support for the presence of water in IRAS 10214+4724 **287**, 716
Casoli F., see Boselli A., et al. **285**, 69
Casoli F., see Gerin M. **290**, 49
Cassatella A., Selvelli P.L., Ponz J.D., Gonzalez-Riestra R., Vogel M.: Photometric calibration of the International Ultraviolet Explorer (IUE) for high resolution spectra **281**, 594
Cassisi S., Castellani V., Salaris M., Straniero O.: New radiative opacities: their influence on stellar models **282**, 760
Cassisi S., Castellani V., Straniero O.: **(RN)** H and He burning phases in galactic clusters: the role of the original chemical composition **282**, 753

Castellani M., Castellani V., Pulone L., Tornambé A.: Theoretical hot horizontal branch stars **282**, 771
Castellani V., see Brocato E., et al. **290**, 59
Castellani V., see Cassisi S., et al. **282**, 753
Castellani V., see Cassisi S., et al. **282**, 760
Castellani V., see Castellani M., et al. **282**, 771
Castellani V., see Martinez Roger C., et al. **290**, 62
Castellani V., Villani D.: **(RN)** Red giant branches as a probe of stellar convective cores **285**, 880
Castelli F., Kurucz R.L.: Model atmospheres for Vega **281**, 817
Castelli F., see Morel P., et al. **286**, 91
Castelli F., see Primas F., et al. **290**, 885
Castles J., see Greve A., et al. **284**, 919
Castro S., see Barbuy B., et al. **283**, 32
Catala C., see Böhm T. **290**, 167
Catala C., see Foing B.H., et al. **292**, 543
Catala C., see Zhai D.S., et al. **282**, 168
Catalano F.A., Leone F.: The light variations of some CP2 SrCrEu stars **292**, 368 *(**108**, 595)*
Catalano S., Frasca A.: A strong Hα flare on HK Lacertae **287**, 575
Catalano S., see Foing B.H., et al. **292**, 543
Catalano S., see Frasca A. **284**, 883
Catarzi M., see Brand J., et al. **283**, 716 *(**103**, 541)*
Catelan M.: On the Oosterhoff–Arp–Sandage period-shift effect and its evolutionary interpretation **285**, 469
Catelan M., de Freitas Pacheco J.A.: **(RN)** Horizontal-branch models and the second-parameter phenomenon: the case of NGC 288 and NGC 362 **289**, 394
Caulet A., Hook R.N., Fosbury R.A.E.: Measurements of the sky background using the HST Faint Object Camera **292**, 361 *(**108**, 271)*
Cavallini F., see Barducci A., et al. **281**, 955
Cavallini F., see Salucci G., et al. **285**, 322
Cayatte V., see Amram P., et al. **281**, 636 *(**103**, 5)*
Cayón L., Martínez-González E., Sanz J.L.: The effect of gravitational lensing on the texture of the cosmic microwave background **284**, 719
Cayrel R., see Cayrel de Strobel G., et al. **291**, 505
Cayrel R., see Cuisinier F., et al. **285**, 943
Cayrel R., see Morel P., et al. **286**, 91
Cayrel de Strobel G., Cayrel R., Friel E., Zahn J.-P., Bentolila C.: A case study of the quadruple system ξ Ursae Majoris: its activity and lithium depletion **291**, 505
Cazetta J.O., Maciel W.J.: Location of PN central stars on the HR diagram **290**, 936
Centurión M., see Vladilo G., et al. **291**, 425
Centurión M., see Vladilo G. **287**, 1041 *(**105**, 421)*
Centurión M., Vladilo G., de Boer K.S., Herbstmeier U., Schwarz U.J.: Optical and 21-cm observations of high-velocity gas towards subdwarfs in the halo and early-type stars in the disk **292**, 261
Cepa J., see Dottori H., et al. **283**, 753
Ceplecha Z.: Earth-grazing daylight fireball of August 10, 1972 **283**, 287
Ceplecha Z.: Impacts of meteoroids larger than 1 m into the Earth's atmosphere **286**, 967
Ceplecha Z., see Re Velle D.O. **292**, 330
Ceppatelli G., see Barducci A., et al. **281**, 955
Ceppatelli G., see Salucci G., et al. **285**, 322
Cernicharo J., see Bujarrabal V. **288**, 551
Cerviño M., Mas-Hesse J.M.: Metallicity effects in star-forming regions **284**, 749
Cesaroni R., Churchwell E., Hofner P., Walmsley C.M., Kurtz S.: Hot ammonia towards compact H II regions **288**, 903
Cesaroni R., see Brand J., et al. **283**, 716 *(**103**, 541)*
Cesaroni R., Wilson T.L.: An ammonia study of the Orion streamer **281**, 209
Cha G., Tan H., Xu J., Li Y.: High-dispersion Hα spectroscopy of ε Aurigae **284**, 874
Chaizy P., see Mangeney A., et al. **283**, 982
Chalabaev A., see Augarde R., et al. **285**, 355 *(**104**, 259)*
Chalabaev A., see Comte G., et al. **285**, 1
Chalov S.V., Fahr H.J.: A two-fluid model of the solar wind termination shock modified by shock-generated cosmic rays including energy losses **288**, 973
Chamaraux P., see Takata T., et al. **285**, 359 *(**104**, 529)*
Chambat F.: On the non-existence of some heterogeneous equivalents of ellipsoidal Dedekind figures **292**, 76
Chambers K.C., see Röttgering H.J.A., et al. **292**, 359 *(**108**, 79)*
Chambers K.C., see van Ojik R., et al. **289**, 54
Chan K.L., see Singh H.P., et al. **281**, L73
Chandrasekhar T., see Bhatt H.C., et al. **289**, 946
Chapellier E., see Sadsaoud H., et al. **287**, 509
Chapman J.M., see Zijlstra A.A., et al. **290**, 228
Chapman S.J., see Whitworth A.P., et al. **290**, 421
Chapront J., see Simon J.L., et al. **282**, 663
Chapront-Touzé M., see Simon J.L., et al. **282**, 663
Char S., see Foing B.H., et al. **292**, 543
Char S., see Zhai D.S., et al. **282**, 168
Charbonnel C.: Clues for non-standard mixing on the red giant branch from $^{12}C/^{13}C$ and $^{12}C/^{14}N$ ratios in evolved stars **282**, 811
Charbonnel C., see Meynet G., et al. **281**, 638 *(**103**, 97)*
Charbonnel C., Vauclair S., Maeder A., Meynet G., Schaller G.: Lithium and beryllium depletion by rotation-induced mixing in the Sun and in galactic cluster stars **283**, 155
Charlot P., see Folkner W.M., et al. **287**, 279
Chatel A., see Gillet D., et al. **286**, 508
Chatzichristou H., see Foing B.H., et al. **292**, 543
Chaudret B., see Marty P., et al. **282**, 916
Chauveau S., see Prantzos N., et al. **285**, 132
Chauville J., see Sareyan J.P., et al. **291**, 815
Chavarría-K.C., Moreno-Corral M.A., Hernández-Toledo H., Terranegra L., de Lara E.: H_α interferometric, optical and near IR photometric studies of star forming regions. II. The NGC 7380E/Sh2-142/NGC 7380 complex **283**, 963
Chavarría-K.C., see Terranegra L., et al. **285**, 359 *(**104**, 557)*
Chen G.Q., see Ji S.C., et al. **286**, 588
Chen L., see Zhao J.L. **287**, 68
Chen P.S., see Xiong G.Z., et al. **292**, 369 *(**108**, 661)*
Chen Y., see Bandiera R. **284**, 629
Chen Y., see Bandiera R. **284**, 637
Cheng J.: An analytical study of simple waves in thin magnetic flux tubes **286**, 962
Cheng K.S., Ding W.K.Y.: On the gamma-ray emission from Markarian 421 **288**, 97
Cheng L.-X., see Sun X.-J., et al. **289**, 127
Cherepashchuk A.M., Goranskij V.P., Karitskaya E.A., Nadjip A.E., Savage A., Shakura N.I., Sunyaev R.A., Volchkov A.A.: The investigation of the error boxes of KVANT and GRANAT X-ray sources in the region of Galactic center **289**, 419
Chernin A.D., Ivanov A.V., Trofimof A.V., Mikkola S.: Configurations and morphology of triple galaxies: evidence for dark matter? **281**, 685
Chevreton M., see Belmonte J.A., et al. **283**, 121
Chian A.C.-L., Lopes S.R., Alves M.V.: Generation of auroral whistler-mode radiation via nonlinear coupling of Langmuir waves and Alfvén waves **290**, L13

Chian A.C.-L., Lopes S.R., Alves M.V.: Nonlinear excitation of Langmuir and Alfvén waves by auroral whistler waves in the planetary magnetosphere **288**, 981
Chian A.C.-L., Oliveira L.P.L.: Magnetohydrodynamic parametric instabilities driven by a standing Alfvén wave in the planetary magnetosphere **286**, L1
Chiang J., see Kanbach G., et al. **289**, 855
Chiappini C., Maciel W.J.: Planetary nebulae and the helium-to-metals enrichment ratio **288**, 921
Chiba M., Lesch H.: Galactic dynamics and magnetic fields. II. Magnetic fields in barred galaxies **284**, 731
Chièze J.P., see Rothenflug R., et al. **291**, 271
Chincarini G., see Edge A.C., et al. **289**, L34
Chincarini G., see Molinari E., et al. **282**, 349 ***(103**, 245)*
Chincarini G., see Molinari E., et al. **292**, 54
Chini R., Krügel E.: Dust at high z **288**, L33
Chini R., see Krügel E. **287**, 947
Chini R., see Persi P., et al. **282**, 233
Chiorny V.G., see Mohamed R.A., et al. **292**, 359 ***(108**, 69)*
Chiosi C., see Bertelli G., et al. **289**, 665 ***(106**, 275)*
Chiosi C., see Carraro G., et al. **282**, 352 ***(103**, 375)*
Chiosi C., see Carraro G. **287**, 761
Chiosi C., see Carraro G. **288**, 751
Chiosi C., see Fagotto F., et al. **285**, 356 ***(104**, 365)*
Chiosi C., see Fagotto F., et al. **287**, 1033 ***(105**, 29)*
Chiosi C., see Fagotto F., et al. **287**, 1034 ***(105**, 39)*
Chiosi C., see Vallenari A., et al. **284**, 424
Chiosi C., see Vallenari A., et al. **284**, 447
Chiosi C., see Vallenari A., et al. **292**, 367 ***(108**, 571)*
Chitnis V.R., see Rao A.R., et al. **289**, L43
Chochol D., see Mayer P., et al. **288**, L13
Chodas P.W., see Sekanina Z., et al. **289**, 607
Chollet F., see Toulmonde M. **287**, 1014
Choudhuri A.R., see Dikpati M. **291**, 975
Christensen-Dalsgaard J., see Monteiro M.J.P.F.G., et al. **283**, 247
Christopoulou P.-E., see Goudis C.D., et al. **285**, 631
Christy J.C., see Masnou J.L., et al. **290**, 503
Chugainov P.F., see Jetsu L., et al. **281**, 639 ***(103**, 183)*
Chupp E.L., see Trottet G., et al. **288**, 647
Churazof E., see Jourdain E., et al. **281**, L57
Churazov E., see Barret D., et al. **288**, 472
Churazov E., see Claret A., et al. **287**, 824
Churazov E., see Laurent P., et al. **286**, 838
Churazov E., see Vikhlinin A., et al. **287**, 73
Churchwell E., see Cesaroni R., et al. **288**, 903
Cieslinski D., Elizalde F., Steiner J.E.: Observations of suspected symbiotic stars **289**, 664 ***(106**, 243)*
Cipollina M., Bertin G.: Analytical study of adiabatic black hole growth in spherical stellar systems **288**, 43
Civelek R., see Eryurt D., et al. **282**, 485
Clairemidi J., see Moreels G., et al. **282**, 643
Clairemidi J., see Rousselot P., et al. **286**, 645
Claret A., Lebrun F., Laurent P., Leray J.P.: Sidelobes of the SIGMA telescope **282**, 1034
Claret A., Lebrun F., Paul J., Cordier B., Pelaez F., Jourdain E., Niel M., Roques J.P., Terekov O., Lobachev V., Denisenko D., Sunyaev R., Churazov E., Gilfanov M., Dyachkov A., Khavenson N.: Localizations and spectra of gamma-ray bursts observed within the sidelobes of the SIGMA telescope **287**, 824
Claret A., see Barret D., et al. **288**, 472
Claret A., see Laurent P., et al. **286**, 838
Claret A., see Mirabel I.F., et al. **282**, L17
Clariá J.J., Mermilliod J.-C., Piatti A.E., Minniti D.: Photometric and Coravel observations of stars in the open cluster IC 2714 **290**, 1020 ***(107**, 39)*
Clark N., see Tadhunter C., et al. **288**, L21
Clark T.A., see Naylor D.A., et al. **291**, L51
Claude S., see White G.J., et al. **284**, L23
Claudi R.U., see Spogli C. **281**, 808
Clausen J.V., see Giménez A. **291**, 795
Clausset F., Stehlé C., Artru M.-C.: Parametrized Stark profiles of hydrogen lines in hot stellar plasmas **287**, 666
Clavel J., see Dietrich M., et al. **284**, 33
Clavel J., see Stirpe G.M., et al. **285**, 857
Clements S.D., see Tornikoski M., et al. **289**, 673
Codella C., Felli M., Natale V.: HII regions and IRAS PSC sources: the reliability of the association **284**, 233
Codella C., Felli M., Natale V., Palagi F., Palla F.: The occurrence of H_2O masers in HII regions **291**, 261
Codella C., see Brand J., et al. **283**, 716 ***(103**, 541)*
Coe M.J., Roche P., Everall C., Fishman G.J., Hagedon K.S., Finger M., Wilson R.B., Buckley D.A.H., Shrader C., Fabregat J., Polcaro V.F., Giovannelli F., Villada M.: Multiwaveband study of a major X-ray outburst from the Be/X-ray transient system A 1118–616 **289**, 784
Coe M.J., see Paredes J.M., et al. **288**, 519
Cohen R.J., see Boyce P.J. **292**, 357 ***(107**, 563)*
Cohen R.J., see Masheder M.R.W., et al. **281**, 871
Colangeli L., Mennella V., Stephens J.R., Bussoletti E.: Laboratory simulation of microdiamonds present in space **284**, 583
Colangeli L., see Fulle M., et al. **289**, 604
Colavita M.M.: Measurement of the atmospheric limit to narrow-angle interferometric astrometry using the Mark III stellar interferometer **283**, 1027
Colin J., de Boer K.S., Dauphole B., Ducourant C., Dulou M.R., Geffert M., Le Campion J.-F., Moehler S., Odenkirchen M., Schmidt J.H.K., Theissen A.: Kinematics of hot subdwarfs **287**, 38
Collados M., Martínez Pillet V., Ruiz Cobo B., del Toro Iniesta J.C., Vázquez M.: Observed differences between large and small sunspots **291**, 622
Collados M., see Rodríguez Hidalgo I., et al. **283**, 263
Collier Cameron A., see Panagi P.M., et al. **292**, 439
Collin S., see Jourdain E., et al. **281**, L57
Collins C.A., see Edge A.C., et al. **289**, L34
Collin-Souffrin S., see Huré J.-M., et al. **290**, 19
Collin-Souffrin S., see Huré J.-M., et al. **290**, 34
Collmar W., see Hanlon L.O., et al. **285**, 161
Colom P., see Bockelée-Morvan D., et al. **287**, 647
Colomb F.R., see Romero G.E., et al. **288**, 731
Colombi S., Bouchet F.R., Schaeffer R.: Large-scale structure statistics: finite volume effects **281**, 301
Colombo E., see Marañón Di Leo C., et al. **286**, 160
Combes F., Prugniel P., Rampazzo R., Sulentic J.W.: CO in paired galaxies: star formation induced by gas flow **281**, 725
Combes F., see Boselli A., et al. **285**, 69
Combes F., see Casoli F., et al. **287**, 716
Combes F., see García-Burillo S., et al. **287**, 419
Combes F., see Pfenniger D., et al. **285**, 79
Combes F., see Pfenniger D. **285**, 94
Combes F., see Reshetnikov V.P. **291**, 57
Combes F., see Wiklind T. **286**, L9
Combes F., see Wiklind T. **288**, L41
Combi J.A., see Romero G.E., et al. **288**, 731
Comerón F., Torra J.: The origin of the Gould Belt by the impact of a high velocity cloud on the galactic disk **281**, 35
Comerón F., Torra J., Gómez A.E.: On the characteristics and origin of the expansion of the local system of young objects **286**, 789
Comoretto G., see Brand J., et al. **283**, 716 ***(103**, 541)*

Comte G., Augarde R., Chalabaev A., Kunth D., Maehara H.: Spectrographic study of a large sample of Kiso ultraviolet excess galaxies. II. Discussion **285**, 1
Comte G., see Augarde R., et al. **285**, 355 ***(104, 259)***
Comte G., see Surace C. **281**, 653
Comte R., see Masnou J.L., et al. **290**, 503
Conlon E.S., Dufton P.L., Keenan F.P.: Abundance analysis of the hot post-AGB star Barnard 29 **290**, 897
Conlon E.S., see Kendall T.R., et al. **290**, 563
Conlon E.S., see Kendall T.R., et al. **291**, 851
Connors A., see Carramiñana A., et al. **290**, 487
Connors A., see Hanlon L.O., et al. **285**, 161
Contarini G., see Benetti S., et al. **285**, L13
Contarini G., see Gratton R.G. **283**, 911
Contopoulos G., see Patsis P.A., et al. **286**, 46
Conway R.G., Davis R.J.: Synchrotron radiation from the jet of 3C 273. III. The speed and direction of the jet **284**, 724
Cordier B., see Barret D., et al. **288**, 472
Cordier B., see Claret A., et al. **287**, 824
Cordier B., see Jourdain E., et al. **281**, L57
Cornide M., see Montes D., et al. **285**, 609
Cornille M., Dubau J., Faucher P., Bely-Dubau F., Blancard C.: Atomic data and spectral line intensities for O VIII and Fe XVII resonance lines as well as their O VII and Fe XVI satellite lines **287**, 1035 ***(105, 77)***
Corporon P., Lagrange A.M., Bouvier J.: Direct determination of stellar and orbital parameters of the spectroscopic binary TZ CrA **282**, L21
Corporon P., Lagrange A.M., Bouvier J.: *Erratum* Direct determination of stellar and orbital parameters of the spectroscopic binary TY CrA **289**, 660
Corrigan R., see Rochester G.K., et al. **283**, 884
Corsi C.E., see Buonanno R., et al. **290**, 69
Costa E., Loyola P.: Optical astrometry of Benchmark radio sources. II. Positions of 29 compact extragalactic radio sources with respect to the International Reference Stars catalogue **285**, 359 ***(104, 503)***
Costa E., see Masnou J.L., et al. **290**, 503
Costa R.D.D., de Freitas Pacheco J.A.: Chemical abundances of symbiotic nebulae. II **285**, 998
Costa V., see Moles M., et al. **285**, 404
Costa V., see Rodríguez E., et al. **288**, 1033 ***(106, 21)***
Coté J., see Dougherty S.M., et al. **290**, 609
Coulter R.L., see Koutchmy S., et al. **281**, 249
Courvoisier T.J.-L., see Bühler P., et al. **287**, 433
Courvoisier T.J.-L., see Paltani S. **291**, 74
Courvoisier T.J.-L., see Walter R., et al. **285**, 119
Couteau P.: Discussion relating to the discovery of 2700 double stars *(Text in French)* **283**, 289
Couteau P., Gili R.: Measurements of double stars made at Nice Observatory, New Double Stars (24th series) discovered at Nice with the 50 cm refractor *(Text in French)* **289**, 998 ***(106, 377)***
Covarrubias R., see Mennickent R.E., et al. **289**, 999 ***(106, 427)***
Covino S., Pasinetti Fracassini L.E., Malagnini M.L., Buzzoni A.: Synthetic and observed photometric indices for globular clusters in the Galaxy and M 31 **289**, 775
Cox P., see Bachiller R., et al. **281**, L93
Coyne G.V., see Piirola V., et al. **283**, 163
Craig I.J.D.: Current sheet formation and dissipation in general *X*-point topologies **283**, 331
Craig I.J.D., Rickard G.J.: Linear models of steady state, incompressible magnetic reconnection **287**, 261
Cramer N., see Dougherty S.M., et al. **290**, 609
Crampton D., see Le Fèvre O., et al. **282**, 325
Crane P., see Burgarella D., et al. **287**, 769
Crane P., see Deharveng J.-M., et al. **288**, 413
Cremonesi O., see Bednarek W., et al. **284**, 85
Crovisier J., see Bockelée-Morvan D., et al. **287**, 647
Crowther P.A., see Smith L.J., et al. **281**, 833
Cruddace R., see Edge A.C., et al. **289**, L34
Cruddace R., see Pierre M., et al. **290**, 725
Cruzalèbes P., see Böker T., et al. **288**, 656
Cruz-Gonzalez I., see Gavazzi G., et al. **285**, 355 ***(104, 271)***
Cuby J.G., see Foing B.H., et al. **292**, 543
Cuesta L., see Phillips J.P. **284**, 701 ***(104, 169)***
Cuevas H.L., see Faúndez-Abans M., et al. **284**, 699 ***(104, 1)***
Cugier H., Dziembowski W.A., Pamyatnykh A.A.: Nonadiabatic observables in β Cephei models **291**, 143
Cuillandre J.C., Fort B., Picat J.P., Soucail G., Altieri B., Beigbeder F., Dupin J.P., Pourthié T., Ratier G.: "Va-et-Vient" spectroscopy: a new mode for faint object CCD spectroscopy with very large telescopes **281**, 603
Cuisinier F., Buser R., Acker A., Cayrel R., Jasniewicz G., Fresneau A.: Stellar atmospheric parameters for F–G–K stars from low-resolution data: method and application to a sample of proper motion stars **285**, 943
Cuisinier F., Terzan A., Acker A.: **(RN)** Discovery of two new planetary nebulae in the direction of the galactic bulge **287**, 227
Cuixian C., see Hui H., et al. **288**, 1034 ***(106, 103)***
Cunha K., see Smith V.V., et al. **281**, L41
Cunningham C.T., see Richardson K.J., et al. **286**, 555
Cunow B., Wargau W.F.: Photometric CCD sequences in 7 southern Abell clusters **292**, 352 ***(107, 277)***
Cuntz M., see Nieuwenhuijzen H., et al. **285**, 595
Curiel S., see Miralles M.P., et al. **282**, 547
Curioni G.P., see Brand J., et al. **283**, 716 ***(103, 541)***
Curioni P., see Brand J., et al. **283**, 716 ***(103, 541)***
Curir A., Diaferio A.: Angular momentum redistribution and spin tilt during *N*-body collapse: phenomenological implications **285**, 389
Curtis L.J., see Maniak S.T., et al. **286**, 978
Cusumano G., see Masnou J.L., et al. **290**, 503
Cutispoto G., see Foing B.H., et al. **292**, 543
Cutispoto G., see Kürster M., et al. **289**, 899
Cutispoto G., see Rodonò M., et al. **281**, 756
Cutispoto G., see Tagliaferri G., et al. **285**, 272
Cutispoto G., see Zhai D.S., et al. **282**, 168
Cuypers J., see Jasniewicz G., et al. **286**, 211
Czarny J., see Foing B.H., et al. **292**, 543
Dahlem M., Dettmar R.-J., Hummel E.: Spatially correlated diffuse Hα and radio continuum emission from the halo of NGC 891 **290**, 384
Dahlgren M., see Fitzsimmons A., et al. **282**, 634
Dalmeri I., see Yudin B., et al. **287**, 1037 ***(105, 169)***
Daly P.N., see Aspin C., et al. **292**, L9
Danks A.C., see Sembach K.R. **289**, 539
Dantel-Fort M., see Mellier Y., et al. **289**, L15
Danziger I.J., see Bertin G., et al. **292**, 381
Dapergolas A., see Kontizas M., et al. **290**, 1021 ***(107, 77)***
Dasgupta A.K., see Smriglio F., et al. **292**, 367 ***(108, 581)***
Dauphole B., see Colin J., et al. **287**, 38
Davies J.K., see Hutchinson M.G., et al. **285**, 883
Davies J.K., see Shenton M., et al. **292**, 102
Davies S.R., see Richardson K.J., et al. **286**, 555
Davila H., see Kolesnik Y.B. **283**, 714 ***(103, 427)***
Davis G.R., see Naylor D.A., et al. **291**, L51
Davis R.J., see Bayley A.M., et al. **283**, 1051
Davis R.J., see Conway R.G. **284**, 724
Davis R.J., see Gunn A.G., et al. **291**, 847

Davoust E., see Nieto J.L., et al. **283**, 1
Debray B., Llebaria A., Dubout-Crillon R., Petit M.: CAPELLA: software for stellar photometry in dense fields with an irregular background **281**, 613
Decourchelle A., Ballet J.: Modeling the X-ray spectrum of Kepler's supernova remnant **287**, 206
Dědoch A., see Hudec R., et al. **284**, 839
Dědoch A., see Hudec R. **282**, 452
Défourneau D., see Joblin C., et al. **281**, 923
Degenhardt D., see Wiehr E. **287**, 625
Degenhardt D., Wiehr E.: The Evershed effect in penumbral fine structures. I. Height dependence of velocity fluctuations **287**, 620
Degl'Innocenti S., Fiorentini G.: Vacuum polarization and nuclear reactions at energies of astrophysical interest **284**, 300
Deguchi S., see Sobolev A.M. **291**, 569
Deharveng J.-M., Albrecht R., Barbieri C., Blades J.C., Boksenberg A., Crane P., Disney M.J., Jakobsen P., Kamperman T.M., King I.R., Macchetto F., Mackay C.D., Paresce F., Weigelt G., Baxter D., Greenfield P., Jedrzejewski R., Nota A., Sparks W.B.: The massive star content of the blue dwarf galaxy IZw 36 from Faint Object Camera observations **288**, 413
Deharveng J.-M., Sasseen T.P., Buat V., Bowyer S., Lampton M., Wu X.: Ultraviolet observations of galaxies with the FAUST experiment **289**, 715
Deharveng J.M., see Armand C., et al. **284**, 12
Deharveng J.M., see Burgarella D., et al. **287**, 769
Deharveng L., see Zavagno A., et al. **281**, 491
Deiss B.M., see Just A., et al. **289**, 237
Dejonghe H., see Batsleer P. **287**, 43
Dejonghe H., see Bertin G., et al. **292**, 381
Delache P., see Gavryusev V., et al. **286**, 305
Deleuil M., see Vidal-Madjar A., et al. **290**, 245
Della Valle M., Mirabel I.F., Rodriguez L.F.: The optical and radio counterpart of the X-ray Nova Ophiuchi 1993 **290**, 803
Della Valle M.: Spectroscopic observations of the Mt. Stromlo MACHO candidate **287**, L31
Della Valle M., Duerbeck H.W.: *Erratum* Study of nova shells. I. V 1229 Aquilae (1970): nebular expansion parallax and luminosity **281**, 967
Della Valle M., Livio M.: On the nova rate in the Galaxy **286**, 786
Della Valle M., Rosino L., Bianchini A., Livio M.: The nova rate in galaxies of different Hubble types **287**, 403
Della Valle M., see Benetti S., et al. **285**, 147
Della Valle M., see Orio M., et al. **289**, L11
del Olmo A., see Dietrich M., et al. **284**, 33
del Olmo A., see Moles M., et al. **285**, 404
del Olmo A., see Robinson A., et al. **291**, 351
del Olmo A., see Stirpe G.M., et al. **285**, 857
del Rio G., see Mermilliod J.-C., et al. **289**, 999 ***(106, 419)***
del Toro Iniesta J.C., see Collados M., et al. **291**, 622
del Toro Iniesta J.C., see Ruiz Cobo B. **283**, 129
Demircan O., Derman E., Akalin A., Selam S., Müyessoroğlu Z.: *UBV* photometry of the contact binary AB Andromedae **289**, 998 ***(106, 373)***
Démoulin P., Hénoux J.C., Mandrini C.H.: Are magnetic null points important in solar flares? **285**, 1023
Démoulin P., see Koutchmy S., et al. **281**, 249
Démoulin P., see Surlantzis G., et al. **284**, 985
Dempsey R.C., see Fox D.C., et al. **284**, 91
Denis M., see Barret D., et al. **288**, 472
Denisenko D., see Claret A., et al. **287**, 824
Denissenkov P.A.: Turbulent diffusive mixing in early B-type main sequence stars **287**, 113
Dennefeld M., see Jourdain E., et al. **281**, L57
Dennerl K., see Bomans D.J., et al. **283**, L21
Dent W.R.F., see White G.J., et al. **284**, L23
den Herder J.W., see Hanlon L.O., et al. **285**, 161
den Herder J.W., see Lichti G.G., et al. **292**, 569
Derman E., see Demircan O., et al. **289**, 998 ***(106, 373)***
Dermendjiev V.N., Stavrev K.Y., Rušin V., Rybansky M.: **(RN)** Secondary polar zone of prominence activity revealed from Lomnicky Štít observations **281**, 241
Dermer C.D., see Sturner S.J. **281**, L101
Dermer C.D., see Sturner S.J. **284**, 161
Descamps P.: Astrometric analysis of Europa-Io occultations observed in 1991 **291**, 664
Désert F.X., see Bernard J.P., et al. **291**, L5
Désert F.-X., see Jenniskens P. **288**, 1033 ***(106, 39)***
Despois D., see Bockelée-Morvan D., et al. **287**, 647
Detal A., Hainaut O., Pospieszalska-Surdej A., Schils P., Schober H.J., Surdej J.: Pole, albedo and shape of the minor planets 624 Hektor and 43 Ariadne: two tests for comparing four different pole determination methods **281**, 269
Dettmar R.-J., see Barteldrees A. **283**, 715 ***(103, 475)***
Dettmar R.-J., see Dahlem M., et al. **290**, 384
Deubner F.-L., see Hofmann J., et al. **284**, 269
Deubner F.-L., see Keller C.U., et al. **286**, 626
Dewdney P.E., see Kim K.-T., et al. **287**, 1040 ***(105, 385)***
Dewdney P.E., see Kim K.-T., et al. **288**, 122
Dezalay J.-P., Atteia J.-L., Barat C., Talon R., Sunyaev R., Terekhov O., Kuznetsov A., Dyatchkov A.: Application of the V/V_{max} test to Phebus gamma-ray bursts **286**, 103
Dezalay J.-P., see Atteia J.-L., et al. **288**, 213
de Araújo F.X., see Petrini D. **282**, 315
de Araújo F.X., see Stee P. **292**, 221
de Assis A.S., Leubner C.: Enhancement of the electron runaway flux with kinetic Alfvén waves **281**, 588
de Boer K.S., Altan A.Z., Bomans D.J., Lilienthal D., Moehler S., van Woerden H., Wakker B.P., Bregman J.N.: The distance to the Complex C of high-velocity halo clouds **286**, 925
de Boer K.S., see Centurión M., et al. **292**, 261
de Boer K.S., see Colin J., et al. **287**, 38
de Boer K.S., see Vladilo G., et al. **291**, 425
de Bruyn A.G., see Dietrich M., et al. **284**, 33
de Bruyn A.G., see Salamanca I., et al. **282**, 742
de Bruyn A.G., see Stirpe G.M., et al. **285**, 857
de Bruyn A.G., see van den Oord G.H.J. **286**, 181
de Carvalho R.R., see Penereiro J.C., et al. **292**, 365 ***(108, 461)***
De Castro E., see Barrado D., et al. **290**, 137
De Castro E., see Montes D., et al. **285**, 609
de Diego J.A., see Kidger M.R., et al. **282**, 369
de Diego J.A., see Takalo L.O., et al. **284**, 700 ***(104, 115)***
de Freitas Pacheco J.A., see Barbuy B., et al. **283**, 32
de Freitas Pacheco J.A., see Catelan M. **289**, 394
de Freitas Pacheco J.A., see Costa R.D.D. **285**, 998
de Geus E.J., see Brown A.G.A., et al. **289**, 101
de Graauw T., see Helmich F.P., et al. **283**, 626
De Grandi S., see Edge A.C., et al. **289**, L34
De Greve J.P., Linnell A.P.: Origin and evolution of semi-detached binaries: β Lyrae and SV Centauri **291**, 786
De Greve J.P., see Figueiredo J., et al. **283**, 144
De Greve J.-P., see Sarna M.J. **281**, 433
de Grijp M.H.K., see Fehmers G.C., et al. **292**, 358 ***(108, 61)***
de Grijp M.H.K., see Keel W.C., et al. **283**, 791
de Grijs R., see van Dokkum P.G., et al. **286**, 415
de Groot M.J.H., see van Genderen A.M., et al. **283**, 89
de Haan J.F., see Wauben W.M.F., et al. **281**, 258
de Haan J.F., see Wauben W.M.F., et al. **282**, 277
de Jager C., see Lobel A., et al. **291**, 226

de Jager C., see Nieuwenhuijzen H., et al. **285**, 595
de Jong R.S., van der Kruit P.C.: *Erratum* Near-infrared and optical broadband surface photometry of 86 face-on disk dominated galaxies. I. Selection, observations and data reduction **292**, 354 *(107, 419)*
de Jong R.S., van der Kruit P.C.: Near-infrared and optical broadband surface photometry of 86 face-on disk dominated galaxies. I. Selection, observations and data reduction **289**, 999 *(106, 451)*
de Jong T., see Goudfrooij P., et al. **285**, 354 *(104, 179)*
de Jong T., see Groenewegen M.A.T., et al. **287**, 163
de Jong T., see Groenewegen M.A.T. **282**, 115
de Jong T., see Groenewegen M.A.T. **282**, 127
de Jong T., see Groenewegen M.A.T. **283**, 463
de Jong T., see Groenewegen M.A.T. **288**, 782
de Jong T., see Waters L.B.F.M., et al. **281**, L1
de Kool M., Meurs E.J.A.: PG 1416-129: a broad absorption line QSO with low intrinsic X-ray absorption **281**, L65
de Koter A., see Spoon H.W.W., et al. **288**, 1035 *(106, 141)*
de Lara E., see Chavarría-K. C., et al. **283**, 963
de la Reza R., see Foing B.H., et al. **292**, 543
de Loore C., see Vanbeveren D. **290**, 129
de Loore C., Vanbeveren D.: Evolutionary sequences for massive close binaries with galactic abundances with Rogers-Iglesias opacities **287**, 1033 *(105, 21)*
de Loore C., Vanbeveren D.: Evolutionary sequences for massive close binary stars with Magellanic Cloud metallicities with Rogers-Iglesias opacities **281**, 637 *(103, 67)*
de Loore C., Vanbeveren D.: Massive close binary evolution in the Galaxy and in the Magellanic Clouds **292**, 463
De Marchi G., Paresce F.: Faint blue stars in the core of NGC 6397 **281**, L13
de Martino D., Buckley D.A.H., Mouchet M., Mukai K.: On the modulated light in the intermediate polar FO Aquarii/ H 2215–086 **284**, 125
De Medeiros J.R., Duquennoy A., Lèbre A., Burki G.: A spectroscopic and photometric study of the giant star HD 101841: a very short-period binary system **286**, 481
De Paolis F., see Belinsky V., et al. **283**, 1018
De Pauw M., see Aerts C., et al. **286**, 136
De Pauw M., see Mathias P., et al. **283**, 813
de Ritis R., see Busarello G., et al. **283**, 717
de Ruiter H.R., see Gregorini L., et al. **288**, 1033 *(106, 1)*
de St. Paer P., see Field D., et al. **282**, 213
de Vries C., see Bloemen H., et al. **281**, L5
de Vries C., see Iyudin A.F., et al. **284**, L1
de Vries C., see Strong A.W., et al. **292**, 82
de Winter D., see Fluks M.A., et al. **287**, 1039 *(105, 311)*
de Winter D., see Grinin V.P., et al. **292**, 165
de Winter D., see Thé P.S., et al. **285**, 355 *(104, 315)*
de Zeeuw P.T., see Bertin G., et al. **292**, 381
de Zeeuw P.T., see Brown A.G.A., et al. **289**, 101
Dgani R., Soker N.: Nonlinear instability of colliding winds in a double star system **282**, 54
d'Hendecourt L., see Joblin C., et al. **281**, 923
Dhillon V.S., see Rutten R.G.M., et al. **283**, 441
Dhillon V.S., see Rutten R.G.M. **288**, 773
Diaferio A., see Curir A. **285**, 389
Diaz M.P., Steiner J.E.: Locating the emission line regions in polars: Doppler imaging of VV Puppis **283**, 508
Diaz S., see Terranegra L., et al. **285**, 359 *(104, 557)*
Díaz-Pinto A., García-Berro E., Hernanz M., Isern J., Mochkovitch R.: The luminosity function of massive white dwarfs **282**, 86
Dickey J.M., Mebold U., Marx M., Amy S., Haynes R.F., Wilson W.: The Australia Telescope Survey of 21-cm absorption in the Magellanic System. II. The cool atomic gas in the LMC **289**, 357
Dickey J.M., see Stark R., et al. **281**, 199
Diehl R., see Bloemen H., et al. **281**, L5
Diehl R., see Hanlon L.O., et al. **285**, 161
Diehl R., see Iyudin A.F., et al. **284**, L1
Diehl R., see Lichti G.G., et al. **292**, 569
Diehl R., see Strong A.W., et al. **292**, 82
Diethelm R., see Sandage A., et al. **283**, 111
Dietrich M., Kollatschny W., Alloin D., Aretxaga I., Axon D., de Bruyn A.G., Clavel J., Goad M.R., Gondhalekar P., van Groningen E., Horne K., Jackson N., Laurikainen E., Lawrence A., Masegosa J., Moles M., O'Brien P.T., del Olmo A., Penston M.V., Perea J., Pérez E., Pérez-Fournon I., Perry J.J., Peterson B.M., Robinson A., Rodríguez-Espinosa J.M., Stirpe G.M., Tadhunter C.N., Terlevich R.J., Unger S., Wagner S.J., Wanders I., Williams R.: Monitoring of active galactic nuclei. IV. The Seyfert 1 galaxy NGC 4593 **284**, 33
Dikpati M., Choudhuri A.R.: The evolution of the Sun's poloidal field **291**, 975
Dimitrijević M.S., Popović L.Č.: *Erratum* Stark broadening of Bi II lines astrophysical interest **290**, 1022 *(107, 191)*
Dimitrijević M.S., Sahal-Bréchot S.: Stark broadening of Be I spectral lines **287**, 1038 *(105, 243)*
Dimitrijević M.S., Sahal-Bréchot S.: Stark broadening of spectral lines of multicharged ions of astrophysical interest. XI. Al XI and Si XII **287**, 1038 *(105, 245)*
Dimitrijević M.S., Sahal-Bréchot S.: Stark broadening of spectral lines of multicharged ions of astrophysical interest. X. Ne VIII and Na IX **292**, 353 *(107, 349)*
Dimitrijević M.S., see Mihajlov A.A., et al. **281**, 637 *(103, 57)*
Dimitrijević M.S., see Mihajlov A.A., et al. **287**, 1026
Ding W.K.Y., see Cheng K.S. **288**, 97
Disney M.J., see Burgarella D., et al. **287**, 769
Disney M.J., see Deharveng J.-M., et al. **288**, 413
Disney M.J., see Whitworth A.P., et al. **290**, 421
Di Benedetto G.P.: Pulsational parallaxes and calibration of the cosmic distance scale by Cepheid variable stars **285**, 819
Di Franco S., see Brand J., et al. **283**, 716 *(103, 541)*
Di G. Sigalotti L.: Successive hierarchical fragmentation of centrally condensed protostellar cores **283**, 858
Di Nella H., see Paturel G., et al. **289**, 711
Djeniže S., Skuljan L., Labat J., Bukvić S., Konjević R.: Measured Stark widths and shifts of several Ni I and Ni II spectral lines **287**, 1035 *(105, 115)*
Djorgovski S., see Fusi Pecci F., et al. **284**, 349
Djorgovski S., see Penereiro J.C., et al. **292**, 365 *(108, 461)*
Djurić Z., see Mihajlov A.A., et al. **281**, 637 *(103, 57)*
Djurovic D., Pâquet P., Billiau A.: New indications for the solar origin of the 50-day cycle in the atmospheric circulation and Earth's rotation **288**, 335
Docobo J.A., Ling J.F.: Micrometer measurements of visual double stars made at Pic du Midi Observatory **287**, 1039 *(105, 337)*
D'Odorico S., see Savaglio S., et al. **281**, 331
Döbereiner S., Maisack M., Englhauser J., Pietsch W., Reppin C., Trümper J., Kendziorra E., Kretschmar P., Kunz M., Staubert R., Efremov V., Kaniovsky A., Kusnetzov A., Sunyaev R.: HEXE observations of black hole X-ray transients **287**, 105
Dogiel V.A., Gurevich A.V., Zybin K.P.: Kinetic theory of propagation and runaway galactic cosmic rays. II. Self-consistent model **281**, 937
Dolez N., see Belmonte J.A., et al. **283**, 121
Dominik C., see Winters J.M., et al. **288**, 255

Dominik M., Hirshfeld A.C.: The binary nature of an observed dark Galactic object **289**, L31
Donas J., see Buat V., et al. **281**, 666
Donas J., see Laget M., et al. **282**, 37
Donati J.-F., Achilleos N., Matthews J.M., Wesemael F.: ZEBRA – Zeeman Broadening Analysis of magnetic white dwarfs. I. Maximum entropy reconstruction of Hα profiles **285**, 285
Dongming L., see Hui H., et al. **288**, 1034 ***(106, 103)***
Donner K.J., Thomasson M.: Structure and evolution of long-lived spiral patterns in galaxies **290**, 785
D'Onofrio M., see Caon N., et al. **286**, L39
D'Onofrio M., see Caon N., et al. **289**, 664 ***(106, 199)***
Dorfi E.A., see Feuchtinger M.U. **291**, 209
Dorschner J., see Jäger C., et al. **292**, 641
Dotani T., see Kuulkers E., et al. **289**, 795
Dotani T., see Oosterbroek T., et al. **281**, 803
Dottori H., Cepa J., Vilchez J., Barth C.S.: CCD imaging of NGC 4861: morphology and brightness distribution **283**, 753
Dougherty S.M., Waters L.B.F.M., Burki G., Coté J., Cramer N., van Kerkwijk M.H., Taylor A.R.: Near-IR excess of Be stars **290**, 609
Dovgopol A.N., see Mohamed R.A., et al. **292**, 359 ***(108, 69)***
Downes D., see García-Barreto J.A., et al. **288**, 705
Doyle J.G., Houdebine E.R., Mathioudakis M., Panagi P.M.: Lower chromospheric activity in low activity M dwarfs **285**, 233
Doyle J.G., Mitrou C.K., Mathioudakis M., Antonopoulou E.: **(RN)** Ultraviolet flare activity on the eclipsing binary SZ Piscium **283**, 522
Doyle J.G., Mitrou C.K., Mathioudakis M., Avgoloupis S., Mavridis L.N., Varvoglis P.P., Graos F., Antonopoulou E.: Surface inhomogeneities on SZ Piscium **291**, 135
Doyle J.G., see Gunn A.G., et al. **285**, 157
Doyle J.G., see Gunn A.G., et al. **285**, 489
Doyle J.G., see Gunn A.G., et al. **291**, 847
Doyle J.G., see Houdebine E.R. **289**, 169
Doyle J.G., see Houdebine E.R. **289**, 185
Drake J.J., see Mathioudakis M., et al. **291**, 517
Drapatz S., see Böker T., et al. **288**, 656
Drapatz S., see Najarro F., et al. **285**, 573
Drechsel H., Haas S., Lorenz R., Mayer P.: New photometric and spectroscopic results for IU Aurigae – an early-type eclipsing binary in a multiple system **284**, 853
Drechsel H., see Andreä J., et al. **291**, 869
Drechsel H., see Lorenz R., et al. **291**, 185
Dreizler S., see Farthmann M., et al. **291**, 919
Dreizler S., see Moehler S., et al. **282**, L29
Dreizler S., see Werner K. **286**, L31
Dreizler S., Werner K., Jordan S., Hagen H.: A "cool" PG 1159 star discovered by the Hamburg Schmidt Survey: NLTE analysis of HS 0704+6153 **286**, 463
Dreux M., see Foing B.H., et al. **292**, 543
Drew J.E., see Murdoch K.A., et al. **284**, L27
Drossart P., see Rieutord M., et al. **286**, 471
Drury L.O'C., Aharonian F.A., Völk H.J.: The gamma-ray visibility of supernova remnants. A test of cosmic ray origin **287**, 959
Drury L.O'C., see Aharonian F.A., et al. **285**, 645
Drury L.O'C., see Duffy P., et al. **291**, 613
Dubath P., Meylan G.: High-resolution kinematical mapping of the core of the globular cluster M 15 ≡ NGC 7078 **290**, 104
Dubau J., see Cornille M., et al. **287**, 1035 ***(105, 77)***
Dubout-Crillon R., see Debray B., et al. **281**, 613
Dubrulle B.: Mixed fractal models for the distribution of galaxies **286**, 351
Dubrulle B.: On a generalization of the Zeldovich approximation for a low-viscosity self-gravitating fluid **285**, 711
Dubrulle B., Graner F.: Titius-Bode laws in the solar system. II. Build your own law from disk models **282**, 269
Dubrulle B., Lachièze-Rey M.: On the multifractal analysis of galaxy catalogs with box-counting methods **289**, 667
Dubrulle B., Lachièze-Rey M.: The Poisson distribution on a fractal **287**, 361
Dubrulle B., see Graner F. **282**, 262
Dubrulle B., see Vergassola M., et al. **289**, 325
Duc P.-A., Mirabel I.F.: Recycled galaxies in the colliding system Arp 105 **289**, 83
Duc P.A., see Mirabel I.F., et al. **282**, L17
Ducourant C., see Colin J., et al. **287**, 38
Dümmler R., see Edge A.C., et al. **289**, L34
Duerbeck H.W., see Della Valle M. **281**, 967
Duerbeck H.W., see Goecking K.-D., et al. **289**, 827
Duerbeck H.W., see Niarchos P.G., et al. **281**, 637 ***(103, 39)***
Duerbeck H.W., see Niarchos P.G., et al. **292**, 494
Duerbeck H.W., see Van Winckel H., et al. **285**, 241
Duffett-Smith P.J., see Robson M., et al. **286**, 1028
Duffy P., Drury L.O'C., Völk H.: Cosmic ray hydrodynamics at shock fronts **291**, 613
Dufton P.L., Fitzsimmons A., Rolleston W.R.J.: **(RN)** The chemical compositions of the open clusters Be 94 and NGC 457 **286**, 449
Dufton P.L., see Conlon E.S., et al. **290**, 897
Dufton P.L., see Hambly N.C., et al. **285**, 716
Dufton P.L., see Kendall T.R., et al. **290**, 563
Dufton P.L., see Kendall T.R., et al. **291**, 851
Dufton P.L., see Rolleston W.R.J., et al. **284**, 72
Dulk G.A., Leblanc Y., Lecacheux A.: The complete polarization state of Io-related radio storms from Jupiter: a statistical study **286**, 683
Dulk G.A., see Abada-Simon M., et al. **288**, 219
Dulk G.A., see Hoang S., et al. **289**, 957
Dulk G.A., see Leblanc Y., et al. **290**, 660
Dulou M.R., see Colin J., et al. **287**, 38
Dultzin-Hacyan D., Benitez E.: Near- and far-infrared emission of Seyfert 2 galaxies and various types of star-forming galaxies **291**, 720
Dumitrescu A., see Kalimeris A., et al. **291**, 765
Dunphy P.P., see Trottet G., et al. **288**, 647
Duorah H.L., Phukon T.C.: Effect of compressibility on nuclear matter in a neutron star crust **283**, 867
Dupin J.P., see Cuillandre J.C., et al. **281**, 603
Dupraz C., see Braine J. **283**, 407
Dupraz C., see Séguin P. **290**, 709
Duquennoy A., see Bersier D., et al. **292**, 358 ***(108, 25)***
Duquennoy A., see Carquillat J.M., et al. **289**, 1002 ***(106, 597)***
Duquennoy A., see De Medeiros J.R., et al. **286**, 481
Duquennoy A., see Gillet D., et al. **286**, 508
Duquennoy A., see Jasniewicz G., et al. **286**, 211
Duquennoy A., see Mermilliod J.-C., et al. **283**, 515
Duquennoy A., see Tokovinin A.A., et al. **282**, 831
Durisen R.H., Sterzik M.F.: **(RN)** Do star forming regions have different binary fractions? **286**, 84
Durret F.: Nuclear and extranuclear ionized gas in nine Seyfert 2 galaxies **287**, 1035 ***(105, 57)***
Durret F., Gerbal D., Lachièze-Rey M., Lima-Neto G., Sadat R.: Matter distribution in twelve X-ray clusters of galaxies **287**, 733

Durret F., Pécontal E., Petitjean P., Bergeron J.: High spatial resolution integral field spectroscopy of extended ionized gas around three quasars **291**, 392
Durret F., see Boisson C., et al. **285**, 377
Durret F., see Gerbal D., et al. **288**, 746
Durret F., see Robinson A., et al. **291**, 351
Duschl W.J., Lesch H.: The spectrum of Sgr A* and its variability **286**, 431
Dutrey A., Guilloteau S., Simon M.: Images of the GG Tauri rotating ring **286**, 149
Dutrey A., see Guilloteau S. **291**, L23
Duvert G., see Lépine J.R.D. **286**, 60
Duvert G., see Wink J.E., et al. **281**, 505
Dvorak R., see Maindl T.I. **290**, 335
Dyachkov A., see Barret D., et al. **288**, 472
Dyachkov A., see Claret A., et al. **287**, 824
Dyachkov A., see Laurent P., et al. **286**, 838
Dyatchkov A., see Dezalay J.-P., et al. **286**, 103
Dyson J.E., see Goudis C.D., et al. **285**, 631
Dzhalilov N.S., Zhugzhda Y.D., Staude J.: Radiation-hydrodynamic waves in an optically grey atmosphere. II. Analysis of wave properties and effects of thermal conductivity in a homogeneous model **291**, 1001
Dziembowski W.A., see Cugier H., et al. **291**, 143
Dzura A.M., see Slysh V.I., et al. **288**, 1034 *(106, 87)*
Eastman W.A., see Spangler S.R., et al. **286**, 349
Ebeling H., see Edge A.C., et al. **289**, L34
Ebeling H., see Pierre M., et al. **290**, 725
Eberhardt P., Meier R., Krankowsky D., Hodges R.R.: Methanol and hydrogen sulfide in comet P/Halley **288**, 315
Eberhardt P., see Meier R., et al. **287**, 268
Ebert R.: The production of turbulence by gravitational instabilities in self-gravitating differentially rotating disks **286**, 997
Ebisawa K., see Greiner J., et al. **285**, 509
Eckart A., see Ageorges N., et al. **283**, L5
Eckart A., see Böker T., et al. **288**, 656
Eckart A., see Leinert C., et al. **291**, L47
Edelson R., see Brinkmann W., et al. **288**, 433
Edge A.C., Böhringer H., Guzzo L., Collins C.A., Neumann D., Chincarini G., De Grandi S., Dümmler R., Ebeling H., Schindler S., Seitter W., Vettolani P., Briel U., Cruddace R., Gruber R., Gursky H., Hartner G., MacGillivray H.T., Schuecker P., Shaver P., Voges W., Wallin J., Wolter A., Zamorani G.: A giant arc in a ROSAT-detected cluster of galaxies **289**, L34
Edvardsson B., Gustafsson B., Johansson S.G., Kiselman D., Lambert D.L., Nissen P.E., Gilmore G.: Boron in the extreme Population II star HD 140283 and the production of light elements in the Early Galaxy **290**, 176
Edvardsson B., see Andersson H. **290**, 590
Edvardsson B., see Nissen P.E., et al. **285**, 440
Edwards P.G., Thornton G.J., Patterson J.R., Roberts M.D., Rowell G.P.: Search for TeV gamma-ray emission from the Vela pulsar **291**, 468
Efremov V., see Döbereiner S., et al. **287**, 105
Efremov V., see Kendziorra E., et al. **291**, L31
Efremov V., see Maisack M., et al. **283**, 841
Egger R., see Greiner J., et al. **286**, L35
Egger U., see Keller C.U., et al. **286**, 626
Egret D., see Halbwachs J.L., et al. **281**, L25
Egret D., see Heck A., et al. **292**, 365 *(108, 447)*
Egret D., see Jackson R., et al. **292**, 360 *(108, 235)*
Ehrenfreund P., see Jenniskens P., et al. **281**, 517
Einasto J., see Tenjes P., et al. **286**, 753
Eiroa C., Casali M.M., Miranda L.F., Ortiz E.: (RN) S 269-IRS 2: a massive young stellar object powering Herbig-Haro emission **290**, 599
Eiroa C., Miranda L.F., Anglada G., Estalella R., Torrelles J.M.: Herbig–Haro objects associated with extremely young sources in L 1527 and L 1448 **283**, 973
Eiroa C., see Miranda L.F., et al. **281**, 864
Eiroa C., see Miranda L.F., et al. **289**, L7
Eiroa C., Torrelles J.M., Miranda L.F., Anglada G., Estalella R.: Optical nebulosities associated with IRAS sources in dense cloud cores **292**, 359 *(108, 73)*
Eislöffel J., Mundt R.: Proper motion measurements and high resolution imaging of the HH 46/47 outflow **284**, 530
Eislöffel J., see Ray T.P. **290**, 605
Ekers R.D., see Gregorini L., et al. **288**, 1033 *(106, 1)*
Ekholm T., Teerikorpi P.: Analysis of the velocity-distance diagrams in the presence of the Great Attractor **284**, 369
Elizalde F., see Cieslinski D., et al. **289**, 664 *(106, 243)*
Ellison B., see White G.J., et al. **284**, L23
Elstner D., see Rüdiger G. **281**, 46
Elstner D., see Schultz M., et al. **286**, 72
El Eid M.F.: CNO isotopes in red giants: theory versus observations **285**, 915
Emsellem E., Monnet G., Bacon R.: The multi-gaussian expansion method: a tool for building realistic photometric and kinematical models of stellar systems. I. The formalism **285**, 723
Emsellem E., Monnet G., Bacon R., Nieto J.L.: The multi-gaussian expansion method: a tool for building realistic photometric and kinematical models of stellar systems. II. Application to the central region of the Sombrero Galaxy (NGC 4594) **285**, 739
Emsellem E., see Bacon R., et al. **281**, 691
Encrenaz P.J., see Casoli F., et al. **287**, 716
Engel A., see Bruch A. **284**, 699 *(104, 79)*
Engels D.: More H_2O masers in J-type carbon stars **285**, 497
Engels D., Leinert C.: Near infrared speckle interferometry and water maser observations of carbon stars with an oxygen-rich circumstellar environment **282**, 858
Engels D., see Bade N., et al. **286**, 381
Englhauser J., see Döbereiner S., et al. **287**, 105
Engström S.: Feature velocities in disk galaxies **285**, 801
Enome S., see Mangeney A., et al. **283**, 982
Ergma E., see Vilhu O., et al. **291**, 842
Erikson A., see Piironen J., et al. **289**, 1002 *(106, 587)*
Erikson A., see Schober H.J., et al. **287**, 1038 *(105, 281)*
Eryurt D., Kırbıyık H., Kızıloğlu N., Civelek R., Weiss A.: The evolution of a 20 $M_\odot$ rotating star: abundance anomalies in OBN stars in the LMC **282**, 485
Esepkina N.A., see Altyntsev A.T., et al. **287**, 256
Esguerra P., see Muriel A., et al. **287**, 1021
Espagnet O., see Roudier T., et al. **287**, 982
Estalella R., see Eiroa C., et al. **283**, 973
Estalella R., see Eiroa C., et al. **292**, 359 *(108, 73)*
Estalella R., see Peracaula M., et al. **285**, 547
Etzel P.B., see Oláh K., et al. **291**, 110
Eulderink F., Mellema G.: Special relativistic jet collimation by inertial confinement **284**, 654
Evans A.: PAH emission in XX Ophiuchi **288**, L37
Evans A., see Albinson J.S., et al. **284**, 971
Evans A., see Hutchinson M.G., et al. **285**, 883
Evans A., see Shenton M., et al. **287**, 852
Evans A., see Shenton M., et al. **287**, 866
Evans A., see Shenton M., et al. **292**, 102
Everall C., see Coe M.J., et al. **289**, 784
Everall C., see Paredes J.M., et al. **288**, 519
Evren S., see Breger M., et al. **289**, 162
Evren S., see İbanoğlu C., et al. **281**, 811
Evren S., see Keskin V., et al. **287**, 817
Fabbri R., see Torres S., et al. **287**, 15

Fabiani Bendicho P., see Auer L., et al. **292**, 599
Fabregat J., see Coe M.J., et al. **289**, 784
Fabregat J., see Paredes J.M., et al. **288**, 519
Fagotto F., Bressan A., Bertelli G., Chiosi C.: Evolutionary sequences of stellar models with new radiative opacities. III. $Z = 0.0004$ and $Z = 0.05$ **285**, 356 *(104, 365)*
Fagotto F., Bressan A., Bertelli G., Chiosi C.: Evolutionary sequences of stellar models with new radiative opacities. IV. $Z = 0.004$ and $Z = 0.008$ **287**, 1033 *(105, 29)*
Fagotto F., Bressan A., Bertelli G., Chiosi C.: Evolutionary sequences of stellar models with very high metallicity. V. $Z = 0.1$ **287**, 1034 *(105, 39)*
Fagotto F., see Bertelli G., et al. **289**, 665 *(106, 275)*
Fagotto F., see Vallenari A., et al. **284**, 424
Fagotto F., see Vallenari A., et al. **284**, 447
Fahr H.J., see Chalov S.V. **288**, 973
Fahr H.-J., see Fichtner H., et al. **284**, 599
Fahr H.J., see Scherer K., et al. **287**, 219
Falchi A., see Mauas P.J.D. **281**, 129
Falcke H., Heinrich O.M.: Starving accretion disks in the center of galaxies: the examples of Sagittarius A* and M 31 **292**, 430
Fan J.H., Huang Z.H., Xie G.Z., Wang Y.J., Li J.J., Zhu Y.Y.: The Hubble diagram for X-ray selected BL Lacertae objects **287**, 1041 *(105, 415)*
Fan J.H., see Xie G.Z., et al. **289**, 666 *(106, 361)*
Fang L.Z., see Jing Y.P., et al. **284**, 703
Fanti C., see Zhang F.J., et al. **287**, 32
Fanti R., see Mantovani F., et al. **292**, 59
Farias G.A., see Petrini D. **292**, 337
Farinella P., see Morbidelli A., et al. **282**, 955
Farinella P., see Vokrouhlický D., et al. **285**, 333
Farinella P., see Vokrouhlický D., et al. **290**, 324
Farthmann M., Dreizler S., Heber U., Hunger K.: Stratification of helium in the photospheres of the helium-weak stars HD 28843 and HD 49333 **291**, 919
Fasano G., see Vio R., et al. **289**, 640
Faucher P., see Cornille M., et al. **287**, 1035 *(105, 77)*
Faúndez-Abans M., Cuevas H.L., Hertling G.P.: Search for faint ring-shaped galaxies in the –77° to –87° declination interval **284**, 699 *(104, 1)*
Faurobert-Scholl M.: Hanle effect of magnetic canopies in the solar chromosphere **285**, 655
Feast M.W., Whitelock P.A.: An OH maser towards the globular cluster NGC 6171 **287**, L29
Feast M.W., Whitelock P.A., Warner B.: **(RN)** A supposed brightening of η Carinae **285**, 199
Feautrier N., see Allard N.F., et al. **292**, 364 *(108, 417)*
Federici L., see Fusi Pecci F., et al. **284**, 349
Fedorova A., see Vilhu O., et al. **291**, 842
Fehmers G.C., de Grijp M.H.K., Miley G.K., Keel W.C.: Warm IRAS sources from the point source catalog. IV. Extended optical line emission **292**, 358 *(108, 61)*
Feinstein A., see Vázquez R.A., et al. **289**, 666 *(106, 339)*
Feinstein C., see Beskin G., et al. **289**, 141
Feix M., see Muriel A., et al. **287**, 1021
Feldman P.D., see Tozzi G.P., et al. **285**, L9
Feldman P.D., see Vidal-Madjar A., et al. **290**, 245
Felenbok P., see Foing B.H., et al. **292**, 543
Felenbok P., see Le Fèvre O., et al. **282**, 325
Felli M., see Brand J., et al. **283**, 716 *(103, 541)*
Felli M., see Codella C., et al. **284**, 233
Felli M., see Codella C., et al. **291**, 261
Felli M., see Hunter T.R., et al. **284**, 215
Felli M., see Olmi L., et al. **288**, 591
Felli M., see Persi P., et al. **291**, 577
Felli M., see Testi L., et al. **288**, 634
Feretti L., Giovannini G.: Structures of small-size radio galaxies in clusters **281**, 375
Ferlet R., see Foing B.H., et al. **292**, 543
Ferlet R., see Lallement R., et al. **286**, 898
Ferlet R., see Vidal-Madjar A., et al. **287**, 175
Ferlet R., see Vidal-Madjar A., et al. **290**, 245
Fernández J.A., Gallardo T.: The transfer of comets from parabolic orbits to short-period orbits: numerical studies **281**, 911
Fernández M., see Miranda L.F., et al. **281**, 864
Fernández-Figueroa M.J., see Barrado D., et al. **290**, 137
Fernández-Figueroa M.J., see Montes D., et al. **285**, 609
Fernley J.: A revision to the absolute magnitudes of RR Lyrae stars from the Baade-Wesselink method **284**, L16
Ferrari A., see Bodo G., et al. **283**, 655
Ferrari A., see Villata M. **284**, 663
Ferrari-Toniolo M., see Miralles M.P., et al. **282**, 547
Ferrari-Toniolo M., see Persi P., et al. **282**, 233
Ferrari-Toniolo M., see Persi P., et al. **282**, 474
Ferraro F.R., see Buonanno R., et al. **290**, 69
Ferraro F.R., see Fusi Pecci F., et al. **284**, 349
Ferriz-Mas A., Schmitt D., Schüssler M.: A dynamo effect due to instability of magnetic flux tubes **289**, 949
Ferriz-Mas A., see Schüssler M., et al. **281**, L69
Ferruit P., Pécontal E.: Sub-arcsecond resolution 2D spectrography of the central regions of NGC 1275 with TIGER **288**, 65
Ferruit P., see Rocca-Volmerange B., et al. **292**, 20
Fesen R.A., see Nichols J.S. **291**, 283
Feuchtinger M.U., Dorfi E.A.: Nonlinear stellar pulsation. II. Radiative models of RR-Lyrae stars **291**, 209
Fichtel C.E., see Kanbach G., et al. **289**, 855
Fichtner H., Fahr H.-J., Grzedzielski S., Rucinski D., Sreenivasan S.R.: Production of anomalous cosmic rays from pick-up ions and their inward diffusion from the termination shock of the solar wind **284**, 599
Fiebig D., see Güsten R., et al. **286**, L51
Fiedler A., see Haefner R., et al. **288**, L9
Fiedler A., see Simon K.P., et al. **292**, 507
Fiedler R.L., see Kitamoto S., et al. **281**, L85
Field D., Gerin M., Leach S., Lemaire J.L., Pineau des Forêts G., Rostas F., Rouan D., Simons D.: High spatial resolution observations of H_2 vibrational fluorescence in NGC 2023 **286**, 909
Field D., Gray M.D.: The influence of free electrons on the evolution of circular polarization in OH masers **292**, 271
Field D., Gray M.D., de St. Paer P.: Lineshapes of intense OH masers in star-forming regions **282**, 213
Field D., see Gray M.D. **292**, 693
Field D., see Jones K.N., et al. **288**, 581
Field D., see Masheder M.R.W., et al. **281**, 871
Fierro J.M., see Kanbach G., et al. **289**, 855
Figon P., see Barbier-Brossat M., et al. **292**, 368 *(108, 603)*
Figueiredo J., De Greve J.P., Hilditch R.W.: OB-type binaries: models versus observations **283**, 144
Figueras F., see Paredes J.M., et al. **288**, 519
Finger M., see Coe M.J., et al. **289**, 784
Finger M.H., see Folkner W.M., et al. **287**, 279
Fink H., see Boller T., et al. **291**, 403
Fink H., see Brinkmann W., et al. **288**, 433
Fink H.H., Asaoka I., Brinkmann W., Kawai N., Koyama K.: The X-ray continuum of Tycho's remnant measured with Ginga **283**, 635
Fink H.H., see Bade N., et al. **286**, 381
Fink H.H., see Matt G., et al. **292**, L13
Fink H.H., see Walter R., et al. **285**, 119

Finoguenov A., see Jourdain E., et al. **281**, L57
Finoguenov A., see Laurent P., et al. **286**, 838
Fiorentini G., see Degl'Innocenti S. **284**, 300
Firmani C., Tutukov A.V.: Bursting and stationary star formation in disks and nuclei of galaxies **288**, 713
Fischer J., see Nisini B., et al. **290**, 463
Fischer O., Henning T., Yorke H.W.: Simulation of polarization maps. I. Protostellar envelopes **284**, 187
Fishman G.J., see Coe M.J., et al. **289**, 784
Fitte C., Adam G.: Sub-arcsecond integral field spectroscopy of the Einstein Cross 2237+0305: lensing and microlensing effects **282**, 11
Fitzsimmons A., Dahlgren M., Lagerkvist C.-I., Magnusson P., Williams I.P.: A spectroscopic survey of D-type asteroids **282**, 634
Fitzsimmons A., see Dufton P.L., et al. **286**, 449
Fitzsimmons A., see Rolleston W.R.J., et al. **284**, 72
Fitzsimmons A., Williams I.P.: The nucleus of comet P/Levy 1991 XI **289**, 304
Fleck B., see Hofmann J., et al. **284**, 269
Fleck B., see Keller C.U., et al. **286**, 626
Fleck B., see Schmitz F. **288**, 1035 *(**106**, 129)*
Fleischer A.J., see Winters J.M., et al. **290**, 623
Fleming T., see Werner K., et al. **284**, 907
Flin P., see Goecking K.-D., et al. **289**, 827
Floquet M., see Foing B.H., et al. **292**, 543
Floquet M., see Leister N.V., et al. **287**, 789
Florentin-Nielsen R., see Teuber J., et al. **292**, 366 *(**108**, 509)*
Flower D.R., Le Bourlot J., Pineau des Forêts G., Roueff E.: Atomic carbon in interstellar clouds **282**, 225
Fluks M.A., Plez B., Thé P.S., de Winter D., Westerlund B.E., Steenman H.C.: On the spectra and photometry of M-giant stars **287**, 1039 *(**105**, 311)*
Foglizzo T., Tagger M.: The Parker instability in disks with differential rotation **287**, 297
Foing B., see Jenniskens P., et al. **281**, 517
Foing B.H., Char S., Ayres T., Catala C., Neff J.E., Zhai D.S., Catalano S., Cutispoto G., Jankov S., Rodono M., Simon T., Akan C., Aslanov A., Avellar P., Baudrand J., Beust H., Cao H., Chatzichristou H., Cuby J.G., Czarny J., de la Reza R., Dreux M., Felenbok P., Ferlet R., Frasca A., Floquet M., Ghosh K., Guo Z., Guérin J., Hao J.X., Houdebine E.R., Huang L., Hubert A.M., Hubert H., Huovelin J., Hron J., İbanoğlu C., Jiang S.Y., Keskin V., Lagrange-Henri A.M., Lecontel J.M., Li Q., Mavridis L., Nolthenius R., Petrov P., Savanov I., Scherbakov A., Tuominen I., Vidal-Madjar A., Zhang R., Zhang X.: Multi-site continuous spectroscopy. II. Spectrophotometry and energy budget of exceptional white-light flares on HR 1099 from the MUSICOS 89 campaign **292**, 543
Foing B.H., see Zhai D.S., et al. **282**, 168
Fokin A.B.: Nonlinear pulsations of the RV Tauri stars **292**, 133
Fokin A.B., Gillet D.: The shock wave propagation effects in BL Herculis. II. Nonlinear model and theoretical profile of Hα **290**, 875
Folkner W.M., Charlot P., Finger M.H., Williams J.G., Sovers O.J., Newhall X.X., Standish Jr. E.M.: Determination of the extragalactic-planetary frame tie from joint analysis of radio interferometric and lunar laser ranging measurements **287**, 279
Font J.A., Ibáñez J.M., Marquina A., Martí J.M.: Multidimensional relativistic hydrodynamics: characteristic fields and modern high-resolution shock-capturing schemes **282**, 304
Fonti S., see Blanco A., et al. **283**, 561
Fonti S., see Orofino V., et al. **282**, 657
Forestini M.: Low-mass stars: pre-main sequence evolution and nucleosynthesis **285**, 473
Forestini M., see Mowlavi N. **282**, 843
Formiggini L., Leibowitz E.M.: Three periodicities in a 98-year light curve of the symbiotic star Z Andromedae **292**, 534
Forsström V., see Haikala L.K., et al. **281**, 638 *(**103**, 107)*
Forsström V., see Zinchenko I., et al. **288**, 601
Forsyth R., see Mangeney A., et al. **283**, 982
Fort B., see Cuillandre J.C., et al. **281**, 603
Fort B., see Kneib J.-P., et al. **286**, 701
Fort B., see Mellier Y., et al. **289**, L15
Forveille T., see Bachiller R., et al. **281**, L93
Forveille T., see Likkel L., et al. **282**, 190
Fosbury R.A.E., see Caulet A., et al. **292**, 361 *(**108**, 271)*
Fouqué P., see Infante L., et al. **289**, 381
Fouqué P., see Paturel G., et al. **289**, 711
Fouqué P., see Quintana H., et al. **283**, 722
Fox D.C., Linsky J.L., Veale A., Dempsey R.C., Brown A., Neff J.E., Pagano I., Rodonò M., Bromage G.E., Kürster M., Schmitt J.H.M.M.: Rotational modulation and flares on RS Canum Venaticorum and BY Draconis stars. XVIII. Coordinated VLA, ROSAT, and IUE observations of RS CVn binaries **284**, 91
Frail D.A., Beasley A.J.: Stellar OH masers toward globular clusters **290**, 796
Franco G.A.P.: *uvbyβ* photometry of all stars earlier than G0 and brighter than $m_{pg} \approx 10^m.3$ in Selected Area 194 **284**, 699 *(**104**, 9)*
Francou G., see Simon J.L., et al. **282**, 663
Frank A., Mellema G.: A radiation-gasdynamical method for numerical simulations of ionized nebulae: radiation-gasdynamics of PNe I **289**, 937
Frank A., Noriega-Crespo A.: The collimation of jets and bipolar outflows in young stellar objects: inertial confinement **290**, 643
Frank A., van der Veen W.E.C.J., Balick B.: Is there a connection between thermal pulses and PNe halos: on the way to an answer **282**, 554
Frasca A., Catalano S.: Hα survey of late-type active binaries **284**, 883
Frasca A., see Catalano S. **287**, 575
Frasca A., see Foing B.H., et al. **292**, 543
Freire Ferrero R., see Lastennet E. **292**, 368 *(**108**, 611)*
French R.G., see Roques F., et al. **288**, 985
Fresneau A., see Cuisinier F., et al. **285**, 943
Freudling W., see Peletier R.F., et al. **292**, 369 *(**108**, 621)*
Fricke K.J., see Papaderos P., et al. **291**, L13
Fridlund C.V.M., Liseau R.: The velocity field of the L 1551 IRS 5 jet **292**, 631
Fried J.W., see Schulz H., et al. **285**, 710
Friedjung M., see Huang C.C., et al. **289**, 998 *(**106**, 413)*
Friedrich S., Östreicher R., Ruder H., Zeller G.: Line broadening in the presence of strong magnetic fields **282**, 179
Friedrich S., see Staubert R., et al. **288**, 513
Friel E., see Cayrel de Strobel G., et al. **291**, 505
Frisch U., see Vergassola M., et al. **289**, 325
Fritsch C., see Schulz H. **291**, 713
Fritze-v. Alvensleben U., Gerhard O.E.: Star formation in merging galaxies **285**, 751
Fritze-v. Alvensleben U., Gerhard O.E.: The star formation history of NGC 7252 **285**, 775
Fritze-v. Alvensleben U., see Krüger H. **284**, 793
Fröhlich H.-E.: Self-similar spreading of a viscous, star-forming galactic disc **289**, 749
Froeschlé C., see Morbidelli A., et al. **282**, 955
Froeschlé C., see Petit J.-M. **282**, 291
Frossati G., see Roland J., et al. **290**, 364

Fuente A., see Bujarrabal V., et al. **285**, 247
Fürst E., see Neumann M., et al. **289**, 665 *(106, 303)*
Fuhrmann B., see Van Winckel H., et al. **285**, 241
Fuhrmann K., Axer M., Gehren T.: Balmer lines in cool dwarf stars. II. Effective temperatures and calibration of colour indices **285**, 585
Fuhrmann K., see Axer M., et al. **291**, 895
Fukui Y., see Kun M., et al. **292**, 249
Fukushima T.: Lunar VLBI observation model **291**, 320
Fulle M.: Spin axis orientation of 2060 Chiron from dust coma modeling **282**, 980
Fulle M., Böhm C., Mengoli G., Muzzi F., Orlandi S., Sette G.: Current meteor production of comet P/Swift–Tuttle 1992t **292**, 304
Fulle M., Mennella V., Rotundi A., Colangeli L., Bussoletti E.: The radial brightness dependence in the dust coma of comet P/Grigg-Skjellerup **289**, 604
Fusco-Femiano R.: Non-polytropic model with galactic winds for clusters of galaxies **292**, 27
Fusi Pecci F., Battistini P., Bendinelli O., Bònoli F., Cacciari C., Djorgovski S., Federici L., Ferraro F.R., Parmeggiani G., Weir N., Zavatti F.: HST observations of globular clusters in M 31. I. Surface photometry of 13 objects **284**, 349
Fusi Pecci F., see Buonanno R., et al. **290**, 69
Fux R., Martinet L.: The disc scale length of the Galaxy **287**, L21
Gabriel A., see Baudin F., et al. **285**, L29
Gabriel M.: Influence of physical effects on the solar p-mode spectrum **292**, 281
Gabriel M.: On the p-mode spectrum of solar models **281**, 551
Gabriel M.: The probability-density function of a Fourier line **287**, 685
Gabriel M., Lazrek M.: On the amplitude modulation of low-degree solar p-modes **286**, 635
Gadun A.S., see Atroshchenko I.N. **291**, 635
Gäng T., see Stahl O., et al. **290**, 1019 *(107, 1)*
Gahm G.F., Zinnecker H., Pallavicini R., Pasquini L.: **(RN)** A search for cold dust around post-T Tauri candidates **282**, 123
Gaizauskas V., see Koutchmy S., et al. **281**, 249
Gál J., see Szatmáry K., et al. **292**, 363 *(108, 377)*
Galazutdinov G.A., see Andrievsky S.M., et al. **292**, 364 *(108, 433)*
Gallardo T., see Fernández J.A. **281**, 911
Gallego J., see Rego M., et al. **281**, 348
Gallego J., Zamorano J., Rego M., Vitores A.G.: Discovery of an emitting ring in the Seyfert 1 galaxy UCM 2329+2500 **290**, 705
Galletta G., see Bettoni D. **281**, 1
Galletta G., see Savoldini M. **285**, 467
Galli G., see Riboni E., et al. **292**, 358 *(108, 55)*
Galloway E.T., Herbst E.: The desorption of CO from interstellar grains **287**, 633
Galvin A.B., see Geiss J., et al. **282**, 924
Gambis D., see Li Z.X. **290**, 1001
Gao H., see Xiong G.Z., et al. **292**, 369 *(108, 661)*
Garcia A.M., Bottinelli L., Garnier R., Gouguenheim L., Paturel G.: New H I observations for possible group member galaxies **292**, 352 *(107, 265)*
García-Barreto J.A., Downes D., Huchtmeier W.K.: H I deficiency in the Coma I cloud of galaxies **288**, 705
García-Berro E., see Díaz-Pinto A., et al. **282**, 86
García-Burillo S., Sempere M.J., Combes F.: Gas response at the resonances in the grand design spiral NGC 4321 **287**, 419
García-Lario P., Manchado A., Parthasarathy M., Pottasch S.R.: Nebular emission lines in IRAS 10215–5916 **285**, 179
García López R.J., Rebolo R., Martín E.L.: Pre-main sequence lithium burning. II. Pleiades low mass stars **282**, 518
Garilli B., see Gavazzi G., et al. **285**, 355 *(104, 271)*
Garnier R., see Garcia A.M., et al. **292**, 352 *(107, 265)*
Garrido R., see Breger M., et al. **281**, 90
Garrido R., see Rodríguez E., et al. **288**, 1033 *(106, 21)*
Garrington S.T., see Akujor C.E., et al. **287**, 1038 *(105, 247)*
Gaudenzi S., see Martínez-Pais I.G., et al. **291**, 455
Gauger A., see Krüger D., et al. **290**, 573
Gauger A., see Winters J.M., et al. **290**, 623
Gautier D., see Naylor D.A., et al. **291**, L51
Gavazzi G., Garilli B., Carrasco L., Boselli A., Cruz-Gonzalez I.: A CCD survey of galaxies. II. Observations with the 2.1 m telescope at San Pedro Martir **285**, 355 *(104, 271)*
Gavazzi G., Randone I.: A CCD survey of galaxies. III. Observations with the Loiano 1.5 m telescope **292**, 352 *(107, 285)*
Gavazzi G., see Boselli A., et al. **285**, 69
Gavazzi G., see Boselli A. **283**, 12
Gavryusev V., Gavryuseva E.: Time variations of the ^{37}Ar production rate in the chlorine solar neutrino experiment **283**, 978
Gavryusev V., Gavryuseva E., Delache P., Laclare F.: Periodicities in solar radius measurements **286**, 305
Gavryuseva E., see Gavryusev V., et al. **286**, 305
Gavryuseva E., see Gavryusev V. **283**, 978
Gaylard M., see Little-Marenin I.R., et al. **281**, 451
Geballe T.R., see Groenewegen M.A.T., et al. **287**, 163
Geballe T.R., see Najarro F., et al. **285**, 573
Geballe T.R., see Nisini B., et al. **290**, 463
Geballe T.R., see Oudmaijer R.D., et al. **281**, L33
Gebarowski R., see Biémont E., et al. **287**, 290
Geffert M., Aurière M., Requième Y., Mazurier J.-M.: New optical positions of the globular cluster X-ray sources NGC 6712: S/X 1850-086 and M 15: AC 211/X 2127+119 **282**, 989
Geffert M., see Colin J., et al. **287**, 38
Gehrels J.-A., see Roques F., et al. **288**, 985
Gehrels N., see Petre R. **282**, L33
Gehrels T., see Roques F., et al. **288**, 985
Gehren T., see Axer M., et al. **291**, 895
Gehren T., see Fuhrmann K., et al. **285**, 585
Gehren T., see Kilian-Montenbruck J., et al. **291**, 757
Geiss J., Gloeckler G., Mall U.: Origin of the O^+ pick-up ions in the heliosphere **289**, 933
Geiss J., Gloeckler G., Mall U., von Steiger R., Galvin A.B., Ogilvie K.W.: Interstellar oxygen, nitrogen and neon in the heliosphere **282**, 924
Geiss J., see Altwegg K., et al. **290**, 318
Gendron E., Léna P.: Astronomical adaptive optics. I. Modal control optimization **291**, 337
Genzel R., see Böker T., et al. **288**, 656
Genzel R., see Najarro F., et al. **285**, 573
Georgelin Y.M., Amram P., Georgelin Y.P., le Coarer E., Marcelin M.: Deep Hα survey of the Milky Way. II. The $l = 328°$ area **292**, 366 *(108, 513)*
Georgelin Y.P., see Georgelin Y.M., et al. **292**, 366 *(108, 513)*
Georgelin Y.P., see Rosado M., et al. **286**, 231
Gerard E., see Slysh V.I., et al. **288**, 1034 *(106, 87)*
Gerardi G., see Masnou J.L., et al. **290**, 503
Gerbal D., Durret F., Lachièze-Rey M.: Is there a β-problem in clusters of galaxies? **288**, 746
Gerbal D., see Durret F., et al. **287**, 733
Gerhard O.E., see Fritze-v. Alvensleben U. **285**, 751
Gerhard O.E., see Fritze-v. Alvensleben U. **285**, 775

Gerin M., Casoli F.: Galaxies with a low gas content in the Coma I cloud of galaxies **290**, 49
Gerin M., see Casoli F., et al. **287**, 716
Gerin M., see Field D., et al. **286**, 909
Gershberg R.E., see Alekseev I.Y., et al. **288**, 502
Gesicki K., see Lobel A., et al. **291**, 226
Ghigo F.D., see Kitamoto S., et al. **281**, L85
Ghosh K., see Foing B.H., et al. **292**, 543
Ghosh S.K., see Verma R.P., et al. **284**, 936
Ghosh T., Gopal-Krishna, Rao A.P.: Three-year monitoring of a sample of flat-spectrum radio sources at 327 MHz **288**, 1033 *(106, 29)*
Giacconi R., see Hasinger G., et al. **291**, 348
Giampapa M., see Grinin V.P., et al. **292**, 165
Giampapa M.S., see Randich S., et al. **283**, 893
Giard M., Bernard J.P., Lacombe F., Normand P., Rouan D.: PAH destruction at ionization fronts **291**, 239
Giard M., Lamarre J.M., Pajot F., Serra G.: The large scale distribution of PAHs in the Galaxy **286**, 203
Giard M., see Bernard J.P., et al. **289**, 524
Giard M., see Bernard J.P., et al. **291**, L5
Giard M., see Ristorcelli I., et al. **286**, L23
Giavalisco M., Macchetto F.D., Sparks W.B.: Narrow-band imaging of fields around optically-thick absorption systems: the line-of-sight towards Q 0000–2619 **288**, 103
Gibert D., see Baudin F., et al. **285**, L29
Gil J.A., Jessner A., Kijak J., Kramer M., Malofeev V.M., Malov I., Seiradakis J.H., Sieber W., Wielebinski R.: Multifrequency study of PSR 1822–09 **282**, 45
Gil J.A., see Kramer M., et al. **292**, 356 *(107, 515)*
Gil J.A., see Malofeev V.M., et al. **285**, 201
Gilfanov M., see Barret D., et al. **288**, 472
Gilfanov M., see Claret A., et al. **287**, 824
Gilfanov M., see Jourdain E., et al. **281**, L57
Gilfanov M., see Laurent P., et al. **286**, 838
Gilfanov M., see Vikhlinin A., et al. **287**, 73
Gili R., see Couteau P. **289**, 998 *(106, 377)*
Gillet D., Burki G., Chatel A., Duquennoy A., Lèbre A.: The shock wave propagation effects in BL Herculis. I. The Hα profile **286**, 508
Gillet D., Burnage R., Kohler D., Lacroix D., Adrianzyk G., Baietto J.C., Berger J.P., Goillandeau M., Guillaume C., Joly C., Meunier J.P., Rimbaud G., Vin A.: AURELIE: the high resolution spectrometer of the Haute-Provence Observatory **292**, 360 *(108, 181)*
Gillet D., see Aerts C., et al. **286**, 109
Gillet D., see Fokin A.B. **290**, 875
Gillet D., see Huguet E., et al. **290**, 510
Gillet D., see Huguet E., et al. **290**, 518
Gillet D., see Mathias P., et al. **283**, 813
Gillet D., see Mathias P., et al. **289**, 875
Gilmore G., see Edvardsson B., et al. **290**, 176
Gilmore G., see Nissen P.E., et al. **285**, 440
Giménez A., Clausen J.V.: AG Persei: absolute dimensions and membership of Perseus OB2 **291**, 795
Ginestet N., Carquillat J.M., Jaschek M., Jaschek C.: Spectral classifications in the near-infrared of stars with composite spectra. I. The study of MK standards **292**, 362 *(108, 359)*
Ginestet N., see Carquillat J.M., et al. **289**, 1002 *(106, 597)*
Giovanardi C., see Brand J., et al. **283**, 716 *(103, 541)*
Giovannelli F., see Coe M.J., et al. **289**, 784
Giovannelli F., see Martínez-Pais I.G., et al. **291**, 455
Giovannini G., see Feretti L. **281**, 375
Giraud E., see Infante L., et al. **289**, 381
Gloeckler G., see Geiss J., et al. **282**, 924
Gloeckler G., see Geiss J., et al. **289**, 933
Gnedin O.Y., see Haensel P. **290**, 458
Goad M., see Salamanca I., et al. **282**, 742
Goad M., see Stirpe G.M., et al. **285**, 857
Goad M.R., see Dietrich M., et al. **284**, 33
Gochermann J., see Hanuschik R.W., et al. **281**, 737
Goecking K.-D., Duerbeck H.W., Plewa T., Kaluzny J., Schertl D., Weigelt G., Flin P.: The W Ursae Majoris system ER Ori: a multiple star **289**, 827
Goedbloed J.P., Halberstadt G.: Magnetohydrodynamic waves in coronal flux tubes **286**, 275
Goicoechea L.J.: Analysis of the kinematical behaviour of the near universe. II. Voids **288**, 30
Goillandeau M., see Gillet D., et al. **292**, 360 *(108, 181)*
Golay M., see Bersier D., et al. **286**, 37
Golay M., see Reichen M., et al. **289**, 1000 *(106, 523)*
Goldbach C., Nollez G.: Oscillator strength measurements in the vacuum-ultraviolet. VI. Neutral oxygen lines in the 950–1200 Å range **284**, 307
Goldberg D., Mazeh T.: (RN) The mass-ratio distribution of the spectroscopic binaries in the Pleiades **282**, 801
Goldsmith M.J., see Hutchinson M.G., et al. **285**, 883
Goldsmith M.J., see Shenton M., et al. **292**, 102
Golla G., Hummel E.: The intrinsic magnetic field orientation in NGC 4631 **284**, 777
Golla G., Wielebinski R.: CO emission in NGC 4631: evidence for a mild starburst **286**, 733
Golombek D., see Mirabel I.F., et al. **282**, L17
Gómez A.E., see Comerón F., et al. **286**, 789
Gómez J.L., Alberdi A., Marcaide J.M.: Synchrotron emission from bent shocked relativistic jets. II. Shock waves in helical jets **284**, 51
Gómez J.L., Alberdi A., Marcaide J.M., Marscher A.P., Travis J.P.: Synchrotron emission from bent shocked relativistic jets. III. Aberration of light and time delay effects **292**, 33
Gómez de Castro A.I., see Miranda L.F., et al. **281**, 864
Gonczi R., see Morbidelli A., et al. **282**, 955
Gondhalekar P., see Dietrich M., et al. **284**, 33
Gondhalekar P., see Salamanca I., et al. **282**, 742
Gondhalekar P.M., see Stirpe G.M., et al. **285**, 857
Gong Z.G., see Li Y. **289**, 449
Gonzalez J.-F., Artru M.-C.: Variation of oxygen lines in magnetic Ap stars **289**, 209
Gonzalez-Bedolla S., see Sadsaoud H., et al. **287**, 509
Gonzalez-Bedolla S., see Sareyan J.P., et al. **291**, 815
González-Delgado R., see Robinson A., et al. **291**, 351
González-Patiño D., see Terranegra L., et al. **285**, 359 *(104, 557)*
Gonzalez-Riestra R., see Cassatella A., et al. **281**, 594
Goossens M., see Murawski K. **286**, 943
Goossens M., see Murawski K. **286**, 952
Gopal-Krishna, see Ghosh T., et al. **288**, 1033 *(106, 29)*
Gopal-Krishna, see Kneib J.P., et al. **290**, L25
Goranskij V.P., see Cherepashchuk A.M., et al. **289**, 419
Górny S.K., Tylenda R., Szczerba R.: Mass loss and the evolution of planetary nebula nuclei **284**, 949
Gorti U., see Bhatt H.C., et al. **289**, 946
Gosset E., see Hutsemékers D., et al. **290**, 906
Goudfrooij P., Hansen L., Jørgensen H.E., Nørgaard-Nielsen H.U.: Interstellar matter in Shapley-Ames elliptical galaxies. II. The distribution of dust and ionized gas **287**, 1040 *(105, 341)*
Goudfrooij P., Hansen L., Jørgensen H.E., Nørgaard-Nielsen H.U., de Jong T., van den Hoek L.B.: Interstellar matter in Shapley-Ames elliptical galaxies. I. Multicolour CCD surface photometry **285**, 354 *(104, 179)*

Goudis C.D., Christopoulou P.-E., Meaburn J., Dyson J.E.: Expanding rings in the WR nebula NGC 2359 **285**, 631
Gouguenheim L., see Garcia A.M., et al. **292**, 352 *(**107**, 265)*
Gouguenheim L., see Paturel G., et al. **286**, 768
Gouguenheim L., see Paturel G., et al. **289**, 711
Gouiffes C., see Benetti S., et al. **285**, 147
Goupil M.J., Buchler J.R.: Amplitude equations for nonadiabatic nonradial pulsators **291**, 481
Goupil M.J., see Belmonte J.A., et al. **283**, 121
Goupil M.J., see Morel P., et al. **286**, 91
Gourgoulhon E., see Salgado M., et al. **291**, 155
Gourgoulhon E., see Salgado M., et al. **292**, 365 *(**108**, 455)*
Gouttebroze P., see Heinzel P., et al. **292**, 656
Gouttebroze P., Toutain T.: An Eulerian approach for the computation of oscillation mode visibility **287**, 535
Graff W., see Keller C.U., et al. **289**, L41
Graham D., see Greve A., et al. **286**, 654
Graner F., Dubrulle B.: Titius-Bode laws in the solar system. I. Scale invariance explains everything **282**, 262
Graner F., see Dubrulle B. **282**, 269
Grankin K.N., see Jetsu L., et al. **281**, 639 *(**103**, 183)*
Grankin K.N., see Jetsu L., et al. **282**, L9
Grankin K.N., see Petrov P.P., et al. **290**, 1019 *(**107**, 9)*
Graos F., see Doyle J.G., et al. **291**, 135
Gratton R., see Benetti S., et al. **285**, L13
Gratton R.G., Contarini G.: Elemental abundances in the old open clusters NGC 2243 and Melotte 66 **283**, 911
Gratton R.G., Sneden C.: Abundances of neutron-capture elements in metal-poor stars **287**, 927
Gray M.D., Field D.: Magnetic beaming and the origin of 100% circular polarization in OH masers **292**, 693
Gray M.D., see Field D., et al. **282**, 213
Gray M.D., see Field D. **292**, 271
Gray M.D., see Jones K.N., et al. **288**, 581
Gray M.D., see Masheder M.R.W., et al. **281**, 871
Graziani M., see Zhang H.L., et al. **283**, 319
Greaves J.S., Murray A.G., Holland W.S.: Investigating the magnetic field structure around star formation cores **284**, L19
Greaves J.S., Williams P.G.: Characteristics of ‚spiral arm' clouds, from CS absorption line observations **290**, 259
Grebel E.K., see Kissler M., et al. **287**, 463
Grebel E.K., see Richtler T., et al. **290**, 412
Grechnev V.V., see Altyntsev A.T., et al. **287**, 256
Gredel R.: Near-infrared spectroscopy and imaging of Herbig-Haro objects **292**, 580
Gredel R., Münch G.: Complex interstellar absorption lines of C_2 in the Cygnus OB 2 association **285**, 640
Gredel R., Reipurth B.: An infrared counter-flow in the HH 111 jet complex **289**, L19
Gredel R., see Johansson L.E.B., et al. **291**, 89
Gredel R., van Dishoeck E.F., Black J.H.: Millimetre observations of southern translucent clouds **285**, 300
Green D.A., Joncas G.: Observations of sources from the DRAO galactic plane survey: the SNR G104.7+2.8 and five sources near $l = 105°$, $b = 0°$ **285**, 358 *(**104**, 481)*
Greenberg J.M., see Kouchi A., et al. **290**, 1009
Greenberg J.M., see Shalabiea O.M. **290**, 266
Greenberg J.M., see Tancredi G., et al. **286**, 659
Greenfield P., see Burgarella D., et al. **287**, 769
Greenfield P., see Deharveng J.-M., et al. **288**, 413
Gregorini L., de Ruiter H.R., Parma P., Sadler E.M., Vettolani G., Ekers R.D.: Dumbbell galaxies and multiple nuclei in rich clusters: radio data **288**, 1033 *(**106**, 1)*
Gregorini L., see Bondi M., et al. **287**, 390
Gregorini L., see Mack K.-H., et al. **281**, 639 *(**103**, 157)*
Gregorini L., see Spangler S.R., et al. **286**, 349
Greiner J., Egger R., Aschenbach B.: G 272.2–3.2: a centrally filled and possibly young SNR discovered by ROSAT **286**, L35
Greiner J., Hasinger G., Molendi S., Ebisawa K.: Near-simultaneous ROSAT and Ginga observations of the 1991 X-ray transient in Musca **285**, 509
Greiner J., Hasinger G., Thomas H.-C.: Another supersoft X-ray source in the LMC **281**, L61
Greiner J., Moskalenko E.I.: Re-analysis of three archival optical objects on Odessa plates **283**, 693
Greiner J., see Hanlon L.O., et al. **285**, 161
Grenier I., see Roques F., et al. **288**, 985
Greve A., Castles J., McKeith C.D.: An investigation of extinction diagnostics towards the Orion Nebula **284**, 919
Greve A., see Laval A., et al. **288**, 572
Greve A., see Prada F., et al. **288**, 396
Greve A., Steppe H., Graham D., Schalinski C.J.: **(RN)** Disk brightness temperature of the planets at 43 GHz (and 43 GHz flux densities of some continuum sources) **286**, 654
Griffin J.L., see Aspin C., et al. **292**, L9
Griffin M.J., see Naylor D.A., et al. **291**, L51
Griffin M.J., see Oldham P.G., et al. **284**, 559
Griffin R.E.M., see Schröder K.-P., et al. **288**, 273
Grinin V.P., Thé P.S., de Winter D., Giampapa M., Rostopchina A.N., Tambovtseva L.V., van den Ancker M.E.: The β Pictoris phenomenon among young stars. I. The case of the Herbig Ae star UX Orionis **292**, 165
Grison P.: Automatic search for periodic light curves with any kind of shape in unevenly spaced data **289**, 404
Groenewegen M.A.T.: A revised model for circumstellar molecular emission **290**, 531
Groenewegen M.A.T.: More (on) red giants with unusual dust shells **290**, 207
Groenewegen M.A.T.: The mass loss rates of OH/IR 32.8–0.3 and OH/IR 44.8–2.3 **290**, 544
Groenewegen M.A.T., de Jong T.: Synthetic AGB evolution. III. The influence of different mass-loss laws **283**, 463
Groenewegen M.A.T., de Jong T.: Synthetic AGB evolution. II. The predicted abundances of planetary nebulae in the LMC **282**, 127
Groenewegen M.A.T., de Jong T.: Synthetic AGB evolution. IV. Long-period variables in the LMC **288**, 782
Groenewegen M.A.T., de Jong T.: The circumstellar envelope of S Scuti **282**, 115
Groenewegen M.A.T., de Jong T., Geballe T.R.: The 3 μm spectra of candidate carbon stars **287**, 163
Groesbeck T.D., see Helmich F.P., et al. **283**, 626
Grosbøl P., see Block D.L., et al. **288**, 365
Grosbøl P., see Block D.L., et al. **288**, 383
Grosbøl P., see Patsis P.A., et al. **286**, 46
Grossmann-Doerth U.: Height of formation of solar photospheric spectral lines **285**, 1012
Grossmann-Doerth U., Knölker M., Schüssler M., Solanki S.K.: The deep layers of solar magnetic elements **285**, 648
Gruber D.E., see Maisack M., et al. **284**, 28
Gruber R., see Edge A.C., et al. **289**, L34
Grueff G., see Takahashi Y., et al. **282**, 341
Grün E., Gustafson B., Mann I., Baguhl M., Morfill G.E., Staubach P., Taylor A., Zook H.A.: Interstellar dust in the heliosphere **286**, 915
Gry C., see Boulanger F., et al. **284**, 956
Gry C., see Laval A., et al. **288**, 572
Gry C., see Vidal-Madjar A., et al. **290**, 245
Grzedzielski S., see Fichtner H., et al. **284**, 599
Gschwind R., see Keller C.U., et al. **289**, L41

Gu X.M., Lin J., Li K.J., Xuan J.Y., Luan T., Li Z.K.: Kinematic characteristics of the surge on March 19, 1989 **282**, 240
Gubanov A.G., see Komissarov S.S. **285**, 27
Gudkova T., see Mosser B., et al. **291**, 1019
Güdel M., see Benz A.O. **285**, 621
Güdel M., see Schmitt J.H.M.M., et al. **287**, 843
Guérin J., see Foing B.H., et al. **292**, 543
Güsten R., Fiebig D., Uchida K.I.: The magnetic field in the dense gas bordering W3(OH) **286**, L51
Güsten R., see Wink J.E., et al. **281**, 505
Guillaume C., see Gillet D., et al. **292**, 360 ***(108, 181)***
Guillois O., Nenner I., Papoular R., Reynaud C.: The dust heating mechanism in the coal model **285**, 1003
Guillot T., see Mosser B., et al. **291**, 1019
Guilloteau S., Dutrey A.: A Keplerian disk around DM Tau? **291**, L23
Guilloteau S., see Dutrey A., et al. **286**, 149
Guilloteau S., see Wink J.E., et al. **281**, 505
Gullbring E.: Polar accretion and light variability on T Tauri stars **287**, 131
Gunn A.G., Doyle J.G., Mathioudakis M., Avgoloupis S.: **(RN)** An optical flare on YZ Canis Minoris **285**, 157
Gunn A.G., Doyle J.G., Mathioudakis M., Houdebine E.R., Avgoloupis S.: High-velocity evaporation during a flare on AT Microscopii **285**, 489
Gunn A.G., Spencer R.E., Abdul Aziz H., Doyle J.G., Davis R.J., Pavelin P.E.: **(RN)** Interferometer observations of RS Canum Venaticorum binaries **291**, 847
Guo Z., see Foing B.H., et al. **292**, 543
Gurevich A.V., see Dogiel V.A., et al. **281**, 937
Gursky H., see Edge A.C., et al. **289**, L34
Gurvits L.I., Schilizzi R.T., Barthel P.D., Kardashev N.S., Kellermann K.I., Lobanov A.P., Pauliny-Toth I.I.K., Popov M.V.: Milliarcsecond structures of extremely distant quasars: 0336−017, 0636+680, 1442+101, and 2048+312 **291**, 737
Gurzadyan V.G., Harutyunyan V.V., Kocharyan A.A.: **(RN)** A method for defining structures in the distribution of galaxies **281**, 964
Gustafson B., see Grün E., et al. **286**, 915
Gustafsson B., see Edvardsson B., et al. **290**, 176
Gustafsson B., see Nissen P.E., et al. **285**, 440
Guzzo L., see Edge A.C., et al. **289**, L34
Haas S., see Drechsel H., et al. **284**, 853
Haberl F.: ROSAT soft X-ray observations of the Be/X-ray binary X Persei **283**, 175
Haberl F.: ROSAT soft X-ray observations of the supergiant X-ray bina.y Vela X-1 **288**, 791
Haberl F., Aoki T., Mavromatakis F.: The soft component in the X-ray spectrum of 4U 1700−37 **288**, 796
Haberl F., Thorstensen J.R., Motch C., Schwarzenberg-Czerny A., Pakull M., Shambrook A., Pietsch W.: Discovery of the new intermediate polar RX J0558.0+5353 **291**, 171
Habing H.J., Tignon J., Tielens A.G.G.M.: Calculations of the outflow velocity of envelopes of cool giants **286**, 523
Hachisu I., Matsuda T., Nomoto K., Shigeyama T.: Mixing in ejecta of supernovae. II. Mixing width of 2 D Rayleigh-Taylor instabilities in the helium star models for type Ib/Ic supernovae **285**, 355 ***(104, 341)***
Hack W., see Paresce F. **287**, 154
Hadrava P., Bao G., Østgaard E.: Radial-velocity curves of eccentric orbits in general relativity **284**, 693
Hadrava P., see Horn J., et al. **287**, 1036 ***(105, 119)***
Haefner R., Simon K.P., Fiedler A.: Empirical masses and radii for the luminous binary Sk−67°105 in the LMC **288**, L9
Haensel P., Gnedin O.Y.: Direct URCA processes involving hyperons and cooling of neutron stars **290**, 458
Haensel P., Pichon B.: Experimental nuclear masses and the ground state of cold dense matter **283**, 313
Haensel P., see Salgado M., et al. **291**, 155
Haensel P., see Salgado M., et al. **292**, 365 ***(108, 455)***
Hafner M., Wehrse R.: On the information content of stellar spectra **282**, 874
Hagedon K.S., see Coe M.J., et al. **289**, 784
Hagen H., see Dreizler S., et al. **286**, 463
Hagen-Thorn V.A., see Reshetnikov V.P., et al. **290**, 693
Hagen-Thorn V.A., Yakoleva V.A., Takalo L.O., Sillanpää A.: The variable source responsible for the photometric behaviour of OJ 287 in the IR-optical-UV region during the 1980's **290**, 1
Haggis J.S., see Bayley A.M., et al. **283**, 1051
Hahn G., see Schober H.J., et al. **287**, 1038 ***(105, 281)***
Haikala L.K.: *UBVRI* photometry and polarimetry of the stars in S 252 (NGC 2175). I. The observations **292**, 369 ***(108, 643)***
Haikala L.K., Nyman L.-Å., Forsström V.: 86 GHz SiO, $v=1, J=2 \rightarrow 1$ survey of southern IRAS point sources. II. Detection of 74 new maser sources **281**, 638 ***(103, 107)***
Haiman Z., Magnier E., Lewin W.H.G., Lester R.R., van Paradijs J., Hasinger G., Pietsch W., Supper R., Trümper J.: Extension of the Magnier et al. 1992 catalogue of objects in the field of M 31 **286**, 725
Haiman Z, Magnier E.A., Battinelli P., Lewin W.H.G., van Paradijs J., Hasinger G., Pietsch W., Supper R., Trümper J.: Properties of M 31 OB associations **290**, 371
Hainaut O., see Detal A., et al. **281**, 269
Hainaut O., West R.M., Smette A., Marsden B.G.: Imaging of very distant comets: current and future limits **289**, 311
Hajduková Jr. M.: On the frequency of interstellar meteoroids **288**, 330
Halberstadt G., see Goedbloed J.P. **286**, 275
Halbwachs J.L., Bässgen G., Bastian U., Egret D., Høg E., van Leeuwen F., Petersen C., Schwekendiek P., Wicenec A.: A preliminary list of stars from Tycho observations **281**, L25
Halbwachs J.-L., see Tokovinin A.A., et al. **282**, 831
Hall D.S., see Strassmeier K.G., et al. **282**, 535
Hall D.S., see Zola S., et al. **285**, 531
Hall D.T., see Ajello J.M., et al. **289**, 283
Hamann W.-R., see Langer N., et al. **290**, 819
Hamann W.-R., see Leuenhagen U. **283**, 567
Hamann W.-R., Wessolowski U., Koesterke L.: Non-LTE spectral analyses of Wolf-Rayet stars: the nitrogen spectrum of the WN6 prototype HD 192163 (WR136) **281**, 184
Hambly N.C., Dufton P.L., Keenan F.P., Rolleston W.R.J., Howarth I.D., Irwin M.J.: High-resolution spectroscopy of two young stars between the Magellanic Clouds **285**, 716
Hameury J.-M., King A.R., Lasota J.-P., Auvergne M.: Black-hole stellar accretion in active galactic nuclei **292**, 404
Hameury J.-M., Marck J.-A., Pelat D.: e^+-e^- annihilation lines from accretion discs around Kerr black holes **287**, 795
Hammer F., see Angonin-Willaime M.-C., et al. **281**, 388
Hammer F., see Angonin-Willaime M.-C., et al. **292**, 722
Hammerschlag-Hensberge G., see Kaper L., et al. **289**, 846
Han J.L., Qiao G.J.: The magnetic field in the disk of our Galaxy **288**, 759
Handler G., see Strassmeier K.G., et al. **281**, 855
Hanlon L.O., Bennett K., Collmar W., Connors A., Diehl R., van Dijk R., Greiner J., den Herder J.W., Hermsen W., Kippen R.M., Kuiper L., McConnell M., Ryan J., Schönfelder V., Steinle H., Strong A., Varendorff M., Williams O.R., Winkler C.: Observations of gamma-ray bursts by COMPTEL **285**, 161
Hansen L., see Goudfrooij P., et al. **285**, 354 ***(104, 179)***

Hansen L., see Goudfrooij P., et al. **287**, 1040 *(105, 341)*
Hanslmeier A., Nesis A.: Non-linear dynamics of the solar granulation: a first approach **286**, 263
Hanslmeier A., Nesis A., Mattig W.: Dynamics of the solar granulation: bisector analysis **288**, 960
Hansteen V.H., Wikstøl Ø.: Transition region lineshifts in the rebound shock spicule model **290**, 995
Hanuschik R.W., Kimeswenger S., Gochermann J., Poetzel R., Schnur G.F.O., Werger M.: Absolute fluxes for Supernova 1987A. III. Days 158–314 **281**, 737
Hao J.X., see Foing B.H., et al. **292**, 543
Harmanec P., Horn J., Juza K.: Reliable photometric reductions to the standard *UBV* (or *uvby*) system and accurate *UBV* magnitudes of bright standard stars from the northern part of the international Be program **284**, 700 *(104, 121)*
Harmanec P., see Hubeny I., et al. **289**, 411
Harmanec P., see Juza K., et al. **292**, 354 *(107, 403)*
Harper D., Taylor D.B.: Analysis of ground-based observations of the satellites of Saturn 1874–1988 **284**, 619
Harris A.I., see Thum C., et al. **288**, L25
Harris M.J., Leising M.D.: A search for γ-ray lines from the decay of ^{59}Fe in Supernova 1987A **282**, 766
Hartman R.C., see Kanbach G., et al. **289**, 855
Hartner G., see Edge A.C., et al. **289**, L34
Hartner G., see Hasinger G., et al. **291**, 348
Harutyunyan V.V., see Gurzadyan V.G., et al. **281**, 964
Hashimoto O.: Circumstellar dust envelopes of oxygen-rich AGB stars **292**, 355 *(107, 445)*
Hasinger G., Burg R., Giacconi R., Hartner G., Schmidt M., Trümper J., Zamorani G.: *Erratum* A deep X-ray survey in the Lockman Hole and in the soft X-ray log N–log S **291**, 348
Hasinger G., Johnston H.M., Verbunt F.: Discovery of multiple X-ray sources in 47 Tucanae **288**, 466
Hasinger G., see Bartelmann M., et al. **290**, 399
Hasinger G., see Belloni T., et al. **283**, 1037
Hasinger G., see Greiner J., et al. **281**, L61
Hasinger G., see Greiner J., et al. **285**, 509
Hasinger G., see Haiman Z., et al. **286**, 725
Hasinger G., see Haiman Z, et al. **290**, 371
Hasinger G., see Johnston H.M., et al. **289**, 763
Hasinger G., see Kahabka P., et al. **288**, 538
Hasinger G., see Motch C., et al. **284**, 827
Hasinger G., see Soltan A. **288**, 77
Haslam C.G.T., see Sievers A.W., et al. **281**, 681
Hatzes A.P., Kürster M.: A search for rapid radial velocity variations in α Circini **285**, 454
Haud U., see Tenjes P., et al. **286**, 753
Haug U., see Heynderickx D. **288**, 1034 *(106, 79)*
Hauschildt P.H., see Buchholz B., et al. **285**, 987
Hauschildt P.H., see Störzer H. **289**, 45
Hayes D.S., see Adelman S.J., et al. **282**, 134
Haynes R.F., see Dickey J.M., et al. **289**, 357
Haywood M.: A model of stellar evolution of the galactic disc. The IMF at low masses **282**, 444
Hazlehurst J.: The stabilizing effect of rotation **291**, 181
Hearn A.G., see Maeder A. **288**, E1
Heber U., see Farthmann M., et al. **291**, 919
Heber U., see Leuenhagen U., et al. **283**, 714 *(103, 445)*
Heber U., see Moehler S., et al. **282**, L29
Heber U., see Napiwotzki R., et al. **292**, 239
Heber U., see Werner K., et al. **284**, 907
Heck A., Egret D., Ochsenbein F.: StarWorlds–StarBits (Announcement of two databases) **292**, 365 *(108, 447)*
Heck A., see Albrecht M.A. **283**, 715 *(103, 471)*
Heck A., see Albrecht M.A. **283**, 715 *(103, 473)*
Heck A., see Jackson R., et al. **292**, 360 *(108, 235)*
Heemskerk M.H.M.: Hydrodynamic calculations of accretion discs in close binaries. The superhump phenomenon **288**, 807
Heemskerk M.H.M., see Augusteijn T., et al. **292**, 351 *(107, 219)*
Heemskerk M.H.M., see Telting J.H., et al. **288**, 558
Heinrich O.M.: Thin accretion disks near the critical luminosity: the effect of turbulent energy transport **286**, 338
Heinrich O.M., see Falcke H. **292**, 430
Heinzel P., Gouttebroze P., Vial J.-C.: Theoretical correlations between prominence plasma parameters and the emitted radiation **292**, 656
Heinzel P., Schmieder B.: Chromospheric fine structure: black & white mottles **282**, 939
Heise J., see in 't Zand J.J.M., et al. **288**, 665
Heise J., see van Teeseling A., et al. **281**, 119
Heise J., van Teeseling A., Kahabka P.: The spectra and luminosity of super-soft X-ray sources **288**, L45
Held E.V., see Kissler M., et al. **287**, 463
Hellborg R., see Maniak S.T., et al. **286**, 978
Heller P., Rohlfs K.: The dynamical evolution of the Magellanic System **291**, 743
Hellier C., Ringwald F.A., Robinson E.L.: (RN) WX Arietis: a low-inclination SW Sextantis star **289**, 148
Helmich F.P., Jansen D.J., de Graauw T., Groesbeck T.D., van Dishoeck E.F.: Physical and chemical variations within the W 3 star-forming region. I. SO_2, CH_3OH and H_2CO **283**, 626
Helou G., see Bernard J.P., et al. **291**, L5
Hempelmann A., see Patkós L. **292**, 119
Henkel C., see Baudry A., et al. **287**, 20
Henkel C., Whiteoak J.B., Mauersberger R.: Dense gas in nearby galaxies. VII. The active nucleus of NGC 4945 **284**, 17
Henning T., Launhardt R., Steinacker J., Thamm E.: Cold dust around southern Herbig Ae/Be stars **291**, 546
Henning T., Martin K., Reimann H.-G., Launhardt R., Leisawitz D., Zinnecker H.: Multi-wavelength study of NGC 281 A **288**, 282
Henning T., see Fischer O., et al. **284**, 187
Henning T., see Jäger C., et al. **292**, 641
Henning T., see Ossenkopf V. **291**, 943
Henning T., see Thamm E., et al. **287**, 493
Hénoux J.C., see Démoulin P., et al. **285**, 1023
Hénoux J.C., see Karlický M. **283**, 202
Henrichs H.F., Kaper L., Nichols J.S.: The extent of variability in the stellar wind of the O 7.5 giant ξ Persei **285**, 565
Henrichs H.F., see Bohlin R.C., et al. **287**, 1039 *(105, 305)*
Henrichs H.F., see Telting J.H., et al. **288**, 558
Henry G.W., see Strassmeier K.G., et al. **282**, 535
Henry G.W., see Zola S., et al. **285**, 531
Herbst E., see Galloway E.T. **287**, 633
Herbst E., see Millar T.J. **288**, 561
Herbstmeier U., see Centurión M., et al. **292**, 261
Hermine P., see Moreels G., et al. **282**, 643
Hermsen W., see Bloemen H., et al. **281**, L5
Hermsen W., see Carramiñana A., et al. **290**, 487
Hermsen W., see Hanlon L.O., et al. **285**, 161
Hermsen W., see Iyudin A.F., et al. **284**, L1
Hermsen W., see Strong A.W., et al. **292**, 82
Hernández-Toledo H., see Chavarría-K. C., et al. **283**, 963
Hernanz M., see Díaz-Pinto A., et al. **282**, 86
Herrero A., Lennon D.J., Vilchez J.M., Kudritzki R.P., Humphreys R.H.: Spectroscopic observations of AB-supergiants in M 31 and M 33 **287**, 885
Herrero A., see Bianchi L., et al. **292**, 213
Hertling G., see Infante L., et al. **289**, 381

Hertling G.P., see Faúndez-Abans M., et al. **284**, 699 *(104, 1)*
Hes R., see Bogers W.J., et al. **287**, 1035 *(105, 91)*
Heydari-Malayeri M., Beuzit J.-L.: Further decomposition of a "very massive" star **287**, L17
Heydari-Malayeri M., Lecavelier des Etangs A.: The LMC H II region N4A and its unusual molecular cloud **291**, 960
Heynderickx D.: Geneva seven-colour photometry and frequency analysis of the δ Scuti star HD 105513 **283**, 835
Heynderickx D., Haug U.: A new frequency analysis of photometric observations of the β Cephei star IL Velorum **288**, 1034 *(106, 79)*
Heynderickx D., Waelkens C., Smeyers P.: A photometric study of β Cephei stars. II. Determination of the degrees *l* of pulsation modes **287**, 1042 *(105, 447)*
Heyvaerts J., see Surlantzis G., et al. **284**, 985
Hick P.L., see Jackson B.V., et al. **292**, 362 *(108, 279)*
Higgs L.A., Wendker H.J., Landecker T.L.: G 79.29+0.46: a young stellar-wind shell in Cygnus X **291**, 295
Hilditch R.W., see Figueiredo J., et al. **283**, 144
Hilditch R.W., see Hill G., et al. **282**, 455
Hilditch R.W., see Maxted P.F.L., et al. **282**, 821
Hilditch R.W., see Maxted P.F.L., et al. **285**, 535
Hill G., Hilditch R.W., Aikman G.C.L., Khalesseh B.: Studies of early-type variable stars. VIII. The massive binary system CC Cassiopeiae **282**, 455
Hill G., see Maxted P.F.L., et al. **282**, 821
Hill G., see Maxted P.F.L., et al. **285**, 535
Hillier D.J.: The calculation of continuum polarization due to the Rayleigh scattering phase matrix in multi-scattering axisymmetric envelopes **289**, 492
Hillier D.J., see Najarro F., et al. **285**, 573
Hiltner P.R., Meisenheimer K., Röser H.-J., Laing R.A., Perley R.A.: Hot spot 3C 20 west: an optical synchrotron source **286**, 25
Hinkle K.H., see Tsuji T., et al. **289**, 469
Hiotelis N.: A two-component model for spherical galaxies **291**, 725
Hiotelis N.: Kinematic properties of anisotropic models of spherical galaxies **283**, 783
Hiotelis N., see Patsis P.A., et al. **286**, 46
Hippelein H., see Thimm G.J., et al. **285**, 785
Hirshfeld A.C., see Dominik M. **289**, L31
Hirth G.A., Mundt R., Solf J.: Jet flows and disk winds from T Tauri stars: the case of CW Tau **285**, 929
Hjalmarson Å., see Johansson L.E.B., et al. **291**, 89
Hoang S., Dulk G.A., Leblanc Y.: Interplanetary type III radio bursts that approach the plasma frequency: Ulysses observations **289**, 957
Hoang S., see Mangeney A., et al. **283**, 982
Hoang-Binh D.: **(RN)** On the shifts of magnesium Rydberg lines in the solar infrared spectrum **286**, 607
Hobbs L.M., see Vidal-Madjar A., et al. **290**, 245
Hodge P.W., see Adanti S., et al. **292**, 363 *(108, 395)*
Hodges R.R., see Eberhardt P., et al. **288**, 315
Hodges R.R., see Meier R., et al. **287**, 268
Höflich P., see Müller E. **281**, 51
Hoff W., see Pelt J., et al. **286**, 775
Hoffmann M., see Niarchos P.G., et al. **281**, 637 *(103, 39)*
Hoffmann M., see Niarchos P.G., et al. **292**, 494
Hofmann J., Deubner F.-L., Fleck B., Schmidt W.: On the correlation of magnetic field strength and inclination with continuum brightness of a sunspot penumbra **284**, 269
Hofmann R., see Böker T., et al. **288**, 656
Hofner P., see Cesaroni R., et al. **288**, 903
Høg E., see Halbwachs J.L., et al. **281**, L25
Hogg D.E., see Huchtmeier W.K., et al. **281**, 327
Holdaway M.A., see Beck R., et al. **292**, 409
Holland W.S., see Greaves J.S., et al. **284**, L19
Holweger H., Koester D., Allard N.F.: Identification of the 1600 A feature in Lambda Bootis stars **290**, L21
Hook R.N., see Caulet A., et al. **292**, 361 *(108, 271)*
Hord C.W., see Ajello J.M., et al. **289**, 283
Horn J., Koubský P., Hadrava P., Juza K., Kříž S., Škoda P., Štefl S.: The orbit of the spectroscopic binary ϱ Aurigae **287**, 1036 *(105, 119)*
Horn J., see Harmanec P., et al. **284**, 700 *(104, 121)*
Horn J., see Juza K., et al. **292**, 354 *(107, 403)*
Horne K., see Dietrich M., et al. **284**, 33
Horne K., see Rutten R.G.M., et al. **283**, 441
Horne K., see Wanders I. **289**, 76
Hornung K., Kissel J.: On shock wave impact ionization of dust particles **291**, 324
Houdebine E.R., Doyle J.G.: Observation and modelling of main sequence star chromospheres. II. Modelling of the AU Microscopii (dM2.5e) hydrogen spectrum **289**, 185
Houdebine E.R., Doyle J.G.: Observation and modelling of main sequence star chromospheres. I. Modelling of the hydrogen spectrum in dMe stars **289**, 169
Houdebine E.R., see Doyle J.G., et al. **285**, 233
Houdebine E.R., see Foing B.H., et al. **292**, 543
Houdebine E.R., see Gunn A.G., et al. **285**, 489
Houziaux L., see Jaschek M., et al. **282**, 911
Hovenier J.W., see Wauben W.M.F., et al. **281**, 258
Hovenier J.W., see Wauben W.M.F., et al. **282**, 277
Howarth I.D., see Hambly N.C., et al. **285**, 716
Howarth I.D., see Smith K.C. **290**, 868
Hoyle F., Burbidge G., Narlikar J.V.: Further astrophysical quantities expected in a quasi-steady state Universe **289**, 729
Hoyng P., Schmitt D., Teuben L.J.W.: The effect of random alpha-fluctuations and the global properties of the solar magnetic field **289**, 265
Hron J., Aringer B.: **(RN)** A search for variability in the IRAS-LRS spectra of long period variables **281**, 139
Hron J., see Foing B.H., et al. **292**, 543
Hron J., see Kerschbaum F. **289**, 998 *(106, 397)*
Hu J.Y., te Lintel Hekkert P., Slijkhuis S., Baas F., Sahai R., Wood P.R.: A systematic study of IRAS selected proto-planetary nebula candidates. II. OH and CO observations **282**, 350 *(103, 301)*
Huang C.C., Friedjung M., Zhou Z.X.: Spectral classification of symbiotic stars in the near infrared **289**, 998 *(106, 413)*
Huang L., see Foing B.H., et al. **292**, 543
Huang Z.H., see Fan J.H., et al. **287**, 1041 *(105, 415)*
Hubbard W.B., see Roques F., et al. **288**, 985
Hube D.P., see Breger M., et al. **281**, 90
Hubeny I., Harmanec P., Shore S.N.: On the strategy of future observations and modeling of the β Lyrae system **289**, 411
Hubeny I., Hummer D.G., Lanz T.: NLTE model stellar atmospheres with line blanketing near the series limits **282**, 151
Hubert A.M., see Foing B.H., et al. **292**, 543
Hubert A.M., see Leister N.V., et al. **287**, 789
Hubert H., see Foing B.H., et al. **292**, 543
Hubert H., see Leister N.V., et al. **287**, 789
Hubrig S., Plachinda S.I., Hünsch M., Schröder K.-P.: Search for magnetic fields in late-type giants **291**, 890
Huchtmeier W.K.: Neutral hydrogen observations of elliptical galaxies **286**, 389
Huchtmeier W.K., Bregman J.N., Hogg D.E., Roberts M.S.: **(RN)** The extent of CO in the early-type galaxy NGC 4472 **281**, 327

Huchtmeier W.K., see Bajaja E., et al. **285**, 385
Huchtmeier W.K., see García-Barreto J.A., et al. **288**, 705
Huchtmeier W.K., see Seeberger R., et al. **286**, 17
Hudec R., Dědoch A.: On the nature of KY Cephei **282**, 452
Hudec R., Dědoch A., Pravec P., Borovička J.: Optical studies in the fields of gamma ray burst sources. II. GRB 910219 and the detection of flashing optical counterpart **284**, 839
Hudec R., Pravec P., Borovička J.: OT 1928: a real candidate for GRB 781119 **284**, 499
Hudson R.L., see Moore M.H. **281**, 637 ***(103, 45)***
Hünsch M., see Hubrig S., et al. **291**, 890
Hünsch M., see Schröder K.-P., et al. **288**, 273
Hünsch M., see Schröder K.-P. **289**, 893
Huestamendia G., see Mermilliod J.-C., et al. **289**, 999 ***(106, 419)***
Huggins P.J., see Bachiller R., et al. **281**, L93
Huguenin D., see Reichen M., et al. **289**, 1000 ***(106, 523)***
Huguet E., Lafon J.-P.J., Gillet D.: Radiative shocks in atomic and molecular stellar-like atmospheres. VII. Influence of the excited level of the hydrogen atom: the wake structure **290**, 518
Huguet E., Lafon J.-P.J., Gillet D.: Radiative shocks in atomic and molecular stellar-like atmospheres. VI. Influence of the Lyman-α flux on the precursor structure **290**, 510
Hui H., Dongming L., Rui W., Cuixian C.: Optical positions of 20 radio stars from astrolabe observations **288**, 1034 ***(106, 103)***
Hummel C.A., see Ott M., et al. **284**, 331
Hummel C.A., see Quirrenbach A., et al. **283**, L13
Hummel C.A., see Quirrenbach A., et al. **285**, 541
Hummel C.A., see Quirrenbach A., et al. **286**, 1019
Hummel E., see Dahlem M., et al. **290**, 384
Hummel E., see Golla G. **284**, 777
Hummel W.: Line formation in Be star envelopes. I. Inhomogeneous density distributions **289**, 458
Hummer D.G., see Hubeny I., et al. **282**, 151
Hummer D.G., see Rybicki G.B. **290**, 553
Humphreys R.H., see Herrero A., et al. **287**, 885
Hunger K., see Farthmann M., et al. **291**, 919
Hunsinger J., see Pauldrach A.W.A., et al. **283**, 525
Hunt L.K., Massi M., Zhekov S.A.: A search for near-infrared variability in LSI+61°303 **290**, 428
Hunt L.K., Zhekov S., Salvati M., Mannucci F., Stanga R.M.: Limits on the short-timescale near-infrared variability of Seyfert 1 nuclei **292**, 67
Hunter S.D., see Kanbach G., et al. **289**, 855
Hunter T.R., Taylor G.B., Felli M., Tofani G.: Water masers embedded in ultracompact HII regions: the W 75N cloud core **284**, 215
Huovelin J., see Foing B.H., et al. **292**, 543
Huovelin J., see Saar S.H., et al. **286**, 194
Huré J.-M., Collin-Souffrin S., Le Bourlot J., Pineau des Forêts G.: Structure of the outer regions of accretion discs in Active Galactic Nuclei: the influence of opacity **290**, 34
Huré J.-M., Collin-Souffrin S., Le Bourlot J., Pineau des Forêts G.: Structure of the outer regions of accretion discs in Active Galactic Nuclei **290**, 19
Hurley K., see Atteia J.-L., et al. **288**, 213
Hurley K.J., McBreen B., Rabbette M., Steel S.: The lognormal properties of the soft gamma-ray repeater SGR 1806–20 and the Vela pulsar **288**, L49
Hutchings J.B., see Bianchi L., et al. **292**, 213
Hutchinson M.G., Albinson J.S., Barrett P., Davies J.K., Evans A., Goldsmith M.J., Maddison R.C.: Photometry and polarimetry of pre-main sequence stars **285**, 883
Hutchinson M.G., see Shenton M., et al. **292**, 102
Hutsemékers D.: Evidence for violent ejection of nebulae from massive stars **281**, L81
Hutsemékers D., Van Drom E., Gosset E., Melnick J.: A dusty nebula around the luminous blue variable candidate HD 168625 **290**, 906
Ibáñez J.M., see Font J.A., et al. **282**, 304
Ibáñez J.M., see Quilis V., et al. **286**, 1
Ibáñez M^{a}J., see Martí M^{a}J., et al. **281**, L9
İbanoğlu C., Keskin V., Akan M.C., Evren S., Tunca Z.: Long-term luminosity variations and period changes in V 471 Tauri **281**, 811
İbanoğlu C., see Breger M., et al. **289**, 162
İbanoğlu C., see Foing B.H., et al. **292**, 543
İbanoğlu C., see Keskin V., et al. **287**, 817
Ignjatović Lj., see Mihajlov A.A., et al. **281**, 637 ***(103, 57)***
Ignjatović L.M., see Mihajlov A.A., et al. **287**, 1026
Iijima T., Strafella F., Sabbadin F., Bianchini A.: High velocity and rapidly variable emission features in the spectra of RS Ophiuchi and CH Cygni **283**, 919
Il'in V.B.: **(RN)** Small non-spherical grains in envelopes of M giants **281**, 486
Ilyin I.V., see Alekseev I.Y., et al. **288**, 502
Imbert M.: Cepheids and binarity. I. Spectroscopic orbits of three binary Magellanic Cepheids: HV 883, HV 837, HV 11157 *(Text in French)* **287**, 1033 ***(105, 1)***
Infante L.: Correlation analysis of faint galaxies **282**, 353
Infante L.: Counts and colours of faint stars in 5 fields near the North Galactic Pole **292**, 354 ***(107, 413)***
Infante L., Fouqué P., Hertling G., Way M.J., Giraud E., Quintana H.: The medium redshift clusters CL 0017–20 and CL 0500–24 **289**, 381
in 't Zand J.J.M., Heise J., Jager R.: The optimum open fraction of coded apertures. With an application to the wide field X-ray cameras of SAX **288**, 665
Irsmambetova T.R., see Mayer P., et al. **288**, L13
Irving R.E., see Maniak S.T., et al. **286**, 978
Irwin M.J., see Hambly N.C., et al. **285**, 716
Isern J., see Díaz-Pinto A., et al. **282**, 86
Isliker H., Benz A.O.: Catalogue of 1–3 GHz solar flare radio emission **284**, 701 ***(104, 145)***
Isliker H., Benz A.O.: Non-linear properties of the dynamics of bursts and flares in the solar and stellar coronae **285**, 663
Israel F.P., see Baas F., et al. **284**, 403
Israel F.P., see Melisse J.P.M. **283**, 714 ***(103, 391)***
Israel F.P., see Melisse J.P.M. **285**, 51
Istomin Y.N.: Interaction of a pulsar with interstellar matter **283**, 85
Ivanov A.V., see Chernin A.D., et al. **281**, 685
Ivanov V.V.: Resolvent method: exact solutions of half-space transport problems by elementary means **286**, 328
Ivison R.J., Bode M.F., Meaburn J.: An atlas of high resolution line profiles of symbiotic stars. II. Echelle spectroscopy of northern sky objects **282**, 349 ***(103, 201)***
Iyengar K.V.K., see Verma R.P., et al. **284**, 936
Iyudin A.F., Diehl R., Bloemen H., Hermsen W., Lichti G.G., Morris D., Ryan J., Schönfelder V., Steinle H., Varendorff M., de Vries C., Winkler C.: COMPTEL observations of ^{44}Ti gamma-ray line emission from Cas A **284**, L1
Izvekova V.A., Jessner A., Kuzmin A.D., Malofeev V.M., Sieber W., Wielebinski R.: Observations of pulsar integrated profiles at high frequencies **287**, 1037 ***(105, 235)***
Izzo C., see Belloni T., et al. **283**, 1037
Jackson B.V., Buffington A., Hick P.L., Kahler S.W., Webb D.F.: A spaceborne near-Earth asteroid detection system **292**, 362 ***(108, 279)***
Jackson N., see Akujor C.E., et al. **287**, 1038 ***(105, 247)***

Jackson N., see Dietrich M., et al. **284**, 33
Jackson N., see Salamanca I., et al. **282**, 742
Jackson N., see Stirpe G.M., et al. **285**, 857
Jackson N., Sparks W.B., Miley G.K., Macchetto F.: HST observations of Cygnus A: circumnuclear effects of a powerful jet? **284**, 65
Jackson R., Wells D., Adorf H.M., Egret D., Heck A., Koekemoer A., Murtagh F.: AstroWeb. A database of links to astronomy resources (Announcement of a database) **292**, 360 *(108, 235)*
Jacobi S., Kegel W.H.: **(RN)** A simple model for the luminosity distribution of edge-on spiral galaxies normal to the plane **282**, 401
Jacobi S., see Just A., et al. **289**, 237
Jäger C., Mutschke H., Begemann B., Dorschner J., Henning T.: Steps toward interstellar silicate mineralogy. I. Laboratory results of a silicate glass of mean cosmic composition **292**, 641
Jaekel U., see Wanner W., et al. **290**, L5
Jaekel U., Wanner W., Schlickeiser R., Wibberenz G.: Magnetic field fluctuation geometry as a possible solution to the proton mean free path discrepancy problem **291**, L35
Jaffe W., see McNamara B.R. **281**, 673
Jager R., see in 't Zand J.J.M., et al. **288**, 665
Jahn K., Schmidt H.U.: Thick penumbra in a magnetostatic sunspot model **290**, 295
Jain A., see Pietsch W., et al. **284**, 386
Jain R., Roberts B.: Effects of non-parallel propagation on p- and f-modes **286**, 243
Jain R., Roberts B.: Surface effects of a magnetic field on p-modes: two layer atmosphere **286**, 254
Jakobsen P., see Burgarella D., et al. **287**, 769
Jakobsen P., see Deharveng J.-M., et al. **288**, 413
Jakobsen P., see Møller P., et al. **287**, 719
James S.D., see Staubert R., et al. **288**, 513
Jameson R., see Richichi A., et al. **287**, 145
Janka H.-T., Müller E.: Neutron star recoils from anisotropic supernovae **290**, 496
Janka H.-T., see Takahashi K., et al. **286**, 857
Janka H.-T., see Witti J., et al. **286**, 841
Jankov S., see Foing B.H., et al. **292**, 543
Jankov S., see Zhai D.S., et al. **282**, 168
Janot-Pacheco E., see Leister N.V., et al. **287**, 789
Jansen D.J., see Helmich F.P., et al. **283**, 626
Jansen D.J., van Dishoeck E.F., Black J.H.: Physical and chemical structure of the IC 63 nebula. I. Millimeter and far-infrared observations **282**, 605
Jaroszyński M., Marck J.-A.: Microlensing of optically thin clouds in active galactic nuclei **291**, 731
Jaschek C., see Andrillat Y., et al. **281**, 639 *(103, 135)*
Jaschek C., see Ginestet N., et al. **292**, 362 *(108, 359)*
Jaschek C., see Jaschek M., et al. **282**, 911
Jaschek C., Valbousquet A.: The basic solar motion and the median solar motion **291**, 448
Jaschek C., Valbousquet A., Luri X.: Numerical simulations for the study of the methods for stellar kinematics and luminosity calibration **291**, 439
Jaschek M., Andrillat Y., Houziaux L., Jaschek C.: **(RN)** The behavior of some red and infrared helium lines **282**, 911
Jaschek M., see Andrillat Y., et al. **281**, 639 *(103, 135)*
Jaschek M., see Ginestet N., et al. **292**, 362 *(108, 359)*
Jasinta D.M.D., Soegiartini E.: Photographic observations of visual double stars **292**, 351 *(107, 235)*
Jasniewicz G., Acker A., Mauron N., Duquennoy A., Cuypers J.: Further observations of the central star of LoTr 5 **286**, 211
Jasniewicz G., Lapierre G., Monier R.: Ultraviolet variations in the spectrum of the visible central star of Abell 35 **287**, 591
Jasniewicz G., see Cuisinier F., et al. **285**, 943
Jasniewicz G., Thévenin F.: Metal abundances of Magellanic Cloud clusters **282**, 717
Jedrzejewski R., see Burgarella D., et al. **287**, 769
Jedrzejewski R., see Deharveng J.-M., et al. **288**, 413
Jeffery C.S., see Leuenhagen U., et al. **283**, 714 *(103, 445)*
Jenniskens P.: Meteor stream activity. I. The annual streams **287**, 990
Jenniskens P.: Very-broadband-structure and the linear rise in the extinction curve **284**, 227
Jenniskens P., Désert F.-X.: A survey of diffuse interstellar bands (3800–8680 Å) **288**, 1033 *(106, 39)*
Jenniskens P., Ehrenfreund P., Foing B.: Diffuse interstellar bands in Orion. The environment dependence of DIB strength **281**, 517
Jessner A., see Gil J.A., et al. **282**, 45
Jessner A., see Izvekova V.A., et al. **287**, 1037 *(105, 235)*
Jessner A., see Kramer M., et al. **292**, 356 *(107, 515)*
Jessner A., see Malofeev V.M., et al. **285**, 201
Jessner A., see Xilouris K.M., et al. **288**, L17
Jetsu L., Tuominen I., Antov A., Bopp B.W., Chugainov P.F., Grankin K.N., Linnaluoto S., Melnikov S.Y., Nations H.L., Panov K.P., Shevchenko V.S.: Collected photometry of FK Comae Berenices **281**, 639 *(103, 183)*
Jetsu L., Tuominen I., Grankin K.N., Mel'nikov S.Y., Shevchenko V.S.: New "flip-flop" of FK Comae Berenices **282**, L9
Jetzer P.: **(RN)** Gravitational microlensing by the halo of the Andromeda galaxy **286**, 426
Ji S.C., Cao W.D., Chen G.Q., Yang K.P.: **(RN)** Some common characteristics of the basic components of the solar radio emission and confirmation of a fourth basic component **286**, 588
Jiang S.Y., see Belmonte J.A., et al. **283**, 121
Jiang S.Y., see Breger M., et al. **281**, 90
Jiang S.Y., see Breger M., et al. **289**, 162
Jiang S.Y., see Foing B.H., et al. **292**, 543
Jian-Sheng Chen, see Shi-Bing Deng, et al. **281**, 759
Jia-Qing Zheng: Orbital changes of Oort cloud comets due to strong planetary influences **292**, 361 *(108, 253)*
Jimenez R., see Thejll P., et al. **292**, 457
Jing Y.P., Mo H.J., Börner G., Fang L.Z.: The large-scale structure in a universe dominated by cold plus hot dark matter **284**, 703
Joblin C., d'Hendecourt L., Léger A., Défourneau D.: Infrared spectroscopy of gas-phase PAH molecules. I. Role of the physical environment **281**, 923
Johansen K.T., see Nordström B. **282**, 787
Johansen K.T., see Nordström B. **291**, 777
Johansson L.E.B., Olofsson H., Hjalmarson Å., Gredel R., Black J.H.: Interstellar molecules in the Large Magellanic Cloud **291**, 89
Johansson S.G., see Edvardsson B., et al. **290**, 176
Johansson S.G., see Maniak S.T., et al. **286**, 978
John T.L.: The reliability of H^- free-free absorption coefficients **282**, 890
Johnston H.M., see Hasinger G., et al. **288**, 466
Johnston H.M., see Picard A. **283**, 76
Johnston H.M., see Verbunt F., et al. **285**, 903
Johnston H.M., Verbunt F., Hasinger G.: ROSAT PSPC observations of globular clusters **289**, 763
Johnston K.J., see Altenhoff W.J., et al. **287**, 641
Johnston K.J., see Kitamoto S., et al. **281**, L85
Joly C., see Gillet D., et al. **292**, 360 *(108, 181)*
Joncas G., see Green D.A. **285**, 358 *(104, 481)*

Jønch-Sørensen H.: CCD *uvbyβ* photometry of faint stars. II. Reddening in six fields in the Galaxy **292**, 92
Jønch-Sørensen H.: CCD *uvbyβ* photometry of faint stars. I. Observations and reductions **292**, 363 ***(108, 403)***
Jønch-Sørensen H., Knude J.: Distant A- and F-stars in a low latitude field. Probes of interstellar reddening and Galactic structure **288**, 139
Joncour I., Bertout C., Bouvier J.: Doppler imaging of the T Tauri star HDE 283572 **291**, L19
Joncour I., Bertout C., Ménard F.: Doppler imaging of the T Tauri star V 410 Tau **285**, L25
Jones A.F., see Bruch A., et al. **287**, 829
Jones K.N., Field D., Gray M.D., Walker R.N.F.: OH absorption in DR 21 and K 3–50 revisited **288**, 581
Jordan S., Mürset U., Werner K.: A model for the X-ray spectrum of the symbiotic nova RR Telescopii **283**, 475
Jordan S., see Dreizler S., et al. **286**, 463
Jordan S., see Ludwig H.-G., et al. **284**, 105
Jordan S., see Reimers D., et al. **285**, 995
Jordan S., Wolff B., Koester D., Napiwotzki R.: Analysis of ROSAT pointed observations of 15 hot DA white dwarfs **290**, 834
Jordi C., see Paredes J.M., et al. **288**, 519
Jørgensen H.E., see Goudfrooij P., et al. **285**, 354 ***(104, 179)***
Jørgensen H.E., see Goudfrooij P., et al. **287**, 1040 ***(105, 341)***
Jørgensen U.G.: Effects of TiO in stellar atmospheres **284**, 179
Jørgensen U.G., see Kipper T. **290**, 148
Jourdain E., Collin S., Dennefeld M., Ballet J., Roques J.P., Lebrun F., Mandrou P., Cordier B., Finoguenov A., Churazof E., Gilfanov M., Sunyaev R., Kuleshova N., Sheikhet A., Sukhanov K., Tserenin I.: NGC 1068: a genuine hidden Seyfert 1 galaxy? **281**, L57
Jourdain E., see Claret A., et al. **287**, 824
Jourdain E., see Laurent P., et al. **286**, 838
Jungwiert B., Palouš J.: Stochastic self-propagating star formation with anisotropic probability distribution **287**, 55
Junor W., see Mantovani F., et al. **292**, 59
Jura M., see Kahane C. **290**, 183
Jurdana R., Kotnik-Karuza D.: Search for the remnants of the 1977–1986 outburst in the quiescent phase of CH Cygni **292**, 366 ***(108, 533)***
Just A., Jacobi S., Deiss B.M.: Hydromagnetic interaction of magnetized clumps and the ambient medium in molecular clouds **289**, 237
Juza K., Harmanec P., Božić H., Pavlovski K., Žižňovský J., Tarasov A.E., Horn J., Koubský P.: Correlated long-term light, colour and spectral variations of the Be star κ Draconis **292**, 354 ***(107, 403)***
Juza K., see Harmanec P., et al. **284**, 700 ***(104, 121)***
Juza K., see Horn J., et al. **287**, 1036 ***(105, 119)***
Kachev L.E., see Altyntsev A.T., et al. **287**, 256
Kähler H.: A spherical treatment of slightly distorted rotating stars **288**, 183
Kähler H.: Rotational effects on stellar structure and stability **288**, 191
Kärcher H., see Bayley A.M., et al. **283**, 1051
Kahabka P., Pietsch W., Hasinger G.: Super-soft X-ray sources in the fields of the Magellanic Clouds **288**, 538
Kahabka P., see Heise J., et al. **288**, L45
Kahabka P., see Pietsch W., et al. **284**, 386
Kahane C., Jura M.: Circumstellar CO around bright oxygen-rich semi-regulars **290**, 183
Kahane C., see Audinos P., et al. **287**, L5
Kahler S.W., see Jackson B.V., et al. **292**, 362 ***(108, 279)***
Kalenskii S.V., Liljeström T., Val'tts I.E., Vasil'kov V.I., Slysh V.I., Urpo S.: Observations of methanol masers at 95 GHz **281**, 639 ***(103, 129)***
Kaler J.B., see Stanghellini L., et al. **291**, 604
Kalimeris A., Rovithis-Livaniou H., Rovithis P.: On the orbital period changes in contact binaries **282**, 775
Kalimeris A., Rovithis-Livaniou H., Rovithis P., Oprescu G., Dumitrescu A., Suran M.D.: An orbital period study of the contact system AB Andromedae **291**, 765
Kalkofen W., Rossi P., Bodo G., Massaglia S.: Propagation of acoustic waves in a stratified atmosphere. I **284**, 976
Kallenrode M.-B., see Wanner W., et al. **290**, L5
Kaluzny J.: CCD photometry of distant open clusters. I. Berkeley 22, Berkeley 29 and Berkeley 54 **292**, 359 ***(108, 151)***
Kaluzny J., see Goecking K.-D., et al. **289**, 827
Kamperman T.M., see Burgarella D., et al. **287**, 769
Kamperman T.M., see Deharveng J.-M., et al. **288**, 413
Kanbach G., Arzoumanian Z., Bertsch D.L., Brazier K.T.S., Chiang J., Fichtel C.E., Fierro J.M., Hartman R.C., Hunter S.D., Kniffen D.A., Lin Y.C., Mattox J.R., Mayer-Hasselwander H.A., Michelson P.F., von Montigny C., Nel H.I., Nice D., Nolan P.L., Pinkau K., Rothermel H., Schneid E., Sommer M., Sreekumar P., Taylor J.H., Thompson D.J.: EGRET observations of the Vela pulsar, PSR 0833–45 **289**, 855
Kandrup H.E., Mahon M.E.: Short times characterisations of stochasticity in nonintegrable galactic potentials **290**, 762
Kandrup H.E., Willmes D.E.: Collisional relaxation in a nonintegrable potential **283**, 59
Kaniovsky A., see Döbereiner S., et al. **287**, 105
Kaper L., Hammerschlag-Hensberge G., Zuiderwijk E.J.: Spectroscopic evidence for photo-ionization wakes in Vela X-1 and 4U 1700–37 **289**, 846
Kaper L., see Henrichs H.F., et al. **285**, 565
Kaper L., see Telting J.H. **284**, 515
Karaali S.: A new method for the determination of the population types of field stars **288**, 1034 ***(106, 107)***
Karachentsev I.D., Tikhonov N.A.: New photometric distances for dwarf galaxies in the Local Volume **286**, 718
Karachentsev I.D., Tikhonov N.A., Sazonova L.N.: The brightest stars in three irregular dwarfs around M 81 **289**, 1001 ***(106, 555)***
Kardashev N.S., see Gurvits L.I., et al. **291**, 737
Karitskaya E.A., see Cherepashchuk A.M., et al. **289**, 419
Karjukin V.V., see Voshchinnikov N.V. **288**, 883
Karlický M., Hénoux J.C.: Space and time distribution of hard X-ray emission in a loop at the beginning of a flare **283**, 202
Kastner J.H., see Likkel L., et al. **282**, 190
Kasturirangan K., Marar T.M.K., Padmini V.N., Prasad N.L., Rao U.R., Seetha S.: Observations from the gamma-ray burst experiment onboard the SROSS-C satellite **283**, 435
Kasturirangan K., see Ashoka B.N., et al. **283**, 455
Kasturirangan K., see Marar T.M.K., et al. **283**, 698
Kato M.: Theoretical light curve for a classical nova: nova Cygni 1978 **281**, L49
Katterloher R., see Böker T., et al. **288**, 656
Kaufer A., see Stahl O., et al. **290**, 1019 ***(107, 1)***
Kaufer A., Szeifert T., Krenzin R., Baschek B., Wolf B.: The galactic abundance gradients traced by B-type stars **289**, 740
Kaufman M., see Reichen M., et al. **289**, 1000 ***(106, 523)***
Kawai N., see Fink H.H., et al. **283**, 635
Kayser R., see Pelt J., et al. **286**, 775
Kayser R., see Schramm T. **289**, L5
Kazés I., see Takata T., et al. **285**, 359 ***(104, 529)***

Keel W.C., de Grijp M.H.K., Miley G.K., Zheng W.: Warm IRAS sources from the Point Source Catalog. III. Emission-line properties, correlations, and AGN unified models **283**, 791
Keel W.C., see Fehmers G.C., et al. **292**, 358 *(108, 61)*
Keel W.C., see Schulz H., et al. **285**, 710
Keenan F.P., see Conlon E.S., et al. **290**, 897
Keenan F.P., see Hambly N.C., et al. **285**, 716
Keenan F.P., see Kendall T.R., et al. **290**, 563
Keenan F.P., see Kendall T.R., et al. **291**, 851
Kegel W.H., see Jacobi S. **282**, 401
Kelemen J., see Kun M., et al. **292**, 249
Keller C.U., Deubner F.-L., Egger U., Fleck B., Povel H.P.: On the strength of solar intra-network fields **286**, 626
Keller C.U., Graff W., Rosselet A., Gschwind R., Wild U.P.: First light for an astronomical 3-D photon detector **289**, L41
Kellermann K.I., see Gurvits L.I., et al. **291**, 737
Kembhavi A.K., see Anupama G.C., et al. **282**, 351 *(103, 315)*
Kemp S.N.: The structure of the halo of the giant elliptical galaxy IC 4296 **282**, 425
Kemp S.N., Meaburn J.: The spheroidal halo of the Magellanic-like dwarf irregular galaxy MCG 06−30−025 in the Centaurus A group of galaxies **289**, 39
Kemp S.N., see Lyons M.A., et al. **286**, 535
Kendall T.R., Brown P.J.F., Conlon E.S., Dufton P.L., Keenan F.P.: Optical observations of the hot post-asymptotic giant branch star, HD 177566 **291**, 851
Kendall T.R., Conlon E.S., Dufton P.L., Keenan F.P.: Ultraviolet Fe III lines in the spectra of high galactic latitude early-type stars **290**, 563
Kendziorra E., Kretschmar P., Pan H.C., Kunz M., Maisack M., Staubert R., Pietsch W., Trümper J., Efremov V., Sunyaev R.: Evidence for cyclotron line features in high energy spectra of A 0535+26 during the March/April 1989 outburst **291**, L31
Kendziorra E., see Döbereiner S., et al. **287**, 105
Kendziorra E., see Maisack M., et al. **283**, 841
Kepler S.O., see Saraiva Schröder M.F., et al. **285**, 358 *(104, 487)*
Kepler S.O., see Saraiva Schröder M.F., et al. **292**, 358 *(108, 41)*
Kerp J.: Direct evidence for a two component spectrum of the soft X-ray background **289**, 597
Kerp J., Lesch H., Mack K.-H.: The impact of a high velocity cloud onto the galactic disk **286**, L13
Kerschbaum F., Hron J.: Semiregular variables of types SRa and SRb. New *JHKL'M*-photometry for 200 stars **289**, 998 *(106, 397)*
Keskin V., İbanoğlu C., Akan M.C., Evren S., Tunca Z.: Luminosity variations and orbital period changes in RT Lacertae **287**, 817
Keskin V., see Breger M., et al. **289**, 162
Keskin V., see Foing B.H., et al. **292**, 543
Keskin V., see İbanoğlu C., et al. **281**, 811
Kester D.J.M., see Bontekoe T.R., et al. **284**, 1037
Kester D.J.M., see Waters L.B.F.M., et al. **281**, L1
Khalesseh B., see Hill G., et al. **282**, 455
Khavenson N., see Barret D., et al. **288**, 472
Khavenson N., see Claret A., et al. **287**, 824
Khavenson N., see Laurent P., et al. **286**, 838
Khomenko G., see Kitchatinov L.L., et al. **287**, 320
Kidger M., see Takalo L.O., et al. **284**, 700 *(104, 115)*
Kidger M.R., see Alekseev I.Y., et al. **288**, 502
Kidger M.R., Takalo L.O., de Diego J.A.: Infranight infrared spectral variability in OJ 287 **282**, 369
Kijak J., see Gil J.A., et al. **282**, 45
Kilian J.: Chemical abundances in early B-type stars. V. Metal abundances and LTE/NLTE comparison **282**, 867
Kilian J., Montenbruck O., Nissen P.E.: The galactic distribution of chemical elements as derived from B-stars in open clusters. I. NGC 6231: stellar parameters and chemical abundances **284**, 437
Kilian-Montenbruck J., Gehren T., Nissen P.E.: The galactic distribution of chemical elements as derived from B-stars in open clusters. II. NGC 6611, S 285, and S 289 **291**, 757
Kim H.-I., see Oláh K., et al. **291**, 110
Kim K.-T.: Radio observations of the Coma cluster of galaxies and its immediate vicinity. II. A master list of radio sources **287**, 1040 *(105, 403)*
Kim K.-T., Kronberg P.P., Dewdney P.E., Landecker T.L.: Radio observations of the Coma cluster of galaxies and its immediate vicinity. III. Statistical analyses and source counts **288**, 122
Kim K.-T., Kronberg P.P., Dewdney P.E., Landecker T.L.: Radio observations of the Coma cluster of galaxies and its immediate vicinity. I. Radio data and optical identifications **287**, 1040 *(105, 385)*
Kimeswenger S., see Hanuschik R.W., et al. **281**, 737
Kimura H., see Mann I., et al. **291**, 1011
King A.R., see Hameury J.-M., et al. **292**, 404
King D.L., see Vladilo G., et al. **291**, 425
King I.R., see Burgarella D., et al. **287**, 769
King I.R., see Deharveng J.-M., et al. **288**, 413
Kinkel U., Rosa M.R.: How metal-rich are metal-rich H II regions **282**, L37
Kippen R.M., see Hanlon L.O., et al. **285**, 161
Kipper T., Jørgensen U.G.: Chemical composition of the metal-poor carbon star HD 187216 **290**, 148
Kırbıyık H., see Eryurt D., et al. **282**, 485
Kirsch T., Baade R.: The expanding envelope of ζ Aurigae **291**, 535
Kiselman D.: A NLTE study of neutral boron in solar-type stars **286**, 169
Kiselman D.: High-spatial-resolution solar observations of spectral lines used for abundance analysis **284**, 699 *(104, 23)*
Kiselman D., see Edvardsson B., et al. **290**, 176
Kissel J., see Hornung K. **291**, 324
Kissler M., Richtler T., Held E.V., Grebel E.K., Wagner S.J., Capaccioli M.: The globular cluster system of NGC 4636: a rich system in an otherwise normal elliptical galaxy? **287**, 463
Kitada Y., see Mann I., et al. **291**, 1011
Kitamoto S., Miyamoto S., Waltman E.B, Fiedler R.L., Johnston K.J., Ghigo F.D.: Radio, infrared and X-ray activity of Cygnus X-3 **281**, L85
Kitchatinov L.L., Rüdiger G., Khomenko G.: Large-scale vortices in rotating stratified disks **287**, 320
Kitchatinov L.L., Rüdiger G., Küker M.: Λ-quenching as the nonlinearity in stellar-turbulence dynamos **292**, 125
Kiuchi H., see Takahashi Y., et al. **282**, 341
Kızıloğlu N., see Eryurt D., et al. **282**, 485
Klein A., Bruch A., Luthardt R.: The development of the symbiotic nova PU Vulpeculae in the years 1984−1992 **284**, 700 *(104, 99)*
Klein K.-L., see Lefèvre E., et al. **283**, 483
Klein K.-L., see Raulin J.P. **281**, 536
Klein U., Mack K.-H., Strom R., Wielebinski R., Achatz U.: A high-frequency radio continuum investigation of giant radio galaxies. I. Observations of six objects at 2.8 cm wavelength **283**, 729
Klein U., see Bajaja E., et al. **285**, 385
Klein U., see Beck R., et al. **292**, 409
Klein U., see Mack K.-H., et al. **281**, 639 *(103, 157)*

Klein U., see Marx M., et al. **281**, 718
Klein U., see Pietsch W., et al. **284**, 386
Klein U., see Reuter H.-P., et al. **282**, 724
Klochkova V.G., Mishenina T.V., Panchuk V.E.: Investigation of the II-90 giant in globular cluster M 13 **287**, 881
Klochkova V.G., see Andrievsky S.M., et al. **292**, 364 *(108, 433)*
Klose S.: A case study: the time evolution of dust scattered X-ray halos from gamma-ray bursters **289**, L1
Klose S., see Meusinger H., et al. **289**, 67
Kluźniak W.: Strange stars are not likely to be sources of gamma-ray bursts **286**, L17
Knake A., see Schulz H., et al. **288**, 425
Knee L.B.G., see Sandell G., et al. **285**, L1
Kneer F., Nolte U.: On the fluctuation of wing strengths as diagnostics of the solar atmosphere **286**, 309
Kneib J.-P., Mathez G., Fort B., Mellier Y., Soucail G., Longaretti P.-Y.: "Redshift survey" up to b_J=27: distance of gravitational arclets behind Abell 370 **286**, 701
Kneib J.P., Melnick J., Gopal-Krishna: The Cl 2236–04 lens cluster. Looking for a third gravitational image? **290**, L25
Kniffen D.A., see Kanbach G., et al. **289**, 855
Knölker M., see Grossmann-Doerth U., et al. **285**, 648
Knölker M., see Schmidt W., et al. **287**, 229
Knox Jr J.R., see Adelman S.J. **281**, 636 *(103, 1)*
Knude J., see Jønch-Sørensen H. **288**, 139
Kocharyan A.A., see Gurzadyan V.G., et al. **281**, 964
Koch-Miramond L., see Aurière M., et al. **284**, 457
Kock M., see Bard A. **282**, 1014
Köhler T., see Reimers D., et al. **285**, 995
Koekemoer A., see Jackson R., et al. **292**, 360 *(108, 235)*
König M., see Staubert R., et al. **288**, 513
Köppen J.: The evolution of abundance gradients in spiral galaxies **281**, 26
Köppen J., see Maciel W.J. **282**, 436
Köppen J., see Napiwotzki R., et al. **292**, 239
Köppen J., see Rauch T., et al. **286**, 543
Köster B., Störzer H., Stutzki J., Sternberg A.: Carbon monoxide line emission from photon dominated regions **284**, 545
Koester D., Allard N.F., Vauclair G.: FOS observations of G 117–B 15A and the blue edge of the ZZ Ceti instability strip **291**, L9
Koester D., see Allard N.F., et al. **292**, 364 *(108, 417)*
Koester D., see Holweger H., et al. **290**, L21
Koester D., see Jordan S., et al. **290**, 834
Koester D., see Reimers D. **285**, 451
Koester D., see Vidal-Madjar A., et al. **287**, 175
Koesterke L., see Hamann W.-R., et al. **281**, 184
Kohler D., see Gillet D., et al. **292**, 360 *(108, 181)*
Kolesnik Y.B.: Construction of the Second Quito Astrolabe Catalogue **283**, 997
Kolesnik Y.B., Davila H.: The second Quito astrolabe catalogue **283**, 714 *(103, 427)*
Kollatschny W., see Dietrich M., et al. **284**, 33
Kollatschny W., see Salamanca I., et al. **282**, 742
Kollatschny W., see Stirpe G.M., et al. **285**, 857
Kolotilov E.A., see Munari U., et al. **284**, L9
Komberg B.V., Kravtsov A.V., Lukash V.N.: Investigation of the spatial clustering of quasars using the two-point correlation function **286**, L19
Komissarov S.S., Gubanov A.G.: Relic radio galaxies: evolution of synchrotron spectrum **285**, 27
Komossa S., see Schulz H. **289**, 662
Konjević R., see Djeniže S., et al. **287**, 1035 *(105, 115)*
Kontizas E., see Kontizas M., et al. **290**, 1021 *(107, 77)*
Kontizas M., Kontizas E., Dapergolas A., Argyropoulos S., Bellas-Velidis Y.: Stellar associations in the Large Magellanic Cloud. I. LH 15, LH 47, 48, 49, LH 52, 53, LH 83, LH 91, 95 **290**, 1021 *(107, 77)*
Koornneef J., see Baas F., et al. **284**, 403
Koper E., see Bontekoe T.R., et al. **284**, 1037
Koribalski B., see Aalto S., et al. **286**, 365
Kormann R., Schneider P., Bartelmann M.: A gravitational lens model for B 1422+231 **286**, 357
Kormann R., Schneider P., Bartelmann M.: Isothermal elliptical gravitational lens models **284**, 285
Kosarev I.B., Loseva T.V., Nemtchinov I.V., Popel S.I.: The evolution of Local Interstellar Medium **287**, 470
Kosovichev A.G., see Toutain T. **284**, 265
Kotnik-Karuza D., see Jurdana R. **292**, 366 *(108, 533)*
Koubský P., see Horn J., et al. **287**, 1036 *(105, 119)*
Koubský P., see Juza K., et al. **292**, 354 *(107, 403)*
Kouchi A., Yamamoto T., Kozasa T., Kuroda T., Greenberg J.M.: Conditions for condensation and preservation of amorphous ice and crystallinity of astrophysical ices **290**, 1009
Koutchmy S., Belmahdi M., Coulter R.L., Démoulin P., Gaizauskas V., MacQueen R.M., Monnet G., Mouette J., Noëns J.C., November L.J., Noyes R.W., Sime D.G., Smartt R.N., Sovka J., Vial J.C., Zimmermann J.P., Zirker J.B.: CFHT eclipse observation of the very fine-scale solar corona **281**, 249
Kovács G., Buchler J.R.: The triple-mode variable AC Andromedae **281**, 749
Kovtunenko V., see Barret D., et al. **288**, 472
Kovtyukh V.V., see Andrievsky S.M., et al. **281**, 465
Kovtyukh V.V., see Andrievsky S.M., et al. **292**, 364 *(108, 433)*
Koyama K., see Fink H.H., et al. **283**, 635
Kozasa T., see Kouchi A., et al. **290**, 1009
Krabbe A., see Najarro F., et al. **285**, 573
Kramer M.: Geometrical analysis of average pulsar profiles using multi-component gaussian fits at several frequencies. II. Individual results **292**, 356 *(107, 527)*
Kramer M., see Gil J.A., et al. **282**, 45
Kramer M., see Xilouris K.M., et al. **288**, L17
Kramer M., Wielebinski R., Jessner A., Gil J.A., Seiradakis J.H.: Geometrical analysis of average pulsar profiles using multi-component gaussian fits at several frequencies. I. Method and analysis **292**, 356 *(107, 515)*
Krankowsky D., see Eberhardt P., et al. **288**, 315
Krankowsky D., see Meier R., et al. **287**, 268
Krause D., see Minchin N.R., et al. **291**, 250
Krautter J., see Albinson J.S., et al. **284**, 971
Kravtsov A.V., see Komberg B.V., et al. **286**, L19
Kreidl T.J., see Monier R. **284**, 210
Kreiner J.M., Pajdosz G., Tremko J., Zola S.: Investigation of the semidetached eclipsing binary RZ Draconis **285**, 459
Krenzin R., see Kaufer A., et al. **289**, 740
Kretschmar P., see Döbereiner S., et al. **287**, 105
Kretschmar P., see Kendziorra E., et al. **291**, L31
Kreysa E., see Sievers A.W., et al. **281**, 681
Krichbaum T.P., see Ott M., et al. **284**, 331
Krivov A.V.: On the dust belts of Mars **291**, 657
Kříž S., see Horn J., et al. **287**, 1036 *(105, 119)*
Kronberg P.P., see Kim K.-T., et al. **287**, 1040 *(105, 385)*
Kronberg P.P., see Kim K.-T., et al. **288**, 122
Kronberg P.P., see Reuter H.-P., et al. **282**, 724
Krucker S., Benz A.O.: The frequency ratio of bands of microwave spikes during solar flares **285**, 1038
Krügel E., Chini R.: Analysis of a cold cloud fragment **287**, 947
Krügel E., see Chini R. **288**, L33

Krügel E., see Marx M., et al. **281**, 718
Krügel E., see Persi P., et al. **282**, 233
Krügel E., Siebenmorgen R.: Dust in protostellar cores and stellar disks **288**, 929
Krügel E., Siebenmorgen R.: The transfer of radiation in galactic nuclei. Dusty hot spots in the starburst galaxy M 82 **282**, 407
Krüger A., see Zaitsev V.V., et al. **291**, 990
Krüger D., Gauger A., Sedlmayr E.: Two-fluid models for stationary dust-driven winds. I. Momentum and energy balance **290**, 573
Krüger H., Fritze-v. Alvensleben U.: Photometric evolutionary synthesis models of dwarf galaxies **284**, 793
Krülls W.M., Achterberg A.: Computation of cosmic-ray acceleration by Itô's stochastic differential equations **286**, 314
Krugly Y.N., Shevchenko V.G., Velichko F.P., Bowell E., Piironen J., Kwiatkowski T., Kryszczyńska A., Michałowski T.: Asteroid 83 Beatrix – photometry and model **292**, 359 ***(108, 143)***
Kryszczyńska A., see Krugly Y.N., et al. **292**, 359 ***(108, 143)***
Kubát J.: Spherically symmetric model atmospheres using approximate lambda operators. I. First results for static NLTE atmospheres **287**, 179
Kudritzki R., see Bianchi L., et al. **292**, 213
Kudritzki R.P., see Herrero A., et al. **287**, 885
Kudritzki R.P., see Najarro F., et al. **285**, 573
Kudritzki R.P., see Pauldrach A.W.A., et al. **283**, 525
Kühl D., see Schramm K.-J., et al. **285**, 358 ***(104, 473)***
Kühl D., see Schramm K.-J., et al. **289**, 666 ***(106, 349)***
Kühr H., see Stickel M., et al. **287**, 1037 ***(105, 211)***
Kühr H., see Stickel M. **282**, 351 ***(103, 349)***
Kühr H., see Stickel M. **287**, 1035 ***(105, 67)***
Küker M., see Kitchatinov L.L., et al. **292**, 125
Kürschner R.: Instabilities of protostellar cores. The influence of adaptive grids on instabilities of first protostellar cores **285**, 897
Kürster M., Schmitt J.H.M.M., Cutispoto G.: Doppler imaging with a CLEAN-like approach. II. A photospheric image of AB Doradus (= HD 36705) **289**, 899
Kürster M., see Bomans D.J., et al. **283**, L21
Kürster M., see Fox D.C., et al. **284**, 91
Kürster M., see Hatzes A.P. **285**, 454
Kuijpers J., Kuperus M.: A magnetic explanation for the rapid burster **286**, 491
Kuiper L., see Carramiñana A., et al. **290**, 487
Kuiper L., see Hanlon L.O., et al. **285**, 161
Kuleshova N., see Barret D., et al. **288**, 472
Kuleshova N., see Jourdain E., et al. **281**, L57
Kun M., Obayashi A., Sato F., Yonekura Y., Fukui Y., Balázs L.G., Ábrahám P., Szabados L., Kelemen J.: Study of L 1340: a star-forming cloud in Cassiopeia **292**, 249
Kunth D., Lequeux J., Sargent W.L.W., Viallefond F.: Is there primordial gas in IZw 18? **282**, 709
Kunth D., see Augarde R., et al. **285**, 355 ***(104, 259)***
Kunth D., see Comte G., et al. **285**, 1
Kunz M., see Döbereiner S., et al. **287**, 105
Kunz M., see Kendziorra E., et al. **291**, L31
Kuperus M., see Kuijpers J. **286**, 491
Kurihara N., see Takahashi Y., et al. **282**, 341
Kuroda T., see Kouchi A., et al. **290**, 1009
Kurtz S., see Cesaroni R., et al. **288**, 903
Kurucz R.L., see Castelli F. **281**, 817
Kurucz R.L., see Nordström B., et al. **287**, 338
Kuschnig R., see Piskunov N., et al. **291**, 910
Kuschnig R., see Weiss W.W., et al. **281**, 797
Kusnetzov A., see Döbereiner S., et al. **287**, 105
Kuulkers E., see Rutten R.G.M., et al. **283**, 441
Kuulkers E., van der Klis M., Oosterbroek T., Asai K., Dotani T., van Paradijs J., Lewin W.H.G.: Spectral and correlated timing behaviour of GX 5–1 **289**, 795
Kuzmin A., see Röser S., et al. **287**, 1039 ***(105, 301)***
Kuzmin A.D., see Izvekova V.A., et al. **287**, 1037 ***(105, 235)***
Kuznetsov A., see Atteia J.-L., et al. **288**, 213
Kuznetsov A., see Dezalay J.-P., et al. **286**, 103
Kwiatkowski T., see Krugly Y.N., et al. **292**, 359 ***(108, 143)***
Kyrölä E., Summanen T., Raåback P.: Solar cycle and interplanetary hydrogen **288**, 299
Labat J., see Djeniže S., et al. **287**, 1035 ***(105, 115)***
Labeyrie A.: Gravitational lenses as giant diffractive telescopes **284**, 689
Labeyrie A., see Mourard D., et al. **283**, 705
Lachièze-Rey M., see Dubrulle B. **287**, 361
Lachièze-Rey M., see Dubrulle B. **289**, 667
Lachièze-Rey M., see Durret F., et al. **287**, 733
Lachièze-Rey M., see Gerbal D., et al. **288**, 746
Lachièze-Rey M., see Triay R., et al. **289**, 19
Laclare F., see Gavryusev V., et al. **286**, 305
Lacombe F., see Giard M., et al. **291**, 239
Lacombe F., see Tessier E., et al. **283**, 827
Lacroix D., see Gillet D., et al. **292**, 360 ***(108, 181)***
Lacy M., see Röttgering H.J.A., et al. **292**, 359 ***(108, 79)***
Lafon J.-P.J., see Huguet E., et al. **290**, 510
Lafon J.-P.J., see Huguet E., et al. **290**, 518
Lagerkvist C.-I., see Fitzsimmons A., et al. **282**, 634
Lagerkvist C.-I., see Schober H.J., et al. **287**, 1038 ***(105, 281)***
Laget M., Milliard B., Donas J.: UV-(2000 Å) imaging of globular clusters. II. The blue straggler stars of M 3 **282**, 37
Lagrange A.M., see Corporon P., et al. **282**, L21
Lagrange A.M., see Corporon P., et al. **289**, 660
Lagrange-Henri A.M., see Foing B.H., et al. **292**, 543
Lagrange-Henri A.M., see Vidal-Madjar A., et al. **290**, 245
Lainela M.: Can shock models explain radio outbursts of AGN at millimeter and centimeter wavelengths? **286**, 408
Laing R.A., see Hiltner P.R., et al. **286**, 25
Laird D.C., see Aspin C., et al. **292**, L9
Lallement R., Bertin P., Ferlet R., Vidal-Madjar A., Bertaux J.L.: GHRS observations of Sirius-A. I. Interstellar clouds toward Sirius and Local Cloud ionization **286**, 898
Lallement R., see Quémerais E., et al. **290**, 941
Lallement R., see Vidal-Madjar A., et al. **287**, 175
Lamarre J.M., see Giard M., et al. **286**, 203
Lamarre J.M., see Ristorcelli I., et al. **286**, L23
Lambert D.L., see Edvardsson B., et al. **290**, 176
Lamer G., see Brunner H., et al. **287**, 436
Lamer G., see Staubert R., et al. **288**, 513
Lamers H.J.G.L.M., Achmad L.: The relation between microturbulence and mass loss from supergiants **291**, 856
Lamers H.J.G.L.M., see Bianchi L., et al. **292**, 213
Lamers H.J.G.L.M., see Spoon H.W.W., et al. **288**, 1035 ***(106, 141)***
Lampton M., see Deharveng J.-M., et al. **289**, 715
Landecker T.L., see Higgs L.A., et al. **291**, 295
Landecker T.L., see Kim K.-T., et al. **287**, 1040 ***(105, 385)***
Landecker T.L., see Kim K.-T., et al. **288**, 122
Landecker T.L., see Wallace B.J., et al. **286**, 565
Landini M., see Monsignori Fossi B.C. **284**, 900
Landi Degl'Innocenti E., Bommier V.: Resonance line polarization for arbitrary magnetic fields in optically thick media. III. A generalization of the $\dot{Y}\varepsilon$-law **284**, 865
Landi Degl'Innocenti E., see Casini R. **287**, 692
Landi Degl'Innocenti E., see Casini R. **291**, 668

Landi Degl'Innocenti E., see Leroy J.L., et al. **284**, 174
Landolfi M., see Leroy J.L., et al. **284**, 174
Landstreet J.D., see Leroy J.L., et al. **284**, 491
Laney D., see Shenton M., et al. **292**, 102
Langer N., Hamann W.-R., Lennon M., Najarro F., Pauldrach A.W.A., Puls J.: Towards an understanding of very massive stars. A new evolutionary scenario relating O stars, LBVs and Wolf-Rayet stars **290**, 819
Lanz T., see Hubeny I., et al. **282**, 151
Lanz T., see North P., et al. **281**, 775
Lanz T., see North P., et al. **282**, 351 *(**103**, 321)*
Lanz T., see North P., et al. **292**, 350
Lanza A.F., Rodonò M., Zappalà R.A.: Fourier analysis of spotted star light curves as a tool to detect stellar differential rotation. II. Spots' evolution and binarity **290**, 861
Lanzafame A.C.: Si II resonance multiplets in the Sun **287**, 972
Lanzerotti L.J., see Mangeney A., et al. **283**, 982
Lanzerotti L.J., see Tappin S.J., et al. **292**, 311
Lapierre G., see Jasniewicz G., et al. **287**, 591
Lapinov A., see Zinchenko I., et al. **288**, 601
Lara L., Alberdi A., Marcaide J.M., Muxlow T.W.B.: The quasar 3C 395 revisited: new VLBI observations and numerical simulations **285**, 393
Larionov M.G., Parijskij Y.N., Zhuravlev V.I., Sidorenkov V.N., Berlin A.B., Nizhel'skii N.A.: A 3.9 GHz survey for declination −1° to 0° **288**, 1035 *(**106**, 119)*
Larsson S., see Piirola V., et al. **283**, 163
Laskar J.: Large-scale chaos in the solar system **287**, L9
Laskar J., see Simon J.L., et al. **282**, 663
Lasota J.-P., see Hameury J.-M., et al. **292**, 404
Lastennet E., Freire Ferrero R.: A Ca II and Mg II luminosity/emission-width data base **292**, 368 *(**108**, 611)*
Latham D.W., see Nordström B., et al. **287**, 338
Latham D.W., see Storm J., et al. **290**, 443
Lattanzi M.G., see Munari U., et al. **292**, 501
Launhardt R., see Henning T., et al. **288**, 282
Launhardt R., see Henning T., et al. **291**, 546
Laurent P., Paul J., Claret A., Caraveo P.A., Schmitz-Fraysse M.C., Jourdain E., Roques J.P., Mandrou P., Churazov E., Gilfanov M., Sunyaev R., Finoguenov A., Sitdikov A., Vikhlinin A., Dyachkov A., Khavenson N.: Observations of the pulsar PSR 1509−58 with the SIGMA telescope **286**, 838
Laurent P., see Barret D., et al. **288**, 472
Laurent P., see Claret A., et al. **282**, 1034
Laurikainen E., Salo H., Teerikorpi P., Petrov G.: Environments of Seyfert galaxies. I. Construction of the sample and selection effects **292**, 366 *(**108**, 491)*
Laurikainen E., see Dietrich M., et al. **284**, 33
Laurikainen E., see Salamanca I., et al. **282**, 742
Laurikainen E., see Stirpe G.M., et al. **285**, 857
Laval A., Gry C., Rosado M., Marcelin M., Greve A.: The exciting star of the small bubble N 120A in the Large Magellanic Cloud **288**, 572
Lawrence A., see Dietrich M., et al. **284**, 33
Lawrence A., see Salamanca I., et al. **282**, 742
Lawrence A., see Stirpe G.M., et al. **285**, 857
Lazareff B., see Lefloch B. **289**, 559
Lazrek M., see Gabriel M. **286**, 635
Lazzarin M., see Vio R., et al. **289**, 640
Leach S., see Field D., et al. **286**, 909
Leacock R.J., see Tornikoski M., et al. **289**, 673
Leahy D.A., Volk K.: Image deprojection applied to the Einstein Cygnus Loop X-ray image **282**, 561
Leahy J.P., see Akujor C.E., et al. **287**, 1038 *(**105**, 247)*
Lebertre T., see Roques F., et al. **288**, 985
Leblanc Y., Dulk G.A., Bagenal F.: On Io's excitation and the origin of Jupiter's decametric radiation **290**, 660
Leblanc Y., see Dulk G.A., et al. **286**, 683
Leblanc Y., see Hoang S., et al. **289**, 957
Lèbre A., see De Medeiros J.R., et al. **286**, 481
Lèbre A., see Gillet D., et al. **286**, 508
Lebreton Y., see Morel P., et al. **286**, 91
Lebrun F., see Claret A., et al. **282**, 1034
Lebrun F., see Claret A., et al. **287**, 824
Lebrun F., see Jourdain E., et al. **281**, L57
Lecacheux A., see Abada-Simon M., et al. **288**, 219
Lecacheux A., see Dulk G.A., et al. **286**, 683
Lecacheux J., see Roques F., et al. **288**, 985
Lecavelier des Etangs A., see Heydari-Malayeri M. **291**, 960
Lecontel J.M., see Foing B.H., et al. **292**, 543
Ledenev V.G.: The directivity and polarization of radio emission at the second harmonic of plasma frequency from coronal magnetic loops **285**, 1019
Lee H.W., see Belinsky V., et al. **283**, 1018
Leedjärv L., Mikolajewski M., Tomov T.: The long-period symbiotic binary CH Cygni. III. Emission line profiles from the rotating accretion disk **287**, 543
Lefèvre E., Klein K.-L., Lestrade J.-F.: Variability of quiescent and flaring radio emission in RS CVn and Algol-type binary systems **283**, 483
Lefèvre J., see Lorenz-Martins S. **291**, 831
Lefloch B., Lazareff B.: Cometary globules. I. Formation, evolution and morphology **289**, 559
Léger A., see Joblin C., et al. **281**, 923
Lehmann T., see Aspin C., et al. **288**, 165
Leibowitz E.M., see Formiggini L. **292**, 534
Leinert C., see Engels D. **282**, 858
Leinert C., see Richichi A., et al. **286**, 829
Leinert C., see Richichi A., et al. **287**, 145
Leinert C., Weitzel N., Richichi A., Eckart A., Tacconi-Garman L.E.: Two faint companions to the nearby low-mass star LHS 1070 **291**, L47
Leisawitz D., see Henning T., et al. **288**, 282
Leising M.D., see Harris M.J. **282**, 766
Leister N.V., Janot-Pacheco E., Hubert A.M., Floquet M., Hubert H., Briot D.: Detection of "moving bumps" for the Be star η Centauri **287**, 789
Lemaire J.L., see Field D., et al. **286**, 909
Lemaire P., see Briand C. **282**, 621
Lemaître G., see Wang M., et al. **285**, 344
Lemke R., see Sievers A.W., et al. **281**, 681
Lemoine D., see Masnou J.L., et al. **290**, 503
Lemoine M., see Vidal-Madjar A., et al. **287**, 175
Léna P., see Gendron E. **291**, 337
Lennon D.J., Burke V.M.: Atomic data from the IRON project. II. Effective collision strengths for infrared transitions in carbon-like ions **282**, 350 *(**103**, 273)*
Lennon D.J., see Bianchi L., et al. **292**, 213
Lennon D.J., see Herrero A., et al. **287**, 885
Lennon M., see Langer N., et al. **290**, 819
Leone F.: Incidence of X-ray sources among magnetic chemically peculiar stars **286**, 486
Leone F., see Catalano F.A. **292**, 368 *(**108**, 595)*
Leone F., Trigilio C., Umana G.: Radio emission from magnetic chemically peculiar stars: results of the 1992 VLA survey **283**, 908
Léotin J., see Ristorcelli I., et al. **286**, L23
Lepardo A., see Munari U., et al. **284**, L9
Lépine J.R.D., Duvert G.: Star formation by infall of high velocity clouds on the galactic disk **286**, 60

Lequeux J.: (RN) Large amounts of cold molecular hydrogen in the Small Magellanic Cloud **287**, 368
Lequeux J., Le Bourlot J., Pineau des Forêts G., Roueff E., Boulanger F., Rubio M.: Results of the ESO-SEST Key Programme: CO in the Magellanic Clouds. IV. Physical properties of molecular clouds in the Small Magellanic Cloud **292**, 371
Lequeux J., see Boselli A., et al. **285**, 69
Lequeux J., see Kunth D., et al. **282**, 709
Leray J.P., see Claret A., et al. **282**, 1034
Lercher G., see Weinberger R., et al. **282**, 197
Leroy J.L., Bagnulo S., Landolfi M., Landi Degl'Innocenti E.: A long period model for the magnetic star γ Equulei **284**, 174
Leroy J.L., Landstreet J.D., Bagnulo S.: 49 Camelopardalis: an uncommon magnetic star **284**, 491
Lesch H., see Camenzind M. **284**, 411
Lesch H., see Chiba M. **284**, 731
Lesch H., see Duschl W.J. **286**, 431
Lesch H., see Kerp J., et al. **286**, L13
Lesch H., see Reuter H.-P., et al. **282**, 724
Lesovoi S.V., see Altyntsev A.T., et al. **287**, 256
Lessi O., see Vio R., et al. **289**, 640
Lester R.R., see Haiman Z., et al. **286**, 725
Lestrade J.-F., see Lefèvre E., et al. **283**, 483
Leubner C., see de Assis A.S. **281**, 588
Leuenhagen U., Hamann W.-R.: V 348 Sagittarii: analysis of the [WC 12] stellar spectrum **283**, 567
Leuenhagen U., Heber U., Jeffery C.S.: High-resolution optical spectroscopy of the hot R CrB star V 348 Sagittarii **283**, 714 *(**103**, 445)*
Lewin W.H.G., see Haiman Z., et al. **286**, 725
Lewin W.H.G., see Haiman Z, et al. **290**, 371
Lewin W.H.G., see Kuulkers E., et al. **289**, 795
Lewin W.H.G., see Oosterbroek T., et al. **281**, 803
Lewin W.H.G., see Verbunt F., et al. **285**, 903
Lewis B.M.: "Fossil" symbiotic novae **288**, L5
Le Bourlot J., see Flower D.R., et al. **282**, 225
Le Bourlot J., see Huré J.-M., et al. **290**, 19
Le Bourlot J., see Huré J.-M., et al. **290**, 34
Le Bourlot J., see Lequeux J., et al. **292**, 371
Le Campion J.-F., see Colin J., et al. **287**, 38
Le Coarer E., see Amram P., et al. **281**, 636 *(**103**, 5)*
le Coarer E., see Georgelin Y.M., et al. **292**, 366 *(**108**, 513)*
Le Coarer E., see Magakian T.Y., et al. **291**, 928
Le Coarer E., see Rosado M., et al. **286**, 231
Le Contel D., see Sadsaoud H., et al. **287**, 509
Le Contel J.M., see Sadsaoud H., et al. **287**, 509
Le Contel O., see Lioure A. **285**, 185
Le Fèvre O., Crampton D., Felenbok P., Monnet G.: CFHT MOS/SIS spectrograph performance **282**, 325
Le Naour C., see Ristorcelli I., et al. **286**, L23
Li J.J., see Fan J.H., et al. **287**, 1041 *(**105**, 415)*
Li K.H., see Xie G.Z., et al. **289**, 666 *(**106**, 361)*
Li K.J., see Gu X.M., et al. **282**, 240
Li Q., see Foing B.H., et al. **292**, 543
Li T.-P., see Sun X.-J., et al. **289**, 127
Li X.-Q., Zhang H.: Non-linear structures in self-gravitating disks **292**, 686
Li X-Q., Zhang Z., Smartt R.N.: Magnetic reconnection theory for coronal loop interaction **290**, 963
Li Y., Gong Z.G.: Red supergiant variables in the Large Magellanic Cloud: their evolution and pulsations **289**, 449
Li Y., see Cha G., et al. **284**, 874
Li Y., Stix M.: The δ Scuti instability strip: effects of opacity enhancement and wave reflections **286**, 815
Li Z.K., see Gu X.M., et al. **282**, 240
Li Z.-P., see Breger M., et al. **289**, 162
Li Z.X., Gambis D.: Relationship between the astrometric z-term, the Earth rotation and the southern oscillation index **290**, 1001
Lichti G., see Bloemen H., et al. **281**, L5
Lichti G.G., Bennett K., den Herder J.W., Diehl R., Morris D., Ryan J., Schönfelder V., Steinle H., Strong A.W., Winkler C.: COMPTEL upper limits on gamma-ray line emission from Supernova 1991T **292**, 569
Lichti G.G., see Carramiñana A., et al. **290**, 487
Lichti G.G., see Iyudin A.F., et al. **284**, L1
Lieske J.H.: On the conversion of orbital elements from 1950.0 to J 2000 **281**, 281
Likkel L., Morris M., Kastner J.H., Forveille T.: Radio and near-infrared images of IRAS 21282+5050: a transitional planetary nebula **282**, 190
Lilienthal D., see de Boer K.S., et al. **286**, 925
Liljeström T., see Kalenskii S.V., et al. **281**, 639 *(**103**, 129)*
Liller W., see Wenderoth E., et al. **289**, 664 *(**106**, 253)*
Lima-Neto G., see Durret F., et al. **287**, 733
Lin J., see Gu X.M., et al. **282**, 240
Lin R.P., see Mangeney A., et al. **283**, 982
Lin Y.C., see Kanbach G., et al. **289**, 855
Lindgren H., see Pasquini L. **283**, 179
Ling J.F., see Docobo J.A. **287**, 1039 *(**105**, 337)*
Linnaluoto S., see Jetsu L., et al. **281**, 639 *(**103**, 183)*
Linnaluoto S., see Saar S.H., et al. **286**, 194
Linnell A.P., see De Greve J.P. **291**, 786
Linnert M.D., see Schramm K.-J., et al. **285**, 358 *(**104**, 473)*
Linnert M.D., see Schramm K.-J., et al. **289**, 666 *(**106**, 349)*
Linsky J.L., see Fox D.C., et al. **284**, 91
Lioure A., Le Contel O.: Stationary boundary layers of accretion α disks: profiles and emission properties **285**, 185
Lipman K., see Vladilo G., et al. **291**, 425
Lipunov V.M., Nazin S.N.: A model of the source LS I +61°303 **289**, 822
Lipunov V.M., Nazin S.N., Osminkin E.Y., Prokhorov M.E.: Binary radiopulsars with optical companion **282**, 61
Liseau R., see Fridlund C.V.M. **292**, 631
Lisenfeld U., see Xu C., et al. **282**, 19
Lisenfeld U., see Xu C., et al. **285**, 19
Lissauer J.J., see Beust H. **282**, 804
Lissauer J.J., see Vidal-Madjar A., et al. **290**, 245
Liszt H., see Lucas R. **282**, L5
Little-Marenin I.R., Sahai R., Wannier P.G., Benson P.J., Gaylard M., Omont A.: A search for SiO, OH, CO and HCN radio emission from silicate-carbon stars **281**, 451
Litvinenko Y.E., Somov B.V.: Electromagnetic expulsion force in cosmic plasma **287**, L37
Liu F.K., see Xie G.Z., et al. **289**, 666 *(**106**, 361)*
Liu Q., see Pasquini L., et al. **287**, 191
Liu Y., Zhang H., Ai G., Wang H., Zirin H.: The evolution of magnetic network elements in the quiet Sun **283**, 215
Liu Y.Y., see Belmonte J.A., et al. **283**, 121
Livingston W., see Solanki S.K., et al. **283**, 221
Livio M., see Della Valle M., et al. **287**, 403
Livio M., see Della Valle M. **286**, 786
Lizano S., see Massi M. **287**, 581
Li Zhi-ping, see Breger M., et al. **281**, 90
Llebaria A., see Debray B., et al. **281**, 613
Lloyd Evans T., see Shenton M., et al. **287**, 866
Lobachev V., see Claret A., et al. **287**, 824
Lobanov A.P., see Gurvits L.I., et al. **291**, 737

Lobel A., de Jager C., Nieuwenhuijzen H., Smolinski J., Gesicki K.: Pulsation of the yellow hypergiant ϱ Cassiopeiae in 1970 **291**, 226
Löfdahl M.G., Scharmer G.B.: Wavefront sensing and image restoration from focused and defocused solar images **292**, 352 *(107, 243)*
Longaretti P.-Y., see Kneib J.-P., et al. **286**, 701
Longo G., Busarello G., Lorenz H., Richter G., Zaggia S.: Kinematical properties of the members of Hickson group No. 90 **282**, 418
Longo G., see Busarello G., et al. **283**, 717
Longo G., see Caon N., et al. **286**, L39
Longo G., Zaggia S.R., Busarello G., Richter G.: Kinematics of 14 early-type galaxies **287**, 1041 *(105, 433)*
Loose H.-H., see Papaderos P., et al. **291**, L13
Lopes I., Turck-Chièze S.: The second order asymptotic theory for the solar and stellar low degree acoustic mode predictions **290**, 845
Lopes S.R., see Chian A.C.-L., et al. **288**, 981
Lopes S.R., see Chian A.C.-L., et al. **290**, L13
Lopez B., see Starck J.-L., et al. **283**, 349
López J.A., see Bohigas J., et al. **291**, 595
Lopez-Garcia Z., Adelman S.J.: Elemental abundance studies of CP stars: The silicon star HD 43819 and the CP star HD 147550 **292**, 353 *(107, 353)*
López de Coca P., see Rodríguez E., et al. **288**, 1033 *(106, 21)*
Lorenz H., see Longo G., et al. **282**, 418
Lorenz R., Mayer P., Drechsel H.: Absolute dimensions of AB Crucis: a semi-detached O-type eclipsing binary **291**, 185
Lorenz R., see Drechsel H., et al. **284**, 853
Lorenz R., see Mayer P., et al. **288**, L13
Lorenz-Martins S., Lefèvre J.: SiC grains and evolution of carbon stars **291**, 831
Lortet M.-C., Borde S., Ochsenbein F.: Second Reference Dictionary of the Nomenclature of Celestial Objects (Solar System excluded) **292**, 351 *(107, 193)*
Loseva T.V., see Kosarev I.B., et al. **287**, 470
Louarn P., see Abada-Simon M., et al. **288**, 219
Loucif M.L.: Giant macrospicules as possible sources of the fast solar wind **281**, 95
Loup C., see Zijlstra A.A., et al. **290**, 228
Loyola P., see Carrasco G. **287**, 1041 *(105, 429)*
Loyola P., see Costa E. **285**, 359 *(104, 503)*
Lu T., Wei D.M., Song L.M.: **(RN)** The γ-ray pulsars and the generation order parameter **290**, 815
Luan T., see Gu X.M., et al. **282**, 240
Lucas R., Liszt H.: Plateau de Bure observations of mm-wave molecular absorption from ^{13}CO, HCO^+, and HCN **282**, L5
Lucas R., see Audinos P., et al. **287**, L5
Lucy L.B.: Optimum strategies for inverse problems in statistical astronomy **289**, 983
Ludwig H.-G., Jordan S., Steffen M.: Numerical simulations of convection at the surface of a ZZ Ceti white dwarf **284**, 105
Ludwig K., Meyer-Hofmeister E., Ritter H.: Systematics of dwarf nova outbursts: a parameter study in the framework of the disk-instability model **290**, 473
Lüdke E., see Akujor C.E., et al. **287**, 1038 *(105, 247)*
Lukash V.N., see Komberg B.V., et al. **286**, L19
Luo G.: Influence of nonideal effects of dense plasma on solar interior opacity **281**, 561
Luo G.: The equation of state in the chemical picture: a grand canonical approach. I. Theory **281**, 460
Luo G.: The equation of state in the chemical picture: a grand-canonical approach. III. Thermodynamic properties and non-ideal effects **284**, 684
Luo G.: The equation of state in the chemical picture: a grand-canonical approach. II. The occupation number of molecules and atoms **284**, 679
Luri X., see Jaschek C., et al. **291**, 439
Luthardt R., Menchenkova E.V.: On the binary nature of Pleione **284**, 118
Luthardt R., see Klein A., et al. **284**, 700 *(104, 99)*
Lutz D., see Najarro F., et al. **285**, 573
Lynas-Gray A.E., see Blackwell D.E. **282**, 899
Lyons M.A., Bates B., Kemp S.N.: The structure of the interstellar gas towards stars in the globular cluster M 55 **286**, 535
Ma C., see Walter H.G. **284**, 1000
Maccacaro T., see Molendi S. **291**, 420
Macchetto F., see Burgarella D., et al. **287**, 769
Macchetto F., see Capetti A., et al. **289**, 61
Macchetto F., see Deharveng J.-M., et al. **288**, 413
Macchetto F., see Jackson N., et al. **284**, 65
Macchetto F., see van Ojik R., et al. **289**, 54
Macchetto F.D., see Giavalisco M., et al. **288**, 103
Maccioni A., Perinotto M.: On the interstellar grains in the Magellanic Clouds and in the Galaxy **284**, 241
Maceroni C., van 't Veer F.: Period variations of the late type contact binaries YY Eri and AE Phe: how to use light curves outside minimum **289**, 871
Maceroni C., Vilhu O., van 't Veer F., Van Hamme W.: Surface imaging of late-type contact binaries I: AE Phoenicis and YY Eridani **288**, 529
MacGillivray H., see Pierre M., et al. **290**, 725
MacGillivray H.T., see Edge A.C., et al. **289**, L34
Maciel W.J., Köppen J.: Abundance gradients from disk planetary nebulae: O, Ne, S, and Ar **282**, 436
Maciel W.J., see Cazetta J.O. **290**, 936
Maciel W.J., see Chiappini C. **288**, 921
Maciel W.J., see Ortiz R. **287**, 552
Mack K.-H., Gregorini L., Parma P., Klein U.: High-frequency radio continuum observations of radio galaxies with low and intermediate luminosity. II. Sources with sizes 4' to 5' **281**, 639 *(103, 157)*
Mack K.-H., see Kerp J., et al. **286**, L13
Mack K.-H., see Klein U., et al. **283**, 729
Mackay C.D., see Burgarella D., et al. **287**, 769
Mackay C.D., see Deharveng J.-M., et al. **288**, 413
MacQueen R.M., see Koutchmy S., et al. **281**, 249
Maddison R.C., see Hutchinson M.G., et al. **285**, 883
Maddison R.C., see Shenton M., et al. **292**, 102
Madej J.: Effects of Compton scattering in atmospheres of hot white dwarfs **286**, 515
Madejski G., see Brinkmann W., et al. **288**, 433
Maeder A., Hearn A.G.: Evolution of the editorial policy of Astronomy and Astrophysics **288**, E1
Maeder A., Meynet G.: New models of Wolf-Rayet stars and comparison with data in galaxies **287**, 803
Maeder A., see Charbonnel C., et al. **283**, 155
Maeder A., see Meynet G., et al. **281**, 638 *(103, 97)*
Maehara H., see Augarde R., et al. **285**, 355 *(104, 259)*
Maehara H., see Comte G., et al. **285**, 1
Magain P., see Angonin-Willaime M.-C., et al. **281**, 388
Magain P., see Angonin-Willaime M.-C., et al. **292**, 722
Magakian T.Y., Boulesteix J., Marcelin M., Le Coarer E.: Hα observations of the HH objects in the NGC 7129 field **291**, 928
Magazzù A., Martín E.L.: A Herbig-Haro flow in HV Tauri **287**, 571

Magazzù A., see Martín E.L., et al. **282**, 503
Magne B., see Rothenflug R., et al. **291**, 271
Magnier E., see Haiman Z., et al. **286**, 725
Magnier E.A., see Haiman Z, et al. **290**, 371
Magnusson P., see Fitzsimmons A., et al. **282**, 634
Magnusson P., see Piironen J., et al. **289**, 1002 ***(106, 587)***
Magris C.G., see Binette L., et al. **292**, 13
Mahon M.E., see Kandrup H.E. **290**, 762
Maillard J.-P., see Altamore A., et al. **292**, 208
Maillard J.P., see Roques F., et al. **288**, 985
Maindl T.I., Dvorak R.: On the dynamics of the relativistic restricted three-body problem **290**, 335
Maiolino R., Stanga R., Salvati M., Rodríguez Espinosa M.: NGC 5506: physics of the extended narrow line region **290**, 40
Maisack M., Kendziorra E., Pan H.C., Skinner G.K., Pietsch W., Reppin C., Efremov V., Sunyaev R.: Thermal comptonisation in 4U 1700-377 **283**, 841
Maisack M., see Döbereiner S., et al. **287**, 105
Maisack M., see Kendziorra E., et al. **291**, L31
Maisack M., Wood K.S., Gruber D.E.: AGN emission above 20 keV: the hard X-ray detection problem **284**, 28
Makino F., see Walter R., et al. **285**, 119
Malagnini M.L., see Covino S., et al. **289**, 775
Malanushenko V.P., Polosukchina N.S., Weiss W.W.: Catalogue of CP stars with references to short time scale variability **287**, 1036 ***(105, 125)***
Mall U., see Geiss J., et al. **282**, 924
Mall U., see Geiss J., et al. **289**, 933
Mallik S.V.: The Ca II triplet lines in cool stars **282**, 350 ***(103, 279)***
Malofeev V.M., Gil J.A., Jessner A., Malov I.F., Seiradakis J.H., Sieber W., Wielebinski R.: Spectra of 45 pulsars **285**, 201
Malofeev V.M., see Gil J.A., et al. **282**, 45
Malofeev V.M., see Izvekova V.A., et al. **287**, 1037 ***(105, 235)***
Malov I., see Gil J.A., et al. **282**, 45
Malov I.F., see Malofeev V.M., et al. **285**, 201
Malyuto V.: A new approach to calibrating the Strömgren photometric system in terms of metal-to-hydrogen ratio **292**, 364 ***(108, 441)***
Manara A., see Broglia P. **281**, 576
Manchado A., see García-Lario P., et al. **285**, 179
Manchanda R.K., see Rao A.R., et al. **289**, L43
Mandrini C.H., see Démoulin P., et al. **285**, 1023
Mandrou P., see Barret D., et al. **288**, 472
Mandrou P., see Jourdain E., et al. **281**, L57
Mandrou P., see Laurent P., et al. **286**, 838
Mandrou P., see Masnou J.L., et al. **290**, 503
Manfroid J., Renson P.: Photometric variations of Ap stars **281**, 73
Mangeney A., Pick M., Hoang S., Chaizy P., Anderson K., Lanzerotti L.J., Lin R.P., Sarris E.T., Forsyth R., Phillips J.L., Enome S.: Observations by Ulysses of a pure electron event and its associated type III radio emission of 15 December 1990 **283**, 982
Mangeney A., see Belmonte J.A., et al. **283**, 121
Mangeney A., see Rieutord M., et al. **286**, 471
Maniak S.T., Curtis L.J., Theodosiou C.E., Hellborg R., Johansson S.G., Martinson I., Irving R.E., Beideck D.J.: Lifetimes and oscillator strengths for Y III **286**, 978
Mann G., see Zaitsev V.V., et al. **291**, 990
Mann I., Okamoto H., Mukai T., Kimura H., Kitada Y.: Fractal aggregate analogues for near solar dust properties **291**, 1011
Mann I., see Grün E., et al. **286**, 915
Mannheim K., Schlickeiser R.: Interactions of cosmic ray nuclei **286**, 983
Mannucci F., see Hunt L.K., et al. **292**, 67
Mansyrev M.I., see Altyntsev A.T., et al. **287**, 256
Mantegazza L., Poretti E.: The δ Scuti star BI Canis Minoris (≡ HD 66853): pulsational behaviour and a critical discussion of physical parameter determination **281**, 66
Mantegazza L., Poretti E., Bossi M.: Simultaneous intensive photometry and high resolution spectroscopy of δ Scuti stars. I. Mode typing of HD 106384≡FG Virginis **287**, 95
Mantovani F., Junor W., Fanti R., Padrielli L., Saikia D.J.: Gaseous cocoons around compact steep spectrum sources **292**, 59
Mantovani F., see Bondi M., et al. **282**, 351 ***(103, 365)***
Mantovani F., see Bondi M., et al. **287**, 390
Mantovani F., see Spangler S.R., et al. **286**, 349
Mao D., see Zhu Y., et al. **282**, 467
Marang F., see Shenton M., et al. **287**, 852
Marang F., see Shenton M., et al. **287**, 866
Marañón Di Leo C., Colombo E., Ringuelet A.E.: β^1 Monocerotis: oscillations and chromospheric structure **286**, 160
Marar T.M.K., see Ashoka B.N., et al. **283**, 455
Marar T.M.K., see Kasturirangan K., et al. **283**, 435
Marar T.M.K., Sharma M.R., Seetha S., Upadhyaya N., Padmini V.N., Umapathy C.N., Prasad N.L., Murthy N.S.R., Sreenivasaiah K.V., Kasturirangan K., Rao U.R.: The gamma-ray burst experiment onboard the SROSS-C satellite **283**, 698
Maraschi L., see Brinkmann W., et al. **288**, 433
Marcaide J.M., see Gómez J.L., et al. **284**, 51
Marcaide J.M., see Gómez J.L., et al. **292**, 33
Marcaide J.M., see Lara L., et al. **285**, 393
Marcelin M., Petrosian A.R., Amram P., Boulesteix J.: The H II regions and the velocity field of NGC 7331 **282**, 363
Marcelin M., see Amram P., et al. **281**, 636 ***(103, 5)***
Marcelin M., see Georgelin Y.M., et al. **292**, 366 ***(108, 513)***
Marcelin M., see Laval A., et al. **288**, 572
Marcelin M., see Magakian T.Y., et al. **291**, 928
Marchal J., see Michard R. **283**, 779
Marchal J., see Michard R. **287**, 1042 ***(105, 481)***
Marchal J., see Michard R. **290**, 1022 ***(107, 187)***
Marchetti E., see Ragazzoni R. **283**, L17
Marck J.-A., see Hameury J.-M., et al. **287**, 795
Marck J.-A., see Jaroszyński M. **291**, 731
Marconi A., Moorwood A.F.M., Salvati M., Oliva E.: A [Si VI] (1.962 μm) coronal line survey of galactic nuclei **291**, 18
Marconi A., see Oliva E., et al. **288**, 457
Marenzi A.R., see Persi P., et al. **282**, 233
Marenzi A.R., see Persi P., et al. **282**, 474
Marinus M., see Pols O.R. **288**, 475
Markov H.: An application of the internal calibration method using stellar profiles **291**, 1027
Markova N.: How did the spectrum of P Cygni look in 1985? Spectral atlas with complete line identifications in the wavelength range from 3550 to 4800 Å **292**, 367 ***(108, 561)***
Marquez A., Schuster W.J.: *uvby*–β photometry of high-velocity and metal-poor stars. VII. Ages of halo and thick-disk field stars **292**, 362 ***(108, 341)***
Márquez I., see Moles M., et al. **285**, 404
Marquina A., see Font J.A., et al. **282**, 304
Marronetti P., see Pöppel W.G.L., et al. **287**, 601
Marscher A.P., see Gómez J.L., et al. **292**, 33
Marschhäuser H., see Trottet G., et al. **288**, 647
Marsden B.G., see Hainaut O., et al. **289**, 311
Marson R.G., see Bedding T.R., et al. **290**, 340
Marten A., see Naylor D.A., et al. **291**, L51
Martens P.C.H., see Saar S.H., et al. **286**, 194

Martí J., see Mirabel I.F., et al. **282**, L17
Martí J., see Paredes J.M., et al. **288**, 519
Martí J., see Peracaula M., et al. **285**, 547
Martí J.M., see Font J.A., et al. **282**, 304
Martí Mª J., Müller E., Ibáñez Mª J.: Hydrodynamical simulations of relativistic jets **281**, L9
Martin B., see Breger M., et al. **281**, 90
Martín E.L., Rebolo R., Magazzù A., Pavlenko Y.V.: Pre-main sequence lithium burning. I. Weak T Tauri stars **282**, 503
Martín E.L., see García López R.J., et al. **282**, 518
Martín E.L., see Magazzù A. **287**, 571
Martín E.L., Spruit H.C., van Paradijs J.: Energy implications of Li production in X-ray transients **291**, L43
Martin F., see Biémont E., et al. **283**, 339
Martin F., see Ziad A., et al. **282**, 1021
Martin F., Tokovinin A., Agabi A., Borgnino J., Ziad A.: G.S.M.: a Grating Scale Monitor for atmospheric turbulence measurements. I. The instrument and first results of angle of arrival measurements **292**, 360 ***(108, 173)***
Martin K., see Henning T., et al. **288**, 282
Martin W.: Extinction-distances to planetary nebulae **281**, 526
Martinet L., see Bersier D., et al. **286**, 37
Martinet L., see Fux R. **287**, L21
Martinet L., see Pfenniger D., et al. **285**, 79
Martinet L., see Udry S. **281**, 314
Martínez-González E., see Cayón L., et al. **284**, 719
Martínez-Pais I.G., Giovannelli F., Rossi C., Gaudenzi S.: An optical time-resolved spectroscopic study of SS Cygni. I. Quiescence **291**, 455
Martínez-Roger C., see Alonso A., et al. **282**, 684
Martínez-Roger C., see Alonso A., et al. **292**, 353 ***(107, 365)***
Martínez Pillet V., see Collados M., et al. **291**, 622
Martinez Roger C., Paez E., Castellani V., Straniero O.: The luminosity function of stars in the intermediate age open cluster NGC 7789 **290**, 62
Martín-Pintado J., Neri R., Thum C., Planesas P., Bachiller R.: New radio recombination maser features and CO observations in MWC 349 **286**, 890
Martín-Pintado J., see Thum C., et al. **283**, 582
Martín-Pintado J., see Thum C., et al. **288**, L25
Martinson I., see Maniak S.T., et al. **286**, 978
Marty P., Serra G., Chaudret B., Ristorcelli I.: Iron-aromatics coordination in molecular clouds **282**, 916
Marx M., Krügel E., Klein U., Wielebinski R.: Radio-far-infrared relation in Markarian galaxies **281**, 718
Marx M., see Dickey J.M., et al. **289**, 357
Marzari F., Vanzani V.: Dynamical evolution of interplanetary dust particles **283**, 275
Marziani P., see Paredes J.M., et al. **288**, 519
Masegosa J., see Dietrich M., et al. **284**, 33
Masegosa J., see Moles M., et al. **285**, 404
Masegosa J., see Robinson A., et al. **291**, 351
Masegosa J., see Salamanca I., et al. **282**, 742
Masegosa J., see Stirpe G.M., et al. **285**, 857
Masheder M.R.W., Field D., Gray M.D., Migenes V., Cohen R.J., Booth R.S.: Very Long Baseline Interferometry of 1720 MHz masers in W3(OH) **281**, 871
Mas-Hesse J.M., Rodríguez-Pascual P.M., Sanz Fernández de Córdoba L., Boller T.: UV variability of IRAS 13224−3809, a rapidly X-ray variable far-infrared luminous galaxy **283**, L9
Mas-Hesse J.M., see Cerviño M. **284**, 749
Masnou J.L., Agrinier B., Barouch E., Comte R., Costa E., Christy J.C., Cusumano G., Gerardi G., Lemoine D., Mandrou P., Massaro E., Matt G., Mineo T., Niel M., Olive J.F., Parlier B., Sacco B., Salvati M., Scarsi L.: The radio-gamma time delay of the Crab pulsar **290**, 503
Massacrier G., see Belmonte J.A., et al. **283**, 121
Massaglia S., see Bodo G., et al. **283**, 655
Massaglia S., see Kalkofen W., et al. **284**, 976
Massaro E., see Masnou J.L., et al. **290**, 503
Massey P., see Bianchi L., et al. **292**, 213
Massi M., Lizano S.: Critical density for magnetic decoupling: preliminary observations **287**, 581
Massi M., see Hunt L.K., et al. **290**, 428
Massone G., see Orio M., et al. **289**, L11
Matheson D.N., see White G.J., et al. **284**, L23
Mathez G., see Kneib J.-P., et al. **286**, 701
Mathias P., Aerts C., De Pauw M., Gillet D., Waelkens C.: A spectroscopic analysis of the β Cephei star α Lupi **283**, 813
Mathias P., Aerts C., Gillet D., Waelkens C.: A spectroscopic analysis of the β Cephei star 12 Lacertae **289**, 875
Mathias P., see Aerts C., et al. **286**, 109
Mathioudakis M., Drake J.J., Vedder P.W., Schmitt J.H.M.M., Bowyer S.: Detection of EUV emission from the low activity dwarf HD 4628: evidence for a cool corona **291**, 517
Mathioudakis M., see Doyle J.G., et al. **283**, 522
Mathioudakis M., see Doyle J.G., et al. **285**, 233
Mathioudakis M., see Doyle J.G., et al. **291**, 135
Mathioudakis M., see Gunn A.G., et al. **285**, 157
Mathioudakis M., see Gunn A.G., et al. **285**, 489
Mathys G.: Spectropolarimetry of magnetic stars. III. Measurement uncertainties **292**, 367 ***(108, 547)***
Matsuda T., see Hachisu I., et al. **285**, 355 ***(104, 341)***
Matt G., Piro L., Antonelli L.A., Fink H.H., Meurs E.J.A., Perola G.C.: Extended soft X-ray emission in the Seyfert 2 galaxy NGC 4388 discovered with the ROSAT HRI **292**, L13
Matt G., see Masnou J.L., et al. **290**, 503
Matteucci F.: Abundance ratios in ellipticals and galaxy formation **288**, 57
Matthews H.E., see Thum C., et al. **283**, 582
Matthews H.E., see Thum C., et al. **288**, L25
Matthews H.E., see van der Veen W.E.C.J., et al. **285**, 551
Matthews J.M., Moffat A.F.J.: WR 40: coherence or chaos? **283**, 493
Matthews J.M., see Donati J.-F., et al. **285**, 285
Mattig W., see Hanslmeier A., et al. **288**, 960
Mattila K., see Zinchenko I., et al. **288**, 601
Mattox J.R., see Kanbach G., et al. **289**, 855
Mauas P.J.D., Falchi A.: Atmospheric models of flare stars: the quiescent state of AD Leonis **281**, 129
Mauder W., Weigelt G., Appenzeller I., Wagner S.J.: High resolution optical images of the starburst ring around the Seyfert nucleus of NGC 7469 **285**, 44
Mauersberger R., see Henkel C., et al. **284**, 17
Mauersberger R., see Wilson T.L. **282**, L41
Mauron N., see Jasniewicz G., et al. **286**, 211
Mavridis L., see Foing B.H., et al. **292**, 543
Mavridis L.N., see Alekseev I.Y., et al. **288**, 502
Mavridis L.N., see Doyle J.G., et al. **291**, 135
Mavromatakis F.: Soft and hard X-ray observations of 4U 1626−67 **285**, 503
Mavromatakis F.: Soft X-ray observations of EXO 2030+375 **285**, 209
Mavromatakis F., see Haberl F., et al. **288**, 796
Maximov A.F., see Balega I.I., et al. **287**, 1042 ***(105, 503)***
Maxted P.F.L., Hill G., Hilditch R.W.: Studies of early-type variable stars. XII. Spectroscopic orbit and absolute parameters of AT Pegasi **285**, 535

Maxted P.F.L., Hill G., Hilditch R.W.: Studies of early-type variable stars. XI. Absolute parameters of the Algol system RZ Cassiopeiae **282**, 821
Mayer P., Lorenz R., Chochol D., Irsmambetova T.R.: SZ Cam – early-type eclipsing binary with a third body **288**, L13
Mayer P., see Drechsel H., et al. **284**, 853
Mayer P., see Lorenz R., et al. **291**, 185
Mayer-Hasselwander H.A., see Kanbach G., et al. **289**, 855
Mayor M., see Bersier D., et al. **292**, 358 ***(108, 25)***
Mayor M., see Mermilliod J.-C., et al. **283**, 515
Mayor M., see Pont F., et al. **285**, 415
Mayor M., see Pont F., et al. **287**, 1036 ***(105, 165)***
Mayor M., see Tokovinin A.A., et al. **282**, 831
Mazeh T., see Goldberg D. **282**, 801
Mazurier J.-M., see Geffert M., et al. **282**, 989
Mazzali P.A., see Benetti S., et al. **285**, 147
Mazzoni M., see Ricci E. **286**, 344
McBreen B., see Hurley K.J., et al. **288**, L49
McClintock J.E., see van Paradijs J. **290**, 133
McConnell M., see Hanlon L.O., et al. **285**, 161
McGrath M.A., see Vidal-Madjar A., et al. **290**, 245
McHardy I.M., see Stirpe G.M., et al. **285**, 857
McKeith C.D., see Greve A., et al. **284**, 919
McKeith C.D., see Prada F., et al. **288**, 396
McKenzie J.F., see Ratkiewicz R., et al. **291**, 935
McLaren R.A., see Roques F., et al. **288**, 985
McNamara B.R., Jaffe W.: Sensitive limits on the molecular gas content of cluster cooling flows **281**, 673
McPhate J.B., see Vidal-Madjar A., et al. **290**, 245
Meaburn J., see Goudis C.D., et al. **285**, 631
Meaburn J., see Ivison R.J., et al. **282**, 349 ***(103, 201)***
Meaburn J., see Kemp S.N. **289**, 39
Mebold U., see Dickey J.M., et al. **289**, 357
Mecke K.R., Buchert T., Wagner H.: Robust morphological measures for large-scale structure in the Universe **288**, 697
Mégessier C.: Influence of the atmosphere model on the stellar effective temperature derived through the infrared flux method **289**, 202
Meier R., Eberhardt P., Krankowsky D., Hodges R.R.: Ammonia in comet P/Halley **287**, 268
Meier R., see Eberhardt P., et al. **288**, 315
Meisenheimer K., see Hiltner P.R., et al. **286**, 25
Meisenheimer K., see Stickel M., et al. **287**, 1037 ***(105, 211)***
Meisenheimer K., see Thimm G.J., et al. **285**, 785
Melia F., see Ruffert M. **288**, L29
Meliani M.T., Barbuy B., Richtler T.: Carbon abundances in the LMC globular cluster NGC 1818 **290**, 753
Melikidze G., see Pajot-El Abed P., et al. **291**, 687
Melisse J.P.M., Israel F.P.: Global properties of dwarf galaxies. II. Colours and luminosities **285**, 51
Melisse J.P.M., Israel F.P.: Global properties of dwarf galaxies. I. Galaxy sample and IRAS infrared flux-densities **283**, 714 ***(103, 391)***
Mellema G.: The gasdynamic evolution of spherical planetary nebulae. Radiation-gasdynamics of PNe III **290**, 915
Mellema G., see Eulderink F. **284**, 654
Mellema G., see Frank A. **289**, 937
Mellier Y., Dantel-Fort M., Fort B., Bonnet H.: Detection of a distant cluster in the center of the shear field in Q 2345+007 **289**, L15
Mellier Y., see Kneib J.-P., et al. **286**, 701
Melnick J., see Hutsemékers D., et al. **290**, 906
Melnick J., see Kneib J.P., et al. **290**, L25
Melnikov S.Y., see Jetsu L., et al. **281**, 639 ***(103, 183)***
Mel'nikov S.Y., see Jetsu L., et al. **282**, L9
Melnikov S.Y., see Petrov P.P., et al. **290**, 1019 ***(107, 9)***
Melott A.L., see Buchert T., et al. **288**, 349
Ménard F., see Ageorges N., et al. **283**, L5
Ménard F., see Joncour I., et al. **285**, L25
Menchenkova E.V., see Luthardt R. **284**, 118
Méndez M., see Beskin G., et al. **289**, 141
Mengoli G., see Fulle M., et al. **292**, 304
Mennella V., see Colangeli L., et al. **284**, 583
Mennella V., see Fulle M., et al. **289**, 604
Mennickent R.: A spectroscopic and photometric study of the long cycle dwarf nova WX Ceti in quiescence **285**, 979
Mennickent R., see Sterken C., et al. **291**, 473
Mennickent R.E., Vogt N., Barrera L.H., Covarrubias R., Ramírez A.: On the rotation properties of Be stars and their envelopes **289**, 999 ***(106, 427)***
Mennickent R.E., Vogt N., Sterken C.: Long-term photometry of Be stars. I. Fading events and variations on time scales of years **292**, 361 ***(108, 237)***
Mény C., see Ristorcelli I., et al. **286**, L23
Mereghetti S., see Belloni T. **286**, 935
Merlin G., see Mourard D., et al. **283**, 705
Mermilliod J.-C., Duquennoy A., Mayor M.: Investigation of the Praesepe cluster. II. Three triple systems: KW 365, 367 and 495 **283**, 515
Mermilliod J.-C., Huestamendia G., del Rio G.: *UBV* photoelectric photometry of red giants in NGC 6939 **289**, 999 ***(106, 419)***
Mermilliod J.-C., see Clariá J.J., et al. **290**, 1020 ***(107, 39)***
Mermilliod J.-C., see Raboud D. **289**, 121
Mermilliod J.-C., see Smith L.F., et al. **287**, 835
Messina S., see Rodonò M., et al. **281**, 756
Meunier J.P., see Gillet D., et al. **292**, 360 ***(108, 181)***
Meurs E.J.A., see de Kool M. **281**, L65
Meurs E.J.A., see Matt G., et al. **292**, L13
Meusinger H., Klose S., Ziener R., Scholz R.-D.: Optical long-term variability of a sample of quasars in the field around M 3 **289**, 67
Mewe R., see Schrijver C.J., et al. **289**, L23
Meyer F., Meyer-Hofmeister E.: Accretion disk evaporation by a coronal siphon flow **288**, 175
Meyer F., Meyer-Hofmeister E.: Instability in a braking disk: Herculis X-1 in the inactive state **287**, 559
Meyer F., see Schandl S. **289**, 149
Meyer-Hofmeister E., see Ludwig K., et al. **290**, 473
Meyer-Hofmeister E., see Meyer F. **287**, 559
Meyer-Hofmeister E., see Meyer F. **288**, 175
Meylan G., see Burgarella D., et al. **287**, 769
Meylan G., see Dubath P. **290**, 104
Meylan G., see Vallenari A., et al. **284**, 447
Meynet G., Maeder A., Schaller G., Schaerer D., Charbonnel C.: Grids of massive stars with high mass loss rates. V. From 12 to 120 $M_{\odot}$ at $Z = 0.001$, 0.004, 0.008, 0.020 and 0.040 **281**, 638 ***(103, 97)***
Meynet G., see Charbonnel C., et al. **283**, 155
Meynet G., see Maeder A. **287**, 803
Meynet G., see Smith L.F., et al. **287**, 835
Michałowski T., see Krugly Y.N., et al. **292**, 359 ***(108, 143)***
Michard R.: Quantitative morphology of E-S0 galaxies. IV. Ellipticals and lenticulars as a single population **288**, 401
Michard R., Marchal J.: *Erratum* Quantitative morphology of E-SO galaxies. III. Coded and parametric description of 108 galaxies in a complete sample **290**, 1022 ***(107, 187)***
Michard R., Marchal J.: Quantitative morphology of E-S0 galaxies. III. Coded and parametric description of 108 galaxies in a complete sample **287**, 1042 ***(105, 481)***

Michard R., Marchal J.: **(RN)** Quantitative morphology of E–S0 galaxies. II. Possible environmental effects on the properties of lenticulars **283**, 779
Michel E., see Belmonte J.A., et al. **283**, 121
Michelson P.F., see Kanbach G., et al. **289**, 855
Michiels W.F.P., see Blommaert J.A.D.L., et al. **287**, 479
Migenes V., see Masheder M.R.W., et al. **281**, 871
Mignard F., see Vokrouhlický D., et al. **285**, 333
Mignard F., see Vokrouhlický D., et al. **290**, 324
Mihajlov A.A., Dimitrijević M.S., Ignjatović Lj., Djurić Z.: Spectral coefficients of emission and absorption due to ion-atom radiation collisions in the solar atmosphere **281**, 637 *(**103**, 57)*
Mihajlov A.A., Dimitrijević M.S., Ignjatović L.M.: **(RN)** The influence of ion-atom radiative collisions on the continuous optical spectra in helium-rich DB white-dwarf atmospheres **287**, 1026
Mikkola S., see Chernin A.D., et al. **281**, 685
Mikolajewski M., see Leedjärv L., et al. **287**, 543
Miley G.K., see Capetti A., et al. **289**, 61
Miley G.K., see Fehmers G.C., et al. **292**, 358 *(**108**, 61)*
Miley G.K., see Jackson N., et al. **284**, 65
Miley G.K., see Keel W.C., et al. **283**, 791
Miley G.K., see Röttgering H.J.A., et al. **292**, 359 *(**108**, 79)*
Miley G.K., see van Ojik R., et al. **289**, 54
Milford P.N., O'Mara B.J., Ross J.E.: A determination of the solar abundance of iron from faint Fe I lines **292**, 276
Millar T.J., Herbst E.: A new chemical model of the circumstellar envelope surrounding IRC +10216 **288**, 561
Miller R.E., see Bloemhof E.E., et al. **282**, 318
Milliard B., see Armand C., et al. **284**, 12
Milliard B., see Armand C. **282**, 1
Milliard B., see Buat V., et al. **281**, 666
Milliard B., see Laget M., et al. **282**, 37
Milone A., Barbuy B.: TiO bands as a function of stellar parameters **292**, 365 *(**108**, 449)*
Milone A.A.E., see Nordström B., et al. **287**, 338
Milone E.F., see Young A.T., et al. **287**, 1038 *(**105**, 259)*
Minchin N.R., Murray A.G.: Submillimetre polarimetric mapping of DR 21 and NGC 7538-IRS 11: tracing the circumstellar magnetic field **286**, 579
Minchin N.R., White G.J., Stutzki J., Krause D.: C I emission from the outflow and PDR in S 140 **291**, 250
Mineo T., see Masnou J.L., et al. **290**, 503
Minniti D., see Clariá J.J., et al. **290**, 1020 *(**107**, 39)*
Mirabel I.F., Duc P.A., Rodríguez L.F., Teyssier R., Paul J., Claret A., Aurière M., Golombek D., Martí J.: The radio/infrared counterpart of the hard X-ray transient in Aquila: a possible source of repeated soft gamma-ray bursts **282**, L17
Mirabel I.F., see Della Valle M., et al. **290**, 803
Mirabel I.F., see Duc P.-A. **289**, 83
Miralles M.P., Rodríguez L.F., Tapia M., Roth M., Persi P., Ferrari-Toniolo M., Curiel S.: VLA observations of Cyg OB2 No. 5: detection of a weak radio companion and new observations and models for the main component **282**, 547
Miranda L.F., Eiroa C., Birkle K.: Outburst of the illuminating star of the bipolar reflection nebula RNO 138? **289**, L7
Miranda L.F., Eiroa C., Fernández M., Gómez de Castro A.I.: Long-slit spectroscopy and direct imaging of the PMS objects GGD 33 and V 350 Cephei in NGC 7129 **281**, 864
Miranda L.F., see Eiroa C., et al. **283**, 973
Miranda L.F., see Eiroa C., et al. **290**, 599
Miranda L.F., see Eiroa C., et al. **292**, 359 *(**108**, 73)*
Mishenina T.V., see Klochkova V.G., et al. **287**, 881
Mitrou C.K., see Doyle J.G., et al. **283**, 522
Mitrou C.K., see Doyle J.G., et al. **291**, 135
Mitskevich A.S.: Optical/ultraviolet excess in stochastic winds of T Tauri stars **281**, 471
Miura N., see Tsumuraya F., et al. **282**, 699
Miyamoto S., see Kitamoto S., et al. **281**, L85
Mo H.J., see Jing Y.P., et al. **284**, 703
Mochkovitch R., see Díaz-Pinto A., et al. **282**, 86
Moehler S., Heber U., Dreizler S.: PG 2120+062: an apparently normal O-star at high galactic latitude **282**, L29
Moehler S., see Colin J., et al. **287**, 38
Moehler S., see de Boer K.S., et al. **286**, 925
Moffat A.F.J., see Matthews J.M. **283**, 493
Mohamed R.A., Chiorny V.G., Dovgopol A.N., Shevchenko V.G.: Photometry of five asteroids: 189 Phthia, 220 Stephania, 289 Nenetta, 312 Pierretta and 626 Notburga **292**, 359 *(**108**, 69)*
Mohan V., see Ojha D.K., et al. **284**, 810
Mohan V., see Ojha D.K., et al. **290**, 771
Mohin S., Raveendran A.V.: Near simultaneous *BV* photometry and Hα spectroscopy of the RS Canum Venaticorum binary DM Ursae Majoris **286**, 824
Molaro P., Pasquini L.: Lithium abundance in a turnoff star of the old globular cluster NGC 6397 **281**, L77
Molaro P., see Primas F., et al. **290**, 885
Molendi S., Maccacaro T.: The variable soft X-ray excess of Mkn 766 **291**, 420
Molendi S., see Greiner J., et al. **285**, 509
Moles M., del Olmo A., Perea J., Masegosa J., Márquez I., Costa V.: Star formation and merging in compact groups of galaxies **285**, 404
Moles M., see Dietrich M., et al. **284**, 33
Moles M., see Robinson A., et al. **291**, 351
Moles M., see Stirpe G.M., et al. **285**, 857
Molinari E., Banzi M., Buzzoni A., Chincarini G., Pedrana M.D.: Multicolor photometry of clusters of galaxies: A 3284, A 3305, A 1942 **282**, 349 *(**103**, 245)*
Molinari E., Buzzoni A., Chincarini G., Pedrana M.D.: The very red halo of the cD galaxy in A 3284 **292**, 54
Møller P., Jakobsen P., Perryman M.A.C.: Absorption in three intrinsically faint quasars: Q 0009–016, Q 0347–241, and Q 2116–358 **287**, 719
Møller P., see Savaglio S., et al. **281**, 331
Molodyakov S.A., see Altyntsev A.T., et al. **287**, 256
Molowny-Horas R.: Modelling of geometric transformations of solar images **290**, 1021 *(**107**, 121)*
Monaco P.: Observational support for the Gurzadyan-Kocharyan relation in clusters of galaxies **287**, L13
Moneti A., see Block D.L., et al. **288**, 383
Monier R., Kreidl T.J.: The ultraviolet variations of the δ Scuti stars 44 Tauri and 71 Tauri **284**, 210
Monier R., see Jasniewicz G., et al. **287**, 591
Monier R., see Shenton M., et al. **287**, 866
Monin J.-L., see Ageorges N., et al. **283**, L5
Monnet G., see Bacon R., et al. **281**, 691
Monnet G., see Emsellem E., et al. **285**, 723
Monnet G., see Emsellem E., et al. **285**, 739
Monnet G., see Koutchmy S., et al. **281**, 249
Monnet G., see Le Fèvre O., et al. **282**, 325
Monsignori Fossi B.C., Landini M.: The EUV spectrum of AU Microscopii: temperature and density diagnostic from EUVE Spectrometers observations **284**, 900
Montalbán J.: Mixing by internal waves. I. Lithium depletion in the Sun **281**, 421
Montavon C.A.P., see Solanki S.K., et al. **283**, 221
Monteiro M.J.P.F.G., Christensen-Dalsgaard J., Thompson M.J.: Seismic study of overshoot at the base of the solar convective envelope **283**, 247

Montenbruck O., see Kilian J., et al. **284**, 437
Montes D., Fernández-Figueroa M.J., De Castro E., Cornide M.: The Wilson–Bappu effect and other Ca II H and K line parameters relationships in chromospherically active binaries **285**, 609
Montesinos B., see Barrado D., et al. **290**, 137
Moore M.H., Hudson R.L.: Far-infrared spectra of cosmic-type pure and mixed ices **281**, 637 *(103, 45)*
Moorwood A.F.M., see Block D.L., et al. **288**, 365
Moorwood A.F.M., see Marconi A., et al. **291**, 18
Moorwood A.F.M., see Oliva E., et al. **288**, 457
Moorwood A.F.M., see Peletier R.F., et al. **292**, 369 *(108, 621)*
Moos H.W., see Vidal-Madjar A., et al. **290**, 245
Morand F., see Mourard D., et al. **283**, 705
Morand F., see Mourard D., et al. **288**, 675
Morbidelli A., Gonczi R., Froeschlé C., Farinella P.: Delivery of meteorites through the ν_6 secular resonance **282**, 955
Moreels G., Clairemidi J., Hermine P., Brechignac P., Rousselot P.: Detection of a polycyclic aromatic molecule in comet P/Halley **282**, 643
Moreels G., see Rousselot P., et al. **286**, 645
Morel P., van 't Veer C., Provost J., Berthomieu G., Castelli F., Cayrel R., Goupil M.J., Lebreton Y.: Incorporating the atmosphere in stellar structure models: the solar case **286**, 91
Morell O., see Wallerstein G. **281**, L37
Moreno-Corral M.A., see Chavarría-K. C., et al. **283**, 963
Moreno-Insertis F., see Schüssler M., et al. **281**, L69
Moretto G., see Wang M., et al. **285**, 344
Morfill G.E., see Grün E., et al. **286**, 915
Morgan D.H.: The UKST Survey of planetary nebulae in the Large Magellanic Cloud **282**, 349 *(103, 235)*
Morgan D.H., see Vogel M. **288**, 842
Morganti R., see Tadhunter C., et al. **288**, L21
Morris D., see Bloemen H., et al. **281**, L5
Morris D., see Iyudin A.F., et al. **284**, L1
Morris D., see Lichti G.G., et al. **292**, 569
Morris D., see Strong A.W., et al. **292**, 82
Morris M., see Likkel L., et al. **282**, 190
Morris S.L., Naftilan S.A.: Determining photometric dead time by using hydrogen filters **290**, 1020 *(107, 71)*
Morse J.A., see Nordström B., et al. **287**, 338
Moskalenko E.I., see Greiner J. **283**, 693
Moskalik P., see Buchler J.R. **292**, 450
Moss D., see Barker D.M. **283**, 1009
Moss D., see Tuominen I., et al. **284**, 259
Mosser B., Gudkova T., Guillot T.: The influence of the troposphere on the oscillations of giant planets **291**, 1019
Motch C., Hasinger G., Pietsch W.: Discovery of a luminous galactic supersoft X-ray source in the ROSAT all-sky survey **284**, 827
Motch C., see Haberl F., et al. **291**, 171
Mouchet M., see de Martino D., et al. **284**, 125
Mouette J., see Koutchmy S., et al. **281**, 249
Mouradian Z., Soru-Escaut I.: A new analysis of the butterfly diagram for solar filaments **290**, 279
Mourard D., Tallon-Bosc I., Blazit A., Bonneau D., Merlin G., Morand F., Vakili F., Labeyrie A.: The GI2T interferometer on Plateau de Calern **283**, 705
Mourard D., Tallon-Bosc I., Rigal F., Vakili F., Bonneau D., Morand F., Stee P.: Estimation of visibility amplitude by optical long-baseline Michelson interferometry with large apertures **288**, 675
Moussas X., see Polygiannakis J.M. **283**, 990
Mowlavi N., Forestini M.: Semi-convection and overshooting in intermediate-mass and massive stars **282**, 843
Mozurkewich D., see Quirrenbach A., et al. **283**, L13
Mozurkewich D., see Quirrenbach A., et al. **285**, 541
Mozurkewich D., see Quirrenbach A., et al. **286**, 1019
Müller E., Höflich P.: A comparison of calculated and observed monochromatic type Ia supernova light curves **281**, 51
Müller E., see Janka H.-T. **290**, 496
Müller E., see Martí M^{a}J., et al. **281**, L9
Müller E., see Steinmetz M. **281**, L97
Müller T., Rosa M.R., Röser S.: Astrometry in the Galactic Center region **283**, L29
Münch G., see Gredel R. **285**, 640
Mürset U., Nussbaumer H.: Temperatures and luminosities of symbiotic novae **282**, 586
Mürset U., see Jordan S., et al. **283**, 475
Mürset U., see Schmutz W., et al. **288**, 819
Müyessoroğlu Z., see Demircan O., et al. **289**, 998 *(106, 373)*
Mukai K., see de Martino D., et al. **284**, 125
Mukai T., see Mann I., et al. **291**, 1011
Muller P.: *Erratum* Double star measurements made at Nice *(Text in French)* **283**, 716 *(103, 597)*
Muller R., Roudier T., Vigneau J., Auffret H.: The proper motion of network bright points and the heating of the solar corona **283**, 232
Muller R., see Roudier T., et al. **287**, 982
Munari U., Buson L.M.: The ultraviolet spectra of the symbiotic stars MWC 960, FN Sgr, SS 29 and Draco C-1 **287**, 87
Munari U., Lattanzi M.G., Bragaglia A.: Pt 1: a Halo symbiotic binary not related to the globular cluster NGC 6401 **292**, 501
Munari U., see Yudin B., et al. **287**, 1037 *(105, 169)*
Munari U., see Zwitter T. **292**, 355 *(107, 503)*
Munari U., Yudin B.F., Kolotilov E.A., Shenavrin V.I., Sostero G., Lepardo A.: *UBV-JHKLM* photometry of Nova Aquilae 1993. The first 220 days **284**, L9
Mundt R., see Eislöffel J. **284**, 530
Mundt R., see Hirth G.A., et al. **285**, 929
Muñoz J.R., see Ponz J.D., et al. **287**, 1034 *(105, 53)*
Muñoz-Tuñón C., see Vernin J. **284**, 311
Murawski K., Goossens M.: Excitation of nonlinear MHD waves by foot-point motions **286**, 952
Murawski K., Goossens M.: Flux corrected transport method for MHD plasma: description of the numerical algorithm and tests **286**, 943
Murdoch K.A., Drew J.E., Anderson L.S.: Infrared line emission in 10 Lacertae **284**, L27
Muriel A., Esguerra P., Feix M.: Thermodynamics of the one-dimensional gravitational gas **287**, 1021
Murray A.G., see Greaves J.S., et al. **284**, L19
Murray A.G., see Minchin N.R. **286**, 579
Murtagh F., see Jackson R., et al. **292**, 360 *(108, 235)*
Murtagh F., see Starck J.-L. **288**, 342
Murthy N.S.R., see Marar T.M.K., et al. **283**, 698
Mutschke H., see Jäger C., et al. **292**, 641
Muxlow T.W.B., see Lara L., et al. **285**, 393
Muzzi F., see Fulle M., et al. **292**, 304
Nadjip A.E., see Cherepashchuk A.M., et al. **289**, 419
Naftilan S.A., see Morris S.L. **290**, 1020 *(107, 71)*
Nair A.D., see Tornikoski M., et al. **289**, 673
Najarro F., Hillier D.J., Kudritzki R.P., Krabbe A., Genzel R., Lutz D., Drapatz S., Geballe T.R.: The nature of the brightest galactic center He I emission line star **285**, 573
Najarro F., see Langer N., et al. **290**, 819
Napiwotzki R., Heber U., Köppen J.: Analysis of BD+33°2642: a newly detected planetary nebula in the galactic halo and its central star **292**, 239

Napiwotzki R., Rauch T.: The Balmer line problem of hot stars and the impact of ion-dynamical effects on the Stark broadening of H I and He II lines **285**, 603
Napiwotzki R., see Jordan S., et al. **290**, 834
Napiwotzki R., see Schönberner D. **282**, 106
Narlikar J.V., see Hoyle F., et al. **289**, 729
Nasi E., see Bertelli G., et al. **289**, 665 *(**106**, 275)*
Natale V., see Codella C., et al. **284**, 233
Natale V., see Codella C., et al. **291**, 261
Natali F., Natali G., Pompei E., Pedichini F.: The use of the $(B-I)$ color index and applications of the $(B-I)$ versus $(B-V)$ relationship. I. Open clusters **289**, 756
Natali G., see Natali F., et al. **289**, 756
Nations H.L., see Jetsu L., et al. **281**, 639 *(**103**, 183)*
Natta A., see Prusti T., et al. **292**, 593
Naylor D.A., Davis G.R., Griffin M.J., Clark T.A., Gautier D., Marten A.: Broad-band spectroscopic detection of the CO J = 3–2 tropospheric absorption in the atmosphere of Neptune **291**, L51
Nazin S.N., see Lipunov V.M., et al. **282**, 61
Nazin S.N., see Lipunov V.M. **289**, 822
Neff J.E., see Foing B.H., et al. **292**, 543
Neff J.E., see Fox D.C., et al. **284**, 91
Neizvestny S., see Beskin G., et al. **289**, 141
Nel H.I., see Kanbach G., et al. **289**, 855
Nemtchinov I.V., see Kosarev I.B., et al. **287**, 470
Nenner I., see Guillois O., et al. **285**, 1003
Neri R., see Martín-Pintado J., et al. **286**, 890
Nesis A., see Hanslmeier A., et al. **288**, 960
Nesis A., see Hanslmeier A. **286**, 263
Nesme-Ribes E., see Ribes J.C. **281**, 968
Nesme-Ribes E., see Sokoloff D. **288**, 293
Nesvorný D., see Šidlichovský M. **289**, 972
Neumann D., see Edge A.C., et al. **289**, L34
Neumann M., Reich W., Fürst E., Brinkmann W., Reich P., Siebert J., Wielebinski R., Trümper J.: Multifrequency observations of ROSAT selected radio sources **289**, 665 *(**106**, 303)*
Newhall X.X., see Folkner W.M., et al. **287**, 279
Nguyen-Q-Rieu, see Wootten A., et al. **290**, 198
Niarchos P.G., Hoffmann M., Duerbeck H.W.: RT Leonis Minoris: a spotted W Ursae Majoris system **281**, 637 *(**103**, 39)*
Niarchos P.G., Hoffmann M., Duerbeck H.W.: The hot contact binary XZ Leonis **292**, 494
Nice D., see Kanbach G., et al. **289**, 855
Nichols J.S., Fesen R.A.: The origin of extended interstellar shells around Wolf–Rayet stars having bright optical ring nebulae **291**, 283
Nichols J.S., see Bohlin R.C., et al. **287**, 1039 *(**105**, 305)*
Nichols J.S., see Henrichs H.F., et al. **285**, 565
Nicolet B., see North P. **286**, 348
Niedzielski A.: Stratification in WR envelopes as seen in He II lines **282**, 529
Niedzielski A., Rochowicz K.: Low resolution IUE spectra of Wolf-Rayet stars **292**, 370 *(**108**, 669)*
Niehues M., see Bruch A., et al. **287**, 829
Niel M., see Atteia J.-L., et al. **288**, 213
Niel M., see Claret A., et al. **287**, 824
Niel M., see Masnou J.L., et al. **290**, 503
Nieto J.L., Poulain P., Davoust E.: The nature of elongated ellipticals **283**, 1
Nieto J.L., see Bacon R., et al. **281**, 691
Nieto J.L., see Emsellem E., et al. **285**, 739
Nieto J.L., see Poulain P. **283**, 716 *(**103**, 573)*
Nieuwenhuijzen H., de Jager C., Cuntz M.: The shock strength in super- and hypergiant atmospheres derived from microturbulence data **285**, 595
Nieuwenhuijzen H., see Lobel A., et al. **291**, 226
Nilsson K., see Takalo L.O., et al. **284**, 700 *(**104**, 115)*
Nilsson K., see Takalo L.O., et al. **292**, 355 *(**107**, 497)*
Nisini B., Smith H.A., Fischer J., Geballe T.R.: NGC 2024–IRS 2: an outburst in its near-infrared line and continuum emission **290**, 463
Nissen P.E., Gustafsson B., Edvardsson B., Gilmore G.: Chemical composition and atmospheric parameters of metal-poor halo stars **285**, 440
Nissen P.E., see Edvardsson B., et al. **290**, 176
Nissen P.E., see Kilian J., et al. **284**, 437
Nissen P.E., see Kilian-Montenbruck J., et al. **291**, 757
Nizhel'skii N.A., see Larionov M.G., et al. **288**, 1035 *(**106**, 119)*
Noël F.: Observations of the Sun during 1993 with the astrolabe of Santiago **289**, 665 *(**106**, 327)*
Noël F.: Second astrolabe catalogue of Santiago **289**, 999 *(**106**, 441)*
Noëns J.C., see Koutchmy S., et al. **281**, 249
Noever D.A.: Solar granulation and statistical crystallography: a modeling approach using size-shape relations **282**, 252
Noguchi M., see Bekki K. **290**, 7
Nolan P.L., see Kanbach G., et al. **289**, 855
Nollez G., see Goldbach C. **284**, 307
Nolte U., see Kneer F. **286**, 309
Nolthenius R., see Foing B.H., et al. **292**, 543
Nomoto K., see Hachisu I., et al. **285**, 355 *(**104**, 341)*
Nordström B., Johansen K.T.: Radii and masses for β Aurigae **291**, 777
Nordström B., Johansen K.T.: Radii and masses for the young star AR Aurigae **282**, 787
Nordström B., Latham D.W., Morse J.A., Milone A.A.E., Kurucz R.L., Andersen J., Stefanik R.P.: Cross-correlation radial-velocity techniques for rotating F stars **287**, 338
Nordström B., see Storm J., et al. **291**, 121
Nørgaard-Nielsen H.U., Budtz-Jørgensen C., Westergaard N.J., Schnopper H.W.: **(RN)** eXCALIBur – absolute calibration of the X-ray spectrum of the Crab Nebula **285**, 705
Nørgaard-Nielsen H.U., see Goudfrooij P., et al. **285**, 354 *(**104**, 179)*
Nørgaard-Nielsen H.U., see Goudfrooij P., et al. **287**, 1040 *(**105**, 341)*
Noriega-Crespo A., see Frank A. **290**, 643
Normand P., see Bernard J.P., et al. **289**, 524
Normand P., see Giard M., et al. **291**, 239
North P., Berthet S., Lanz T.: *Erratum* The nature of the F str λ4077 stars. III. Spectroscopy of the barium dwarfs and other CP stars **292**, 350
North P., Berthet S., Lanz T.: The nature of the F str λ4077 stars. III. Spectroscopy of the barium dwarfs and other CP stars **281**, 775
North P., Berthet S., Lanz T.: The nature of the F str λ4077 stars. V. Spectroscopic data **282**, 351 *(**103**, 321)*
North P., Nicolet B.: *Erratum* A new calibration of Geneva photometry in terms of T_e, log g and mass for B stars **286**, 348
North P., Paltani S.: HD 37151: a new "slowly pulsating B star" **288**, 155
Norton A.J., see Paredes J.M., et al. **288**, 519
Nota A., see Burgarella D., et al. **287**, 769
Nota A., see Deharveng J.-M., et al. **288**, 413
Noullez A., see Vergassola M., et al. **289**, 325
November L.J., see Koutchmy S., et al. **281**, 249

Novikov G.G., Pecina P., Radzhabov T.S.: Is there any mechanism capable of producing the same Fresnel characteristics as fragmentation of meteoroids? **284**, 612
Nowakowski L.A.: Location of the emitting regions in the mode-switching radio pulsar PSR 1926+18 **281**, 444
Noyes R.W., see Koutchmy S., et al. **281**, 249
Nugis T., Willis A.J.: Observations and analyses of the S VI λ 1975, λ 1993 Å lines in the *IUE* ultraviolet spectra of WN stars **292**, 616
Nussbaumer H., see Mürset U. **282**, 586
Nussbaumer H., see Vogel M. **284**, 145
Nyman L.-Å., see Haikala L.K., et al. **281**, 638 ***(103, 107)***
Obayashi A., see Kun M., et al. **292**, 249
Oberti P.: The main problem of geosynchronous satellite theory around an equilibrium position **284**, 281
O'Brien P.T., see Dietrich M., et al. **284**, 33
O'Brien P.T., see Robinson A., et al. **291**, 351
O'Brien P.T., see Salamanca I., et al. **282**, 742
O'Brien P.T., see Stirpe G.M., et al. **285**, 857
Ochsenbein F., see Heck A., et al. **292**, 365 ***(108, 447)***
Ochsenbein F., see Lortet M.-C., et al. **292**, 351 ***(107, 193)***
O'Dea C., see Robinson A., et al. **291**, 351
O'Dell M.A., see Panagi P.M., et al. **292**, 439
Odenkirchen M., see Colin J., et al. **287**, 38
Ögelman H., see Orio M., et al. **289**, L11
Östreicher R., see Friedrich S., et al. **282**, 179
Ogilvie K.W., see Geiss J., et al. **282**, 924
Ohnaka K., see Tsuji T., et al. **289**, 469
Oja T.: **(RN)** On the systematic accuracy of the equatorial *UBVRI* standard stars **286**, 1006
Ojha D.K., Bienaymé O., Robin A.C., Mohan V.: A multicolor survey of absolute proper motions: galactic structure and kinematics in the direction of the galactic center at intermediate latitude **290**, 771
Ojha D.K., Bienaymé O., Robin A.C., Mohan V.: A new *UBV* and proper motion survey in the anticentre direction at intermediate galactic latitude: kinematics of the Galaxy's stellar populations **284**, 810
Okamoto H., see Mann I., et al. **291**, 1011
Okyudo M., see Tornikoski M., et al. **286**, 80
Oláh K., Budding E., Kim H.-I., Etzel P.B.: The active close binary system ER Vulpeculae **291**, 110
Olano C.A., Walmsley C.M., Wilson T.L.: Molecular line observations of a comet-shaped cloud (LBN 437) in the Lacerta OB1 association **290**, 235
Oldham P.G., Griffin M.J., Richardson K.J., Sandell G.: W 3 – a study of a site of massive star formation. I. Continuum and $C^{18}O$ observations and comparison as mass tracers **284**, 559
Oliva E., Salvati M., Moorwood A.F.M., Marconi A.: Size and physical conditions of the coronal line region in a nearby Seyfert 2: the Circinus galaxy **288**, 457
Oliva E., see Marconi A., et al. **291**, 18
Olive J.F., see Barret D., et al. **288**, 472
Olive J.F., see Masnou J.L., et al. **290**, 503
Oliveira L.P.L., see Chian A.C.-L. **286**, L1
Oliver R., see Čadež V.M., et al. **282**, 934
Oliver R., see Carbonell M., et al. **290**, 983
Olmi L., Felli M., Prusti T.: A CO and CS study of three low luminosity PMS candidates in Chamaeleon II **288**, 591
Olmi L., see Brand J., et al. **283**, 716 ***(103, 541)***
Olofsson H., see Johansson L.E.B., et al. **291**, 89
Olsen E.H.: A large, complete, volume-limited sample of G-type dwarfs. I. Completion of Strömgren *uvby* photometry **285**, 358 ***(104, 429)***
Olsen E.H.: Strömgren photometry of F- and G-type stars brighter than $V = 9.6$. I. *uvby* photometry **289**, 664 ***(106, 257)***
O'Mara B.J., see Milford P.N., et al. **292**, 276
Omont A., see Bujarrabal V., et al. **285**, 247
Omont A., see Little-Marenin I.R., et al. **281**, 451
Oosterbroek T., Lewin W.H.G., van Paradijs J., van der Klis M., Penninx W., Dotani T.: Simultaneous radio and X-ray observations of GX 340+0 **281**, 803
Oosterbroek T., see Kuulkers E., et al. **289**, 795
Oprescu G., see Kalimeris A., et al. **291**, 765
Orio M., Della Valle M., Massone G., Ögelman H.: Optical identification of the supersoft X-ray source 1E 0035.4–7230 in the Small Magellanic Cloud **289**, L11
Orlandi S., see Fulle M., et al. **292**, 304
Orlov V.G., see Balega I.I., et al. **287**, 1042 ***(105, 503)***
Orlov V.V., see Anosova J., et al. **292**, 115
Ornig W., see Schober H.J., et al. **287**, 1038 ***(105, 281)***
Orofino V., Blanco A., Fonti S.: Silicon carbide: a possible component of the cometary dust **282**, 657
Orofino V., see Blanco A., et al. **283**, 561
Orr A., see Walter R., et al. **285**, 119
Ortiz E., see Eiroa C., et al. **290**, 599
Ortiz R., Maciel W.J.: The OH/IR-planetary nebula connection: space distribution and kinematics **287**, 552
Ortolani S., Barbuy B., Bica E.: The low galactic latitude metal-rich globular cluster NGC 6440 **292**, 369 ***(108, 653)***
Ortolani S., Bica E., Barbuy B.: The globular cluster NGC 6652 **286**, 444
Ortolani S., see Barbuy B., et al. **285**, 871
Ortolani S., see Bica E., et al. **283**, 67
Ortolani S., see Bica E., et al. **289**, 663 ***(106, 161)***
Ortolani S., see Carraro G. **289**, 1001 ***(106, 573)***
Ortolani S., see Carraro G. **291**, 106
Ortolani S., see Vallenari A., et al. **284**, 447
Ortolani S., see Vallenari A., et al. **292**, 367 ***(108, 571)***
Osminkin E.Y., see Lipunov V.M., et al. **282**, 61
Ossenkopf V., Henning T.: Dust opacities for protostellar cores **291**, 943
Østensen R., see Teuber J., et al. **292**, 366 ***(108, 509)***
Ostermann W., see Breger M., et al. **281**, 90
Ostermann W.M., see Breger M., et al. **289**, 162
Østgaard E., see Hadrava P., et al. **284**, 693
Ostrowski M.: Efficiency of the second-order Fermi acceleration at parallel shock waves **283**, 344
O'Sullivan C.M.M., see Robson M., et al. **286**, 1028
Otani C., see Walter R., et al. **285**, 119
Otmianowska-Mazur K., see Urbanik M., et al. **287**, 410
Ott M., Witzel A., Quirrenbach A., Krichbaum T.P., Standke K.J., Schalinski C.J., Hummel C.A.: An updated list of radio flux density calibrators **284**, 331
Ottmann R.: Structure and stability of the X-ray corona of Algol **286**, L27
Ottmann R., Schmitt J.H.M.M.: A long-duration X-ray flare on the RS Canum Venaticorum binary AR Lacertae observed with ROSAT **283**, 871
Oudmaijer R.D., Geballe T.R., Waters L.B.F.M., Sahu K.C.: Discovery of near-infrared hydrogen line emission in the peculiar F8 hypergiant IRC+10420 **281**, L33
Pacheco A.F., see Abad S., et al. **287**, 1029
Padmini V.N., see Kasturirangan K., et al. **283**, 435
Padmini V.N., see Marar T.M.K., et al. **283**, 698
Padrielli L., see Bondi M., et al. **287**, 390
Padrielli L., see Mantovani F., et al. **292**, 59
Padrielli L., see Spangler S.R., et al. **286**, 349
Paerels F., see van Teeseling A., et al. **281**, 119
Paez E., see Martinez Roger C., et al. **290**, 62
Pagano I., see Fox D.C., et al. **284**, 91
Pajdosz G., see Kreiner J.M., et al. **285**, 459

Pajot F., see Giard M., et al. **286**, 203
Pajot F., see Ristorcelli I., et al. **286**, L23
Pajot-El Abed P., Melikidze G., Tagger M.: Magnetic drift driven instability for cosmic-ray acceleration: oblique propagation **291**, 687
Pakull M., see Haberl F., et al. **291**, 171
Palagi F., see Brand J., et al. **283**, 716 ***(103, 541)***
Palagi F., see Codella C., et al. **291**, 261
Palagi F., see Persi P., et al. **291**, 577
Paleologou E., see Xilouris K.M., et al. **290**, 639
Paletou F., see Auer L.H. **285**, 675
Palla F., see Brand J., et al. **283**, 716 ***(103, 541)***
Palla F., see Codella C., et al. **291**, 261
Palla F., see Prusti T., et al. **292**, 593
Pallavicini R., see Gahm G.F., et al. **282**, 123
Pallavicini R., see Pasquini L., et al. **287**, 191
Pallavicini R., see Randich S., et al. **283**, 893
Pallavicini R., see Tagliaferri G., et al. **285**, 272
Palouš J., see Jungwiert B. **287**, 55
Paltani S., Courvoisier T.J.-L.: Systematic study of the ultraviolet variability of active galactic nuclei **291**, 74
Paltani S., see North P. **288**, 155
Pamyatnykh A.A., see Cugier H., et al. **291**, 143
Pan H.C., see Kendziorra E., et al. **291**, L31
Pan H.C., see Maisack M., et al. **283**, 841
Panagi P.M., O'Dell M.A., Collier Cameron A., Robinson R.D.: Spectroscopy of the young cluster Blanco 1 **292**, 439
Panagi P.M., see Doyle J.G., et al. **285**, 233
Panchenko I.E., Postnov K.A.: Hercules X-1 pulse profile simulation **286**, 497
Panchuk V.E., see Klochkova V.G., et al. **287**, 881
Panella D., see Brand J., et al. **283**, 716 ***(103, 541)***
Panferova I.P., see Alekseev I.Y., et al. **288**, 502
Panov K.P., see Jetsu L., et al. **281**, 639 ***(103, 183)***
Papaderos P., Fricke K.J., Thuan T.X., Loose H.-H.: Hot gas outflow in the blue compact dwarf galaxy VII Zw 403 **291**, L13
Papamastorakis J., see Xilouris K.M., et al. **290**, 639
Paparo M., see Breger M., et al. **281**, 90
Papoular R., see Guillois O., et al. **285**, 1003
Pâquet P., see Djurovic D., et al. **288**, 335
Pardi M.C., see Campana S. **287**, 348
Pardo J.R., see Pijpers F.P., et al. **286**, 501
Paredes J.M., Marziani P., Martí J., Fabregat J., Coe M.J., Everall C., Figueras F., Jordi C., Norton A.J., Prince T., Reglero V., Roche P., Torra J., Unger S.J., Zamanov R.: Photometric and Hα observations of LSI +61°303: detection of a ~26 day V and JHK band modulation **288**, 519
Paredes J.M., see Peracaula M., et al. **285**, 547
Paresce F.: Imaging the shell of Nova Cygni 1992 with HST **282**, L13
Paresce F., Hack W.: New HST observations of the core of R Aquarii. I. Imaging **287**, 154
Paresce F., see Burgarella D., et al. **287**, 769
Paresce F., see Deharveng J.-M., et al. **288**, 413
Paresce F., see De Marchi G. **281**, L13
Pareschi G., see Brand J., et al. **283**, 716 ***(103, 541)***
Parijskij Y.N., see Larionov M.G., et al. **288**, 1035 ***(106, 119)***
Parker Q.A., see Shenton M., et al. **287**, 866
Parlier B., see Masnou J.L., et al. **290**, 503
Parma P., see Gregorini L., et al. **288**, 1033 ***(106, 1)***
Parma P., see Mack K.-H., et al. **281**, 639 ***(103, 157)***
Parmeggiani G., see Fusi Pecci F., et al. **284**, 349
Parthasarathy M., see García-Lario P., et al. **285**, 179
Pasinetti Fracassini L.E., see Covino S., et al. **289**, 775
Pasquali A., see Perinotto M., et al. **292**, 355 ***(107, 481)***
Pasquini L., Belloni T., Abbott T.M.C.: Optical identification of two soft ROSAT sources in the old open cluster M67 **290**, L17
Pasquini L., Lindgren H.: Chromospheric activity in Population II binaries **283**, 179
Pasquini L., Liu Q., Pallavicini R.: Lithium abundances of nearby solar-like stars **287**, 191
Pasquini L., see Gahm G.F., et al. **282**, 123
Pasquini L., see Molaro P. **281**, L77
Pasquini L., see Spite M., et al. **290**, 217
Pasquini L., see Tagliaferri G., et al. **285**, 272
Pastoriza M.G., see Saraiva Schröder M.F., et al. **285**, 358 ***(104, 487)***
Pastoriza M.G., see Saraiva Schröder M.F., et al. **292**, 358 ***(108, 41)***
Patat F., Barbon R., Cappellaro E., Turatto M.: Light curves of type II supernovae. II. The analysis **282**, 731
Patat F., see Benetti S., et al. **285**, L13
Patat F., see Carraro G. **289**, 397
Paterson M.J., see Aspin C., et al. **292**, L9
Patkós L., Hempelmann A.: Basic system parameters and a more general spot solution of the SV Camelopardalis light curve **292**, 119
Patriarchi P., Perinotto M.: The abundance of carbon in three type I planetary nebulae **287**, 585
Patriarchi P., see Perinotto M., et al. **292**, 355 ***(107, 481)***
Patsis P.A., Hiotelis N., Contopoulos G., Grosbøl P.: Hydrodynamic simulations of open normal spiral galaxies: OLR, corotation and 4/1 models **286**, 46
Patterson J.R., see Edwards P.G., et al. **291**, 468
Paturel G., Bottinelli L., Di Nella H., Fouqué P., Gouguenheim L., Teerikorpi P.: Kinematics of the Local Universe: completeness of the sample **289**, 711
Paturel G., Bottinelli L., Gouguenheim L.: An extragalactic database. V. Conversion of apparent B magnitudes to a standard system **286**, 768
Paturel G., see Garcia A.M., et al. **292**, 352 ***(107, 265)***
Paul B., see Rao A.R., et al. **289**, L43
Paul J., see Claret A., et al. **287**, 824
Paul J., see Laurent P., et al. **286**, 838
Paul J., see Mirabel I.F., et al. **282**, L17
Pauldrach A.W.A., Kudritzki R.P., Puls J., Butler K., Hunsinger J.: Radiation-driven winds of hot luminous stars. XII. A first step towards detailed UV-line diagnostics of O-stars **283**, 525
Pauldrach A.W.A., see Langer N., et al. **290**, 819
Pauliny-Toth I.I.K., see Gurvits L.I., et al. **291**, 737
Paunzen E., see Strassmeier K.G., et al. **281**, 855
Paunzen E., see Weiss W.W., et al. **281**, 797
Pavelin P.E., see Gunn A.G., et al. **291**, 847
Pavlenko Y.V., see Martín E.L., et al. **282**, 503
Pavlov G.G., Shibanov Y.A., Ventura J., Zavlin V.E.: Model atmospheres and radiation of magnetic neutron stars: anisotropic thermal emission **289**, 837
Pavlova N.A., see Anosova J., et al. **292**, 115
Pavlovski K., see Juza K., et al. **292**, 354 ***(107, 403)***
Pavlyuk N.N., see Bartunov O.S., et al. **281**, L53
Pecina P., see Novikov G.G., et al. **284**, 612
Pécontal E., see Durret F., et al. **291**, 392
Pécontal E., see Ferruit P. **288**, 65
Pedersen H.: Optical studies of the field of GRB 940301 **291**, L17
Pedichini F., see Natali F., et al. **289**, 756
Pedlar A., see Robinson A., et al. **291**, 351
Pédoussaut A., see Carquillat J.M., et al. **289**, 1002 ***(106, 597)***

Pedrana M.D., see Molinari E., et al. **282**, 349 *(103, 245)*
Pedrana M.D., see Molinari E., et al. **292**, 54
Pelaez F., see Claret A., et al. **287**, 824
Pelat D., see Hameury J.-M., et al. **287**, 795
Pelat D., see Rola C. **287**, 676
Pelat D., see Salamanca I., et al. **282**, 742
Peletier R.F., see Block D.L., et al. **288**, 365
Peletier R.F., see van Dokkum P.G., et al. **286**, 415
Peletier R.F., Valentijn E.A., Moorwood A.F.M., Freudling W.: The distribution of dust in Sb's and Sc's: *K*-band infrared imaging of a diameter-limited sample of 37 galaxies **292**, 369 *(108, 621)*
Pellegrini C., see Piotto G., et al. **287**, 371
Pellegrini S.: ROSAT PSPC observation of the X-ray faint early-type galaxy NGC 5866 **292**, 395
Pelletier G., see Rosso F. **287**, 325
Pelló R., see Vílchez-Gómez R., et al. **283**, 37
Pelló R., see Vílchez-Gómez R., et al. **289**, 661
Pelt J., Hoff W., Kayser R., Refsdal S., Schramm T.: Time delay controversy on QSO 0957+561 not yet decided **286**, 775
Penereiro J.C., de Carvalho R.R., Djorgovski S., Thompson D.: Multicolor surface photometry of early-type galaxies. I. **292**, 365 *(108, 461)*
Penninx W., see Oosterbroek T., et al. **281**, 803
Penston M.V., see Dietrich M., et al. **284**, 33
Penston M.V., see Robinson A., et al. **291**, 351
Penston M.V., see Salamanca I., et al. **282**, 742
Penston M.V., see Stirpe G.M., et al. **285**, 857
Péquignot D., Baluteau J.-P.: *Erratum* The identification of krypton, xenon, and other elements of rows 4, 5, and 6 of the periodic table in the planetary nebula NGC 7027 **289**, 659
Péquignot D., Baluteau J.-P.: The identification of krypton, xenon, and other elements of rows 4, 5, and 6 of the periodic table in the planetary nebula NGC 7027 **283**, 593
Peracaula M., Paredes J.M., Martí J., Rius A., Estalella R.: **(RN)** A 21-hour period in the quiescent radio emission of Cygnus X-3 **285**, 547
Perea J., see Dietrich M., et al. **284**, 33
Perea J., see Moles M., et al. **285**, 404
Perea J., see Robinson A., et al. **291**, 351
Perea J., see Stirpe G.M., et al. **285**, 857
Pérez E., see Dietrich M., et al. **284**, 33
Pérez E., see Robinson A., et al. **291**, 351
Pérez E., see Salamanca I., et al. **282**, 742
Pérez E., see Stirpe G.M., et al. **285**, 857
Pérez M.R., see Thé P.S., et al. **285**, 355 *(104, 315)*
Pérez-Fournon I., see Dietrich M., et al. **284**, 33
Pérez-Fournon I., see Robinson A., et al. **291**, 351
Pérez-Fournon I., see Salamanca I., et al. **282**, 742
Pérez-Fournon I., see Stirpe G.M., et al. **285**, 857
Perinotto M., Purgathofer A., Pasquali A., Patriarchi P.: Spectrophotometry of southern planetary nebulae **292**, 355 *(107, 481)*
Perinotto M., see Maccioni A. **284**, 241
Perinotto M., see Patriarchi P. **287**, 585
Perley R.A., see Hiltner P.R., et al. **286**, 25
Perola G.C., Piro L.: X-ray reprocessing and UV continuum in AGN: the case of NGC 4151 **281**, 7
Perola G.C., see Matt G., et al. **292**, L13
Perrier C., see Roques F., et al. **288**, 985
Perrier C., see Starck J.-L., et al. **283**, 349
Perrin G., see Beuzit J.-L., et al. **291**, L1
Perrin J.-M.: **(RN)** Corrections to an expression for the oscillator strength of hydrogen **283**, 1025
Perry J.J., see Dietrich M., et al. **284**, 33
Perryman M.A.C., see Møller P., et al. **287**, 719
Persi P., Ferrari-Toniolo M., Marenzi A.R., Anglada G., Chini R., Krügel E., Sepúlveda I.: Infrared images, 1.3 mm continuum and ammonia line observations of IRAS 08076-3556 **282**, 233
Persi P., Palagi F., Felli M.: H_2O masers from low and intermediate luminosity young stellar objects: H_2O masers and YSOs **291**, 577
Persi P., Roth M., Tapia M., Ferrari-Toniolo M., Marenzi A.R.: The young stellar population associated with the H II region NGC 3576 **282**, 474
Persi P., see Miralles M.P., et al. **282**, 547
Persi P., see Testi L., et al. **288**, 634
Petersen C., see Halbwachs J.L., et al. **281**, L25
Petersen J.O.: The RR Lyrae stars of ω Centauri revisited. I. Catalogue of Fourier decomposition parameters **287**, 1036 *(105, 145)*
Peterson B.A., see Roukema B.F. **285**, 361
Peterson B.M., see Dietrich M., et al. **284**, 33
Petit G., Wolf P.: Relativistic theory for picosecond time transfer in the vicinity of the Earth **286**, 971
Petit J.-M., Froeschlé C.: Polynomial approximations of Poincaré maps for Hamiltonian systems. II **282**, 291
Petit M., see Barbier-Brossat M., et al. **292**, 368 *(108, 603)*
Petit M., see Debray B., et al. **281**, 613
Petitjean P., Bergeron J.: C IV QSO absorption systems and properties of galactic haloes at high redshift **283**, 759
Petitjean P., Rauch M., Carswell R.F.: The $z_{abs} \sim z_{em} \sim 2$ QSO absorption line systems: evidence for abundances in excess of solar **291**, 29
Petitjean P., see Boisson C., et al. **285**, 377
Petitjean P., see Durret F., et al. **291**, 392
Petre R., Gehrels N.: A ROSAT observation of the transient X-ray pulsar GRO J1008-57 **282**, L33
Petrini D., de Araújo F.X.: Auger process following 1 s-photoionization: O III lines **282**, 315
Petrini D., Farias G.A.: Innershell photoionization of atomic neon: Ne III and Ne IV line production in AGN plasmas **292**, 337
Petrosian A.R., see Marcelin M., et al. **282**, 363
Petrov G., see Laurikainen E., et al. **292**, 366 *(108, 491)*
Petrov P., see Foing B.H., et al. **292**, 543
Petrov P.P., Shcherbakov V.A., Berdyugina S.V., Shevchenko V.S., Grankin K.N., Melnikov S.Y.: Photometric and spectroscopic observations of the spotted T Tauri star V 410 Tauri **290**, 1019 *(107, 9)*
Pettersson B., Reipurth B.: Young stars associated with the Vela Molecular Ridge. I. VMR clouds C and D, Collinder 197 and Vela R2 **285**, 354 *(104, 233)*
Pfenniger D., Combes F.: Is dark matter in spiral galaxies cold gas? II. Fractal models and star non-formation **285**, 94
Pfenniger D., Combes F., Martinet L.: Is dark matter in spiral galaxies cold gas? I. Observational constraints and dynamical clues about galaxy evolution **285**, 79
Philip A.G.D., see Adelman S.J., et al. **282**, 134
Phillips J.L., see Mangeney A., et al. **283**, 982
Phillips J.P., Cuesta L.: A near-infrared survey of northern planetary nebulae **284**, 701 *(104, 169)*
Phukon T.C., see Duorah H.L. **283**, 867
Piana M.: Inversion of bremsstrahlung spectra emitted by solar plasma **288**, 949
Piatti A.E., see Clariá J.J., et al. **290**, 1020 *(107, 39)*
Picard A., Johnston H.M.: A comparison of methods for determining the centers of globular clusters **283**, 76
Picat J.P., see Cuillandre J.C., et al. **281**, 603
Pichon B., see Haensel P. **283**, 313
Pick M., see Mangeney A., et al. **283**, 982
Pick M., see Trottet G., et al. **288**, 647

Pickup D.A., see Aspin C., et al. **292**, L9
Pierre M., Böhringer H., Ebeling H., Voges W., Schuecker P., Cruddace R., MacGillivray H.: Optical observations of a ROSAT sample of clusters of galaxies. I. Techniques and X-ray/optical analysis **290**, 725
Pierre M., Soucail G., Böhringer H., Sauvageot J.L.: A gravitational lens cluster – Abell 2104 – discovered in the ROSAT All-Sky Survey sample **289**, L37
Piersimoni A.M., see Brocato E., et al. **290**, 59
Pietsch W., see Beuermann K., et al. **281**, L45
Pietsch W., see Döbereiner S., et al. **287**, 105
Pietsch W., see Haberl F., et al. **291**, 171
Pietsch W., see Haiman Z., et al. **286**, 725
Pietsch W., see Haiman Z, et al. **290**, 371
Pietsch W., see Kahabka P., et al. **288**, 538
Pietsch W., see Kendziorra E., et al. **291**, L31
Pietsch W., see Maisack M., et al. **283**, 841
Pietsch W., see Motch C., et al. **284**, 827
Pietsch W., Vogler A., Kahabka P., Jain A., Klein U.: ROSAT PSPC X-ray observations of NGC 4258: detection of point sources, 4 million K halo emission, and anomalous arms **284**, 386
Pigulski A.: Stability of the multimode pulsation in the β Cephei-type variable 12 (DD) Lacertae **292**, 183
Piirola V., Coyne G.V., Takalo S.J.L., Larsson S., Vilhu O.: UBVRI polarimetry of AM Herculis-type binaries. V. The asynchronous (?) polar BY Camelopardalis (H0538+608) **283**, 163
Piironen J., Bowell E., Erikson A., Magnusson P.: Photometry of eleven asteroids at small phase angles **289**, 1002 *(**106**, 587)*
Piironen J., see Krugly Y.N., et al. **292**, 359 *(**108**, 143)*
Pijpers F.P., Pardo J.R., Bujarrabal V.: Short time scale monitoring of SiO sources **286**, 501
Pijpers F.P., Thompson M.J.: The SOLA method for helioseismic inversion **281**, 231
Pilyugin L.S.: **(RN)** The chemical evolution of irregular galaxies with mass loss **287**, 387
Piña R.K., see Aspin C., et al. **292**, L9
Pineau des Forêts G., see Huré J.-M., et al. **290**, 19
Pineau des Forêts G., see Huré J.-M., et al. **290**, 34
Pineau des Forêts G., see Field D., et al. **286**, 909
Pineau des Forêts G., see Flower D.R., et al. **282**, 225
Pineau des Forêts G., see Lequeux J., et al. **292**, 371
Pineau des Forêts G., see Tieftrunk A., et al. **289**, 579
Pinkau K., see Kanbach G., et al. **289**, 855
Piotto G., Capaccioli M., Pellegrini C.: On the Cepheid variables of nearby galaxies. II. Sextans A and Sextans B **287**, 371
Piotto G., see Bhatia R. **283**, 424
Piro L., see Matt G., et al. **292**, L13
Piro L., see Perola G.C. **281**, 7
Piskunov N., Ryabchikova T.A., Kuschnig R., Weiss W.W.: Spectrum variability of ET Andromedae: Si and He surface mapping **291**, 910
Piskunov N., Wehlau W.H.: The detectability of cool polar caps on late type stars **289**, 868
Pittich E.M., Rickman H.: Cometary splitting – a source for the Jupiter family? **281**, 579
Plachinda S.I., see Hubrig S., et al. **291**, 890
Planesas P., see Martín-Pintado J., et al. **286**, 890
Planesas P., see Thum C., et al. **283**, 582
Platonov A.V., see Altyntsev A.T., et al. **287**, 256
Plewa T., see Goecking K.-D., et al. **289**, 827
Plez B., see Fluks M.A., et al. **287**, 1039 *(**105**, 311)*
Plez B., see Smith V.V., et al. **281**, L41
Plokhotnichenko V., see Beskin G., et al. **289**, 141
Pluzhnik E.A., see Balega I.I., et al. **287**, 1042 *(**105**, 503)*
Pöppel W.G.L., Marronetti P., Benaglia P.: The warm and the cold neutral phase in the local interstellar medium at $|b| \geq 10°$ and at low velocities **287**, 601
Poetzel R., see Hanuschik R.W., et al. **281**, 737
Poezd A.D., see Beck R., et al. **289**, 94
Pogodin M.A.: Rapid line-profile variability of Hα and Hβ in the A-type shell star HD 163296 **282**, 141
Pogodin M.A., see Beskrovnaya N.G., et al. **287**, 564
Pohl M.: On the predictive power of the minimum energy condition. II. Fractional calorimeter behaviour in the diffuse high energy gamma emission of spiral galaxies **287**, 453
Polcaro V.F., see Coe M.J., et al. **289**, 784
Pollacco D.L., see Ramsay G. **285**, 356 *(**104**, 377)*
Polnarev A.G., Rees M.J.: Binary black hole in a dense star cluster **283**, 301
Polosukchina N.S., see Malanushenko V.P., et al. **287**, 1036 *(**105**, 125)*
Pols O.R.: Case A evolution of massive close binaries: formation of contact systems and possible reversal of the supernova order **290**, 119
Pols O.R., Marinus M.: Monte-Carlo simulations of binary stellar evolution in young open clusters **288**, 475
Polygiannakis J.M., Moussas X.: Fractal properties of the interplanetary magnetic field fluctuations: indications of chaotic dynamics **283**, 990
Pompei E., see Natali F., et al. **289**, 756
Pont F., Burki G., Mayor M.: New radial velocities for 96 faint southern Cepheids **287**, 1036 *(**105**, 165)*
Pont F., Mayor M., Burki G.: New radial velocities for classical Cepheids. Local galactic rotation revisited **285**, 415
Ponz J.D., see Cassatella A., et al. **281**, 594
Ponz J.D., Thompson R.W., Muñoz J.R.: The FITS image extension **287**, 1034 *(**105**, 53)*
Popel S.I., see Kosarev I.B., et al. **287**, 470
Popov M.V., see Gurvits L.I., et al. **291**, 737
Popova M., see Beskin G., et al. **289**, 141
Popović L.Č., see Dimitrijević M.S. **290**, 1022 *(**107**, 191)*
Poquérusse M.: Relativistic type III solar radio bursts **286**, 611
Poretti E.: The Fourier decomposition of new light curves of Cepheids with $P < 7$ d **285**, 524
Poretti E., see Mantegazza L., et al. **287**, 95
Poretti E., see Mantegazza L. **281**, 66
Poretti E., see Riboni E., et al. **292**, 358 *(**108**, 55)*
Pospieszalska-Surdej A., see Detal A., et al. **281**, 269
Postnov K.A., see Panchenko I.E. **286**, 497
Postnov K.A., see Prokhorov M.E. **286**, 437
Potekhin A.Y., Varshalovich D.A.: Non-variability of the fine-structure constant over cosmological time scales **284**, 700 *(**104**, 89)*
Pottasch S.R., see García-Lario P., et al. **285**, 179
Pottasch S.R., Zijlstra A.A.: VLA measurements of a sample of planetary nebulae **289**, 261
Poulain P., Nieto J.L.: *UBVRI* photoelectric photometry of bright southern early-type galaxies **283**, 716 *(**103**, 573)*
Poulain P., see Nieto J.L., et al. **283**, 1
Pourbaix D.: A trial-and-error approach to the determination of the orbital parameters of visual binaries **290**, 682
Pourthié T., see Cuillandre J.C., et al. **281**, 603
Povel H.P., see Keller C.U., et al. **286**, 626
Prabhu T.P., see Anupama G.C., et al. **282**, 351 *(**103**, 315)*
Prada F., Greve A., McKeith C.D.: NGC 1569: identification from Ca II infrared line spectra of the objects A, B as superluminous star clusters **288**, 396
Pradhan A.K., see Zhang H.L., et al. **283**, 319

Prado P., see Vázquez R.A., et al. **289**, 666 ***(106, 339)***
Prantzos N.: Can nucleosynthesis determine the mass limit for stellar black hole formation? **284**, 477
Prantzos N., Vangioni-Flam E., Chauveau S.: Evolution of carbon and oxygen in the Galaxy: the effect of metallicity dependent yields **285**, 132
Prasad N.L., see Kasturirangan K., et al. **283**, 435
Prasad N.L., see Marar T.M.K., et al. **283**, 698
Pravec P., see Hudec R., et al. **284**, 499
Pravec P., see Hudec R., et al. **284**, 839
Predehl P., see Schmitt J.H.M.M., et al. **287**, 843
Predehl P., Trümper J.: ROSAT observation of the Sgr A region **290**, L29
Preibisch T., see Zinnecker H. **292**, 152
Prévot M.L., see Boulanger F., et al. **284**, 956
Priest E.R., see Steele C.D.C. **292**, 291
Prieto P., see Cagigal M.P. **289**, L51
Primas F., Molaro P., Castelli F.: Abundances of four very metal-poor stars of the BPS survey **290**, 885
Prince T., see Paredes J.M., et al. **288**, 519
Prinja R.K.: **(RN)** Determining hot star wind terminal velocities from low-resolution IUE data **289**, 221
Prinja R.K., see Smith L.J., et al. **281**, 833
Prokhorov M.E., Postnov K.A.: Spatial distribution of old neutron stars. Semianalytical considerations **286**, 437
Prokhorov M.E., see Lipunov V.M., et al. **282**, 61
Provost J., see Audard N. **282**, 73
Provost J., see Morel P., et al. **286**, 91
Prugniel P., see Alloin D., et al. **282**, 1041
Prugniel P., see Combes F., et al. **281**, 725
Prugniel P., Simien F.: Equilibrium and rotational support of elliptical galaxies **282**, L1
Prusti T., Natta A., Palla F.: Extended mid-infrared emission around Herbig Ae/Be stars **292**, 593
Prusti T., see Olmi L., et al. **288**, 591
Prusti T., see van der Bliek N.S., et al. **285**, 229
Pryor W.R., see Ajello J.M., et al. **289**, 283
Puerari I., see Saraiva Schröder M.F., et al. **292**, 358 ***(108, 41)***
Puget J.L., see Bernard J.P., et al. **291**, L5
Pulone L., see Castellani M., et al. **282**, 771
Puls J., see Langer N., et al. **290**, 819
Puls J., see Pauldrach A.W.A., et al. **283**, 525
Purgathofer A., see Perinotto M., et al. **292**, 355 ***(107, 481)***
Pustil'nik L.A., see Alekseev I.Y., et al. **288**, 502
Puxley P.J., see Aspin C., et al. **292**, L9
Qiao G.J., see Han J.L. **288**, 759
Quémerais E., Bertaux J.L., Sandel B.R., Lallement R.: A new measurement of the interplanetary hydrogen density with ALAE/ATLAS 1 **290**, 941
Quenby J.J., see Rochester G.K., et al. **283**, 884
Querci F., see Widemann T., et al. **282**, 879
Querci M., see Widemann T., et al. **282**, 879
Quilis V., Ibáñez J.M., Sáez D.: Modern high-resolution shock-capturing methods for structure evolution in cosmology **286**, 1
Quinet P., see Biémont E., et al. **283**, 339
Quintana H., Fouqué P., Way M.J.: The odd group of galaxies around NGC 1400/1407 **283**, 722
Quintana H., see Infante L., et al. **289**, 381
Quirrenbach A., Buscher D.F., Mozurkewich D., Hummel C.A., Armstrong J.T.: Maximum-entropy maps of the Be shell star ζ Tauri from optical long-baseline interferometry **283**, L13
Quirrenbach A., Mozurkewich D., Buscher D.F., Hummel C.A., Armstrong J.T.: Phase-referenced visibility averaging in optical long-baseline interferometry **286**, 1019
Quirrenbach A., Mozurkewich D., Hummel C.A., Buscher D.F., Armstrong J.T.: Angular diameters of the carbon stars UU Aurigae, Y Canum Venaticorum, and TX Piscium from optical long-baseline interferometry **285**, 541
Quirrenbach A., see Ott M., et al. **284**, 331
Raåback P., see Kyrölä E., et al. **288**, 299
Rabbette M., see Hurley K.J., et al. **288**, L49
Raboud D., Mermilliod J.-C.: The apparent distribution of red giant spectroscopic binaries in open clusters **289**, 121
Radzhabov T.S., see Novikov G.G., et al. **284**, 612
Ragazzoni R., Marchetti E.: A liquid adaptive mirror **283**, L17
Ragland S., see Bhatt H.C., et al. **289**, 946
Raja T.: New spectroscopic orbital elements of the B-type binary HR 7551 **284**, 82
Ramanamurthy P.V.: Multi-wavelength intra-peak phase separations in pulsed emissions from the Crab and the Vela pulsars **284**, L13
Ramírez A., see Mennickent R.E., et al. **289**, 999 ***(106, 427)***
Rammacher W., see Buchholz B., et al. **285**, 987
Rampazzo R., see Combes F., et al. **281**, 725
Ramsay G., Pollacco D.L.: *Erratum* CCD observations in 7 open clusters: NGC 2421, NGC 2439, NGC 2489, NGC 2567, NGC 2627, NGC 2658 and NGC 2910 **285**, 356 ***(104, 377)***
Rand R.J.: Atomic hydrogen in the NGC 4631 group of galaxies **285**, 833
Randich S., Giampapa M.S., Pallavicini R.: Lithium in RS Canum Venaticorum binaries and related chromospherically active stars. III. Northern RS CVn systems **283**, 893
Randich S., see Tagliaferri G., et al. **285**, 272
Randone I., see Gavazzi G. **292**, 352 ***(107, 285)***
Rao A.P., see Ghosh T., et al. **288**, 1033 ***(106, 29)***
Rao A.R., Paul B., Chitnis V.R., Agrawal P.C., Manchanda R.K.: Detection of a very low hard X-ray pulse fraction in the bright state of GX 1+4 **289**, L43
Rao A.R., Vahia M.N.: Observational constraints on the inter-binary stellar flare hypothesis for the gamma-ray bursts **281**, L21
Rao A.R., Vahia M.N.: On the possible source of GRB 930131 **287**, L34
Rao U.R., see Ashoka B.N., et al. **283**, 455
Rao U.R., see Kasturirangan K., et al. **283**, 435
Rao U.R., see Marar T.M.K., et al. **283**, 698
Ratier G., see Cuillandre J.C., et al. **281**, 603
Ratkiewicz R., Axford W.I., McKenzie J.F.: Similarity solutions for synchrotron emission from a supernova blast wave **291**, 935
Ratkiewicz R., see Scherer K., et al. **287**, 219
Rauch M., see Petitjean P., et al. **291**, 29
Rauch T., Köppen J., Werner K.: Spectral analysis of the planetary nebula K 1-27 and its very hot hydrogen-deficient central star **286**, 543
Rauch T., see Napiwotzki R. **285**, 603
Rauch T., see Werner K. **284**, L5
Raulin J.P., Klein K.-L.: Acceleration of electrons outside flares: evidence for coronal evolution and height-extended energy release during noise storms **281**, 536
Rauth M., see Strassmeier K.G., et al. **281**, 855
Rauzy S., see Triay R., et al. **289**, 19
Raveendran A.V., see Mohin S. **286**, 824
Rawlings J.M.C., see Shenton M., et al. **287**, 866
Ray T.P., Eislöffel J.: Optical outflows in the vicinity of the southern Herbig Ae/Be star vdB 65b **290**, 605
Rebolo R., see García López R.J., et al. **282**, 518
Rebolo R., see Martín E.L., et al. **282**, 503
Rees M.J., see Polnarev A.G. **283**, 301

Reese D.F., see Adelman S.J., et al. **289**, 666 ***(106, 333)***
Refsdal S., see Pelt J., et al. **286**, 775
Reglero V., see Paredes J.M., et al. **288**, 519
Rego M., see Gallego J., et al. **290**, 705
Rego M., Zamorano J., Gallego J., Vitores A.: Properties of UCM 2303+1702, a new Seyfert 2 galaxy **281**, 348
Reich P., see Neumann M., et al. **289**, 665 ***(106, 303)***
Reich W., see Neumann M., et al. **289**, 665 ***(106, 303)***
Reich W., see Xilouris K.M., et al. **290**, 639
Reichen M., Kaufman M., Blecha A., Golay M., Huguenin D.: Far-UV imaging of M 81 and comparison to other spiral tracers **289**, 1000 ***(106, 523)***
Reimann H.-G., see Henning T., et al. **288**, 282
Reimers D., Jordan S., Köhler T., Wisotzki L.: HE 1045–0908: a new magnetic DA white dwarf with a distinctive Zeeman line splitting pattern **285**, 995
Reimers D., Koester D.: **(RN)** Spectroscopic identification of white dwarfs in galactic clusters. VII. NGC 6633 **285**, 451
Reinsch K.: Spectroscopic detection of the spin pulse in GK Persei **281**, 108
Reinsch K., Beuermann K.: Spin-phase resolved optical spectroscopy of AE Aquarii **282**, 493
Reinsch K., Burwitz V., Beuermann K., Schwope A.D., Thomas H.-C.: RX J0531.5–4624: a new ROSAT-discovered AM Herculis binary in the ‚period gap' **291**, L27
Reipurth B., see Aspin C., et al. **288**, 165
Reipurth B., see Gredel R. **289**, L19
Reipurth B., see Pettersson B. **285**, 354 ***(104, 233)***
Reipurth B., see Rodríguez L.F. **281**, 882
Rengarajan T.N., see Verma R.P., et al. **284**, 936
Renson P.: Period of the Si-star in NGC 2169 **285**, 912
Renson P., see Manfroid J. **281**, 73
Renzini A.: A hint on the age and helium content of the Galactic Bulge **285**, L5
Reppin C., see Döbereiner S., et al. **287**, 105
Reppin C., see Maisack M., et al. **283**, 841
Requième Y., see Geffert M., et al. **282**, 989
Reshetnikov V.P., Combes F.: Kinematics and dark haloes of polar-ring galaxies **291**, 57
Reshetnikov V.P., Hagen-Thorn V.A., Yakovleva V.A.: Photometric study of polar-ring galaxies. I. UGC 7576 and UGC 9796 **290**, 693
Reuter H.-P., Klein U., Lesch H., Wielebinski R., Kronberg P.P.: The magnetic field in the halo of M 82. Polarized radio emission at λλ6.2 and 3.6 cm **282**, 724
Reuter H.-P., see Sievers A.W., et al. **281**, 681
Reynaud C., see Guillois O., et al. **285**, 1003
Reynolds S.P., see Achterberg A., et al. **281**, 220
Re Velle D.O., Ceplecha Z.: Analysis of identified iron meteoroids: possible relation with M-type Earth-crossing asteroids? **292**, 330
Ribak E.N., Rigaut F.: Asteroids as reference stars for high resolution astronomy **289**, L47
Ribes J.C., Nesme-Ribes E.: *Erratum* The solar sunspot cycle in the Maunder minimum AD 1645 to AD 1715 **281**, 968
Riboni E., Poretti E., Galli G.: The long-term behaviour of the photometric variability of β Cassiopeiae **292**, 358 ***(108, 55)***
Ricci E., Mazzoni M.: Branching fractions for the transition $3s^23p^3(^4S)4s\ ^3S \rightarrow 3s^23p^4\ ^3P$ of neutral sulphur **286**, 344
Rice J.B., see Strassmeier K.G., et al. **285**, L17
Rice J.B., Wehlau W.H.: Doppler imaging of the Ap star 17 Comae Berenices **291**, 825
Richardson K.J., Sandell G., Cunningham C.T., Davies S.R.: DR 21(OH), a cluster in the making. I. Observations in carbon monosulphide and methanol **286**, 555
Richardson K.J., see Oldham P.G., et al. **284**, 559
Richichi A., Calamai G., Leinert C.: New binary stars discovered by lunar occultations **286**, 829
Richichi A., Leinert C., Jameson R., Zinnecker H.: New binary young stars in the Taurus and Ophiuchus star-forming regions **287**, 145
Richichi A., see Leinert C., et al. **291**, L47
Richter G., see Longo G., et al. **282**, 418
Richter G., see Longo G., et al. **287**, 1041 ***(105, 433)***
Richter O.-G., Sancisi R.: Asymmetries in disk galaxies. How often? How strong? **290**, L9
Richtler T.: On a possible origin of the initial mass function of stars **287**, 517
Richtler T., Grebel E.K., Seggewiss W.: The cases of the "disk" globular clusters NGC 6496, NGC 6624, and NGC 6637 **290**, 412
Richtler T., see Kissler M., et al. **287**, 463
Richtler T., see Meliani M.T., et al. **290**, 753
Rickard G.J., see Craig I.J.D. **287**, 261
Rickman H., see Pittich E.M. **281**, 579
Rickman H., see Tancredi G., et al. **286**, 659
Ridgway S.T., see Tsuji T., et al. **289**, 469
Rieger E., see Trottet G., et al. **288**, 647
Rieutord M., Brandenburg A., Mangeney A., Drossart P.: Reynolds stresses and differential rotation in Boussinesq convection in a rotating spherical shell **286**, 471
Rieutord M., see Tuominen I., et al. **284**, 259
Rifatto A., see Busarello G., et al. **283**, 717
Rigal F., see Mourard D., et al. **288**, 675
Rigaut F., see Ribak E.N. **289**, L47
Righini A., see Barducci A., et al. **281**, 955
Righini A., see Salucci G., et al. **285**, 322
Rimbaud G., see Gillet D., et al. **292**, 360 ***(108, 181)***
Rimmele T.R.: On the temporal behaviour of the Evershed effect **290**, 972
Ringuelet A.E., see Marañón Di Leo C., et al. **286**, 160
Ringwald F.A., see Hellier C., et al. **289**, 148
Ristorcelli I., Giard M., Mény C., Serra G., Lamarre J.M., Le Naour C., Léotin J., Pajot F.: The diffuse galactic emission at 6.2 μm **286**, L23
Ristorcelli I., see Marty P., et al. **282**, 916
Ritter H., see Barwig H., et al. **288**, 204
Ritter H., see Ludwig K., et al. **290**, 473
Rius A., see Peracaula M., et al. **285**, 547
Rizzo J.R., Bajaja E.: The interstellar medium in the Ara OB1 field **289**, 922
Roberts B., see Jain R. **286**, 243
Roberts B., see Jain R. **286**, 254
Roberts M.D., see Edwards P.G., et al. **291**, 468
Roberts M.S., see Huchtmeier W.K., et al. **281**, 327
Robertson J.G., see Bedding T.R., et al. **290**, 340
Robin A.C., see Ojha D.K., et al. **284**, 810
Robin A.C., see Ojha D.K., et al. **290**, 771
Robinson A., see Dietrich M., et al. **284**, 33
Robinson A., see Salamanca I., et al. **282**, 742
Robinson A., see Stirpe G.M., et al. **285**, 857
Robinson A., Vila-Vilaró B., Axon D.J., Pérez E., Wagner S.J., Baum S.A., Boisson C., Durret F., González-Delgado R., Moles M., Masegosa J., O'Brien P.T., O'Dea C., del Olmo A., Pedlar A., Penston M.V., Perea J., Pérez-Fournon I., Rodríguez-Espinosa J.M., Tadhunter C., Terlevich R.J., Unger S.W., Ward M.J.: The extended narrow line region of NGC 4151. II. Spatial variations of the emission line intensities **291**, 351
Robinson E.L., see Hellier C., et al. **289**, 148
Robinson R.D., see Panagi P.M., et al. **292**, 439
Robson I.E., see Sandell G., et al. **285**, L1

Robson M., O'Sullivan C.M.M., Scott P.F., Duffett-Smith P.J.: Observations of atmospheric noise fluctuations with a metre-baseline interferometer in the 13–17 GHz band **286**, 1028
Roca Cortés T., see Boumier P., et al. **290**, 1022 *(107, 177)*
Roca Cortés T., see Belmonte J.A., et al. **283**, 121
Rocca-Volmerange B., Adam G., Ferruit P., Bacon R.: Structure and age of the radiogalaxy 3C 435A ($z = 0.471$) with the integral field spectrograph TIGER **292**, 20
Roche P., see Coe M.J., et al. **289**, 784
Roche P., see Paredes J.M., et al. **288**, 519
Rochester G.K., Barnes J., Sidher S., Sumner T.J., Bewick A., Corrigan R., Quenby J.J.: Observation of Hercules X-1 with the ROSAT wide field camera **283**, 884
Rochowicz K., see Niedzielski A. **292**, 370 *(108, 669)*
Rodonò M., Cutispoto G., Messina S.: **(RN)** Optical variability of SAO 91772: a serendipitous X-ray source **281**, 756
Rodono M., see Foing B.H., et al. **292**, 543
Rodonò M., see Fox D.C., et al. **284**, 91
Rodonò M., see Lanza A.F., et al. **290**, 861
Rodríguez E., López de Coca P., Rolland A., Garrido R., Costa V.: δ Scuti stars: a new revised list **288**, 1033 *(106, 21)*
Rodríguez Espinosa M., see Maiolino R., et al. **290**, 40
Rodríguez L.F., Reipurth B.: The exciting source of the Herbig-Haro 111 jet complex: VLA detection of a one-sided radio jet **281**, 882
Rodriguez L.F., see Della Valle M., et al. **290**, 803
Rodríguez L.F., see Mirabel I.F., et al. **282**, L17
Rodríguez L.F., see Miralles M.P., et al. **282**, 547
Rodríguez-Espinosa J.M., see Dietrich M., et al. **284**, 33
Rodríguez-Espinosa J.M., see Robinson A., et al. **291**, 351
Rodríguez-Espinosa J.M., see Stirpe G.M., et al. **285**, 857
Rodríguez-Pascual P.M., see Mas-Hesse J.M., et al. **283**, L9
Rodríguez Hidalgo I., Collados M., Vázquez M.: Variations of properties of the quiet photosphere along the equator and the central meridian: spectroscopic results **283**, 263
Roelof E.C., see Tappin S.J., et al. **292**, 311
Rönnback J., Bergvall N.: Blue low surface-brightness galaxies. I. Surface photometry **292**, 360 *(108, 193)*
Röser H.-J., see Hiltner P.R., et al. **286**, 25
Röser H.-J., see Thimm G.J., et al. **285**, 785
Röser S., Bastian U.: NGC 2451 – What is it? **285**, 875
Röser S., Bastian U., Kuzmin A.: PPM Star Catalogue: the 90000 Stars Supplement **287**, 1039 *(105, 301)*
Röser S., see Müller T., et al. **283**, L29
Röser S., see Schulz H., et al. **285**, 710
Röttgering H.J.A., Lacy M., Miley G.K., Chambers K.C., Saunders R.: Samples of ultra-steep spectrum radio sources **292**, 359 *(108, 79)*
Röttgering H.J.A., see van Ojik R., et al. **289**, 54
Rohlfs K., see Heller P. **291**, 743
Rola C., Pelat D.: On the estimation of intensity for low S/N ratio narrow emission lines **287**, 676
Rola C., Stasińska G.: The carbon abundance problem in planetary nebulae **282**, 199
Roland J., Frossati G., Teyssier R.: On the origin of extragalactic γ-ray bursters **290**, 364
Roland J., Teyssier R., Roos N.: On the origin of the variability of superluminal radio sources similar to 3C 273 **290**, 357
Rolland A., see Rodríguez E., et al. **288**, 1033 *(106, 21)*
Rolleston W.R.J., Dufton P.L., Fitzsimmons A.: The chemical composition at a galactocentric distance of 13 kpc **284**, 72
Rolleston W.R.J., see Dufton P.L., et al. **286**, 449
Rolleston W.R.J., see Hambly N.C., et al. **285**, 716
Romeo A.B.: How faithful are *N*-body simulations of disc galaxies? **286**, 799
Romero G.E., Combi J.A., Colomb F.R.: Strong intraday variability in the southern blazar PKS 0537–441 at 1.42 GHz **288**, 731
Roos N., see Roland J., et al. **290**, 357
Roques F., Sicardy B., French R.G., Hubbard W.B., Barucci A., Bouchet P., Brahic A., Gehrels J.-A., Gehrels T., Grenier I., Lebertre T., Lecacheux J., Maillard J.P., McLaren R.A., Perrier C., Vilas F., Waterworth M.D.: Neptune's upper stratosphere, 1983–1990: ground-based stellar occultation observations. III. Temperature profiles **288**, 985
Roques J.P., see Claret A., et al. **287**, 824
Roques J.P., see Jourdain E., et al. **281**, L57
Roques J.P., see Laurent P., et al. **286**, 838
Rosa M.R., Benvenuti P.: The IMF and the extinction law in M 101: HST FOS spectra of extragalactic H II regions **291**, 1
Rosa M.R., see Kinkel U. **282**, L37
Rosa M.R., see Müller T., et al. **283**, L29
Rosado M., Le Coarer E., Georgelin Y.P.: Kinematics of supernova remnants in the Small Magellanic Cloud. I. The SNRs inside the nebular complex N 19, the SNR 0046–73.5 and the SNR 0050–72.8 **286**, 231
Rosado M., see Laval A., et al. **288**, 572
Rosino L., see Della Valle M., et al. **287**, 403
Rosolen C., see Abada-Simon M., et al. **288**, 219
Ross J.E., see Milford P.N., et al. **292**, 276
Rosselet A., see Keller C.U., et al. **289**, L41
Rossi C., see Martínez-Pais I.G., et al. **291**, 455
Rossi E., see Brand J., et al. **283**, 716 *(103, 541)*
Rossi P., see Kalkofen W., et al. **284**, 976
Rosso F., Pelletier G.: A variational method for solving fast MHD flows. Consequences for stellar and extragalactic jets **287**, 325
Rostas F., see Field D., et al. **286**, 909
Rostopchina A.N., see Grinin V.P., et al. **292**, 165
Roth M., see Miralles M.P., et al. **282**, 547
Roth M., see Persi P., et al. **282**, 474
Roth M., see Testi L., et al. **288**, 634
Rothenflug R., Magne B., Chièze J.P., Ballet J.: Hydrodynamic model of Kepler's supernova remnant constrained by EINSTEIN and EXOSAT X-ray spectra **291**, 271
Rothermel H., see Kanbach G., et al. **289**, 855
Rotundi A., see Fulle M., et al. **289**, 604
Rouan D., see Beuzit J.-L., et al. **291**, L1
Rouan D., see Field D., et al. **286**, 909
Rouan D., see Giard M., et al. **291**, 239
Roudier T., Espagnet O., Muller R., Vigneau J.: Peculiar interactions between granules and network bright points in the solar photosphere **287**, 982
Roudier T., see Muller R., et al. **283**, 232
Roueff E., see Flower D.R., et al. **282**, 225
Roueff E., see Lequeux J., et al. **292**, 371
Roukema B.F., Peterson B.A.: The faint galaxy correlation or lack thereof **285**, 361
Rousselot P., Clairemidi J., Moreels G.: Evolution of the C_2 spectrum in Halley's inner coma: evidence for a diffuse source **286**, 645
Rousselot P., see Moreels G., et al. **282**, 643
Rovithis P., see Kalimeris A., et al. **282**, 775
Rovithis P., see Kalimeris A., et al. **291**, 765
Rovithis P., see Rovithis-Livaniou H. **287**, 1034 *(105, 47)*
Rovithis-Livaniou H., Rovithis P.: The V 505 Sagittarii system: new *B*, *V* photoelectric observations and light curve analysis **287**, 1034 *(105, 47)*
Rovithis-Livaniou H., see Kalimeris A., et al. **282**, 775
Rovithis-Livaniou H., see Kalimeris A., et al. **291**, 765

Rowell G.P., see Edwards P.G., et al. **291**, 468
Roxburgh I.W., see Singh H.P., et al. **281**, L73
Rubano C., see Busarello G., et al. **283**, 717
Rubio M., see Lequeux J., et al. **292**, 371
Rucinski D., see Fichtner H., et al. **284**, 599
Ruder H., see Friedrich S., et al. **282**, 179
Ruder H., see Schastok J., et al. **283**, 650
Rüdiger G., Elstner D.: Non-axisymmetry vs. axisymmetry in dynamo-excited stellar magnetic fields **281**, 46
Rüdiger G., see Kitchatinov L.L., et al. **287**, 320
Rüdiger G., see Kitchatinov L.L., et al. **292**, 125
Rüdiger G., see Schultz M., et al. **286**, 72
Ruffert M.: Three-dimensional hydrodynamic Bondi-Hoyle accretion. III. Mach 0.6, 1.4 and 10; $\gamma = 5/3$ **289**, 1000 ***(106, 505)***
Ruffert M., Melia F.: Hydrodynamical 3D Bondi-Hoyle accretion onto the Galactic Center blackhole candidate Sgr A **288**, L29
Ruffini R., see Belinsky V., et al. **283**, 1018
Ruffini R., see Torres S., et al. **287**, 15
Rui W., see Hui H., et al. **288**, 1034 ***(106, 103)***
Ruiz Cobo B., del Toro Iniesta J.C.: On the sensitivity of Stokes profiles to physical quantities **283**, 129
Ruiz Cobo B., see Collados M., et al. **291**, 622
Rušin V., see Dermendjiev V.N., et al. **281**, 241
Russell A.P.G., see Aspin C., et al. **289**, 663 ***(106, 165)***
Russell A.P.G., see Sandell G., et al. **285**, L1
Rutten R.G.M., Dhillon V.S.: Roche tomography: imaging the stars in interacting binaries **288**, 773
Rutten R.G.M., Dhillon V.S., Horne K., Kuulkers E.: Spectral eclipse mapping of the accretion disk in the nova-like variable UX Ursae Majoris **283**, 441
Rutten R.J., see Carlsson M., et al. **288**, 860
Ruymaekers E., Smeyers P.: Passage through resonance of a dynamic tide in a rapidly evolving star **285**, 357 ***(104, 401)***
Ryabchikova T.A., see Piskunov N., et al. **291**, 910
Ryan J., see Bloemen H., et al. **281**, L5
Ryan J., see Carramiñana A., et al. **290**, 487
Ryan J., see Hanlon L.O., et al. **285**, 161
Ryan J., see Iyudin A.F., et al. **284**, L1
Ryan J., see Lichti G.G., et al. **292**, 569
Rybansky M., see Dermendjiev V.N., et al. **281**, 241
Rybicki G.B., Hummer D.G.: An accelerated lambda iteration method for multilevel radiative transfer. III. Noncoherent electron scattering **290**, 553
Ryś S.: The asymmetries in radio-source structures. I. A comparison of two classical models **281**, 15
Saar S.H., Martens P.C.H., Huovelin J., Linnaluoto S.: Possible detection of a stellar flare-generated particle beam in polarized light **286**, 194
Sabbadin F., see Iijima T., et al. **283**, 919
Sacco B., see Masnou J.L., et al. **290**, 503
Sadat R., see Durret F., et al. **287**, 733
Sadler E.M., see Bertin G., et al. **292**, 381
Sadler E.M., see Gregorini L., et al. **288**, 1033 ***(106, 1)***
Sadsaoud H., Le Contel J.M., Chapellier E., Le Contel D., Gonzalez-Bedolla S.: Photometric and spectroscopic observations of the 53 Persei type stars: ζ Cassiopeiae **287**, 509
Saenko I.I., see Altyntsev A.T., et al. **287**, 256
Sáez D., see Quilis V., et al. **286**, 1
Sagar R., see Bhatt H.C., et al. **289**, 946
Saglia R.P., see Bertin G., et al. **292**, 381
Sahai R., see Hu J.Y., et al. **282**, 350 ***(103, 301)***
Sahai R., see Little-Marenin I.R., et al. **281**, 451
Sahal-Bréchot S., see Dimitrijević M.S. **287**, 1038 ***(105, 243)***
Sahal-Bréchot S., see Dimitrijević M.S. **287**, 1038 ***(105, 245)***
Sahal-Bréchot S., see Dimitrijević M.S. **292**, 353 ***(107, 349)***
Sahrling M.: Beyond the mean-potential approximation in the calculation of thermonuclear reaction rates in dense stars **283**, 1004
Sahrling M.: Enhancement of thermonuclear reaction rates in dense stars **284**, 484
Sahu K.C., see Oudmaijer R.D., et al. **281**, L33
Sahu M., see Carballo R. **289**, 131
Saikia D.J., see Mantovani F., et al. **292**, 59
Saitō M., see Takata T., et al. **285**, 359 ***(104, 529)***
Salamanca I., Alloin D., Baribaud T., Axon D., de Bruyn A.G., Goad M., Gondhalekar P., van Groningen E., Jackson N., Kollatschny W., Laurikainen E., Lawrence A., Masegosa J., O'Brien P.T., Pelat D., Penston M.V., Pérez E., Pérez-Fournon I., Robinson A., Santos-Lleo M., Stirpe G.M., Tadhunter C.N., Terlevich R.J., Unger S., Wagner S., Wanders I.: Spectroscopic monitoring of active galactic nuclei. III. Size of the broad line region in NGC 3227 **282**, 742
Salamanca I., see Baribaud T., et al. **281**, 638 ***(103, 121)***
Salaris M., see Cassisi S., et al. **282**, 760
Salgado M., Bonazzola S., Gourgoulhon E., Haensel P.: High precision rotating neutron star models. II. Large sample of neutron star properties **292**, 365 ***(108, 455)***
Salgado M., Bonazzola S., Gourgoulhon E., Haensel P.: High precision rotating neutron star models. I. Analysis of neutron star properties **291**, 155
Salo H., see Laurikainen E., et al. **292**, 366 ***(108, 491)***
Salucci G., Bertello L., Cavallini F., Ceppatelli G., Righini A.: The height dependence of intensity and velocity structures in the solar photosphere **285**, 322
Salvati M., see Hunt L.K., et al. **292**, 67
Salvati M., see Maiolino R., et al. **290**, 40
Salvati M., see Marconi A., et al. **291**, 18
Salvati M., see Masnou J.L., et al. **290**, 503
Salvati M., see Oliva E., et al. **288**, 457
Sanahuja B., see Vílchez-Gómez R., et al. **283**, 37
Sanahuja B., see Vílchez-Gómez R., et al. **289**, 661
Sánchez Almeida J., see Vela Villahoz E., et al. **282**, 350 ***(103, 293)***
Sánchez Almeida J.: Instrumental polarization in the focal plane of telescopes. II. Effects induced by seeing **292**, 713
Sancisi R., see Richter O.-G. **290**, L9
Sandage A., Diethelm R., Tammann G.A.: The $P-L$ relation for RR Lyrae-like stars with $0.8^d < P < 3^d$ **283**, 111
Sandel B.R., see Quémerais E., et al. **290**, 941
Sandell G., Knee L.B.G., Aspin C., Robson I.E., Russell A.P.G.: A molecular jet and bow shock in the low mass protostellar binary NGC 1333–IRAS 2 **285**, L1
Sandell G., see Aspin C., et al. **282**, L25
Sandell G., see Aspin C., et al. **289**, 663 ***(106, 165)***
Sandell G., see Aspin C. **288**, 803
Sandell G., see Oldham P.G., et al. **284**, 559
Sandell G., see Richardson K.J., et al. **286**, 555
Sandell G., Weintraub D.A.: A submillimeter protostar near LkHα 198 **292**, L1
Sanders R.H.: A Faber–Jackson relation for clusters of galaxies: implications for modified dynamics **284**, L31
Santos-Lleo M., see Salamanca I., et al. **282**, 742
Sañudo J., see Abad S., et al. **287**, 1029
Sanz J.L., see Cayón L., et al. **284**, 719
Sanz Fernández de Córdoba L., see Mas-Hesse J.M., et al. **283**, L9
Saraiva Schröder M.F., Pastoriza M.G., Kepler S.O.: The distribution of light in the barred spirals NGC 5757 and IC 1091 **285**, 358 ***(104, 487)***

Saraiva Schröder M.F., Pastoriza M.G., Kepler S.O., Puerari I.: The distribution of light in the spiral galaxy NGC 7412 **292**, 358 ***(108, 41)***
Saraph H.E., Tully J.A.: Atomic data from the IRON project. IV. Electron excitation of the $^2P^\circ_{3/2}$-$^2P^\circ_{1/2}$ fine structure transition in fluorine-like ions **290**, 1019 ***(107, 29)***
Sareyan J.P., Chauville J., Van't Veer F., Álvarez M., Gonzalez-Bedolla S., Valera F.: Detection of a photometric period in the non-eclipsing binary HR 8800. Towards a better description of the system **291**, 815
Sareyan J.P., see Belmonte J.A., et al. **283**, 121
Sargent W.L.W., see Kunth D., et al. **282**, 709
Sarna M.J., De Greve J.-P.: Evolutionary status of U Sagittae **281**, 433
Sarris E.T., see Mangeney A., et al. **283**, 982
Sasseen T.P., see Deharveng J.-M., et al. **289**, 715
Sato F., see Kun M., et al. **292**, 249
Sault R.J.: An analysis of visibility-based continuum subtraction **290**, 1020 ***(107, 55)***
Sault R.J., Wieringa M.H.: Multi-frequency synthesis techniques in radio interferometric imaging **292**, 368 ***(108, 585)***
Saunders R., see Röttgering H.J.A., et al. **292**, 359 ***(108, 79)***
Saurer W., see Weinberger R., et al. **282**, 197
Saust A.B.: Determining the size of the emission line region in Q2237+031 from microlensing **281**, 636 ***(103, 33)***
Sauty C., see Surlantzis G., et al. **284**, 985
Sauty C., Tsinganos K.: Nonradial and nonpolytropic astrophysical outflows. III. A criterion for the transition from jets to winds **287**, 893
Sauvageot J.L., see Pierre M., et al. **289**, L37
Savage A., see Cherepashchuk A.M., et al. **289**, 419
Savaglio S., D'Odorico S., Møller P.: The metal systems in Q 0000−2619 at high resolution **281**, 331
Savanov I., see Foing B.H., et al. **292**, 543
Savoldini M., Galletta G.: CO depletion in the protoplanetary disk of β Pictoris **285**, 467
Savonije G.J., see Telting J.H., et al. **288**, 558
Sazonova L.N., see Karachentsev I.D., et al. **289**, 1001 ***(106, 555)***
Scarsi L., see Masnou J.L., et al. **290**, 503
Schaefer J.: Empirical corrections of the rigid rotor interaction potential of H_2–H_2 in the attractive region; dimer features in the FIR absorption spectra **284**, 1015
Schaeffer R., see Colombi S., et al. **281**, 301
Schaeidt S., see Boller T., et al. **291**, 403
Schaerer D., Schmutz W.: Hydrodynamic atmosphere models for hot luminous stars **288**, 231
Schaerer D., see Meynet G., et al. **281**, 638 ***(103, 97)***
Schalinski C.J., see Greve A., et al. **286**, 654
Schalinski C.J., see Ott M., et al. **284**, 331
Schaller G., see Charbonnel C., et al. **283**, 155
Schaller G., see Meynet G., et al. **281**, 638 ***(103, 97)***
Schandl S., Meyer F.: Herculis X-1: coronal winds producing the tilted shape of the accretion disk **289**, 149
Scharmer G.B., see Löfdahl M.G. **292**, 352 ***(107, 243)***
Schastok J., Soffel M., Ruder H.: A contribution to the study of fortnightly and monthly zonal tides in UT 1 **283**, 650
Scherbakov A., see Foing B.H., et al. **292**, 543
Scherer K., Fahr H.J., Ratkiewicz R.: A stellar-interstellar counterflow configuration with transversal plasma compressibility **287**, 219
Schertl D., see Goecking K.-D., et al. **289**, 827
Schild H., see Schmid H.M. **281**, 145
Schild H., see Schmutz W., et al. **288**, 819
Schilizzi R.T., see Gurvits L.I., et al. **291**, 737
Schilizzi R.T., see Zhang F.J., et al. **287**, 32
Schilke P., see Tieftrunk A., et al. **289**, 579
Schils P., see Detal A., et al. **281**, 269
Schindler S., see Edge A.C., et al. **289**, L34
Schlickeiser R., see Jaekel U., et al. **291**, L35
Schlickeiser R., see Mannheim K. **286**, 983
Schlickeiser R., see Wanner W., et al. **290**, L5
Schmid H.M.: S 32 and UKS-Ce1: two barium-rich symbiotic stars **284**, 156
Schmid H.M., Schild H.: Raman scattered emission lines in symbiotic stars: a spectropolarimetric survey **281**, 145
Schmid H.M., see Schmutz W., et al. **288**, 819
Schmider F.X., see Belmonte J.A., et al. **283**, 121
Schmidt H.: The visual magnitudes of stars in the Almagest of Ptolemeus and in later catalogues **289**, 1001 ***(106, 581)***
Schmidt H.U., see Jahn K. **290**, 295
Schmidt J.H.K., see Colin J., et al. **287**, 38
Schmidt M., see Hasinger G., et al. **291**, 348
Schmidt W., Balthasar H.: Polarimetry and spectroscopy of a simple sunspot. III. Velocity and magnetic field of sunspot umbral dots **283**, 241
Schmidt W., Knölker M., Westendorp Plaza C.: Limb observations of the He I 1083.0 nm line **287**, 229
Schmidt W., see Balthasar H. **290**, 649
Schmidt W., see Hofmann J., et al. **284**, 269
Schmidt-Kaler T., see Schulz H., et al. **288**, 425
Schmieder B., see Heinzel P. **282**, 939
Schmieder B., see Tsiropoula G., et al. **290**, 285
Schmitt D., see Ferriz-Mas A., et al. **289**, 949
Schmitt D., see Hoyng P., et al. **289**, 265
Schmitt H.R., see Bica E., et al. **283**, 805
Schmitt J.H.M.M., Güdel M., Predehl P.: Spatially resolved X-ray and radio observations of Castor A+B+C **287**, 843
Schmitt J.H.M.M., see Berghöfer T.W. **290**, 435
Schmitt J.H.M.M., see Berghöfer T.W. **292**, L5
Schmitt J.H.M.M., see Fox D.C., et al. **284**, 91
Schmitt J.H.M.M., see Kürster M., et al. **289**, 899
Schmitt J.H.M.M., see Mathioudakis M., et al. **291**, 517
Schmitt J.H.M.M., see Ottmann R. **283**, 871
Schmitz F.: One-dimensional equilibrium structures of infinitely thin polytropic sheets **284**, 1007
Schmitz F., Fleck B.: On the propagation of linear 3-D hydrodynamic waves in plane non-isothermal atmospheres **288**, 1035 ***(106, 129)***
Schmitz-Fraysse M.C., see Laurent P., et al. **286**, 838
Schmutz W., Schild H., Mürset U., Schmid H.M.: High resolution spectroscopy of symbiotic stars. I. SY Muscae: orbital elements, M giant radius, distance **288**, 819
Schmutz W., see Schaerer D. **288**, 231
Schneid E., see Kanbach G., et al. **289**, 855
Schneider H., see Weiss W.W., et al. **281**, 797
Schneider P., see Bartelmann M., et al. **290**, 399
Schneider P., see Bartelmann M. **284**, 1
Schneider P., see Kormann R., et al. **284**, 285
Schneider P., see Kormann R., et al. **286**, 357
Schneider P., see Seitz C., et al. **288**, 19
Schneider P., see Seitz C. **288**, 1
Schneider P., see Seitz S. **287**, 349
Schnopper H.W., see Nørgaard-Nielsen H.U., et al. **285**, 705
Schnur G.F.O., see Hanuschik R.W., et al. **281**, 737
Schober H.J., Erikson A., Hahn G., Lagerkvist C.-I., Albrecht R., Ornig W., Schroll A., Stadler M.: Physical studies of asteroids. XXVIII. Lightcurves and photoelectric photometry of asteroids 2, 14, 51, 105, 181, 238, 258, 369, 377, 416, 487, 626, 679, 1048 and 2183 **287**, 1038 ***(105, 281)***
Schober H.J., see Detal A., et al. **281**, 269

Schönberner D., Napiwotzki R.: The interior structure and evolution of blue straggler stars in open clusters **282**, 106
Schönfelder V., see Bloemen H., et al. **281**, L5
Schönfelder V., see Carramiñana A., et al. **290**, 487
Schönfelder V., see Hanlon L.O., et al. **285**, 161
Schönfelder V., see Iyudin A.F., et al. **284**, L1
Schönfelder V., see Lichti G.G., et al. **292**, 569
Schönfelder V., see Strong A.W., et al. **292**, 82
Schöniger F., Sofue Y.: CO versus H I in the Tully-Fisher relation for a sample of 32 galaxies **283**, 21
Schöning T.: Ion-dynamical effects in the Stark broadening of H I and He II lines and the implications for high resolution spectroscopy **282**, 994
Scholz R.-D., see Meusinger H., et al. **289**, 67
Scholz R.-D., see Tucholke H.-J., et al. **284**, 701 ***(104, 161)***
Schou J., Brown T.M.: Generation of artificial helioseismic time-series **292**, 356 ***(107, 541)***
Schramm K.-J., Borgeest U., Kühl D., von Linde J., Linnert M.D.: The Hamburg Quasar Monitoring program (HQM) at Calar Alto. II. Lightcurves of weakly variable objects **285**, 358 ***(104, 473)***
Schramm K.-J., Borgeest U., Kühl D., von Linde J., Linnert M.D., Schramm T.: The Hamburg quasar monitoring program (HQM) at Calar Alto. III. Lightcurves of optically violent variable sources **289**, 666 ***(106, 349)***
Schramm K.-J., see Borgeest U. **284**, 764
Schramm T.: A toolbox for general elliptical gravitational lenses **284**, 44
Schramm T., Kayser R.: Radial cluster lensing. A simple differential equation describing arclet fields **289**, L5
Schramm T., see Pelt J., et al. **286**, 775
Schramm T., see Schramm K.-J., et al. **289**, 666 ***(106, 349)***
Schrijver C.J., van den Oord G.H.J., Mewe R.: The optical thickness of stellar coronae in EUV lines **289**, L23
Schröder K.-P., Griffin R.E.M., Hünsch M.: Optical spectra of ζ Aurigae binary systems. VI. The chromosphere of 22 Vulpeculae **288**, 273
Schröder K.-P., Hünsch M.: The corona of the G-type giant HR 2554: discovery of co-existing, very different temperature regimes **289**, 893
Schröder K.-P., see Hubrig S., et al. **291**, 890
Schroll A., see Schober H.J., et al. **287**, 1038 ***(105, 281)***
Schubart J.: Orbits of real and fictitious asteroids studied by numerical integration **285**, 357 ***(104, 391)***
Schuecker P., see Edge A.C., et al. **289**, L34
Schuecker P., see Pierre M., et al. **290**, 725
Schüssler M., Caligari P., Ferriz-Mas A., Moreno-Insertis F.: Instability and eruption of magnetic flux tubes in the solar convection zone **281**, L69
Schüssler M., see Ferriz-Mas A., et al. **289**, 949
Schüssler M., see Grossmann-Doerth U., et al. **285**, 648
Schultz M., Elstner D., Rüdiger G.: The non-linear galactic dynamo. I. Field strength and vertical parity **286**, 72
Schulz H., Fried J.W., Röser S., Keel W.C.: *Erratum* Extinction and the wavelength-dependent positions of the nuclei of NGC 6240 **285**, 710
Schulz H., Fritsch C.: Possible continuum-diluting processes to generate Liner-like spectra **291**, 713
Schulz H., Knake A., Schmidt-Kaler T.: Long-slit spectroscopy of three low-luminosity Seyfert 1 galaxies **288**, 425
Schulz H., Komossa S.: *Erratum* The evidence for anisotropy of the ionizing continuum of NGC 4151 **289**, 662
Schuster K.F., see Thum C., et al. **288**, L25
Schuster W.J., see Marquez A. **292**, 362 ***(108, 341)***
Schwarz H.E., see Van Winckel H., et al. **285**, 241
Schwarz U.J., see Centurión M., et al. **292**, 261
Schwarzenberg-Czerny A., see Haberl F., et al. **291**, 171
Schwekendiek P., see Halbwachs J.L., et al. **281**, L25
Schwentker O.: Evidence for a low-luminosity X-ray pulsar associated with a supernova remnant **286**, L47
Schwope A.D., see Reinsch K., et al. **291**, L27
Scott A.D., see Shenton M., et al. **287**, 866
Scott P.F., see Robson M., et al. **286**, 1028
Scudellaro P., see Busarello G., et al. **283**, 717
Sedlmayr E., see Krüger D., et al. **290**, 573
Sedlmayr E., see Winters J.M., et al. **288**, 255
Sedlmayr E., see Winters J.M., et al. **290**, 623
Seeberger R., Huchtmeier W.K., Weinberger R.: 21 cm observations of galaxies in the NW region of the Pisces-Perseus-Supercluster near the Galactic Plane **286**, 17
Seeberger R., see Weinberger R., et al. **282**, 197
Seehafer N.: Alpha effect in the solar atmosphere **284**, 593
Seetha S., see Ashoka B.N., et al. **283**, 455
Seetha S., see Kasturirangan K., et al. **283**, 435
Seetha S., see Marar T.M.K., et al. **283**, 698
Seggewiss W., see Richtler T., et al. **290**, 412
Séguin P., Dupraz C.: Dynamical friction in head-on galaxy collisions. I. Analytical calculations and restricted three-body simulations **290**, 709
Seiradakis J.H., see Alekseev I.Y., et al. **288**, 502
Seiradakis J.H., see Gil J.A., et al. **282**, 45
Seiradakis J.H., see Kramer M., et al. **292**, 356 ***(107, 515)***
Seiradakis J.H., see Malofeev V.M., et al. **285**, 201
Seitter W., see Edge A.C., et al. **289**, L34
Seitz C., Schneider P.: Variability of microlensing light curves. I. Autocorrelation method and the calculation of the correlated deflection probability **288**, 1
Seitz C., Wambsganss J., Schneider P.: Variability of microlensing light curves. II. Magnification fluctuations, autocorrelation functions, and applications to QSO 2237+0305 **288**, 19
Seitz S., Schneider P.: Some remarks on multiple deflection gravitational lensing **287**, 349
Sekanina Z., Chodas P.W., Yeomans D.K.: Tidal disruption and the appearance of periodic comet Shoemaker-Levy 9 **289**, 607
Selam S., see Demircan O., et al. **289**, 998 ***(106, 373)***
Selvelli P.L., see Cassatella A., et al. **281**, 594
Sembach K.R., Danks A.C.: Optical studies of interstellar material in low density regions of the Galaxy. II. Cloud properties, kinematics, and distribution of the neutral gas **289**, 539
Semerák O.: On the competition of forces in the Kerr field **291**, 679
Sempere M.J., see García-Burillo S., et al. **287**, 419
Sepúlveda I., see Persi P., et al. **282**, 233
Serabyn E., see Thum C., et al. **283**, 582
Serra G., see Giard M., et al. **286**, 203
Serra G., see Marty P., et al. **282**, 916
Serra G., see Ristorcelli I., et al. **286**, L23
Sette G., see Fulle M., et al. **292**, 304
Shakhovskaya N.I., see Alekseev I.Y., et al. **288**, 502
Shakhovskoy N.M., see Alekseev I.Y., et al. **288**, 502
Shakura N.I., see Cherepashchuk A.M., et al. **289**, 419
Shalabiea O.M., Greenberg J.M.: Two key processes in dust/gas chemical modelling: photoprocessing of grain mantles and explosive desorption **290**, 266
Shambrook A., see Haberl F., et al. **291**, 171
Shao Z.Y., see Zhao J.L. **288**, 89
Shapirovskaya N., see Bondi M., et al. **287**, 390
Sharma D.P., see Staubert R., et al. **288**, 513
Sharma M.R., see Marar T.M.K., et al. **283**, 698
Shaver P., see Edge A.C., et al. **289**, L34
Shaw M., see Tadhunter C., et al. **288**, L21

Shaw R.A., see Stanghellini L., et al. **291**, 604
Shchekinov Y., see Cammerer M. **283**, 845
Shcherbakov A.G., see Beskrovnaya N.G., et al. **287**, 564
Shcherbakov V.A., see Petrov P.P., et al. **290**, 1019 *(107, 9)*
Shchukina N.G., see Carlsson M., et al. **288**, 860
Shebalin J.V.: Numerical simulation of three-dimensional self-gravitating flow **288**, 150
Sheikhet A., see Jourdain E., et al. **281**, L57
Shenavrin V.I., see Munari U., et al. **284**, L9
Shenton M., Evans A., Albinson J.S., Barrett P., Davies J.K., Goldsmith M.J., Hutchinson M.G., Laney D., Maddison R.C.: Multiwavelength observations of RV Tauri stars. IV. SX Centauri **292**, 102
Shenton M., Evans A., Cardelli J.A., Marang F., van Wyk F., Weight A.: Multiwavelength observations of RV Tauri stars. II. U Monocerotis **287**, 852
Shenton M., Monier R., Evans A., Carter B., Lloyd Evans T., Marang F., Parker Q.A., Rawlings J.M.C., Scott A.D., van Wyk F.: Multiwavelength observations of RV Tauri stars. III. R Scuti **287**, 866
Sherwood W., see Bondi M., et al. **282**, 351 *(103, 365)*
Shevchenko V.G., see Krugly Y.N., et al. **292**, 359 *(108, 143)*
Shevchenko V.G., see Mohamed R.A., et al. **292**, 359 *(108, 69)*
Shevchenko V.S., see Jetsu L., et al. **281**, 639 *(103, 183)*
Shevchenko V.S., see Jetsu L., et al. **282**, L9
Shevchenko V.S., see Petrov P.P., et al. **290**, 1019 *(107, 9)*
Shibanov Y.A., see Pavlov G.G., et al. **289**, 837
Shi-Bing Deng, Zhong-Yong Zhang, Jian-Sheng Chen: A statistical study of IUE spectra of dwarf novae. I. Quiescence **281**, 759
Shigeyama T., see Hachisu I., et al. **285**, 355 *(104, 341)*
Shkhagosheva Z.U., see Balega I.I., et al. **287**, 1042 *(105, 503)*
Shore S.N., see Hubeny I., et al. **289**, 411
Shrader C., see Coe M.J., et al. **289**, 784
Shukurov A., see Beck R., et al. **289**, 94
Sicardy B., see Roques F., et al. **288**, 985
Sidher S., see Rochester G.K., et al. **283**, 884
Šidlichovský M., Nesvorný D.: Temporary capture of grains in exterior resonances with the Earth: planar circular restricted three-body problem with Poynting–Robertson drag **289**, 972
Sidorenkov V.N., see Larionov M.G., et al. **288**, 1035 *(106, 119)*
Siebenmorgen R., see Krügel E. **282**, 407
Siebenmorgen R., see Krügel E. **288**, 929
Sieber W., see Gil J.A., et al. **282**, 45
Sieber W., see Izvekova V.A., et al. **287**, 1037 *(105, 235)*
Sieber W., see Malofeev V.M., et al. **285**, 201
Siebert J., see Brinkmann W., et al. **281**, 355
Siebert J., see Brinkmann W., et al. **288**, 433
Siebert J., see Brinkmann W. **285**, 812
Siebert J., see Neumann M., et al. **289**, 665 *(106, 303)*
Sievers A.W., Reuter H.-P., Haslam C.G.T., Kreysa E., Lemke R.: Cold dust emission from the spiral galaxy NGC 3627 **281**, 681
Sillanpää A., see Hagen-Thorn V.A., et al. **290**, 1
Sillanpää A., see Takalo L.O., et al. **284**, 700 *(104, 115)*
Sillanpää A., see Takalo L.O., et al. **292**, 355 *(107, 497)*
Sime D.G., see Koutchmy S., et al. **281**, 249
Šimek M.: Fine structure of the 1985 Giacobinids **284**, 276
Simien F., see Prugniel P. **282**, L1
Simmons K.E., see Ajello J.M., et al. **289**, 283
Simon J.L., Bretagnon P., Chapront J., Chapront-Touzé M., Francou G., Laskar J.: Numerical expressions for precession formulae and mean elements for the Moon and the planets **282**, 663
Simon K.P., see Haefner R., et al. **288**, L9
Simon K.P., see Sturm E. **282**, 93
Simon K.P., Sturm E.: Disentangling of composite spectra **281**, 286
Simon K.P., Sturm E., Fiedler A.: Spectroscopic analysis of hot binaries. II. The components of Y Cygni **292**, 507
Simon M., see Dutrey A., et al. **286**, 149
Simon T., see Foing B.H., et al. **292**, 543
Simons D., see Field D., et al. **286**, 909
Singh H.P., Roxburgh I.W., Chan K.L.: Three-dimensional simulation of penetrative convection-penetration above a convection zone **281**, L73
Singh K.P., see Anupama G.C., et al. **282**, 351 *(103, 315)*
Sion E.M., see Solheim J.-E. **287**, 503
Sitdikov A., see Laurent P., et al. **286**, 838
Sivan J.-P., see Tobin W., et al. **292**, 353 *(107, 385)*
Skinner G.K., see Maisack M., et al. **283**, 841
Škoda P., see Horn J., et al. **287**, 1036 *(105, 119)*
Skopal A.: On the nature of the outburst stage in the symbiotic binary AX Persei **286**, 453
Skuljan L., see Djenize S., et al. **287**, 1035 *(105, 115)*
Slijkhuis S., see Hu J.Y., et al. **282**, 350 *(103, 301)*
Slysh V.I., Dzura A.M., Val'tts I.E., Gerard E.: A search for OH emission from IRAS sources at high galactic latitudes **288**, 1034 *(106, 87)*
Slysh V.I., see Kalenskii S.V., et al. **281**, 639 *(103, 129)*
Smartt R.N., see Koutchmy S., et al. **281**, 249
Smartt R.N., see Li X-Q., et al. **290**, 963
Smette A., see Hainaut O., et al. **289**, 311
Smeyers P., see Heynderickx D., et al. **287**, 1042 *(105, 447)*
Smeyers P., see Ruymaekers E. **285**, 357 *(104, 401)*
Smirnova T.V., Tul'bashev S.A., Boriakoff V.: Statistics of PSR 1133+16 micropulse emission determined at widely spaced frequencies **286**, 807
Smith A.G., see Tornikoski M., et al. **289**, 673
Smith H.A., see Nisini B., et al. **290**, 463
Smith K.C.: Elemental abundances in normal late-B and HgMn stars from co-added IUE spectra. III. Copper and zinc **291**, 521
Smith K.C., Howarth I.D.: Helium chemistry of ONC supergiants **290**, 868
Smith L.F., Meynet G., Mermilliod J.-C.: Improved bolometric corrections for WR stars from cluster membership and evolutionary models **287**, 835
Smith L.J., Crowther P.A., Prinja R.K.: A study of the luminous blue variable candidate He 3–519 and its surrounding nebula **281**, 833
Smith M.D.: Strong evidence for a molecular jump shock in the HH 90/91 outflow **289**, 256
Smith M.D.: T Tauri stars as differential rotators **287**, 523
Smith V.V., Cunha K., Plez B.: Is Geminga a runaway member of the Orion association? **281**, L41
Smolinski J., see Lobel A., et al. **291**, 226
Smolkov G.Y., see Altyntsev A.T., et al. **287**, 256
Smriglio F., Dasgupta A.K., Boyle R.P.: Interstellar dust clouds in the direction of the globular cluster M 71 **292**, 367 *(108, 581)*
Sneden C., see Gratton R.G. **287**, 927
Sobolev A.M., Doguchi S.: Pumping of Class II methanol masers. I. The $2_0-3_{-1}E$ transition **291**, 569
Sodemann M., Thomsen B.: Improved *I*-band CCD photometry of NGC 3379 and comparison with a violent relaxation model **292**, 425
Soegiartini E., see Jasinta D.M.D. **292**, 351 *(107, 235)*

Soffel M., see Schastok J., et al. **283**, 650
Sofue Y., see Schöniger F. **283**, 21
Soker N., see Dgani R. **282**, 54
Sokoloff D., Nesme-Ribes E.: The Maunder minimum: a mixed-parity dynamo mode? **288**, 293
Sokoloff D.D., see Beck R., et al. **289**, 94
Sokolov N., see Xilouris K.M., et al. **290**, 639
Solanki S.K., Bruls J.H.M.J.: New contribution functions for Zeeman split spectral lines **286**, 269
Solanki S.K., Montavon C.A.P., Livingston W.: Infrared lines as probes of solar magnetic features. VII. On the nature of the Evershed effect in sunspots **283**, 221
Solanki S.K., see Grossmann-Doerth U., et al. **285**, 648
Solf J.: Long-slit spectroscopic study of the bipolar reflection nebula M 1-92: detection of compact Herbig–Haro condensations in the lobes **282**, 567
Solf J., see Hirth G.A., et al. **285**, 929
Solheim J.-E., Sion E.M.: **(RN)** A study of a high resolution IUE spectrum of AM Canum Venaticorum **287**, 503
Soltan A., Hasinger G.: The angular correlation function of the soft X-ray background **288**, 77
Sommer M., see Atteia J.-L., et al. **288**, 213
Sommer M., see Kanbach G., et al. **289**, 855
Somov B.V., see Litvinenko Y.E. **287**, L37
Song L.M., see Lu T., et al. **290**, 815
Sood R.K., see Staubert R., et al. **288**, 513
Soru-Escaut I., see Mouradian Z. **290**, 279
Soru-Escaut I., see Trottet G., et al. **288**, 647
Sostero G., see Munari U., et al. **284**, L9
Sotnikova N., Volkov E.: On the energetics of molecular cloud systems **288**, 942
Soucail G., see Angonin-Willaime M.-C., et al. **291**, 411
Soucail G., see Cuillandre J.C., et al. **281**, 603
Soucail G., see Kneib J.-P., et al. **286**, 701
Soucail G., see Pierre M., et al. **289**, L37
Sovers O.J., see Folkner W.M., et al. **287**, 279
Sovka J., see Koutchmy S., et al. **281**, 249
Spadaro D., Ventura R.: **(RN)** The effect of non-equilibrium ionization on the O VI resonance doublet lines originating in the solar wind source regions **281**, 245
Spadaro D., Ventura R.: The effect of non-equilibrium ionization on the H I Lyman-α line originating in the solar wind source regions **289**, 279
Spangler S.R., Eastman W.A., Gregorini L., Mantovani F., Padrielli L.: *Erratum* Refractive interstellar scintillations and low frequency variability: a detailed analysis using measured source structures **286**, 349
Spangler S.R., see Bondi M., et al. **287**, 390
Sparks W.B., see Capetti A., et al. **289**, 61
Sparks W.B., see Deharveng J.-M., et al. **288**, 413
Sparks W.B., see Giavalisco M., et al. **288**, 103
Sparks W.B., see Jackson N., et al. **284**, 65
Spencer R.E., see Gunn A.G., et al. **291**, 847
Spencer R.E., see Zhang F.J., et al. **281**, 649
Spencer R.E., see Zhang F.J., et al. **287**, 32
Speroni N., see Brand J., et al. **283**, 716 ***(103, 541)***
Spielfiedel A., see Allard N.F., et al. **292**, 364 ***(108, 417)***
Spite F., see Spite M., et al. **290**, 217
Spite M., Pasquini L., Spite F.: Lithium in old binary stars **290**, 217
Spoelstra T.A.T., see Williams P.M., et al. **291**, 805
Spogli C., Claudi R.U.: The dwarf nova CZ Orionis in outburst **281**, 808
Spoon H.W.W., de Koter A., Sterken C., Lamers H.J.G.L.M., Stahl O.: Variability of luminous blue variables. I. Intermediate-band photometry **288**, 1035 ***(106, 141)***
Springmann U.: Multiple resonance line scattering and the "momentum problem" in Wolf-Rayet star winds **289**, 505
Spruit H.C.: Fast eclipse mapping **289**, 441
Spruit H.C., see Martín E.L., et al. **291**, L43
Spruit H.C., see Xinwu Cao **287**, 80
Sreekumar P., see Kanbach G., et al. **289**, 855
Sreenivasaiah K.V., see Marar T.M.K., et al. **283**, 698
Sreenivasan S.R., see Fichtner H., et al. **284**, 599
Stabell R., see Teuber J., et al. **292**, 366 ***(108, 509)***
Stacy J.G., see Strong A.W., et al. **292**, 82
Stadler M., see Schober H.J., et al. **287**, 1038 ***(105, 281)***
Stagg C.R., see Young A.T., et al. **287**, 1038 ***(105, 259)***
Stahl O., see Spoon H.W.W., et al. **288**, 1035 ***(106, 141)***
Stahl O., Wolf B., Gäng T., Kaufer A., Szeifert T., Zhao F.: Long-term spectroscopic monitoring of P Cygni-type stars. II. Spectroscopic variations of P Cygni during 1990–1992 **290**, 1019 ***(107, 1)***
Standish Jr. E.M., see Folkner W.M., et al. **287**, 279
Standke K.J., see Ott M., et al. **284**, 331
Stanga R., see Maiolino R., et al. **290**, 40
Stanga R.M., see Hunt L.K., et al. **292**, 67
Stanghellini L., Kaler J.B., Shaw R.A.: Narrow emission line O VI planetary nebulae nuclei **291**, 604
Stanghellini L., see Boffi F.R. **284**, 248
Starck J.-L., Bijaoui A., Lopez B., Perrier C.: Image reconstruction by the wavelet transform applied to aperture synthesis **283**, 349
Starck J.-L., Murtagh F.: Image restoration with noise suppression using the wavelet transform **288**, 342
Stark R., Dickey J.M., Burton W.B., Wennmacher A.: The HI gas kinetic temperature of high galactic latitude cirrus clouds **281**, 199
Stark R., van Dishoeck E.F.: Detection of [C I] 492 GHz emission from a high-latitude translucent cloud **286**, L43
Starrfield S., see Andreä J., et al. **291**, 869
Stasińska G., see Binette L., et al. **292**, 13
Stasińska G., see Rola C. **282**, 199
Stasińska G., see Tylenda R., et al. **289**, 1001 ***(106, 559)***
Stasińska G., see Tylenda R. **288**, 897
Stasińska G., Tylenda R.: An extensive study of planetary nebulae in the Galactic bulge. V. Monte-Carlo simulations of an observed sample **289**, 225
Staubach P., see Grün E., et al. **286**, 915
Staubert R., König M., Friedrich S., Lamer G., Sood R.K., James S.D., Sharma D.P.: On the newly discovered 3.4 hour modulated X-ray source (RX J1940.1–1025) near NGC 6814 **288**, 513
Staubert R., see Brunner H., et al. **287**, 436
Staubert R., see Bühler P., et al. **287**, 433
Staubert R., see Döbereiner S., et al. **287**, 105
Staubert R., see Kendziorra E., et al. **291**, L31
Staude J., see Dzhalilov N.S., et al. **291**, 1001
Stavrev K.Y., see Dermendjiev V.N., et al. **281**, 241
Stee P., de Araújo F.X.: Line profiles and intensity maps from an axi-symmetric radiative wind model for Be stars **292**, 221
Stee P., see Mourard D., et al. **288**, 675
Steel S., see Hurley K.J., et al. **288**, L49
Steele C.D.C., Priest E.R.: Thermal equilibria in solar coronal magnetic loops: gravitational considerations **292**, 291
Steenman H.C., see Fluks M.A., et al. **287**, 1039 ***(105, 311)***
Stefanik R.P., see Nordström B., et al. **287**, 338
Steffen M., see Ludwig H.-G., et al. **284**, 105
Štefl S., see Horn J., et al. **287**, 1036 ***(105, 119)***
Stegert J.S.W., see Vladilo G., et al. **291**, 425
Stehlé C.: Stark broadening of hydrogen Lyman and Balmer in the conditions of stellar envelopes **285**, 359 ***(104, 509)***

Stehlé C.: Stark profiles of He^+ **292**, 699
Stehlé C., see Clausset F., et al. **287**, 666
Steinacker J., see Henning T., et al. **291**, 546
Steinacker J., see Thamm E., et al. **287**, 493
Steiner J.E., see Cieslinski D., et al. **289**, 664 ***(106, 243)***
Steiner J.E., see Diaz M.P. **283**, 508
Steinle H., see Hanlon L.O., et al. **285**, 161
Steinle H., see Iyudin A.F., et al. **284**, L1
Steinle H., see Lichti G.G., et al. **292**, 569
Steinmetz M., Müller E.: The formation of disk galaxies in a cosmological context: populations, metallicities and metallicity gradients **281**, L97
Stellmacher G., Wiehr E.: (**RN**) Dependence of the He/H_8 emission ratio on brightness, temperature, and structuring of prominences **286**, 302
Stellmacher G., Wiehr E.: The Hα and Hβ emissions in solar prominence structures **290**, 655
Stenholm B., see Tylenda R., et al. **289**, 1001 ***(106, 559)***
Stenholm L.: Silicate dust discs as sources of the AGN IR-emission **290**, 393
Stephen J.B., see Barret D., et al. **288**, 472
Stephens J.R., see Colangeli L., et al. **284**, 583
Stępień K.: Applicability of the Rossby number in activity-rotation relations for dwarfs and giants **292**, 191
Steppe H., see Greve A., et al. **286**, 654
Sterken C., see Mennickent R.E., et al. **292**, 361 ***(108, 237)***
Sterken C., see Spoon H.W.W., et al. **288**, 1035 ***(106, 141)***
Sterken C., Vogt N., Mennickent R.: Evidence for ellipsoidal variations of the Be star binary HD 50123 **291**, 473
Sternberg A., see Köster B., et al. **284**, 545
Sterzik M.F., see Durisen R.H. **286**, 84
Stewart A.I.F., see Ajello J.M., et al. **289**, 283
Stewart P.: (**RN**) Quadratic integrals in uniformly rotating Hamiltonian systems **287**, 757
Stich J., see Breger M., et al. **281**, 90
Stickel M., Kühr H.: An update of the optical identification status of the S4 radio source catalogue **282**, 351 ***(103, 349)***
Stickel M., Kühr H.: Optical spectra and redshifts of 1 Jy, S4 and S5 radio source identifications. V **287**, 1035 ***(105, 67)***
Stickel M., Meisenheimer K., Kühr H.: The optical identification status of the 1 Jy radio source catalogue **287**, 1037 ***(105, 211)***
Stirpe G.M., Alloin D., Axon D.J., Clavel J., de Bruyn A.G., del Olmo A., Goad M., Gondhalekar P.M., Jackson N., Kollatschny W., Laurikainen E., Lawrence A., Masegosa J., McHardy I.M., Moles M., O'Brien P.T., Penston M.V., Perea J., Pérez E., Pérez-Fournon I., Robinson A., Rodríguez-Espinosa J.M., Tadhunter C.N., Terlevich R.J., Unger S.W., van Groningen E., Vila-Vilaró B., Wagner S.J.: Monitoring of active galactic nuclei. V. The Seyfert 1 galaxy Markarian 279 **285**, 857
Stirpe G.M., see Dietrich M., et al. **284**, 33
Stirpe G.M., see Salamanca I., et al. **282**, 742
Stix M., see Li Y. **286**, 815
Stix M., see Zhugzhda Y.D. **291**, 310
Stockton A., see Block D.L., et al. **288**, 365
Stockton A., see Block D.L., et al. **288**, 383
Störzer H., Hauschildt P.H.: EUV energy distributions of accretion disks in active galactic nuclei **289**, 45
Störzer H., see Köster B., et al. **284**, 545
Stompor R.: Numerical analysis of the cosmic microwave background anisotropies within framework of linearized gravitational instability model **287**, 693
Storey P.J.: Recombination coefficients for O II lines at nebular temperatures and densities **282**, 999
Storm J., Carney B.W., Latham D.W.: Distances and luminosities for RR Lyrae stars in M 5 and M 92 from a Baade-Wesselink analysis **290**, 443
Storm J., Nordström B., Carney B.W., Andersen J.: A Baade-Wesselink analysis of the RR Lyrae star V9 in 47 Tucanae **291**, 121
Strafella F., see Iijima T., et al. **283**, 919
Straniero O., see Cassisi S., et al. **282**, 753
Straniero O., see Cassisi S., et al. **282**, 760
Straniero O., see Martinez Roger C., et al. **290**, 62
Strassmeier K.G.: Chromospheric activity in G and K giants: the spectroscopic data base **283**, 714 ***(103, 413)***
Strassmeier K.G.: Rotational-modulation mapping of the active atmosphere of the RS Canum Venaticorum binary HD 106225 **281**, 395
Strassmeier K.G., Hall D.S., Henry G.W.: Time-series photometric spot modeling. II. Fifteen years of photometry of the bright RS CVn binary HR 7275 **282**, 535
Strassmeier K.G., Handler G., Paunzen E., Rauth M.: Chromospheric activity in G and K giants and their rotation-activity relation **281**, 855
Strassmeier K.G., Welty A.D., Rice J.B.: A Doppler image of the weak T Tauri star V 410 Tau **285**, L17
Strom R., see Klein U., et al. **283**, 729
Strom R.G.: "Guest stars", sample completeness and the local supernova rate **288**, L1
Strong A., see Carramiñana A., et al. **290**, 487
Strong A., see Hanlon L.O., et al. **285**, 161
Strong A.W., Bennett K., Bloemen H., Diehl R., Hermsen W., Morris D., Schönfelder V., Stacy J.G., de Vries C., Varendorff M., Winkler C., Youssefi G.: Diffuse continuum gamma rays from the Galaxy observed by COMPTEL **292**, 82
Strong A.W., see Bloemen H., et al. **281**, L5
Strong A.W., see Lichti G.G., et al. **292**, 569
Stumpff P., see Altenhoff W.J., et al. **287**, 641
Sturm E., see Simon K.P., et al. **292**, 507
Sturm E., see Simon K.P. **281**, 286
Sturm E., Simon K.P.: Spectroscopic analysis of hot binaries. I. The components of DH Cephei **282**, 93
Sturner S.J., Dermer C.D.: Energy-dependent effects of scattering atmospheres on X-ray pulsar pulse profiles **284**, 161
Sturner S.J., Dermer C.D.: Gamma-ray emission from millisecond pulsars **281**, L101
Stutzki J., see Köster B., et al. **284**, 545
Stutzki J., see Minchin N.R., et al. **291**, 250
Su B.M., see Zhang F.J., et al. **287**, 32
Subramaniam A., see Bhatt H.C., et al. **289**, 946
Sukhanov K., see Barret D., et al. **288**, 472
Sukhanov K., see Jourdain E., et al. **281**, L57
Sulentic J.W., see Combes F., et al. **281**, 725
Sullivan III W.T., see Amram P., et al. **281**, 636 ***(103, 5)***
Summanen T., see Kyrölä E., et al. **288**, 299
Sumner T.J., see Rochester G.K., et al. **283**, 884
Sun X.-J., Li T.-P., Wu M., Cheng L.-X.: The X-ray spectrum of EXO 2030+375 **289**, 127
Sunyaev R., see Atteia J.-L., et al. **288**, 213
Sunyaev R., see Barret D., et al. **288**, 472
Sunyaev R., see Claret A., et al. **287**, 824
Sunyaev R., see Dezalay J.-P., et al. **286**, 103
Sunyaev R., see Döbereiner S., et al. **287**, 105
Sunyaev R., see Jourdain E., et al. **281**, L57
Sunyaev R., see Kendziorra E., et al. **291**, L31
Sunyaev R., see Laurent P., et al. **286**, 838
Sunyaev R., see Maisack M., et al. **283**, 841
Sunyaev R.A., see Cherepashchuk A.M., et al. **289**, 419
Supper R., see Haiman Z., et al. **286**, 725

Supper R., see Haiman Z, et al. **290**, 371
Surace C., Comte G.: A search for active star-forming galaxies with the ESO 1 meter Schmidt telescope **281**, 653
Suran M.D., see Kalimeris A., et al. **291**, 765
Surdej J., see Detal A., et al. **281**, 269
Surlantzis G., Démoulin P., Heyvaerts J., Sauty C.: Stationary subalfvénic and low-β MHD flows in solar coronal loops and arcades **284**, 985
Swanenburg B.N., see Bloemen H., et al. **281**, L5
Sweigart A.V., see Adelman S.J., et al. **282**, 134
Sych R.A., see Altyntsev A.T., et al. **287**, 256
Sylvester J., see Aspin C., et al. **292**, L9
Szabados L., see Kun M., et al. **292**, 249
Szatmáry K., Vinkó J., Gál J.: Application of wavelet analysis in variable star research. I. Properties of the wavelet map of simulated variable star light curves **292**, 363 ***(108, 377)***
Szczerba R., see Górny S.K., et al. **284**, 949
Szeifert T., see Kaufer A., et al. **289**, 740
Szeifert T., see Stahl O., et al. **290**, 1019 ***(107, 1)***
Tacconi L.J., see Thum C., et al. **288**, L25
Tacconi-Garman L.E., see Leinert C., et al. **291**, L47
Tadhunter C., see Robinson A., et al. **291**, 351
Tadhunter C., Shaw M., Clark N., Morganti R.: A giant emission line arc in the intermediate redshift radio galaxy PKS 2250−41 **288**, L21
Tadhunter C.N., see Dietrich M., et al. **284**, 33
Tadhunter C.N., see Salamanca I., et al. **282**, 742
Tadhunter C.N., see Stirpe G.M., et al. **285**, 857
Tagger M., see Foglizzo T. **287**, 297
Tagger M., see Pajot-El Abed P., et al. **291**, 687
Tagliaferri G., Cutispoto G., Pallavicini R., Randich S., Pasquini L.: Photometric and spectroscopic studies of cool stars discovered in EXOSAT X-ray images. II. Lithium abundances **285**, 272
Takahashi K., see Witti J., et al. **286**, 841
Takahashi K., Witti J., Janka H.-T.: Nucleosynthesis in neutrino-driven winds from protoneutron stars. II. The r-process **286**, 857
Takahashi Y., Kiuchi H., Kurihara N., Grueff G., Ambrosini R.: The first geodetic VLBI experiment at 22 GHz between Japan and Italy **282**, 341
Takalo L.O., see Hagen-Thorn V.A., et al. **290**, 1
Takalo L.O., see Kidger M.R., et al. **282**, 369
Takalo L.O., Sillanpää A., Nilsson K.: Simultaneous *UBVRI* photopolarimetry of three blazars: 3C 66A, S5 0716+714 and OJ 287 **292**, 355 ***(107, 497)***
Takalo L.O., Sillanpää A., Nilsson K., Kidger M., de Diego J.A.: Intense blazar activity in the photopolarimetric light curve of OJ 287 **284**, 700 ***(104, 115)***
Takalo S.J.L., see Piirola V., et al. **283**, 163
Takata T., Yamada T., Saitō M., Chamaraux P., Kazés I.: Search and redshift survey for IRAS galaxies behind the Northern Milky Way **285**, 359 ***(104, 529)***
Tallon-Bosc I., see Mourard D., et al. **283**, 705
Tallon-Bosc I., see Mourard D., et al. **288**, 675
Talon R., see Atteia J.-L., et al. **288**, 213
Talon R., see Dezalay J.-P., et al. **286**, 103
Tambovtseva L.V., see Grinin V.P., et al. **292**, 165
Tammann G.A., see Sandage A., et al. **283**, 111
Tan H., see Cha G., et al. **284**, 874
Tancredi G., Rickman H., Greenberg J.M.: Thermochemistry of cometary nuclei. I. The Jupiter family case **286**, 659
Tandon S.N., see Verma R.P., et al. **284**, 936
Tapia M., see Miralles M.P., et al. **282**, 547
Tapia M., see Persi P., et al. **282**, 474
Tappin S.J., Roelof E.C., Lanzerotti L.J.: Particle acceleration by an interplanetary shock-pair seen at Ulysses at 3.15 AU **292**, 311
Tarafdar S.P., Apparao K.M.V.: Fe II-line emission from Be stars **290**, 159
Taranova O., see Yudin B., et al. **287**, 1037 ***(105, 169)***
Tarasov A.E., see Beskrovnaya N.G., et al. **287**, 564
Tarasov A.E., see Juza K., et al. **292**, 354 ***(107, 403)***
Taylor A., see Grün E., et al. **286**, 915
Taylor A.R., see Dougherty S.M., et al. **290**, 609
Taylor A.R., see Wallace B.J., et al. **286**, 565
Taylor D.B., see Harper D. **284**, 619
Taylor G.B., see Hunter T.R., et al. **284**, 215
Taylor J.H., see Kanbach G., et al. **289**, 855
te Lintel Hekkert P., see Hu J.Y., et al. **282**, 350 ***(103, 301)***
Teerikorpi P., see Ekholm T. **284**, 369
Teerikorpi P., see Laurikainen E., et al. **292**, 366 ***(108, 491)***
Teerikorpi P., see Paturel G., et al. **289**, 711
Telting J.H., Heemskerk M.H.M., Henrichs H.F., Savonije G.J.: Observational evidence for a prograde one-armed density structure in the equatorial disc of a Be star **288**, 558
Telting J.H., Kaper L.: Long-term periodic variability in UV absorption lines of the Be star γ Cassiopeiae: on the relation with V/R variations in the Hβ line **284**, 515
Tenjes P., Haud U., Einasto J.: Galactic models with massive coronae. IV. The Andromeda galaxy, M 31 **286**, 753
Teräsranta H., see Tornikoski M., et al. **286**, 80
Teräsranta H., see Tornikoski M., et al. **289**, 673
Teräsranta H., see Valtaoja E. **289**, 35
Teräsranta H., Valtaoja E.: Brightness temperatures and viewing angles for extragalactic radio sources: a test of unification schemes for active galactic nuclei **283**, 51
Terekhov O., see Atteia J.-L., et al. **288**, 213
Terekhov O., see Dezalay J.-P., et al. **286**, 103
Terekov O., see Claret A., et al. **287**, 824
Terlevich R.J., see Dietrich M., et al. **284**, 33
Terlevich R.J., see Robinson A., et al. **291**, 351
Terlevich R.J., see Salamanca I., et al. **282**, 742
Terlevich R.J., see Stirpe G.M., et al. **285**, 857
Terranegra L., Chavarría-K.C., Diaz S., González-Patiño D.: *uvbyβ* photometry of Orion population stars and related objects associated with six star forming regions **285**, 359 ***(104, 557)***
Terranegra L., see Chavarría-K. C., et al. **283**, 963
Terzan A., see Cuisinier F., et al. **287**, 227
Tessier E., Bouvier J., Lacombe F.: Speckle imaging of T Tauri stars in the L and M near-IR bands **283**, 827
Testi L., Felli M., Persi P., Roth M.: Near-infrared images of galactic masers. I. Association between infrared sources and masers **288**, 634
Teuben L.J.W., see Hoyng P., et al. **289**, 265
Teuber J., Østensen R., Stabell R., Florentin-Nielsen R.: Rotate-And-Stare: A new method for PSF estimation **292**, 366 ***(108, 509)***
Teyssier R., see Mirabel I.F., et al. **282**, L17
Teyssier R., see Roland J., et al. **290**, 357
Teyssier R., see Roland J., et al. **290**, 364
Thamm E., see Henning T., et al. **291**, 546
Thamm E., Steinacker J., Henning T.: Ambiguities of parametrized dust disk models for young stellar objects **287**, 493
Thé P.S., de Winter D., Pérez M.R.: A new catalogue of members and candidate members of the Herbig Ae/Be (HAEBE) stellar group **285**, 355 ***(104, 315)***
Thé P.S., see Fluks M.A., et al. **287**, 1039 ***(105, 311)***
Thé P.S., see Grinin V.P., et al. **292**, 165
Thé P.S., see van Genderen A.M., et al. **283**, 89

Thébault P., see Beuzit J.-L., et al. **291**, L1
Theissen A., see Colin J., et al. **287**, 38
Theissen A., see Thejll P., et al. **292**, 457
Thejll P., Theissen A., Jimenez R.: Detecting red stellar companions to hot subdwarfs with CCD imaging **292**, 457
Theodosiou C.E., see Maniak S.T., et al. **286**, 978
Thévenin F., see Jasniewicz G. **282**, 717
Thiébaut E.: Speckle interferometry with a photon-counting detector **284**, 340
Thimm G.J., Belloni P.: Multiband studies of two distant galaxy clusters at $z>0.8$ **289**, L27
Thimm G.J., Röser H.-J., Hippelein H., Meisenheimer K.: The galaxy population in the cluster Cl 1409+524 (3C 295) **285**, 785
Thomas H.-C., see Greiner J., et al. **281**, L61
Thomas H.-C., see Reinsch K., et al. **291**, L27
Thomasson M., see Donner K.J. **290**, 785
Thomasson P., see Akujor C.E., et al. **287**, 1038 ***(105, 247)***
Thompson D., see Penereiro J.C., et al. **292**, 365 ***(108, 461)***
Thompson D.J., see Kanbach G., et al. **289**, 855
Thompson M.J., see Monteiro M.J.P.F.G., et al. **283**, 247
Thompson M.J., see Pijpers F.P. **281**, 231
Thompson R.W., see Ponz J.D., et al. **287**, 1034 ***(105, 53)***
Thomsen B., see Sodemann M. **292**, 425
Thornton G.J., see Edwards P.G., et al. **291**, 468
Thorstensen J.R., see Haberl F., et al. **291**, 171
Thuan T.X., see Papaderos P., et al. **291**, L13
Thum C., Matthews H.E., Harris A.I., Tacconi L.J., Schuster K.F., Martín-Pintado J.: Detection of H 21α maser emission at 662 GHz in MWC 349 **288**, L25
Thum C., Matthews H.E., Martín-Pintado J., Serabyn E., Planesas P., Bachiller R.: A submillimeter recombination line maser in MWC 349 **283**, 582
Thum C., see Altenhoff W.J., et al. **281**, 161
Thum C., see Martín-Pintado J., et al. **286**, 890
Tian K.P., Zhao J.L., van Leeuwen F.: Proper motions of stars in the region of the open cluster NGC 2286 and its membership study **287**, 1033 ***(105, 15)***
Tieftrunk A., Pineau des Forêts G., Schilke P., Walmsley C.M.: SO and H_2S in low density molecular clouds **289**, 579
Tielens A.G.G.M., see Habing H.J., et al. **286**, 523
Tignon J., see Habing H.J., et al. **286**, 523
Tikhonov N.A., see Karachentsev I.D., et al. **289**, 1001 ***(106, 555)***
Tikhonov N.A., see Karachentsev I.D. **286**, 718
Tiphène D., see Bernard J.P., et al. **289**, 524
Tobin W., Viton M., Sivan J.-P.: The Spacelab-1 Very Wide Field Survey of UV-excess objects. IV. The performance of the instrument in combination with optical photometry as a means of identifying stars with peculiar properties **292**, 353 ***(107, 385)***
Tofani G., see Brand J., et al. **283**, 716 ***(103, 541)***
Tofani G., see Hunter T.R., et al. **284**, 215
Tokovinin A., see Martin F., et al. **292**, 360 ***(108, 173)***
Tokovinin A.A., Duquennoy A., Halbwachs J.-L., Mayor M.: Duplicity in the solar neighbourhood. VII. Spectroscopic orbits of three K-dwarf stars **282**, 831
Tomov T., see Leedjärv L., et al. **287**, 543
Torkelsson U., Brandenburg A.: The many incarnations of accretion disk dynamos: mixed parities and chaos for large dynamo numbers **292**, 341
Torkelsson U., Brandenburg A.: Turbulent accretion disk dynamos **283**, 677
Tornambé A., see Castellani M., et al. **282**, 771
Tornikoski M., Valtaoja E., Teräsranta H., Okyudo M.: A simultaneous radio-optical flare in BL Lacertae **286**, 80
Tornikoski M., Valtaoja E., Teräsranta H., Smith A.G., Nair A.D., Clements S.D., Leacock R.J.: Correlated radio and optical variations in a sample of active galactic nuclei **289**, 673
Torra J., see Comerón F., et al. **286**, 789
Torra J., see Comerón F. **281**, 35
Torra J., see Paredes J.M., et al. **288**, 519
Torrelles J.M., see Eiroa C., et al. **283**, 973
Torrelles J.M., see Eiroa C., et al. **292**, 359 ***(108, 73)***
Torres C., see Wroblewski H. **287**, 1037 ***(105, 179)***
Torres C., see Wroblewski H. **292**, 361 ***(108, 251)***
Torres S., Fabbri R., Ruffini R.: The power spectrum implied by COBE and the matter correlation function **287**, 15
Toulmonde M., Chollet F.: Phase correction and planetary positions *(Text in French)* **287**, 1014
Toutain T., Appourchaux T.: Maximum likelihood estimators: an application to the estimation of the precision of helioseismic measurements **289**, 649
Toutain T., Kosovichev A.G.: A new estimate of the solar core rotation from IPHIR **284**, 265
Toutain T., see Gouttebroze P. **287**, 535
Tozzi G.P., Feldman P.D., Weaver H.A.: Observations of the OH Meinel system in comet P/Swift–Tuttle **285**, L9
Trams N.R., see van der Veen W.E.C.J., et al. **285**, 551
Travis J.P., see Gómez J.L., et al. **292**, 33
Tremko J., see Kreiner J.M., et al. **285**, 459
Treskov T.A., see Altyntsev A.T., et al. **287**, 256
Treves A., see Bednarek W., et al. **284**, 85
Treves A., see Brinkmann W., et al. **288**, 433
Triay R., Lachièze-Rey M., Rauzy S.: On the Malmquist bias in the determination of H_0 and of distances of galaxies **289**, 19
Trigilio C., see Leone F., et al. **283**, 908
Trofimof A.V., see Chernin A.D., et al. **281**, 685
Trottet G., Chupp E.L., Marschhäuser H., Pick M., Soru-Escaut I., Rieger E., Dunphy P.P.: A comparison of gamma-ray and radio emissions during the 11:42 UT solar flare on 1982 June 3 **288**, 647
Trümper J., see Döbereiner S., et al. **287**, 105
Trümper J., see Haiman Z., et al. **286**, 725
Trümper J., see Haiman Z, et al. **290**, 371
Trümper J., see Hasinger G., et al. **291**, 348
Trümper J., see Kendziorra E., et al. **291**, L31
Trümper J., see Neumann M., et al. **289**, 665 ***(106, 303)***
Trümper J., see Predehl P. **290**, L29
Trujillo Bueno J., see Auer L., et al. **292**, 599
Truong-Bach, see Wootten A., et al. **290**, 198
Trussoni E., see Bodo G., et al. **283**, 655
Tserenin I., see Jourdain E., et al. **281**, L57
Tsinganos K., see Sauty C. **287**, 893
Tsiropoula G., Alissandrakis C.E., Schmieder B.: Time evolution of fine structures in the solar chromosphere **290**, 285
Tsuji T., Ohnaka K., Hinkle K.H., Ridgway S.T.: High resolution infrared spectra of silicon monoxide and silicon isotopic abundances in cool luminous stars **289**, 469
Tsumuraya F., Miura N., Baba N.: Iterative blind deconvolution method using Lucy's algorithm **282**, 699
Tsvetkov D.Y., see Bartunov O.S., et al. **281**, L53
Tuchman Y., see Barthès D. **289**, 429
Tucholke H.-J., Scholz R.-D., Brosche P.: Proper motion study of the globular cluster M 3 **284**, 701 ***(104, 161)***
Tul'bashev S.A., see Smirnova T.V., et al. **286**, 807
Tully J.A., see Saraph H.E. **290**, 1019 ***(107, 29)***
Tunca Z., see Breger M., et al. **289**, 162
Tunca Z., see İbanoğlu C., et al. **281**, 811
Tunca Z., see Keskin V., et al. **287**, 817

Tuominen I., Brandenburg A., Moss D., Rieutord M.: Does solar differential rotation arise from a large scale instability? **284**, 259
Tuominen I., see Foing B.H., et al. **292**, 543
Tuominen I., see Jetsu L., et al. **281**, 639 *(**103**, 183)*
Tuominen I., see Jetsu L., et al. **282**, L9
Turatto M., see Benetti S., et al. **285**, 147
Turatto M., see Benetti S., et al. **285**, L13
Turatto M., see Patat F., et al. **282**, 731
Turck-Chièze S., see Lopes I. **290**, 845
Turner J.A., see Whitworth A.P., et al. **290**, 421
Tutukov A.V., see Firmani C. **288**, 713
Tylenda R., see Górny S.K., et al. **284**, 949
Tylenda R., see Stasińska G. **289**, 225
Tylenda R., Stasińska G.: **(RN)** Confrontation of theoretical tracks for post-AGB stars with observations of planetary nebulae **288**, 897
Tylenda R., Stasińska G., Acker A., Stenholm B.: A catalogue He II 4686 line intensities in Galactic planetary nebulae **289**, 1001 *(**106**, 559)*
Tytler D., see Verner D.A., et al. **292**, 362 *(**108**, 287)*
Tzioumis A., see Bondi M., et al. **282**, 351 *(**103**, 365)*
Uchida K.I., see Güsten R., et al. **286**, L51
Udry S., Martinet L.: N-body equilibrium figures of early-type galaxies. II. Analysis of orbital populations **281**, 314
Ulmschneider P.: An operator splitting method for line radiation with partial redistribution in atmospheres with shocks **288**, 1021
Ulmschneider P., see Buchholz B., et al. **285**, 987
Umana G., see Leone F., et al. **283**, 908
Umapathy C.N., see Marar T.M.K., et al. **283**, 698
Unger S., see Dietrich M., et al. **284**, 33
Unger S., see Salamanca I., et al. **282**, 742
Unger S.J., see Paredes J.M., et al. **288**, 519
Unger S.W., see Robinson A., et al. **291**, 351
Unger S.W., see Stirpe G.M., et al. **285**, 857
Unger S.W., see Vladilo G., et al. **291**, 425
Upadhyaya N., see Marar T.M.K., et al. **283**, 698
Urbanik M., Otmianowska-Mazur K., Beck R.: Helical magnetic field structure in M 31? **287**, 410
Urpo S., see Kalenskii S.V., et al. **281**, 639 *(**103**, 129)*
Urry C.M., see Brinkmann W., et al. **288**, 433
Usenko I.A., see Andrievsky S.M., et al. **281**, 465
Usenko I.A., see Andrievsky S.M., et al. **292**, 364 *(**108**, 433)*
Utrobin V.: Type IIb supernova 1993J in M 81: the explosion of a $\sim 4 M_{\odot}$ star in a close binary system **281**, L89
Väth H.M.: Three-dimensional radiative transfer on a massively parallel computer **284**, 319
Vahia M.N., see Rao A.R. **281**, L21
Vahia M.N., see Rao A.R. **287**, L34
Vakili F., see Mourard D., et al. **283**, 705
Vakili F., see Mourard D., et al. **288**, 675
Valbousquet A., see Jaschek C., et al. **291**, 439
Valbousquet A., see Jaschek C. **291**, 448
Valentijn E.A., see Peletier R.F., et al. **292**, 369 *(**108**, 621)*
Valera F., see Sareyan J.P., et al. **291**, 815
Vallenari A., Aparicio A., Fagotto F., Chiosi C.: A study of the color-magnitude diagrams and luminosity functions of the two LMC clusters NGC 2134 and NGC 2249 with the new radiative opacities **284**, 424
Vallenari A., Aparicio A., Fagotto F., Chiosi C., Ortolani S., Meylan G.: Active star formation regions at the edge of the LMC Bar: NGC 1850 and NGC 1858 **284**, 447
Vallenari A., Ortolani S., Chiosi C.: Photometry of the young cluster NGC 330 in the Small Magellanic Cloud **292**, 367 *(**108**, 571)*
Valtaoja E., see Teräsranta H. **283**, 51
Valtaoja E., see Tornikoski M., et al. **286**, 80
Valtaoja E., see Tornikoski M., et al. **289**, 673
Valtaoja E., Teräsranta H.: Sub-milliarcsecond structure of quasar cores and characteristic linear sizes of shocks inferred from radio continuum flux density variations **289**, 35
Valtier J.C., see Belmonte J.A., et al. **283**, 121
Val'tts I.E., see Kalenskii S.V., et al. **281**, 639 *(**103**, 129)*
Val'tts I.E., see Slysh V.I., et al. **288**, 1034 *(**106**, 87)*
van der Klis M., see Verbunt F., et al. **285**, 903
van der Raay H.B., see Boumier P., et al. **290**, 1022 *(**107**, 177)*
Van Drom E., see Hutsemékers D., et al. **290**, 906
van Kerkwijk M.H., see Dougherty S.M., et al. **290**, 609
van Paradijs J., see Haiman Z, et al. **290**, 371
van Woerden H., see Broeils A.H. **290**, 1021 *(**107**, 129)*
Vanbeveren D., de Loore C.: The evolution of the mass gainer in massive close binaries **290**, 129
Vanbeveren D., see de Loore C. **281**, 637 *(**103**, 67)*
Vanbeveren D., see de Loore C. **287**, 1033 *(**105**, 21)*
Vanbeveren D., see de Loore C. **292**, 463
Vanderriest C., see Angonin-Willaime M.-C., et al. **281**, 388
Vanderriest C., see Angonin-Willaime M.-C., et al. **291**, 411
Vanderriest C., see Angonin-Willaime M.-C., et al. **292**, 722
Vangioni-Flam E., see Prantzos N., et al. **285**, 132
Van't Veer F., see Sareyan J.P., et al. **291**, 815
Vanzani V., see Marzari F. **283**, 275
van den Ancker M.E., see Grinin V.P., et al. **292**, 165
van den Heuvel E.P.J.: The binary pulsar PSRJ 2145–0750: a system originating from a low or intermediate mass X-ray binary with a donor star on the asymptotic giant branch? **291**, L39
van den Hoek L.B., see Goudfrooij P., et al. **285**, 354 *(**104**, 179)*
van den Oord G.H.J., de Bruyn A.G.: Unusual flares at 360 and 609 MHz in the RS Canum Venaticorum-system II Pegasi observed with the WSRT: coherent emission from II Pegasi **286**, 181
van den Oord G.H.J., see Schrijver C.J., et al. **289**, L23
van der Bliek N.S., Prusti T., Waters L.B.F.M.: Vega: smaller dust grains in a larger shell **285**, 229
van der Hucht K.A., see Williams P.M., et al. **291**, 805
van der Klis M.: A comparison of the power spectra of Z and atoll sources, pulsars and black hole candidates **283**, 469
van der Klis M., see Berger M. **292**, 175
van der Klis M., see Kuulkers E., et al. **289**, 795
van der Klis M., see Oosterbroek T., et al. **281**, 803
van der Klis M., see van Paradijs J. **281**, L17
van der Kruit P.C., see de Jong R.S. **289**, 999 *(**106**, 451)*
van der Kruit P.C., see de Jong R.S. **292**, 354 *(**107**, 419)*
van der Veen W.E.C.J., see Frank A., et al. **282**, 554
van der Veen W.E.C.J., Waters L.B.F.M., Trams N.R., Matthews H.E.: A study of dust shells around high latitude supergiants **285**, 551
van der Werf P.P., see van Langevelde H.J., et al. **287**, L25
Van de Steene G.C., Zijlstra A.A.: On an alternative statistical distance scale for planetary nebulae. Catalog with statistical distances to planetary nebulae **292**, 365 *(**108**, 485)*
van de Weygaert R.: Fragmenting the Universe. III. The construction and statistics of 3-D Voronoi tessellations **283**, 361
van Dijk R., see Hanlon L.O., et al. **285**, 161
van Dishoeck E.F., see Gredel R., et al. **285**, 300
van Dishoeck E.F., see Helmich F.P., et al. **283**, 626
van Dishoeck E.F., see Jansen D.J., et al. **282**, 605
van Dishoeck E.F., see Stark R. **286**, L43
van Dishoeck E.F., see van Langevelde H.J., et al. **287**, L25

van Dokkum P.G., Peletier R.F., de Grijs R., Balcells M.: The vertical stellar distribution in NGC 6504: detection of a thick disk **286**, 415
van Driel W., van Woerden H.: Distribution and motions of H I in the Sa galaxies NGC 1169 and NGC 3898 **286**, 395
van Genderen A.M.: On the pre-decline and decline phases of FG Sagittae, the post-AGB star and central star of the planetary nebula PK 60−7°1 **284**, 465
van Genderen A.M., de Groot M.J.H., Thé P.S.: The optical and near infrared variability of η Carinae: a binary luminous blue variable? **283**, 89
van Groningen E., see Dietrich M., et al. **284**, 33
van Groningen E., see Salamanca I., et al. **282**, 742
van Groningen E., see Stirpe G.M., et al. **285**, 857
Van Hamme W., see Maceroni C., et al. **288**, 529
van Hoof P.A.M., see Zijlstra A.A., et al. **290**, 228
Van Hoolst T.: Coupled-mode equations and amplitude equations for nonadiabatic, nonradial oscillations of stars **292**, 471
Van Hoolst T.: Nonlinear, nonradial, isentropic oscillations of stars: Hamiltonian formalism **286**, 879
Van Langevelde H.J., see Blommaert J.A.D.L., et al. **287**, 479
van Langevelde H.J., van Dishoeck E.F., van der Werf P.P., Blake G.A.: The spatial distribution of excited H_2 in T Tauri: a molecular outflow in a young binary system **287**, L25
van Leeuwen F., see Halbwachs J.L., et al. **281**, L25
van Leeuwen F., see Tian K.P., et al. **287**, 1033 ***(105, 15)***
van Ojik R., Röttgering H.J.A., Miley G.K., Bremer M.N., Macchetto F., Chambers K.C.: TX 0211−122: a starburst radio galaxy at $z = 2.34$? **289**, 54
van Paradijs J., McClintock J.E.: Absolute visual magnitudes of low-mass X-ray binaries **290**, 133
van Paradijs J., see Augusteijn T., et al. **292**, 351 ***(107, 219)***
van Paradijs J., see Haiman Z., et al. **286**, 725
van Paradijs J., see Kuulkers E., et al. **289**, 795
van Paradijs J., see Martín E.L., et al. **291**, L43
van Paradijs J., see Oosterbroek T., et al. **281**, 803
van Paradijs J., van der Klis M.: Luminosity dependence of the hardness of the 13-80 keV X-ray spectra of low-mass X-ray binaries **281**, L17
van Teeseling A., Heise J., Paerels F.: X-ray irradiation of white dwarf atmospheres: the soft X-ray spectrum of AM Herculis **281**, 119
van Teeseling A., see Heise J., et al. **288**, L45
van Teeseling A., Verbunt F.: ROSAT X-ray observations of ten cataclysmic variables **292**, 519
van 't Veer C., see Morel P., et al. **286**, 91
van 't Veer F., see Maceroni C., et al. **288**, 529
van 't Veer F., see Maceroni C. **289**, 871
Van Winckel H., Schwarz H.E., Duerbeck H.W., Fuhrmann B.: V 417 Centauri: a yellow symbiotic system in a resolved nebula **285**, 241
van Woerden H., see de Boer K.S., et al. **286**, 925
van Woerden H., see van Driel W. **286**, 395
van Wyk F., see Shenton M., et al. **287**, 852
van Wyk F., see Shenton M., et al. **287**, 866
Varendorff M., see Hanlon L.O., et al. **285**, 161
Varendorff M., see Iyudin A.F., et al. **284**, L1
Varendorff M., see Strong A.W., et al. **292**, 82
Varshalovich D.A., see Potekhin A.Y. **284**, 700 ***(104, 89)***
Varvoglis P.P., see Doyle J.G., et al. **291**, 135
Vasil'kov V.I., see Kalenskii S.V., et al. **281**, 639 ***(103, 129)***
Vasundhara R.: Mutual phenomena of the Galilean satellites: an analysis of the 1991 observations from VBO **281**, 565
Vasyuk V.A., see Balega I.I., et al. **287**, 1042 ***(105, 503)***
Vauclair G., see Koester D., et al. **291**, L9
Vauclair G., see Vidal-Madjar A., et al. **287**, 175
Vauclair S., see Charbonnel C., et al. **283**, 155
Vázquez M., see Collados M., et al. **291**, 622
Vázquez M., see Rodríguez Hidalgo I., et al. **283**, 263
Vázquez R.A., Baume G., Feinstein A., Prado P.: Deep photometry in the core of the open cluster NGC 5606 **289**, 666 ***(106, 339)***
Veale A., see Fox D.C., et al. **284**, 91
Vedder P.W., see Mathioudakis M., et al. **291**, 517
Veđrenne G., see Atteia J.-L., et al. **288**, 213
Veiga C.H., Vieira Martins R.: A method to define a reference system for the reduction of astrometric positions of natural satellites **292**, 356 ***(107, 551)***
Veiga C.H., Vieira Martins R.: Positions of Uranian satellites **292**, 357 ***(107, 559)***
Vela Villahoz E., Sánchez Almeida J., Wittmann A.D.: Spectral lines unaffected by instrumental polarization. II. Selected lines of astrophysical interest **282**, 350 ***(103, 293)***
Velichko F.P., see Krugly Y.N., et al. **292**, 359 ***(108, 143)***
Ventura J., see Pavlov G.G., et al. **289**, 837
Ventura R., see Spadaro D. **281**, 245
Ventura R., see Spadaro D. **289**, 279
Venturi T., see Bondi M., et al. **282**, 351 ***(103, 365)***
Verbunt F.: PSR 1718−19 and destructive tidal circularization **285**, L21
Verbunt F., Belloni T., Johnston H.M., van der Klis M., Lewin W.H.G.: ROSAT observations of soft X-ray transients in quiescence **285**, 903
Verbunt F., see Hasinger G., et al. **288**, 466
Verbunt F., see Johnston H.M., et al. **289**, 763
Verbunt F., see van Teeseling A. **292**, 519
Vergassola M., Dubrulle B., Frisch U., Noullez A.: Burgers' equation, Devil's staircases and the mass distribution for large-scale structures **289**, 325
Verma R.P., Bisht R.S., Ghosh S.K., Iyengar K.V.K., Rengarajan T.N., Tandon S.N.: Far-infrared observations of three Galactic star-forming regions: RCW 36, IRAS 10361−5830 and IRAS 10365−5803 **284**, 936
Verner D.A., Barthel P.D., Tytler D.: Atomic data for absorption lines from the ground level at wavelengths greater than 228 Å **292**, 362 ***(108, 287)***
Vernin J., Muñoz-Tuñón C.: Optical seeing at La Palma Observatory. II. Intensive site testing campaign at the Nordic Optical Telescope **284**, 311
Véron P.: **(RN)** Redshift and nature of two BL Lacertae objects: PKS 0306+102 and S3 0503−04 **283**, 802
Vettolani G., see Gregorini L., et al. **288**, 1033 ***(106, 1)***
Vettolani P., see Edge A.C., et al. **289**, L34
Vial J.-C., see Bocchialini K. **287**, 233
Vial J.-C., see Heinzel P., et al. **292**, 656
Vial J.C., see Koutchmy S., et al. **281**, 249
Viallefond F., see Kunth D., et al. **282**, 709
Vidal I., see Belmonte J.A., et al. **283**, 121
Vidal-Madjar A., Allard N.F., Koester D., Lemoine M., Ferlet R., Bertin P., Lallement R., Vauclair G.: G 191-B2B: accurate abundances for nitrogen, silicon, and iron from GHRS observations **287**, 175
Vidal-Madjar A., Lagrange-Henri A.M., Feldman P.D., Beust H., Lissauer J.J., Deleuil M., Ferlet R., Gry C., Hobbs L.M., McGrath M.A., McPhate J.B., Moos H.W.: HST-GHRS observations of β Pictoris: additional evidence for infalling comets **290**, 245
Vidal-Madjar A., see Foing B.H., et al. **292**, 543
Vidal-Madjar A., see Lallement R., et al. **286**, 898
Vieira Martins R., see Veiga C.H. **292**, 356 ***(107, 551)***
Vieira Martins R., see Veiga C.H. **292**, 357 ***(107, 559)***

Vigneau J., see Muller R., et al. **283**, 232
Vigneau J., see Roudier T., et al. **287**, 982
Vikhlinin A., Churazov E., Gilfanov M.: Quasi-periodic oscillations in the shot noise model of X-ray sources **287**, 73
Vikhlinin A., see Laurent P., et al. **286**, 838
Vilas Boas J.W.S., see Abraham Z. **290**, 956
Vilas F., see Roques F., et al. **288**, 985
Vila-Vilaró B., see Robinson A., et al. **291**, 351
Vila-Vilaró B., see Stirpe G.M., et al. **285**, 857
Vilchez J., see Dottori H., et al. **283**, 753
Vilchez J.M., see Herrero A., et al. **287**, 885
Vílchez-Gómez R., Pelló R., Sanahuja B.: Detection of intracluster light in the rich clusters of galaxies Abell 2390 and Cl 1613+31 **283**, 37
Vílchez-Gómez R., Pelló R., Sanahuja B.: *Erratum* Detection of intracluster light in the rich clusters of galaxies Abell 2390 and Cl 1613+31 **289**, 661
Vilhu O., Ergma E., Fedorova A.: The X-ray heating and evolution of LMXB's **291**, 842
Vilhu O., see Maceroni C., et al. **288**, 529
Vilhu O., see Piirola V., et al. **283**, 163
Villada M., see Coe M.J., et al. **289**, 784
Villani D., see Castellani V. **285**, 880
Villata M., Ferrari A.: Exact solutions for helical MHD equilibria of astrophysical jets **284**, 663
Vin A., see Gillet D., et al. **292**, 360 ***(108, 181)***
Vinkó J., see Szatmáry K., et al. **292**, 363 ***(108, 377)***
Vio R., Fasano G., Lazzarin M., Lessi O.: Probability density estimation in astronomy **289**, 640
Viotti R., see Altamore A., et al. **292**, 208
Viton M., see Tobin W., et al. **292**, 353 ***(107, 385)***
Vitores A., see Rego M., et al. **281**, 348
Vitores A.G., see Gallego J., et al. **290**, 705
Vladilo G., Centurión M.: The Zn^+/Na° interstellar ratio **287**, 1041 ***(105, 421)***
Vladilo G., Centurión M., de Boer K.S., King D.L., Lipman K., Stegert J.S.W., Unger S.W., Walton N.A.: Interstellar and intergalactic gas towards SN 1993J in M 81: a study of optical and 21 cm spectra **291**, 425
Vladilo G., see Centurión M., et al. **292**, 261
Völk H., see Duffy P., et al. **291**, 613
Völk H.J., see Aharonian F.A., et al. **285**, 645
Völk H.J., see Drury L.O'C., et al. **287**, 959
Völk H.J., see Xu C., et al. **282**, 19
Völk H.J., see Xu C., et al. **285**, 19
Vogel M., Morgan D.H.: Extragalactic symbiotic systems. I. IUE observations of LMC 1, N 67, SMC 3, and S 154 **288**, 842
Vogel M., Nussbaumer H.: The hot wind in the symbiotic nova AG Pegasi **284**, 145
Vogel M., see Cassatella A., et al. **281**, 594
Vogelaar M.G.R., Wakker B.P.: Measuring the fractal structure of interstellar clouds **291**, 557
Voges W., see Edge A.C., et al. **289**, L34
Voges W., see Pierre M., et al. **290**, 725
Vogler A., see Pietsch W., et al. **284**, 386
Vogt N., see Mennickent R.E., et al. **289**, 999 ***(106, 427)***
Vogt N., see Mennickent R.E., et al. **292**, 361 ***(108, 237)***
Vogt N., see Sterken C., et al. **291**, 473
Vokrouhlický D., Farinella P., Mignard F.: Solar radiation pressure perturbations for Earth satellites. III. Global atmospheric phenomena and the albedo effect **290**, 324
Vokrouhlický D., Farinella P., Mignard F.: Solar radiation pressure perturbations for Earth satellites. II. An approximate method to model penumbra transitions and their long-term orbital effects on LAGEOS **285**, 333
Volchkov A.A., see Cherepashchuk A.M., et al. **289**, 419
Volk K., see Leahy D.A. **282**, 561
Volkov E., see Sotnikova N. **288**, 942
Volkova L.V.: **(RN)** On the detection of cosmic high-energy neutrinos **287**, 713
von der Lühe O.: Speckle imaging of solar small scale structure. II. Study of small scale structure in active regions **281**, 889
von der Lühe O., see Böker T., et al. **288**, 656
von Linde J., see Schramm K.-J., et al. **285**, 358 ***(104, 473)***
von Linde J., see Schramm K.-J., et al. **289**, 666 ***(106, 349)***
von Montigny C., see Kanbach G., et al. **289**, 855
von Steiger R., see Geiss J., et al. **282**, 924
Voshchinnikov N.V., Karjukin V.V.: Multiple scattering of polarized radiation in circumstellar dust shells **288**, 883
Vozikis C.L., Caranicolas N.D.: Evolution of spiral structure in an interacting triple galactic system. I. M 31-type systems **288**, 448
Vuillemin A., see Buat V., et al. **281**, 666
Waelkens C., see Aerts C., et al. **286**, 109
Waelkens C., see Aerts C., et al. **286**, 136
Waelkens C., see Heynderickx D., et al. **287**, 1042 ***(105, 447)***
Waelkens C., see Mathias P., et al. **283**, 813
Waelkens C., see Mathias P., et al. **289**, 875
Wagenhuber J., Weiss A.: Numerical methods for AGB evolution **286**, 121
Wagenhuber J., Weiss A.: Termination of AGB-evolution by hydrogen recombination **290**, 807
Wagner H., see Mecke K.R., et al. **288**, 697
Wagner S., see Baribaud T., et al. **281**, 638 ***(103, 121)***
Wagner S., see Brinkmann W., et al. **288**, 433
Wagner S., see Salamanca I., et al. **282**, 742
Wagner S.J., see Dietrich M., et al. **284**, 33
Wagner S.J., see Kissler M., et al. **287**, 463
Wagner S.J., see Mauder W., et al. **285**, 44
Wagner S.J., see Robinson A., et al. **291**, 351
Wagner S.J., see Stirpe G.M., et al. **285**, 857
Wakker B.P., see de Boer K.S., et al. **286**, 925
Wakker B.P., see Vogelaar M.G.R. **291**, 557
Walker R.N.F., see Jones K.N., et al. **288**, 581
Wallace B.J., Landecker T.L., Taylor A.R.: HI voids around filled-center supernova remnants **286**, 565
Wallerstein G., Morell O.: Evidence for sudden moderate mixing events in early M giants **281**, L37
Wallin J., see Edge A.C., et al. **289**, L34
Walmsley C.M., see Cesaroni R., et al. **288**, 903
Walmsley C.M., see Olano C.A., et al. **290**, 235
Walmsley C.M., see Tieftrunk A., et al. **289**, 579
Walmsley C.M., see Wink J.E., et al. **281**, 505
Walter H.G., Ma C.: Correction to the luni-solar precession from Very Long Baseline Interferometry **284**, 1000
Walter R., Orr A., Courvoisier T.J.-L., Fink H.H., Makino F., Otani C., Wamsteker W.: Simultaneous observations of Seyfert 1 galaxies with IUE, ROSAT and Ginga **285**, 119
Waltman E.B, see Kitamoto S., et al. **281**, L85
Walton N.A., see Vladilo G., et al. **291**, 425
Wambsganss J., see Seitz C., et al. **288**, 19
Wamsteker W., see Walter R., et al. **285**, 119
Wanders I., Horne K.: Echo mapping the Balmer-emission region in NGC 3516 **289**, 76
Wanders I., see Dietrich M., et al. **284**, 33
Wanders I., see Salamanca I., et al. **282**, 742
Wang D., see Zhu Y., et al. **282**, 467
Wang H., see Liu Y., et al. **283**, 215
Wang J.C., see Xie G.Z., et al. **289**, 666 ***(106, 361)***
Wang L., Carr T.D.: Recalibration of the Voyager PRA antenna for polarization sense measurement **281**, 945

Wang M., Moretto G., Borra E.F., Lemaître G.: A simple active corrector for liquid mirror telescopes observing at large zenith angles **285**, 344
Wang Y.J., see Fan J.H., et al. **287**, 1041 *(105, 415)*
Wanner W., Jaekel U., Kallenrode M.-B., Wibberenz G., Schlickeiser R.: Observational evidence for a spurious dependence of slab QLT proton mean free paths on the magnetic field angle **290**, L5
Wanner W., see Jaekel U., et al. **291**, L35
Wannier P.G., see Little-Marenin I.R., et al. **281**, 451
Ward M.J., see Robinson A., et al. **291**, 351
Wargau W.F., see Cunow B. **292**, 352 *(107, 277)*
Warner B., see Feast M.W., et al. **285**, 199
Warwick R., see Brinkmann W., et al. **288**, 433
Waters L.B.F.M., Loup C., Kester D.J.M., Bontekoe T.R., de Jong T.: Resolution of a fossil dust shell around U Hydrae using maximum entropy image reconstruction **281**, L1
Waters L.B.F.M., see Dougherty S.M., et al. **290**, 609
Waters L.B.F.M., see Oudmaijer R.D., et al. **281**, L33
Waters L.B.F.M., see van der Bliek N.S., et al. **285**, 229
Waters L.B.F.M., see van der Veen W.E.C.J., et al. **285**, 551
Waterworth M.D., see Roques F., et al. **288**, 985
Wauben W.M.F., de Haan J.F., Hovenier J.W.: A method for computing visible and infrared polarized monochromatic radiation in planetary atmospheres **282**, 277
Wauben W.M.F., de Haan J.F., Hovenier J.W.: Application of asymptotic expressions for computing the polarized radiation in optically thick planetary atmospheres **281**, 258
Way M.J., see Infante L., et al. **289**, 381
Way M.J., see Quintana H., et al. **283**, 722
Weaver H.A., see Tozzi G.P., et al. **285**, L9
Webb D.F., see Jackson B.V., et al. **292**, 362 *(108, 279)*
Webster W.J., see Altenhoff W.J., et al. **287**, 641
Wehlau W.H., see Piskunov N. **289**, 868
Wehlau W.H., see Rice J.B. **291**, 825
Wehrse R., see Best M. **284**, 507
Wehrse R., see Hafner M. **282**, 874
Wei D.M., see Lu T., et al. **290**, 815
Weigelt G., see Barth W., et al. **291**, 500
Weigelt G., see Burgarella D., et al. **287**, 769
Weigelt G., see Deharveng J.-M., et al. **288**, 413
Weigelt G., see Goecking K.-D., et al. **289**, 827
Weigelt G., see Mauder W., et al. **285**, 44
Weight A., see Albinson J.S., et al. **284**, 971
Weight A., see Shenton M., et al. **287**, 852
Weinberger R., Saurer W., Lercher G., Seeberger R.: **(RN)** PN G160.7−2.9: a new planetary nebula **282**, 197
Weinberger R., see Seeberger R., et al. **286**, 17
Weintraub D.A., see Aspin C., et al. **282**, L25
Weintraub D.A., see Sandell G. **292**, L1
Weir N., see Fusi Pecci F., et al. **284**, 349
Weiss A.: Evolution of initially mixed massive main sequence stars **284**, 138
Weiss A., see Bartelmann M. **287**, 1
Weiss A., see Eryurt D., et al. **282**, 485
Weiss A., see Wagenhuber J. **286**, 121
Weiss A., see Wagenhuber J. **290**, 807
Weiß A.G., see Buchert T., et al. **288**, 349
Weiss W.W., Paunzen E., Kuschnig R., Schneider H.: The variable λBootis star HD 142994 **281**, 797
Weiss W.W., see Malanushenko V.P., et al. **287**, 1036 *(105, 125)*
Weiss W.W., see Piskunov N., et al. **291**, 910
Weitzel N., see Leinert C., et al. **291**, L47
Wells D., see Jackson R., et al. **292**, 360 *(108, 235)*
Welty A.D., see Strassmeier K.G., et al. **285**, L17
Wenderoth E., Alvarado F., Alcaino G., Liller W.: A *UBVRI* photoelectric sequence in the SMC cluster NGC 419 **289**, 664 *(106, 253)*
Wendker H.J., see Altenhoff W.J., et al. **281**, 161
Wendker H.J., see Higgs L.A., et al. **291**, 295
Wendker H.J., see Wrigge M., et al. **286**, 219
Wennmacher A., see Stark R., et al. **281**, 199
Werger M., see Hanuschik R.W., et al. **281**, 737
Werner K., Dreizler S.: On the nickel abundance in hot hydrogen-rich white dwarfs **286**, L31
Werner K., Heber U., Fleming T.: Spectral analysis of the hottest known helium-rich white dwarf: KPD 0005+5106 **284**, 907
Werner K., Rauch T.: On the neon abundance in PG 1159-type central stars of planetary nebulae **284**, L5
Werner K., see Dreizler S., et al. **286**, 463
Werner K., see Jordan S., et al. **283**, 475
Werner K., see Rauch T., et al. **286**, 543
Wesemael F., see Donati J.-F., et al. **285**, 285
Wessolowski U., see Hamann W.-R., et al. **281**, 184
West R.M., see Hainaut O., et al. **289**, 311
Westendorp Plaza C., see Schmidt W., et al. **287**, 229
Westergaard N.J., see Nørgaard-Nielsen H.U., et al. **285**, 705
Westerlund B.E., see Fluks M.A., et al. **287**, 1039 *(105, 311)*
White G.J.: CO and *C*I observations of shock-excited gas in IC 443C **283**, L25
White G.J., Ellison B., Claude S., Dent W.R.F., Matheson D.N.: CO and CI maps of the starburst galaxy M 82 **284**, L23
White G.J., see Minchin N.R., et al. **291**, 250
White M.: Reconstructing the CMB power spectrum **290**, L1
Whitelock P.A., see Feast M.W., et al. **285**, 199
Whitelock P.A., see Feast M.W. **287**, L29
Whiteoak J.B., see Henkel C., et al. **284**, 17
Whitworth A.P., Bhattal A.S., Chapman S.J., Disney M.J., Turner J.A.: Fragmentation of shocked interstellar gas layers **290**, 421
Wibberenz G., see Jaekel U., et al. **291**, L35
Wibberenz G., see Wanner W., et al. **290**, L5
Wicenec A., see Halbwachs J.L., et al. **281**, L25
Widemann T., Bertaux J.L., Querci M., Querci F.: High-resolution spectroscopy of cool K and M stars through the telluric water vapor absorption band near 9360 Å. I. Methodology and first results **282**, 879
Wiehr E.: The height variation of sunspot umbral dots **287**, L1
Wiehr E., Degenhardt D.: The Evershed effect in penumbral fine structures. II. Spatial correlation analysis **287**, 625
Wiehr E., see Balthasar H. **286**, 639
Wiehr E., see Degenhardt D. **287**, 620
Wiehr E., see Stellmacher G. **286**, 302
Wiehr E., see Stellmacher G. **290**, 655
Wielebinski R., see Aalto S., et al. **286**, 365
Wielebinski R., see Gil J.A., et al. **282**, 45
Wielebinski R., see Golla G. **286**, 733
Wielebinski R., see Izvekova V.A., et al. **287**, 1037 *(105, 235)*
Wielebinski R., see Klein U., et al. **283**, 729
Wielebinski R., see Kramer M., et al. **292**, 356 *(107, 515)*
Wielebinski R., see Malofeev V.M., et al. **285**, 201
Wielebinski R., see Marx M., et al. **281**, 718
Wielebinski R., see Neumann M., et al. **289**, 665 *(106, 303)*
Wielebinski R., see Reuter H.-P., et al. **282**, 724
Wielebinski R., see Xilouris K.M., et al. **288**, L17
Wieringa M.H., see Sault R.J. **292**, 368 *(108, 585)*
Wijnands R., see Bloemen H., et al. **281**, L5
Wiklind T., Combes F.: A search for millimeterwave CO emission in damped Lyman-α systems **288**, L41

Wiklind T., Combes F.: First detection of CO ($J = 0 \rightarrow 1$) absorption at cosmological distances ($z = 0.247$) **286**, L9
Wikstøl Ø., see Hansteen V.H. **290**, 995
Wild U.P., see Keller C.U., et al. **289**, L41
Williams I.P., see Fitzsimmons A., et al. **282**, 634
Williams I.P., see Fitzsimmons A. **289**, 304
Williams J.G., see Folkner W.M., et al. **287**, 279
Williams O.R., see Hanlon L.O., et al. **285**, 161
Williams P.G., see Greaves J.S. **290**, 259
Williams P.M., van der Hucht K.A., Spoelstra T.A.T.: Multi-frequency variations of the Wolf–Rayet system HD 193793. II. Observations of the 1991–92 radio maximum **291**, 805
Williams R., see Dietrich M., et al. **284**, 33
Willis A.J., see Nugis T. **292**, 616
Willmes D.E., see Kandrup H.E. **283**, 59
Wilson R.B., see Coe M.J., et al. **289**, 784
Wilson T.L., Mauersberger R.: On the question of dark matter and cold H_2 **282**, L41
Wilson T.L., see Cesaroni R. **281**, 209
Wilson T.L., see Olano C.A., et al. **290**, 235
Wilson T.L., see Wink J.E., et al. **281**, 505
Wilson W., see Dickey J.M., et al. **289**, 357
Wink J.E., Duvert G., Guilloteau S., Güsten R., Walmsley C.M., Wilson T.L.: The molecular surroundings of W3(OH) **281**, 505
Winkler C., see Bloemen H., et al. **281**, L5
Winkler C., see Hanlon L.O., et al. **285**, 161
Winkler C., see Iyudin A.F., et al. **284**, L1
Winkler C., see Lichti G.G., et al. **292**, 569
Winkler C., see Strong A.W., et al. **292**, 82
Winters J.M., Dominik C., Sedlmayr E.: Theoretical spectra of circumstellar dust shells around carbon-rich asymptotic giant branch stars **288**, 255
Winters J.M., Fleischer A.J., Gauger A., Sedlmayr E.: Circumstellar dust shells around long-period variables. II. Theoretical lightcurves of C-stars **290**, 623
Wisotzki L.: The active environment of QSO HE 1029–1401 **292**, 45
Wisotzki L., see Reimers D., et al. **285**, 995
Wisotzki L., see Wrigge M., et al. **286**, 219
Witt A.N., see Block D.L., et al. **288**, 383
Witti J., Janka H.-T., Takahashi K.: Nucleosynthesis in neutrino-driven winds from protoneutron stars. I. The α-process **286**, 841
Witti J., see Takahashi K., et al. **286**, 857
Wittmann A.D., see Vela Villahoz E., et al. **282**, 350 ***(103, 293)***
Witzel A., see Ott M., et al. **284**, 331
Wolf B., see Kaufer A., et al. **289**, 740
Wolf B., see Stahl O., et al. **290**, 1019 ***(107, 1)***
Wolf M.: Apsidal motion in the eclipsing binary CO Lacertae **286**, 875
Wolf P., see Petit G. **286**, 971
Wolff B., see Jordan S., et al. **290**, 834
Wolter A., see Edge A.C., et al. **289**, L34
Wood K., Brown J.C.: Effect of electron thermal motions on Thomson scattered line profiles from hot circumstellar envelopes **291**, 202
Wood K., Brown J.C.: Parametric determination of the inclination, velocity and density structure of circumstellar discs from spectropolarimetric profiles of scattered lines **285**, 220
Wood K., see Brown J.C. **290**, 634
Wood K.S., see Maisack M., et al. **284**, 28
Wood P.R., see Hu J.Y., et al. **282**, 350 ***(103, 301)***
Wootten A., Nguyen-Q-Rieu, Truong-Bach: Images of low excitation HC_3N emission from IRC+10°216 **290**, 198
Worrall D.M., see Brunner H., et al. **287**, 436
Wouterloot J.G.A., see Brand J. **283**, 715 ***(103, 503)***
Wozniak H.: Is the edge-on galaxy NGC 4762 actually barred? **286**, L5
Wrigge M., Wendker H.J., Wisotzki L.: X-ray emission from wind blown interstellar bubbles. I. ROSAT observations of NGC 6888 **286**, 219
Wroblewski H., Torres C.: *Erratum* New proper-motion stars south of declination –40° and right ascension between 16 h and 21 h **292**, 361 ***(108, 251)***
Wroblewski H., Torres C.: New proper-motion stars south of declination –40° and right ascension between 16 h and 24 h **287**, 1037 ***(105, 179)***
Wu M., see Sun X.-J., et al. **289**, 127
Wu X., see Deharveng J.-M., et al. **289**, 715
Wu X., see Zhu Y., et al. **282**, 467
Wu X.-J., see Zhang C.-M., et al. **283**, 889
Wu X.-P.: A further discussion on quasar-galaxy associations from gravitational lensing **286**, 748
Wunderlich E., see Xu C., et al. **282**, 19
Xiang S.P.: Galaxy formation in dark matter models **290**, 349
Xie G.Z., Li K.H., Zhang Y.H., Liu F.K., Fan J.H., Wang J.C.: Simultaneous multirange observations and detection of rapid variability of BL Lacertae objects **289**, 666 ***(106, 361)***
Xie G.Z., see Fan J.H., et al. **287**, 1041 ***(105, 415)***
Xilouris K.M., Kramer M., Jessner A., Wielebinski R.: On the nature of pulsar radio-emission **288**, L17
Xilouris K.M., Papamastorakis J., Sokolov N., Paleologou E., Reich W.: Discovery of the new emission nebula G 4.4+6.4 **290**, 639
Xinwu Cao, Spruit H.C.: Magnetically driven wind from an accretion disk with low-inclination field lines **287**, 80
Xiong G.Z., Chen P.S., Gao H.: Infrared properties of OH/IR stars. I. Near-infrared observation and some physical parameters of OH/IR stars **292**, 369 ***(108, 661)***
Xu C., Lisenfeld U., Völk H.J.: Cool-FIR/radio correlation for late-type galaxies – The case for Supernova progenitors **285**, 19
Xu C., Lisenfeld U., Völk H.J., Wunderlich E.: Star-formation histories and the mass-normalized FIR/radio correlation in late-type galaxies **282**, 19
Xu J., see Cha G., et al. **284**, 874
Xuan J.Y., see Gu X.M., et al. **282**, 240
Yakoleva V.A., see Hagen-Thorn V.A., et al. **290**, 1
Yakovleva V.A., see Reshetnikov V.P., et al. **290**, 693
Yamada T., see Takata T., et al. **285**, 359 ***(104, 529)***
Yamamoto T., see Kouchi A., et al. **290**, 1009
Yang G.-C., see Zhang C.-M., et al. **283**, 889
Yang K.P., see Ji S.C., et al. **286**, 588
Yeomans D.K., see Sekanina Z., et al. **289**, 607
Yonekura Y., see Kun M., et al. **292**, 249
Yorke H.W., see Fischer O., et al. **284**, 187
Young A.T.: Improvements to photometry. VI. Passbands and transformations **288**, 683
Young A.T., Milone E.F., Stagg C.R.: On improving IR photometric passbands **287**, 1038 ***(105, 259)***
Youssefi G., see Strong A.W., et al. **292**, 82
Yudin B., Munari U., Taranova O., Dalmeri I.: 1978–1993 *UBVR–JHKLMN* photometry of the very slow nova and symbiotic Mira HM Sagittae. I. The data **287**, 1037 ***(105, 169)***
Yudin B.F., see Munari U., et al. **284**, L9
Začs L.: A spectroscopic analysis of barium stars **283**, 937
Začs L., see Boffin H.M.J. **291**, 811
Zaggia S., see Longo G., et al. **282**, 418

Zaggia S.R., see Longo G., et al. **287**, 1041 *(105, 433)*
Zahn J.-P.: Rotation and lithium depletion in late-type binaries **288**, 829
Zahn J.-P., see Cayrel de Strobel G., et al. **291**, 505
Zaitsev V.V., Aurass H., Krüger A., Mann G.: On the origin of noise storm continuum depressions **291**, 990
Zamanov R., see Paredes J.M., et al. **288**, 519
Zamorani G., see Edge A.C., et al. **289**, L34
Zamorani G., see Hasinger G., et al. **291**, 348
Zamorano J., see Gallego J., et al. **290**, 705
Zamorano J., see Rego M., et al. **281**, 348
Zandanov V.G., see Altyntsev A.T., et al. **287**, 256
Zaninetti L.: Percolation and synchrotron emission. III. Interaction between galaxies in two dimensions **283**, 417
Zappalà R.A., see Lanza A.F., et al. **290**, 861
Zarka P., see Barrow C.H., et al. **286**, 597
Zavagno A., Deharveng L., Caplan J.: A new young stellar object in the S 187 complex: photometry and spectroscopy **281**, 491
Zavatti F., see Fusi Pecci F., et al. **284**, 349
Zavlin V.E., see Pavlov G.G., et al. **289**, 837
Zboril M., see Zverko J., et al. **283**, 932
Zeilinger W.W., see Bertin G., et al. **292**, 381
Zeippen C.J., see Biémont E., et al. **283**, 339
Zeippen C.J., see Biémont E., et al. **287**, 290
Zeippen C.J., see Butler K. **292**, 357 *(108, 1)*
Zeller G., see Friedrich S., et al. **282**, 179
Zensus J.A., see Bogers W.J., et al. **287**, 1035 *(105, 91)*
Zhai D.S., Foing B.H., Cutispoto G., Zhang R.X., Catala C., Char S., Zhang X.B., Jankov S.: Multisite continuous spectroscopy. III. Photometric analysis and spot modelling of the light curves of HR 1099 before and after the 1989 optical flares **282**, 168
Zhai D.S., see Foing B.H., et al. **292**, 543
Zhang C.-M., Wu X.-J., Yang G.-C.: The crust screen model for the magnetic field of binary X-ray sources **283**, 889
Zhang F.J., Bååth L.B., Spencer R.E.: **(RN)** 1404+286: a non-ideal calibrator for VLBI observations **281**, 649
Zhang F.J., Spencer R.E., Schilizzi R.T., Fanti C., Bååth L.B., Su B.M.: Are there two engines at the center of 3C 286? **287**, 32
Zhang H., see Li X.-Q. **292**, 686
Zhang H., see Liu Y., et al. **283**, 215
Zhang H.L., Graziani M., Pradhan A.K.: Atomic data from the iron project. III. Rate coefficients for electron impact excitation of boron-like ions: Ne VI, Mg VIII, Al IX, Si X, S XII, Ar XIV, Ca XVI and Fe XXII **283**, 319
Zhang J., see Cao X. **285**, 1047
Zhang R., see Foing B.H., et al. **292**, 543
Zhang R.X., see Zhai D.S., et al. **282**, 168
Zhang X., see Foing B.H., et al. **292**, 543
Zhang X.B., see Zhai D.S., et al. **282**, 168
Zhang Y.H., see Xie G.Z., et al. **289**, 666 *(106, 361)*
Zhang Z., see Li X-Q., et al. **290**, 963
Zhao F., see Stahl O., et al. **290**, 1019 *(107, 1)*
Zhao J.L., Chen L.: Maximum likelihood estimation of the mean parallax and the kinematic parameters of moving clusters **287**, 68
Zhao J.L., see Tian K.P., et al. **287**, 1033 *(105, 15)*
Zhao J.L., Shao Z.Y.: Statistical determination of line-of-sight velocity membership of galaxy clusters **288**, 89
Zhekov S., see Hunt L.K., et al. **292**, 67
Zhekov S.A., see Hunt L.K., et al. **290**, 428
Zheleznyakov V.V., Belyanin A.A.: VLA data constraints on the Galactic-Centre annihilation line source 1E 1740.7−2942 **287**, 782
Zheng W., see Keel W.C., et al. **283**, 791
Zhong-Yong Zhang, see Shi-Bing Deng, et al. **281**, 759
Zhou Z.X., see Huang C.C., et al. **289**, 998 *(106, 413)*
Zhu Y., Mao D., Wang D., Wu X.: A positron-cyclotron maser mechanism for the core emission of radio pulsars **282**, 467
Zhu Y.Y., see Fan J.H., et al. **287**, 1041 *(105, 415)*
Zhugzhda Y.D., see Dzhalilov N.S., et al. **291**, 1001
Zhugzhda Y.D., Stix M.: Acoustic waves in structured media and helioseismology **291**, 310
Zhuravkov A., see Beskin G., et al. **289**, 141
Zhuravlev V.I., see Larionov M.G., et al. **288**, 1035 *(106, 119)*
Ziad A., Borgnino J., Martin F., Agabi A.: Experimental estimation of the spatial-coherence outer scale from a wavefront statistical analysis **282**, 1021
Ziad A., see Martin F., et al. **292**, 360 *(108, 173)*
Ziemkiewicz J.: The solar wind termination shock in the presence of cosmic rays **292**, 677
Ziener R., see Meusinger H., et al. **289**, 67
Zijlstra A.A., see Bedding T.R. **283**, 955
Zijlstra A.A., see Pottasch S.R. **289**, 261
Zijlstra A.A., see Van de Steene G.C. **292**, 365 *(108, 485)*
Zijlstra A.A., van Hoof P.A.M., Chapman J.M., Loup C.: Radio and infrared emission from a [WC]-type planetary nebula in the LMC **290**, 228
Zimmermann H.U., see Bi H.G., et al. **282**, 386
Zimmermann J.P., see Koutchmy S., et al. **281**, 249
Zinchenko I., Forsström V., Lapinov A., Mattila K.: Studies of dense molecular cores in regions of massive star formation. CS $J = 2-1$ and HCN $J = 1-0$ observations of 11 northern cores **288**, 601
Zinnecker H., Preibisch T.: X-ray emission from Herbig Ae/Be stars: a ROSAT survey **292**, 152
Zinnecker H., see Barth W., et al. **291**, 500
Zinnecker H., see Gahm G.F., et al. **282**, 123
Zinnecker H., see Henning T., et al. **288**, 282
Zinnecker H., see Richichi A., et al. **287**, 145
Zirin H., see Liu Y., et al. **283**, 215
Zirker J.B., see Koutchmy S., et al. **281**, 249
Žižňovský J., see Juza K., et al. **292**, 354 *(107, 403)*
Žižňovský J., see Zverko J., et al. **283**, 932
Zola S., Hall D.S., Henry G.W.: Rediscussion of photometric data and an accretion disk model for the 96-day binary UU Cancri **285**, 531
Zola S., see Kreiner J.M., et al. **285**, 459
Zook H.A., see Grün E., et al. **286**, 915
Zsoldos E.: The pulsations of yellow semi-regular variables. II. The F supergiant in the high-latitude binary BL Telescopii **286**, 870
Zuiderwijk E.J., see Kaper L., et al. **289**, 846
Zverko J., Zboril M., Žižňovský J.: Abundance determination in the CP star 21 Canum Venaticorum by means of spectrum synthesis **283**, 932
Zwarthoed G.A.A., see Augusteijn T., et al. **292**, 351 *(107, 219)*
Zwitter T., Munari U.: CCD spectrophotometry of CVs. I. 4600−9000 Å low resolution atlas for 31 faint systems **292**, 355 *(107, 503)*
Zybin K.P., see Dogiel V.A., et al. **281**, 937

Table of Contents for the 1994 Subject Index

Acceleration of particles . . . 793
Accretion, accretion disks . . . 793
Astrometry . . . 794
Astronomical data bases: miscellaneous . . . 795
Atlases . . . 796
Atmospheric effects . . . 796
Atomic data . . . 796
Atomic processes . . . 797
Black hole physics . . . 797
Catalogs . . . 798
Celestial mechanics, stellar dynamics . . . 798
Chaos . . . 799
Comets: general . . . 799
Comets: individual:... . . . 800
Conduction . . . 800
Convection . . . 800
(Cosmology:) cosmic microwave background . . . 801
(Cosmology:) dark matter . . . 801
(Cosmology:) diffuse radiation . . . 802
(Cosmology:) distance scale . . . 802
(Cosmology:) gravitational lensing . . . 802
(Cosmology:) large-scale structure of Universe . . . 803
Cosmology: miscellaneous . . . 803
Cosmology: observations . . . 804
Cosmology: theory . . . 804
Dense matter . . . 804
Diffusion . . . 804
Earth . . . 805
Eclipses . . . 805
Editorials, A&A notices . . . 805
Elementary particles . . . 805
Ephemerides . . . 805
Equation of state . . . 805
Errata, addenda . . . 805
Galaxies: abundances . . . 806
Galaxies: active . . . 806
(Galaxies:) BL Lacertae objects: general . . . 808
(Galaxies:) BL Lacertae objects: individual:... . . . 808
Galaxies: clusters: general . . . 810
Galaxies: clusters: individual:... . . . 811
Galaxies: compact . . . 811
(Galaxies:) cooling flows . . . 812
Galaxies: distances and redshifts . . . 812
Galaxies: elliptical and lenticular, cD . . . 812
Galaxies: evolution . . . 813
Galaxies: formation . . . 814
Galaxies: fundamental parameters (classification, colors, luminosities, masses, radii, etc.) . . . 814
Galaxies: general . . . 815
Galaxies: halos . . . 815
Galaxies: individual:... . . . 815
Galaxies: interactions . . . 821
(Galaxies:) intergalactic medium . . . 821
Galaxies: irregular . . . 822
Galaxies: ISM . . . 822
Galaxies: jets . . . 824
Galaxies: kinematics and dynamics . . . 825
(Galaxies:) Local Group . . . 826
Galaxies: luminosity function, mass function . . . 826
(Galaxies:) Magellanic Clouds . . . 826
Galaxies: magnetic fields . . . 827
Galaxies: nuclei . . . 827
Galaxies: peculiar . . . 828
Galaxies: photometry . . . 828
(Galaxies:) quasars: absorption lines . . . 829
(Galaxies:) quasars: emission lines . . . 830
(Galaxies:) quasars: general . . . 830
(Galaxies:) quasars: individual:... . . . 831
Galaxies: Seyfert . . . 832
Galaxies: spiral . . . 833
Galaxies: star clusters . . . 834
Galaxies: starburst . . . 834
Galaxies: stellar content . . . 834
Galaxies: structure . . . 835
Galaxy: abundances . . . 836
Galaxy: center . . . 836
Galaxy: evolution . . . 837
Galaxy: formation . . . 837
Galaxy: fundamental parameters . . . 837
Galaxy: general . . . 837
(Galaxy:) globular clusters: general . . . 837
(Galaxy:) globular clusters: individual:... . . . 838
Galaxy: halo . . . 839
Galaxy: kinematics and dynamics . . . 839
(Galaxy:) open clusters and associations: general . . . 840
(Galaxy:) open clusters and associations: individual:... . . . 840
(Galaxy:) solar neighbourhood . . . 842
Galaxy: stellar content . . . 843
Galaxy: structure . . . 843
Gamma rays: bursts . . . 843
Gamma rays: observations . . . 844
Gamma rays: theory . . . 844
Gravitation . . . 845
History and philosophy of astronomy . . . 845
Hydrodynamics . . . 845
Infrared: galaxies . . . 846
Infrared: general . . . 847
Infrared: ISM: continuum . . . 847
Infrared: ISM: lines and bands . . . 847
Infrared: solar system . . . 848
Infrared: stars . . . 848
Instabilities . . . 849
Instrumentation: detectors . . . 849
Instrumentation: interferometers . . . 849
Instrumentation: miscellaneous . . . 850
Instrumentation: photometers . . . 850
Instrumentation: polarimeters . . . 850
Instrumentation: spectrographs . . . 850
Interplanetary medium . . . 850
ISM: abundances . . . 851
ISM: atoms . . . 851
ISM: bubbles . . . 851
ISM: clouds . . . 851
(ISM:) cosmic rays . . . 853
(ISM:) dust, extinction . . . 853
ISM: general . . . 855
(ISM:) HII regions . . . 855
ISM: individual objects:... (except planetary nebulae) . . . 855
ISM: jets and outflows . . . 859
ISM: kinematics and dynamics . . . 860
ISM: magnetic fields . . . 860
ISM: molecules . . . 861
(ISM:) planetary nebulae: general . . . 862
(ISM:) planetary nebulae: individual:... . . . 863
(ISM:) reflection nebulae . . . 864
ISM: structure . . . 864
ISM: supernova remnants . . . 865
Line: formation . . . 865

Line: identification . . . 866
Line: profiles . . . 866
Magnetic fields . . . 868
Magnetohydrodynamics (MHD) . . . 868
Masers . . . 869
Meteors, meteoroids . . . 870
Methods: analytical . . . 870
Methods: data analysis . . . 871
Methods: laboratory . . . 872
Methods: miscellaneous . . . 872
Methods: numerical . . . 872
Methods: observational . . . 874
Methods: statistical . . . 874
Minor planets, asteroids . . . 875
Molecular data . . . 875
Molecular processes . . . 875
Moon . . . 876
Nuclear reactions, nucleosynthesis, abundances . . . 876
Occultations . . . 877
Planets and satellites: general . . . 877
Planets and satellites: individual . . . 877
Plasmas . . . 878
Polarization . . . 879
Radiation mechanisms: non-thermal . . . 880
Radiation mechanisms: thermal . . . 880
Radiative transfer . . . 881
Radio continuum: galaxies . . . 881
Radio continuum: general . . . 883
Radio continuum: ISM . . . 883
Radio continuum: solar system . . . 883
Radio continuum: stars . . . 883
Radio lines: galaxies . . . 884
Radio lines: ISM . . . 885
Radio lines: solar system . . . 886
Radio lines: stars . . . 886
Reference systems . . . 887
Relativity . . . 887
Scattering . . . 887
Shock waves . . . 887
Site testing . . . 888
Solar system: formation . . . 888
Solar system: general . . . 888
Space vehicles . . . 888
Stars: abundances . . . 889
Stars: activity . . . 891
Stars: AGB and post-AGB . . . 892
Stars: atmospheres . . . 894
(Stars:) binaries: eclipsing . . . 895
(Stars:) binaries: general . . . 896
(Stars:) binaries (including multiple): close . . . 896
(Stars:) binaries: spectroscopic . . . 898
(Stars:) binaries: symbiotic . . . 899
(Stars:) binaries: visual . . . 900
(Stars:) blue stragglers . . . 901
Stars: carbon . . . 901
Stars: chemically peculiar . . . 901
Stars: chromospheres . . . 902
(Stars:) circumstellar matter . . . 903
Stars: coronae . . . 905
Stars: distances . . . 905
Stars: early-type . . . 905
Stars: emission-line, Be . . . 907
Stars: evolution . . . 908
Stars: flare . . . 910
Stars: formation . . . 911
Stars: fundamental parameters (classification, colors, luminosities, masses, radii, temperatures, etc.) . . . 912
Stars: general . . . 914
(Stars:) Hertzsprung-Russell (HR) diagram . . . 914
Stars: horizontal-branch . . . 914
Stars: imaging . . . 915
Stars: individual:... . . . 915
Stars: interiors . . . 931
Stars: kinematics . . . 931
Stars: late-type . . . 932
Stars: low-mass, brown dwarfs . . . 933
Stars: luminosity function, mass function . . . 933
Stars: magnetic fields . . . 934
Stars: mass-loss . . . 934
Stars: neutron . . . 936
(Stars:) novae, cataclysmic variables . . . 937
Stars: oscillations (including pulsations) . . . 938
Stars: peculiar (except chemically peculiar) . . . 939
(Stars:) planetary systems . . . 939
Stars: Population II . . . 939
Stars: pre-main sequence . . . 940
(Stars:) pulsars: general . . . 941
(Stars:) pulsars: individual: 942
Stars: rotation . . . 943
Stars: statistics . . . 944
(Stars:) subdwarfs . . . 944
(Stars:) supergiants . . . 944
(Stars:) supernovae: general . . . 945
(Stars:) supernovae: individual: 945
(Stars: variables:) δ Sct . . . 946
(Stars: variables:) Cepheids . . . 946
Stars: variables: other . . . 946
(Stars:) white dwarfs . . . 948
Stars: Wolf-Rayet . . . 949
Sun: abundances . . . 949
Sun: activity . . . 950
Sun: atmosphere . . . 950
Sun: chromosphere . . . 950
Sun: corona . . . 951
Sun: faculae, plages . . . 951
Sun: filaments . . . 951
Sun: flares . . . 951
Sun: general . . . 952
Sun: granulation . . . 952
Sun: infrared . . . 952
Sun: interior . . . 952
Sun: magnetic fields . . . 952
Sun: oscillations . . . 953
Sun: particle emission . . . 954
Sun: photosphere . . . 954
Sun: prominences . . . 954
Sun: radio radiation . . . 954
Sun: rotation . . . 955
(Sun:) solar-terrestrial relations . . . 955
(Sun:) solar wind . . . 955
(Sun:) sunspots . . . 955
Sun: transition region . . . 956
Sun: UV radiation . . . 956
Sun: X-rays, gamma rays . . . 956
Surveys . . . 956
Techniques: image processing . . . 957
Techniques: interferometric . . . 957
Techniques: miscellaneous . . . 958
Techniques: photometric . . . 958
Techniques: polarimetric . . . 959
Techniques: radar astronomy . . . 959

Techniques: radial velocities 959
Techniques: spectroscopic 959
Telescopes 960
Time 960
Turbulence 960
Ultraviolet: galaxies 961
Ultraviolet: general 961
Ultraviolet: ISM 961
Ultraviolet: solar system 961
Ultraviolet: stars 961
Waves 962
X-rays: bursts 962
X-rays: galaxies 962
X-rays: general 963
X rays: ISM 963
X-rays: stars 964

Subject Index 1994

Astronomy and Astrophysics, Volumes 281–292 (1994)

Supplement Series, Volumes 103–108 (1994)

Volumes and page numbers of articles published in the Supplement Series are printed in italics

Acceleration of particles 02.01.1

Evidence for enhanced MHD turbulence outside sharp-rimmed supernova remnants
Achterberg A., Blandford R.D., Reynolds S.P. **281**, 220

Acceleration of electrons outside flares: evidence for coronal evolution and height-extended energy release during noise storms
Raulin J.P., Klein K.-L. **281**, 536

Enhancement of the electron runaway flux with kinetic Alfvén waves
de Assis A.S., Leubner C. **281**, 588

Efficiency of the second-order Fermi acceleration at parallel shock waves
Ostrowski M. **283**, 344

Particle acceleration at superluminal quasi-perpendicular shocks. Application to SN 1978K and SN 1987A
Achterberg A., Ball L. **285**, 687

Computation of cosmic-ray acceleration by Itô's stochastic differential equations
Krülls W.M., Achterberg A. **286**, 314

The spectrum of Sgr A* and its variability
Duschl W.J., Lesch H. **286**, 431

A comparison of gamma-ray and radio emissions during the 11:42 UT solar flare on 1982 June 3
Trottet G., Chupp E.L., Marschhäuser H., Pick M., Soru-Escaut I., Rieger E., Dunphy P.P. **288**, 647

Energy implications of Li production in X-ray transients
Martín E.L., Spruit H.C., van Paradijs J. **291**, L43

Cosmic ray hydrodynamics at shock fronts
Duffy P., Drury L.O'C., Völk H. **291**, 613

Magnetic drift driven instability for cosmic-ray acceleration: oblique propagation
Pajot-El Abed P., Melikidze G., Tagger M. **291**, 687

Similarity solutions for synchrotron emission from a supernova blast wave
Ratkiewicz R., Axford W.I., McKenzie J.F. **291**, 935

Particle acceleration by an interplanetary shock-pair seen at Ulysses at 3.15 AU
Tappin S.J., Roelof E.C., Lanzerotti L.J. **292**, 311

Accretion, accretion disks 02.01.2

Luminosity dependence of the hardness of the 13-80 keV X-ray spectra of low-mass X-ray binaries
van Paradijs J., van der Klis M. **281**, L17

Another supersoft X-ray source in the LMC
Greiner J., Hasinger G., Thomas H.-C. **281**, L61

X-ray reprocessing and UV continuum in AGN: the case of NGC 4151
Perola G.C., Piro L. **281**, 7

Spectroscopic detection of the spin pulse in GK Persei
Reinsch K. **281**, 108

Simultaneous radio and X-ray observations of GX 340+0
Oosterbroek T., Lewin W.H.G., van Paradijs J., van der Klis M., Penninx W., Dotani T. **281**, 803

Nonlinear instability of colliding winds in a double star system
Dgani R., Soker N. **282**, 54

Spin-phase resolved optical spectroscopy of AE Aquarii
Reinsch K., Beuermann K. **282**, 493

Studies of early-type variable stars. XI. Absolute parameters of the Algol system RZ Cassiopeiae
Maxted P.F.L., Hill G., Hilditch R.W. **282**, 821

UBVRI polarimetry of AM Herculis-type binaries. V. The asynchronous (?) polar BY Camelopardalis (H0538+608)
Piirola V., Coyne G.V., Takalo S.J.L., Larsson S., Vilhu O. **283**, 163

Spectral eclipse mapping of the accretion disk in the nova-like variable UX Ursae Majoris
Rutten R.G.M., Dhillon V.S., Horne K., Kuulkers E. **283**, 441

A comparison of the power spectra of Z and atoll sources, pulsars and black hole candidates
van der Klis M. **283**, 469

Locating the emission line regions in polars: Doppler imaging of VV Puppis
Diaz M.P., Steiner J.E. **283**, 508

Turbulent accretion disk dynamos
Torkelsson U., Brandenburg A. **283**, 677

Numerical studies of wind accretion using SPH. I. 2D simulations
Boffin H.M.J., Anzer U. **284**, 1026

PSR 1718–19 and destructive tidal circularization
Verbunt F. **285**, L21

Stationary boundary layers of accretion α disks: profiles and emission properties
Lioure A., Le Contel O. **285**, 185

Near-simultaneous ROSAT and Ginga observations of the 1991 X-ray transient in Musca
Greiner J., Hasinger G., Molendi S., Ebisawa K. **285**, 509

Rediscussion of photometric data and an accretion disk model for the 96-day binary UU Cancri
Zola S., Hall D.S., Henry G.W. **285**, 531

ROSAT observations of soft X-ray transients in quiescence
Verbunt F., Belloni T., Johnston H.M., van der Klis M., Lewin W.H.G. **285**, 903

Stability of a polytropic accretion disk around a black hole
Cao X., Zhang J. **285**, 1047

Thin accretion disks near the critical luminosity: the effect of turbulent energy transport
Heinrich O.M. **286**, 338

The spectrum of Sgr A* and its variability
Duschl W.J., Lesch H. **286**, 431

A magnetic explanation for the rapid burster
Kuijpers J., Kuperus M. **286**, 491

Magnetically driven wind from an accretion disk with low-inclination field lines
Xinwu Cao, Spruit H.C. **287**, 80

Polar accretion and light variability on T Tauri stars
Gullbring E. **287**, 131

The Parker instability in disks with differential rotation
Foglizzo T., Tagger M. **287**, 297

Large-scale vortices in rotating stratified disks
Kitchatinov L.L., Rüdiger G., Khomenko G. **287**, 320

Erratum Do molecular clouds contain accreting black holes?
Campana S., Pardi M.C. **287**, 348

Ambiguities of parametrized dust disk models for young stellar objects
Thamm E., Steinacker J., Henning T. **287**, 493

The long-period symbiotic binary CH Cygni. III. Emission line profiles from the rotating accretion disk
Leedjärv L., Mikolajewski M., Tomov T. **287**, 543

Instability in a braking disk: Herculis X-1 in the inactive state
Meyer F., Meyer-Hofmeister E. **287**, 559

e^+–e^- annihilation lines from accretion discs around Kerr black holes
Hameury J.-M., Marck J.-A., Pelat D. **287**, 795

Hydrodynamical 3D Bondi-Hoyle accretion onto the Galactic Center blackhole candidate Sgr A
Ruffert M., Melia F. **288**, L29

The spectra and luminosity of super-soft X-ray sources
Heise J., van Teeseling A., Kahabka P. **288**, L45

Accretion disk evaporation by a coronal siphon flow
Meyer F., Meyer-Hofmeister E. **288**, 175

Roche tomography: imaging the stars in interacting binaries
Rutten R.G.M., Dhillon V.S. **288**, 773

Hydrodynamic calculations of accretion discs in close binaries. The superhump phenomenon
Heemskerk M.H.M. **288**, 807

Optical identification of the supersoft X-ray source 1E 0035.4–7230 in the Small Magellanic Cloud
Orio M., Della Valle M., Massone G., Ögelman H. **289**, L11

EUV energy distributions of accretion disks in active galactic nuclei
Störzer H., Hauschildt P.H. **289**, 45

(RN) Optical study of LMXBs with high temporal resolution: evidence for non-thermal flares from MXB 1735–44
Beskin G., Neizvestny S., Plokhotnichenko V., Popova M., Zhuravkov A., Benvenuto O.G., Feinstein C., Méndez M. **289**, 141

(RN) WX Arietis: a low-inclination SW Sextantis star
Hellier C., Ringwald F.A., Robinson E.L. **289**, 148

Herculis X-1: coronal winds producing the tilted shape of the accretion disk
Schandl S., Meyer F. **289**, 149

On the strategy of future observations and modeling of the β Lyrae system
Hubeny I., Harmanec P., Shore S.N. **289**, 411

Fast eclipse mapping
Spruit H.C. **289**, 441

Erratum The evidence for anisotropy of the ionizing continuum of NGC 4151
Schulz H., Komossa S. **289**, 662

Spectral and correlated timing behaviour of GX 5–1
Kuulkers E., van der Klis M., Oosterbroek T., Asai K., Dotani T., van Paradijs J., Lewin W.H.G. **289**, 795

Three-dimensional hydrodynamic Bondi-Hoyle accretion. III. Mach 0.6, 1.4 and 10; $\gamma = 5/3$
Ruffert M. **289**, 1000 (***106**, 505)*

Structure of the outer regions of accretion discs in Active Galactic Nuclei
Huré J.-M., Collin-Souffrin S., Le Bourlot J., Pineau des Forêts G. **290**, 19

Structure of the outer regions of accretion discs in Active Galactic Nuclei: the influence of opacity
Huré J.-M., Collin-Souffrin S., Le Bourlot J., Pineau des Forêts G. **290**, 34

Systematics of dwarf nova outbursts: a parameter study in the framework of the disk-instability model
Ludwig K., Meyer-Hofmeister E., Ritter H. **290**, 473

Energy implications of Li production in X-ray transients
Martín E.L., Spruit H.C., van Paradijs J. **291**, L43

The variable soft X-ray excess of Mkn 766
Molendi S., Maccacaro T. **291**, 420

An optical time-resolved spectroscopic study of SS Cygni. I. Quiescence
Martínez-Pais I.G., Giovannelli F., Rossi C., Gaudenzi S. **291**, 455

Microlensing of optically thin clouds in active galactic nuclei
Jaroszyński M., Marck J.-A. **291**, 731

The many incarnations of accretion disk dynamos: mixed parities and chaos for large dynamo numbers
Torkelsson U., Brandenburg A. **292**, 341

Periodicities in the optical brightness variations of the intermediate polar TV Columbae
Augusteijn T., Heemskerk M.H.M., Zwarthoed G.A.A., van Paradijs J. **292**, 351 (***107**, 219)*

Black-hole stellar accretion in active galactic nuclei
Hameury J.-M., King A.R., Lasota J.-P., Auvergne M. **292**, 404

Starving accretion disks in the center of galaxies: the examples of Sagittarius A* and M 31
Falcke H., Heinrich O.M. **292**, 430

Time resolved spectroscopy of the dwarf nova VY Aquarii in superoutburst and quiescence
Augusteijn T. **292**, 481

ROSAT X-ray observations of ten cataclysmic variables
van Teeseling A., Verbunt F. **292**, 519

Astrometry 05.01.1

A preliminary list of stars from Tycho observations
Halbwachs J.L., Bässgen G., Bastian U., Egret D., Høg E., van Leeuwen F., Petersen C., Schwekendiek P., Wicenec A. **281**, L25

On the conversion of orbital elements from 1950.0 to J 2000
Lieske J.H. **281**, 281

Mutual phenomena of the Galilean satellites: an analysis of the 1991 observations from VBO
Vasundhara R. **281**, 565

New optical positions of the globular cluster X-ray sources NGC 6712: S/X 1850-086 and M 15: AC 211/X 2127+119
Geffert M., Aurière M., Requième Y., Mazurier J.-M. **282**, 989

Astrometry in the Galactic Center region
Müller T., Rosa M.R., Röser S. **283**, L29

A comparison of methods for determining the centers of globular clusters
Picard A., Johnston H.M. **283**, 76

Global astrometry of HIPPARCOS double stars within the FAST consortium
Bernstein H.-H. **283**, 293

The second Quito astrolabe catalogue
Kolesnik Y.B., Davila H. **283**, 714 (***103**, 427)*

Construction of the Second Quito Astrolabe Catalogue
Kolesnik Y.B. **283**, 997

Measurement of the atmospheric limit to narrow-angle interferometric astrometry using the Mark III stellar interferometer
Colavita M.M. **283**, 1027

Proper motion measurements and high resolution imaging of the HH 46/47 outflow
Eislöffel J., Mundt R. **284**, 530

Proper motion study of the globular cluster M 3
Tucholke H.-J., Scholz R.-D., Brosche P. **284**, 701 (***104**, 161)*

A new *UBV* and proper motion survey in the anticentre direction at intermediate galactic latitude: kinematics of the Galaxy's stellar populations
Ojha D.K., Bienaymé O., Robin A.C., Mohan V. **284**, 810

Optical astrometry of Benchmark radio sources. II. Positions of 29 compact extragalactic radio sources with respect to the International Reference Stars catalogue
Costa E., Loyola P. **285**, 359 (***104**, 503)*

Erratum Extinction and the wavelength-dependent positions of the nuclei of NGC 6240
Schulz H., Fried J.W., Röser S., Keel W.C. **285**, 710

NGC 2451 – What is it?
Röser S., Bastian U. **285**, 875

New binary stars discovered by lunar occultations
Richichi A., Calamai G., Leinert C. **286**, 829

Kinematics of hot subdwarfs
Colin J., de Boer K.S., Dauphole B., Ducourant C., Dulou M.R., Geffert M., Le Campion J.-F., Moehler S., Odenkirchen M., Schmidt J.H.K., Theissen A. **287**, 38

Determination of the extragalactic-planetary frame tie from joint analysis of radio interferometric and lunar laser ranging measurements
Folkner W.M., Charlot P., Finger M.H., Williams J.G., Sovers O.J., Newhall X.X., Standish Jr. E.M. **287**, 279

Phase correction and planetary positions *(Text in French)*
Toulmonde M., Chollet F. **287**, 1014

Proper motions of stars in the region of the open cluster NGC 2286 and its membership study
Tian K.P., Zhao J.L., van Leeuwen F. **287**, 1033 (***105**, 15)*

New proper-motion stars south of declination –40° and right ascension between 16 h and 24 h
Wroblewski H., Torres C. **287**, 1037 (***105**, 179)*

PPM Star Catalogue: the 90000 Stars Supplement
Röser S., Bastian U., Kuzmin A. **287**, 1039 (***105**, 301)*

Micrometer measurements of visual double stars made at Pic du Midi Observatory
Docobo J.A., Ling J.F. **287**, 1039 (***105**, 337)*

Optical positions of radio stars observed with the Repsold Meridian Circle at Cerro Calan, National Observatory
Carrasco G., Loyola P. **287**, 1041 (***105**, 429)*

Binary star speckle measurements during 1989–1993 from the SAO 6 m and 1 m telescopes in Zelenchuk
Balega I.I., Balega Y.Y., Belkin I.N., Maximov A.F., Orlov V.G., Pluzhnik E.A., Shkhagosheva Z.U., Vasyuk V.A. **287**, 1042 (***105**, 503)*

Optical positions of 20 radio stars from astrolabe observations
Hui H., Dongming L., Rui W., Cuixian C. **288**, 1034 (***106**, 103)*

Observations of the Sun during 1993 with the astrolabe of Santiago
Noël F. **289**, 665 (***106**, 327)*

Orbital elements of twelve binary stars *(Text in French)*
Baize P. **289**, 665 (***106**, 267)*

Measurements of double stars made at Nice Observatory, New Double Stars (24th series) discovered at Nice with the 50 cm refractor *(Text in French)*
Couteau P., Gili R. **289**, 998 (***106**, 377)*

Second astrolabe catalogue of Santiago
Noël F. **289**, 999 (***106**, 441)*

A multicolor survey of absolute proper motions: galactic structure and kinematics in the direction of the galactic center at intermediate latitude
Ojha D.K., Bienaymé O., Robin A.C., Mohan V. **290**, 771

Relationship between the astrometric z-term, the Earth rotation and the southern oscillation index
Li Z.X., Gambis D. **290**, 1001

Catalogue-based of optical and radio positions
Andrei A.H. **290**, 1020 (***107**, 51)*

Lunar VLBI observation model
Fukushima T. **291**, 320

Astrometric analysis of Europa-Io occultations observed in 1991
Descamps P. **291**, 664

Photographic observations of visual double stars
Jasinta D.M.D., Soegiartini E. **292**, 351 (***107**, 235)*

A method to define a reference system for the reduction of astrometric positions of natural satellites
Veiga C.H., Vieira Martins R. **292**, 356 (***107**, 551)*

Positions of Uranian satellites
Veiga C.H., Vieira Martins R. **292**, 357 (***107**, 559)*

Erratum New proper-motion stars south of declination –40° and right ascension between 16 h and 21 h
Wroblewski H., Torres C. **292**, 361 (***108**, 251)*

Pt 1: a Halo symbiotic binary not related to the globular cluster NGC 6401
Munari U., Lattanzi M.G., Bragaglia A. **292**, 501

Astronomical data bases: miscellaneous 04.01.1

Chromospheric activity in G and K giants: the spectroscopic data base
Strassmeier K.G. **283**, 714 (***103**, 413)*

StarWords. A database of abbreviations, acronyms, and symbols in astronomy, space sciences, and related fields (Announcement of a database)
Albrecht M.A., Heck A. **283**, 715 (***103**, 471)*

StarGates. A database of astronomy, space sciences, and related organizations of the world (Announcement of a database)
Albrecht M.A., Heck A. **283**, 715 (***103**, 473)*

The FITS image extension
Ponz J.D., Thompson R.W., Muñoz J.R. **287**, 1034 (***105**, 53)*

On the frequency of interstellar meteoroids
Hajduková Jr. M. **288**, 330

Second Reference Dictionary of the Nomenclature of Celestial Objects (Solar System excluded)
Lortet M.-C., Borde S., Ochsenbein F. **292**, 351 (***107**, 193)*

AstroWeb. A database of links to astronomy resources (Announcement of a database)
Jackson R., Wells D., Adorf H.M., Egret D., Heck A., Koekemoer A., Murtagh F. **292**, 360 (***108**, 235)*

StarWorlds–StarBits (Announcement of two databases)
Heck A., Egret D., Ochsenbein F. **292**, 365 (***108**, 447)*

Atlases 04.01.2

Absolute fluxes for Supernova 1987A. III. Days 158–314
Hanuschik R.W., Kimeswenger S., Gochermann J., Poetzel R., Schnur G.F.O., Werger M. **281**, 737

An atlas of high resolution line profiles of symbiotic stars. II. Echelle spectroscopy of northern sky objects
Ivison R.J., Bode M.F., Meaburn J. **282**, 349 (***103, 201***)

A systematic study of IRAS selected proto-planetary nebula candidates. II. OH and CO observations
Hu J.Y., te Lintel Hekkert P., Slijkhuis S., Baas F., Sahai R., Wood P.R. **282**, 350 (***103, 301***)

High-dispersion microfiche atlas of OB stars for the first 10 years of IUE
Bohlin R.C., Henrichs H.F., Nichols J.S. **287**, 1039 (***105, 305***)

How did the spectrum of P Cygni look in 1985? Spectral atlas with complete line identifications in the wavelength range from 3550 to 4800 Å
Markova N. **292**, 367 (***108, 561***)

Low resolution IUE spectra of Wolf-Rayet stars
Niedzielski A., Rochowicz K. **292**, 370 (***108, 669***)

Atmospheric effects 03.01.2

The influence of the stray light in the solar image on the Fraunhofer line profiles
Barducci A., Cavallini F., Ceppatelli G., Righini A. **281**, 955

The first geodetic VLBI experiment at 22 GHz between Japan and Italy
Takahashi Y., Kiuchi H., Kurihara N., Grueff G., Ambrosini R. **282**, 341

High-resolution spectroscopy of cool K and M stars through the telluric water vapor absorption band near 9360 Å. I. Methodology and first results
Widemann T., Bertaux J.L., Querci M., Querci F. **282**, 879

Experimental estimation of the spatial-coherence outer scale from a wavefront statistical analysis
Ziad A., Borgnino J., Martin F., Agabi A. **282**, 1021

Measurement of the atmospheric limit to narrow-angle interferometric astrometry using the Mark III stellar interferometer
Colavita M.M. **283**, 1027

Thermal effects on the pointing of the 32-m MERLIN radio telescope at Cambridge
Bayley A.M., Davis R.J., Haggis J.S., Kärcher H. **283**, 1051

Optical seeing at La Palma Observatory. II. Intensive site testing campaign at the Nordic Optical Telescope
Vernin J., Muñoz-Tuñón C. **284**, 311

Solar radiation pressure perturbations for Earth satellites. II. An approximate method to model penumbra transitions and their long-term orbital effects on LAGEOS
Vokrouhlický D., Farinella P., Mignard F. **285**, 333

Phase-referenced visibility averaging in optical long-baseline interferometry
Quirrenbach A., Mozurkewich D., Buscher D.F., Hummel C.A., Armstrong J.T. **286**, 1019

Observations of atmospheric noise fluctuations with a metre-baseline interferometer in the 13–17 GHz band
Robson M., O'Sullivan C.M.M., Scott P.F., Duffett-Smith P.J. **286**, 1028

On improving IR photometric passbands
Young A.T., Milone E.F., Stagg C.R. **287**, 1038 (***105, 259***)

Estimation of visibility amplitude by optical long-baseline Michelson interferometry with large apertures
Mourard D., Tallon-Bosc I., Rigal F., Vakili F., Bonneau D., Morand F., Stee P. **288**, 675

Solar radiation pressure perturbations for Earth satellites. III. Global atmospheric phenomena and the albedo effect
Vokrouhlický D., Farinella P., Mignard F. **290**, 324

Modelling of geometric transformations of solar images
Molowny-Horas R. **290**, 1021 (***107, 121***)

Astronomical adaptive optics. I. Modal control optimization
Gendron E., Léna P. **291**, 337

Wavefront sensing and image restoration from focused and defocused solar images
Löfdahl M.G., Scharmer G.B. **292**, 352 (***107, 243***)

G.S.M.: a Grating Scale Monitor for atmospheric turbulence measurements. I. The instrument and first results of angle of arrival measurements
Martin F., Tokovinin A., Agabi A., Borgnino J., Ziad A. **292**, 360 (***108, 173***)

Instrumental polarization in the focal plane of telescopes. II. Effects induced by seeing
Sánchez Almeida J. **292**, 713

Atomic data 02.01.3

Spectral coefficients of emission and absorption due to ion-atom radiation collisions in the solar atmosphere
Mihajlov A.A., Dimitrijević M.S., Ignjatović Lj., Djurić Z. **281**, 637 (***103, 57***)

Atomic data from the IRON project. II. Effective collision strengths for infrared transitions in carbon-like ions
Lennon D.J., Burke V.M. **282**, 350 (***103, 273***)

The reliability of H^- free-free absorption coefficients
John T.L. **282**, 890

Ion-dynamical effects in the Stark broadening of H I and He II lines and the implications for high resolution spectroscopy
Schöning T. **282**, 994

Recombination coefficients for O II lines at nebular temperatures and densities
Storey P.J. **282**, 999

Fe I oscillator strengths for lines with excitation energies between 3 and 7 eV
Bard A., Kock M. **282**, 1014

Atomic data from the iron project. III. Rate coefficients for electron impact excitation of boron-like ions: Ne VI, Mg VIII, Al IX, Si X, S XII, Ar XIV, Ca XVI and Fe XXII
Zhang H.L., Graziani M., Pradhan A.K. **283**, 319

The 4s–4p transitions in neutral phosphorus
Biémont E., Martin F., Quinet P., Zeippen C.J. **283**, 339

Radiation-driven winds of hot luminous stars. XII. A first step towards detailed UV-line diagnostics of O-stars
Pauldrach A.W.A., Kudritzki R.P., Puls J., Butler K., Hunsinger J. **283**, 525

(RN) Corrections to an expression for the oscillator strength of hydrogen
Perrin J.-M. **283**, 1025

Oscillator strength measurements in the vacuum-ultraviolet. VI. Neutral oxygen lines in the 950–1200 Å range
Goldbach C., Nollez G. **284**, 307

Non-variability of the fine-structure constant over cosmological time scales
Potekhin A.Y., Varshalovich D.A. **284**, 700 (***104, 89***)

Stark broadening of hydrogen Lyman and Balmer in the conditions of stellar envelopes
Stehlé C. **285**, 359 (***104***, *509)*

Branching fractions for the transition $3s^23p^3(^4S)4s\ ^3S \rightarrow 3s^23p^4\ ^3P$ of neutral sulphur
Ricci E., Mazzoni M. **286**, 344

(RN) On the shifts of magnesium Rydberg lines in the solar infrared spectrum
Hoang-Binh D. **286**, 607

Lifetimes and oscillator strengths for Y III
Maniak S.T., Curtis L.J., Theodosiou C.E., Hellborg R., Johansson S.G., Martinson I., Irving R.E., Beideck D.J. **286**, 978

Resonance transitions in neutral chlorine
Biémont E., Gebarowski R., Zeippen C.J. **287**, 290

Parametrized Stark profiles of hydrogen lines in hot stellar plasmas
Clausset F., Stehlé C., Artru M.-C. **287**, 666

Measured Stark widths and shifts of several Ni I and Ni II spectral lines
Djenize S., Skuljan L., Labat J., Bukvić S., Konjević R. **287**, 1035 (***105***, *115)*

Atomic data and spectral line intensities for O VIII and Fe XVII resonance lines as well as their O VII and Fe XVI satellite lines
Cornille M., Dubau J., Faucher P., Bely-Dubau F., Blancard C. **287**, 1035 (***105***, *77)*

Stark broadening of Be I spectral lines
Dimitrijević M.S., Sahal-Bréchot S. **287**, 1038 (***105***, *243)*

Stark broadening of spectral lines of multicharged ions of astrophysical interest. XI. Al XI and Si XII
Dimitrijević M.S., Sahal-Bréchot S. **287**, 1038 (***105***, *245)*

Atomic data from the IRON project. IV. Electron excitation of the $^2P^o_{3/2}$-$^2P^o_{1/2}$ fine structure transition in fluorine-like ions
Saraph H.E., Tully J.A. **290**, 1019 (***107***, *29)*

A determination of the solar abundance of iron from faint Fe I lines
Milford P.N., O'Mara B.J., Ross J.E. **292**, 276

Innershell photoionization of atomic neon: Ne III and Ne IV line production in AGN plasmas
Petrini D., Farias G.A. **292**, 337

Stark broadening of spectral lines of multicharged ions of astrophysical interest. X. Ne VIII and Na IX
Dimitrijević M.S., Sahal-Bréchot S. **292**, 353 (***107***, *349)*

Atomic data from the IRON Project. V. Effective collision strengths for transitions in the ground configuration of oxygen-like ions
Butler K., Zeippen C.J. **292**, 357 (***108***, *1)*

Atomic data for absorption lines from the ground level at wavelengths greater than 228 Å
Verner D.A., Barthel P.D., Tytler D. **292**, 362 (***108***, *287)*

Free-free quasi-molecular absorption and satellites in Lyman-alpha due to collisions with H and H^+
Allard N.F., Koester D., Feautrier N., Spielfiedel A. **292**, 364 (***108***, *417)*

Stark profiles of He^+
Stehlé C. **292**, 699

Atomic processes 02.01.4

Influence of nonideal effects of dense plasma on solar interior opacity
Luo G. **281**, 561

Spectral coefficients of emission and absorption due to ion-atom radiation collisions in the solar atmosphere
Mihajlov A.A., Dimitrijević M.S., Ignjatović Lj., Djurić Z. **281**, 637 (***103***, *57)*

Auger process following 1s-photoionization: O III lines
Petrini D., de Araújo F.X. **282**, 315

Atomic data from the IRON project. II. Effective collision strengths for infrared transitions in carbon-like ions
Lennon D.J., Burke V.M. **282**, 350 (***103***, *273)*

The reliability of H^- free-free absorption coefficients
John T.L. **282**, 890

Iron-aromatics coordination in molecular clouds
Marty P., Serra G., Chaudret B., Ristorcelli I. **282**, 916

The equation of state in the chemical picture: a grand-canonical approach. II. The occupation number of molecules and atoms
Luo G. **284**, 679

The equation of state in the chemical picture: a grand-canonical approach. III. Thermodynamic properties and non-ideal effects
Luo G. **284**, 684

Stark broadening of hydrogen Lyman and Balmer in the conditions of stellar envelopes
Stehlé C. **285**, 359 (***104***, *509)*

Branching fractions for the transition $3s^23p^3(^4S)4s\ ^3S \rightarrow 3s^23p^4\ ^3P$ of neutral sulphur
Ricci E., Mazzoni M. **286**, 344

(RN) On the shifts of magnesium Rydberg lines in the solar infrared spectrum
Hoang-Binh D. **286**, 607

Resonance transitions in neutral chlorine
Biémont E., Gebarowski R., Zeippen C.J. **287**, 290

Erratum The polarized spectrum of hydrogen in the presence of electric and magnetic fields
Casini R., Landi Degl'Innocenti E. **287**, 692

(RN) The influence of ion-atom radiative collisions on the continuous optical spectra in helium-rich DB white-dwarf atmospheres
Mihajlov A.A., Dimitrijević M.S., Ignjatović L.M. **287**, 1026

Radiative acceleration in stars due to photoionization
Alecian G. **289**, 885

Properties of the first-order moments of the polarization profiles of hydrogen lines
Casini R., Landi Degl'Innocenti E. **291**, 668

Black hole physics 02.02.1

Luminosity dependence of the hardness of the 13-80 keV X-ray spectra of low-mass X-ray binaries
van Paradijs J., van der Klis M. **281**, L17

Spectroscopic monitoring of active galactic nuclei. III. Size of the broad line region in NGC 3227
Salamanca I., Alloin D., Baribaud T., Axon D., de Bruyn A.G., Goad M., Gondhalekar P., van Groningen E., Jackson N., Kollatschny W., Laurikainen E., Lawrence A., Masegosa J., O'Brien P.T., Pelat D., Penston M.V., Pérez E., Pérez-Fournon I., Robinson A., Santos-Lleo M., Stirpe G.M., Tadhunter C.N., Terlevich R.J., Unger S., Wagner S., Wanders I. **282**, 742

Binary black hole in a dense star cluster
Polnarev A.G., Rees M.J. **283**, 301

A comparison of the power spectra of Z and atoll sources, pulsars and black hole candidates
van der Klis M. **283**, 469

Can nucleosynthesis determine the mass limit for stellar black hole formation?
Prantzos N. **284**, 477

Radial-velocity curves of eccentric orbits in general relativity
Hadrava P., Bao G., Østgaard E. **284**, 693

Near-simultaneous ROSAT and Ginga observations of the 1991 X-ray transient in Musca
Greiner J., Hasinger G., Molendi S., Ebisawa K. **285**, 509

Stability of a polytropic accretion disk around a black hole
Cao X., Zhang J. **285**, 1047

Quasi-periodic oscillations in the shot noise model of X-ray sources
Vikhlinin A., Churazov E., Gilfanov M. **287**, 73

Erratum Do molecular clouds contain accreting black holes?
Campana S., Pardi M.C. **287**, 348

VLA data constraints on the Galactic-Centre annihilation line source 1E 1740.7–2942
Zheleznyakov V.V., Belyanin A.A. **287**, 782

Hydrodynamical 3D Bondi-Hoyle accretion onto the Galactic Center blackhole candidate Sgr A
Ruffert M., Melia F. **288**, L29

Analytical study of adiabatic black hole growth in spherical stellar systems
Cipollina M., Bertin G. **288**, 43

On the competition of forces in the Kerr field
Semerák O. **291**, 679

Black-hole stellar accretion in active galactic nuclei
Hameury J.-M., King A.R., Lasota J.-P., Auvergne M. **292**, 404

Catalogs 04.03.1

A preliminary list of stars from Tycho observations
Halbwachs J.L., Bässgen G., Bastian U., Egret D., Høg E., van Leeuwen F., Petersen C., Schwekendiek P., Wicenec A. **281**, L25

An update of the optical identification status of the S4 radio source catalogue
Stickel M., Kühr H. **282**, 351 (***103**, 349*)

The second Quito astrolabe catalogue
Kolesnik Y.B., Davila H. **283**, 714 (***103**, 427*)

The Arcetri catalogue of H_2O maser sources update
Brand J., Cesaroni R., Caselli P., Catarzi M., Codella C., Comoretto G., Curioni G.P., Curioni P., Di Franco S., Felli M., Giovanardi C., Olmi L., Palagi F., Palla F., Panella D., Pareschi G., Rossi E., Speroni N., Tofani G. **283**, 716 (***103**, 541*)

Construction of the Second Quito Astrolabe Catalogue
Kolesnik Y.B. **283**, 997

A catalogue of *UBV* colours of cataclysmic variables (second edition)
Bruch A., Engel A. **284**, 699 (***104**, 79*)

Non-variability of the fine-structure constant over cosmological time scales
Potekhin A.Y., Varshalovich D.A. **284**, 700 (***104**, 89*)

Correction to the luni-solar precession from Very Long Baseline Interferometry
Walter H.G., Ma C. **284**, 1000

Young stars associated with the Vela Molecular Ridge. I. VMR clouds C and D, Collinder 197 and Vela R2
Pettersson B., Reipurth B. **285**, 354 (***104**, 233*)

A new catalogue of members and candidate members of the Herbig Ae/Be (HAEBE) stellar group
Thé P.S., de Winter D., Pérez M.R. **285**, 355 (***104**, 315*)

21 cm observations of galaxies in the NW region of the Pisces-Perseus-Supercluster near the Galactic Plane
Seeberger R., Huchtmeier W.K., Weinberger R. **286**, 17

An extragalactic database. V. Conversion of apparent B magnitudes to a standard system
Paturel G., Bottinelli L., Gouguenheim L. **286**, 768

Optical spectra and redshifts of 1 Jy, S4 and S5 radio source identifications. V
Stickel M., Kühr H. **287**, 1035 (***105**, 67*)

Catalogue of CP stars with references to short time scale variability
Malanushenko V.P., Polosukchina N.S., Weiss W.W. **287**, 1036 (***105**, 125*)

New proper-motion stars south of declination –40° and right ascension between 16 h and 24 h
Wroblewski H., Torres C. **287**, 1037 (***105**, 179*)

The optical identification status of the 1 Jy radio source catalogue
Stickel M., Meisenheimer K., Kühr H. **287**, 1037 (***105**, 211*)

PPM Star Catalogue: the 90000 Stars Supplement
Röser S., Bastian U., Kuzmin A. **287**, 1039 (***105**, 301*)

High-dispersion microfiche atlas of OB stars for the first 10 years of IUE
Bohlin R.C., Henrichs H.F., Nichols J.S. **287**, 1039 (***105**, 305*)

Radio observations of the Coma cluster of galaxies and its immediate vicinity. II. A master list of radio sources
Kim K.-T. **287**, 1040 (***105**, 403*)

Strömgren photometry of F- and G-type stars brighter than $V = 9.6$. I. *uvby* photometry
Olsen E.H. **289**, 664 (***106**, 257*)

Kinematics of the Local Universe: completeness of the sample
Paturel G., Bottinelli L., Di Nella H., Fouqué P., Gouguenheim L., Teerikorpi P. **289**, 711

A catalogue He II 4686 line intensities in Galactic planetary nebulae
Tylenda R., Stasińska G., Acker A., Stenholm B. **289**, 1001 (***106**, 559*)

Second Reference Dictionary of the Nomenclature of Celestial Objects (Solar System excluded)
Lortet M.-C., Borde S., Ochsenbein F. **292**, 351 (***107**, 193*)

Erratum New proper-motion stars south of declination –40° and right ascension between 16 h and 21 h
Wroblewski H., Torres C. **292**, 361 (***108**, 251*)

On an alternative statistical distance scale for planetary nebulae. Catalog with statistical distances to planetary nebulae
Van de Steene G.C., Zijlstra A.A. **292**, 365 (***108**, 485*)

Third bibliographic catalogue of stellar radial velocities *(Text in French)*
Barbier-Brossat M., Petit M., Figon P. **292**, 368 (***108**, 603*)

A Ca II and Mg II luminosity/emission-width data base
Lastennet E., Freire Ferrero R. **292**, 368 (***108**, 611*)

Celestial mechanics, stellar dynamics 05.03.1

N-body equilibrium figures of early-type galaxies. II. Analysis of orbital populations
Udry S., Martinet L. **281**, 314

The transfer of comets from parabolic orbits to short-period orbits: numerical studies
Fernández J.A., Gallardo T. **281**, 911

1:1:1 resonant periodic orbits in 3-dimensional galactic-type Hamiltonians
Caranicolas N.D. **282**, 34

Polynomial approximations of Poincaré maps for Hamiltonian systems. II
Petit J.-M., Froeschlé C. **282**, 291

Numerical expressions for precession formulae and mean elements for the Moon and the planets
Simon J.L., Bretagnon P., Chapront J., Chapront-Touzé M., Francou G., Laskar J. **282**, 663

Delivery of meteorites through the ν_6 secular resonance
Morbidelli A., Gonczi R., Froeschlé C., Farinella P. **282**, 955

Dynamical evolution of interplanetary dust particles
Marzari F., Vanzani V. **283**, 275

Binary black hole in a dense star cluster
Polnarev A.G., Rees M.J. **283**, 301

The main problem of geosynchronous satellite theory around an equilibrium position
Oberti P. **284**, 281

Analysis of ground-based observations of the satellites of Saturn 1874–1988
Harper D., Taylor D.B. **284**, 619

Radial-velocity curves of eccentric orbits in general relativity
Hadrava P., Bao G., Østgaard E. **284**, 693

Solar radiation pressure perturbations for Earth satellites. II. An approximate method to model penumbra transitions and their long-term orbital effects on LAGEOS
Vokrouhlický D., Farinella P., Mignard F. **285**, 333

Orbits of real and fictitious asteroids studied by numerical integration
Schubart J. **285**, 357 (***104**, 391*)

Angular momentum redistribution and spin tilt during *N*-body collapse: phenomenological implications
Curir A., Diaferio A. **285**, 389

The multi-gaussian expansion method: a tool for building realistic photometric and kinematical models of stellar systems. I. The formalism
Emsellem E., Monnet G., Bacon R. **285**, 723

Large-scale chaos in the solar system
Laskar J. **287**, L9

A semi-numerical method for resonances in galactic-type Hamiltonians
Caranicolas N.D. **287**, 752

(RN) Quadratic integrals in uniformly rotating Hamiltonian systems
Stewart P. **287**, 757

Thermodynamics of the one-dimensional gravitational gas
Muriel A., Esguerra P., Feix M. **287**, 1021

(RN) Comments on Hills's approximation in the problem of planetary encounters
Brunini A. **289**, 637

Temporary capture of grains in exterior resonances with the Earth: planar circular restricted three-body problem with Poynting–Robertson drag
Šidlichovský M., Nesvorný D. **289**, 972

Solar radiation pressure perturbations for Earth satellites. III. Global atmospheric phenomena and the albedo effect
Vokrouhlický D., Farinella P., Mignard F. **290**, 324

On the dynamics of the relativistic restricted three-body problem
Maindl T.I., Dvorak R. **290**, 335

A map for galaxy potentials in resonance cases
Caranicolas N.D. **291**, 754

Dynamics of nearby multiple stars. The α Centauri system
Anosova J., Orlov V.V., Pavlova N.A. **292**, 115

Orbital changes of Oort cloud comets due to strong planetary influences
Jia-Qing Zheng **292**, 361 (***108**, 253*)

Chaos 02.03.1

Collisional relaxation in a nonintegrable potential
Kandrup H.E., Willmes D.E. **283**, 59

Non-linear properties of the dynamics of bursts and flares in the solar and stellar coronae
Isliker H., Benz A.O. **285**, 663

Non-linear dynamics of the solar granulation: a first approach
Hanslmeier A., Nesis A. **286**, 263

Large-scale chaos in the solar system
Laskar J. **287**, L9

The effect of random alpha-fluctuations and the global properties of the solar magnetic field
Hoyng P., Schmitt D., Teuben L.J.W. **289**, 265

Short times characterisations of stochasticity in nonintegrable galactic potentials
Kandrup H.E., Mahon M.E. **290**, 762

A search for chaotic behaviour in solar activity
Carbonell M., Oliver R., Ballester J.L. **290**, 983

Measuring the fractal structure of interstellar clouds
Vogelaar M.G.R., Wakker B.P. **291**, 557

The many incarnations of accretion disk dynamos: mixed parities and chaos for large dynamo numbers
Torkelsson U., Brandenburg A. **292**, 341

Comets: general 07.03.1

Cometary splitting – a source for the Jupiter family?
Pittich E.M., Rickman H. **281**, 579

The transfer of comets from parabolic orbits to short-period orbits: numerical studies
Fernández J.A., Gallardo T. **281**, 911

Silicon carbide: a possible component of the cometary dust
Orofino V., Blanco A., Fonti S. **282**, 657

The effects of stellar rotation on the absorption spectra of comets orbiting β Pictoris
Beust H., Lissauer J.J. **282**, 804

Spin axis orientation of 2060 Chiron from dust coma modeling
Fulle M. **282**, 980

Observations of the OH Meinel system in comet P/Swift–Tuttle
Tozzi G.P., Feldman P.D., Weaver H.A. **285**, L9

Evolution of the C_2 spectrum in Halley's inner coma: evidence for a diffuse source
Rousselot P., Clairemidi J., Moreels G. **286**, 645

Thermochemistry of cometary nuclei. I. The Jupiter family case
Tancredi G., Rickman H., Greenberg J.M. **286**, 659

Ammonia in comet P/Halley
Meier R., Eberhardt P., Krankowsky D., Hodges R.R. **287**, 268

The rotational lines of methanol in comets Austin 1990 V and Levy 1990 XX
Bockelée-Morvan D., Crovisier J., Colom P., Despois D. **287**, 647

Meteor stream activity. I. The annual streams
Jenniskens P. **287**, 990

Methanol and hydrogen sulfide in comet P/Halley
Eberhardt P., Meier R., Krankowsky D., Hodges R.R. **288**, 315

On the frequency of interstellar meteoroids
Hajduková Jr. M. **288**, 330

The radial brightness dependence in the dust coma of comet P/Grigg-Skjellerup
Fulle M., Mennella V., Rotundi A., Colangeli L., Bussoletti E. **289**, 604

HST-GHRS observations of β Pictoris: additional evidence for infalling comets
Vidal-Madjar A., Lagrange-Henri A.M., Feldman P.D., Beust H., Lissauer J.J., Deleuil M., Ferlet R., Gry C., Hobbs L.M., McGrath M.A., McPhate J.B., Moos H.W. **290**, 245

Current meteor production of comet P/Swift–Tuttle 1992t
Fulle M., Böhm C., Mengoli G., Muzzi F., Orlandi S., Sette G. **292**, 304

Orbital changes of Oort cloud comets due to strong planetary influences
Jia-Qing Zheng **292**, 361 (*108, 253*)

Comets: individual:... 07.03.2

Austin 1990 V

The rotational lines of methanol in comets Austin 1990 V and Levy 1990 XX
Bockelée-Morvan D., Crovisier J., Colom P., Despois D. **287**, 647

Bowell 1982 I

Imaging of very distant comets: current and future limits
Hainaut O., West R.M., Smette A., Marsden B.G. **289**, 311

Levy 1990 XX

The rotational lines of methanol in comets Austin 1990 V and Levy 1990 XX
Bockelée-Morvan D., Crovisier J., Colom P., Despois D. **287**, 647

P/Giacobini-Zinner

Fine structure of the 1985 Giacobinids
Šimek M. **284**, 276

P/Grigg-Skjellerup

The radial brightness dependence in the dust coma of comet P/Grigg-Skjellerup
Fulle M., Mennella V., Rotundi A., Colangeli L., Bussoletti E. **289**, 604

P/Halley

Detection of a polycyclic aromatic molecule in comet P/Halley
Moreels G., Clairemidi J., Hermine P., Brechignac P., Rousselot P. **282**, 643

Evolution of the C_2 spectrum in Halley's inner coma: evidence for a diffuse source
Rousselot P., Clairemidi J., Moreels G. **286**, 645

Ammonia in comet P/Halley
Meier R., Eberhardt P., Krankowsky D., Hodges R.R. **287**, 268

Methanol and hydrogen sulfide in comet P/Halley
Eberhardt P., Meier R., Krankowsky D., Hodges R.R. **288**, 315

Abundance and origin of the CH_n^+ ions in the coma of comet P/Halley
Altwegg K., Balsiger H., Geiss J. **290**, 318

On shock wave impact ionization of dust particles
Hornung K., Kissel J. **291**, 324

P/Levy 1991 XI

The nucleus of comet P/Levy 1991 XI
Fitzsimmons A., Williams I.P. **289**, 304

P/Shoemaker–Levy 9

Tidal disruption and the appearance of periodic comet Shoemaker-Levy 9
Sekanina Z., Chodas P.W., Yeomans D.K. **289**, 607

P/Swift–Tuttle

Observations of the OH Meinel system in comet P/Swift–Tuttle
Tozzi G.P., Feldman P.D., Weaver H.A. **285**, L9

Current meteor production of comet P/Swift–Tuttle 1992t
Fulle M., Böhm C., Mengoli G., Muzzi F., Orlandi S., Sette G. **292**, 304

Schuster 1975 II

Imaging of very distant comets: current and future limits
Hainaut O., West R.M., Smette A., Marsden B.G. **289**, 311

Shoemaker 1984 XV

Imaging of very distant comets: current and future limits
Hainaut O., West R.M., Smette A., Marsden B.G. **289**, 311

Conduction 02.03.2

The role of electric currents in saturated conduction. I. General theory
Bandiera R., Chen Y. **284**, 629

The role of electric currents in saturated conduction. II. Suprathermal evaporation of clouds in supernova remnants
Bandiera R., Chen Y. **284**, 637

Convection 02.03.3

Three-dimensional simulation of penetrative convection-penetration above a convection zone
Singh H.P., Roxburgh I.W., Chan K.L. **281**, L73

Mixing by internal waves. I. Lithium depletion in the Sun
Montalbán J. **281**, 421

Solar granulation and statistical crystallography: a modeling approach using size-shape relations
Noever D.A. **282**, 252

Semi-convection and overshooting in intermediate-mass and massive stars
Mowlavi N., Forestini M. **282**, 843

Seismic study of overshoot at the base of the solar convective envelope
Monteiro M.J.P.F.G., Christensen-Dalsgaard J., Thompson M.J. **283**, 247

Numerical simulations of convection at the surface of a ZZ Ceti white dwarf
Ludwig H.-G., Jordan S., Steffen M. **284**, 105

Does solar differential rotation arise from a large scale instability?
Tuominen I., Brandenburg A., Moss D., Rieutord M. **284**, 259

Active star formation regions at the edge of the LMC Bar: NGC 1850 and NGC 1858
Vallenari A., Aparicio A., Fagotto F., Chiosi C., Ortolani S., Meylan G. **284**, 447

The height dependence of intensity and velocity structures in the solar photosphere
Salucci G., Bertello L., Cavallini F., Ceppatelli G., Righini A. **285**, 322

(RN) Red giant branches as a probe of stellar convective cores
Castellani V., Villani D. **285**, 880

Reynolds stresses and differential rotation in Boussinesq convection in a rotating spherical shell
Rieutord M., Brandenburg A., Mangeney A., Drossart P. **286**, 471

Acoustic waves in structured media and helioseismology
Zhugzhda Y.D., Stix M. **291**, 310

Influence of physical effects on the solar p-mode spectrum
Gabriel M. **292**, 281

(Cosmology:) cosmic microwave background 12.03.1

The effect of gravitational lensing on the texture of the cosmic microwave background
Cayón L., Martínez-González E., Sanz J.L. **284**, 719

The power spectrum implied by COBE and the matter correlation function
Torres S., Fabbri R., Ruffini R. **287**, 15

Numerical analysis of the cosmic microwave background anisotropies within framework of linearized gravitational instability model
Stompor R. **287**, 693

Reconstructing the CMB power spectrum
White M. **290**, L1

(Cosmology:) dark matter 12.04.1

Configurations and morphology of triple galaxies: evidence for dark matter?
Chernin A.D., Ivanov A.V., Trofimof A.V., Mikkola S. **281**, 685

On the question of dark matter and cold H_2
Wilson T.L., Mauersberger R. **282**, L41

The odd group of galaxies around NGC 1400/1407
Quintana H., Fouqué P., Way M.J. **283**, 722

Extraction of the mean radial mass distribution in clusters of galaxies by observations of weak gravitational imaging
Breimer T.G. **283**, 745

A Faber–Jackson relation for clusters of galaxies: implications for modified dynamics
Sanders R.H. **284**, L31

Large-scale correlations between QSOs and IRAS galaxies
Bartelmann M., Schneider P. **284**, 1

Gravitational lenses as giant diffractive telescopes
Labeyrie A. **284**, 689

The large-scale structure in a universe dominated by cold plus hot dark matter
Jing Y.P., Mo H.J., Börner G., Fang L.Z. **284**, 703

Is dark matter in spiral galaxies cold gas? I. Observational constraints and dynamical clues about galaxy evolution
Pfenniger D., Combes F., Martinet L. **285**, 79

Is dark matter in spiral galaxies cold gas? II. Fractal models and star non-formation
Pfenniger D., Combes F. **285**, 94

(RN) Gravitational microlensing by the halo of the Andromeda galaxy
Jetzer P. **286**, 426

"Redshift survey" up to b_J=27: distance of gravitational arclets behind Abell 370
Kneib J.-P., Mathez G., Fort B., Mellier Y., Soucail G., Longaretti P.-Y. **286**, 701

Galactic models with massive coronae. IV. The Andromeda galaxy, M 31
Tenjes P., Haud U., Einasto J. **286**, 753

Spectroscopic observations of the Mt. Stromlo MACHO candidate
Della Valle M. **287**, L31

Arc statistics with realistic cluster potentials. I. Method and first results
Bartelmann M., Weiss A. **287**, 1

(RN) Large amounts of cold molecular hydrogen in the Small Magellanic Cloud
Lequeux J. **287**, 368

Numerical analysis of the cosmic microwave background anisotropies within framework of linearized gravitational instability model
Stompor R. **287**, 693

(RN) On the detection of cosmic high-energy neutrinos
Volkova L.V. **287**, 713

Matter distribution in twelve X-ray clusters of galaxies
Durret F., Gerbal D., Lachièze-Rey M., Lima-Neto G., Sadat R. **287**, 733

Rotation of Newtonian boson stars
Abad S., Pacheco A.F., Sañudo J. **287**, 1029

Variability of microlensing light curves. I. Autocorrelation method and the calculation of the correlated deflection probability
Seitz C., Schneider P. **288**, 1

Variability of microlensing light curves. II. Magnification fluctuations, autocorrelation functions, and applications to QSO 2237+0305
Seitz C., Wambsganss J., Schneider P. **288**, 19

Testing higher-order Lagrangian perturbation theory against numerical simulations. I. Pancake models
Buchert T., Melott A.L., Weiß A.G. **288**, 349

Radial cluster lensing. A simple differential equation describing arclet fields
Schramm T., Kayser R. **289**, L5

The binary nature of an observed dark Galactic object
Dominik M., Hirshfeld A.C. **289**, L31

The spheroidal halo of the Magellanic-like dwarf irregular galaxy MCG 06–30–025 in the Centaurus A group of galaxies
Kemp S.N., Meaburn J. **289**, 39

The medium redshift clusters CL 0017–20 and CL 0500–24
Infante L., Fouqué P., Hertling G., Way M.J., Giraud E., Quintana H. **289**, 381

Further astrophysical quantities expected in a quasi-steady state Universe
Hoyle F., Burbidge G., Narlikar J.V. **289**, 729

Galaxy formation in dark matter models
Xiang S.P. **290**, 349

Diffuse X-ray emission around high-redshift, radio-loud QSOs
Bartelmann M., Schneider P., Hasinger G. **290**, 399

Kinematics and dark haloes of polar-ring galaxies
Reshetnikov V.P., Combes F. **291**, 57

The effects of smoothing on the statistical properties of large-scale cosmic fields
Bernardeau F. **291**, 697

A search for dark matter in elliptical galaxies: radially extended spectroscopic observations for six objects
Bertin G., Bertola F., Buson L.M., Danziger I.J., Dejonghe H., Sadler E.M., Saglia R.P., de Zeeuw P.T., Zeilinger W.W. **292**, 381

(Cosmology:) diffuse radiation 12.04.2

Far-ultraviolet diffuse background and galaxy counts
Armand C., Milliard B., Deharveng J.M. **284**, 12

The angular correlation function of the soft X-ray background
Soltan A., Hasinger G. **288**, 77

Direct evidence for a two component spectrum of the soft X-ray background
Kerp J. **289**, 597

Erratum A deep X-ray survey in the Lockman Hole and in the soft X-ray log N–log S
Hasinger G., Burg R., Giacconi R., Hartner G., Schmidt M., Trümper J., Zamorani G. **291**, 348

Measurements of the sky background using the HST Faint Object Camera
Caulet A., Hook R.N., Fosbury R.A.E. **292**, 361 (*108, 271*)

(Cosmology:) distance scale 12.04.3

Analysis of the velocity-distance diagrams in the presence of the Great Attractor
Ekholm T., Teerikorpi P. **284**, 369

Pulsational parallaxes and calibration of the cosmic distance scale by Cepheid variable stars
Di Benedetto G.P. **285**, 819

Some remarks on multiple deflection gravitational lensing
Seitz S., Schneider P. **287**, 349

On the Cepheid variables of nearby galaxies. II. Sextans A and Sextans B
Piotto G., Capaccioli M., Pellegrini C. **287**, 371

Gravitational lensing of Q 0957+561: a study of the cluster at $z = 0.355$
Angonin-Willaime M.-C., Soucail G., Vanderriest C. **291**, 411

(Cosmology:) gravitational lensing 12.07.1

Further observational evidence that MG J0414+0534 is a gravitational mirage
Angonin-Willaime M.-C., Vanderriest C., Hammer F., Magain P. **281**, 388

Determining the size of the emission line region in Q2237+031 from microlensing
Saust A.B. **281**, 636 (*103, 33*)

Sub-arcsecond integral field spectroscopy of the Einstein Cross 2237+0305: lensing and microlensing effects
Fitte C., Adam G. **282**, 11

Extraction of the mean radial mass distribution in clusters of galaxies by observations of weak gravitational imaging
Breimer T.G. **283**, 745

Large-scale correlations between QSOs and IRAS galaxies
Bartelmann M., Schneider P. **284**, 1

A toolbox for general elliptical gravitational lenses
Schramm T. **284**, 44

Isothermal elliptical gravitational lens models
Kormann R., Schneider P., Bartelmann M. **284**, 285

Gravitational lenses as giant diffractive telescopes
Labeyrie A. **284**, 689

The effect of gravitational lensing on the texture of the cosmic microwave background
Cayón L., Martínez-González E., Sanz J.L. **284**, 719

The Hamburg Quasar Monitoring program (HQM) at Calar Alto. I. Low amplitude variability in quasars
Borgeest U., Schramm K.-J. **284**, 764

A gravitational lens model for B 1422+231
Kormann R., Schneider P., Bartelmann M. **286**, 357

(RN) Gravitational microlensing by the halo of the Andromeda galaxy
Jetzer P. **286**, 426

"Redshift survey" up to b_J=27: distance of gravitational arclets behind Abell 370
Kneib J.-P., Mathez G., Fort B., Mellier Y., Soucail G., Longaretti P.-Y. **286**, 701

A further discussion on quasar-galaxy associations from gravitational lensing
Wu X.-P. **286**, 748

Time delay controversy on QSO 0957+561 not yet decided
Pelt J., Hoff W., Kayser R., Refsdal S., Schramm T. **286**, 775

Spectroscopic observations of the Mt. Stromlo MACHO candidate
Della Valle M. **287**, L31

Arc statistics with realistic cluster potentials. I. Method and first results
Bartelmann M., Weiss A. **287**, 1

Some remarks on multiple deflection gravitational lensing
Seitz S., Schneider P. **287**, 349

Variability of microlensing light curves. I. Autocorrelation method and the calculation of the correlated deflection probability
Seitz C., Schneider P. **288**, 1

Variability of microlensing light curves. II. Magnification fluctuations, autocorrelation functions, and applications to QSO 2237+0305
Seitz C., Wambsganss J., Schneider P. **288**, 19

Radial cluster lensing. A simple differential equation describing arclet fields
Schramm T., Kayser R. **289**, L5

Detection of a distant cluster in the center of the shear field in Q 2345+007
Mellier Y., Dantel-Fort M., Fort B., Bonnet H. **289**, L15

The binary nature of an observed dark Galactic object
Dominik M., Hirshfeld A.C. **289**, L31

A giant arc in a ROSAT-detected cluster of galaxies
Edge A.C., Böhringer H., Guzzo L., Collins C.A., Neumann D., Chincarini G., De Grandi S., Dümmler R., Ebeling H., Schindler S., Seitter W., Vettolani P., Briel U., Cruddace R., Gruber R., Gursky H., Hartner G., MacGillivray H.T., Schuecker P., Shaver P., Voges W., Wallin J., Wolter A., Zamorani G. **289**, L34

A gravitational lens cluster – Abell 2104 – discovered in the ROSAT All-Sky Survey sample
Pierre M., Soucail G., Böhringer H., Sauvageot J.L. **289**, L37

The Cl 2236–04 lens cluster. Looking for a third gravitational image?
Kneib J.P., Melnick J., Gopal-Krishna **290**, L25

Diffuse X-ray emission around high-redshift, radio-loud QSOs
Bartelmann M., Schneider P., Hasinger G. **290**, 399

Gravitational lensing of Q 0957+561: a study of the cluster at $z = 0.355$
Angonin-Willaime M.-C., Soucail G., Vanderriest C. **291**, 411

Microlensing of optically thin clouds in active galactic nuclei
Jaroszyński M., Marck J.-A. **291**, 731

Erratum Further observational evidence that MG J0414+0534 is a gravitational mirage
Angonin-Willaime M.-C., Vanderriest C., Hammer F., Magain P. **292**, 722

(Cosmology:) large-scale structure of Universe 12.12.1

Large-scale structure statistics: finite volume effects
Colombi S., Bouchet F.R., Schaeffer R. **281**, 301

(RN) A method for defining structures in the distribution of galaxies
Gurzadyan V.G., Harutyunyan V.V., Kocharyan A.A. **281**, 964

Correlation analysis of faint galaxies
Infante L. **282**, 353

Fragmenting the Universe. III. The construction and statistics of 3-D Voronoi tessellations
van de Weygaert R. **283**, 361

Apparently periodic Universe
Busarello G., Capozziello S., de Ritis R., Longo G., Rifatto A., Rubano C., Scudellaro P. **283**, 717

C IV QSO absorption systems and properties of galactic haloes at high redshift
Petitjean P., Bergeron J. **283**, 759

Large-scale correlations between QSOs and IRAS galaxies
Bartelmann M., Schneider P. **284**, 1

The large-scale structure in a universe dominated by cold plus hot dark matter
Jing Y.P., Mo H.J., Börner G., Fang L.Z. **284**, 703

Search and redshift survey for IRAS galaxies behind the Northern Milky Way
Takata T., Yamada T., Saitō M., Chamaraux P., Kazés I. **285**, 359 (***104***, *529)*

The faint galaxy correlation or lack thereof
Roukema B.F., Peterson B.A. **285**, 361

On a generalization of the Zeldovich approximation for a low-viscosity self-gravitating fluid
Dubrulle B. **285**, 711

Investigation of the spatial clustering of quasars using the two-point correlation function
Komberg B.V., Kravtsov A.V., Lukash V.N. **286**, L19

Modern high-resolution shock-capturing methods for structure evolution in cosmology
Quilis V., Ibáñez J.M., Sáez D. **286**, 1

Mixed fractal models for the distribution of galaxies
Dubrulle B. **286**, 351

The power spectrum implied by COBE and the matter correlation function
Torres S., Fabbri R., Ruffini R. **287**, 15

The Poisson distribution on a fractal
Dubrulle B., Lachièze-Rey M. **287**, 361

Analysis of the kinematical behaviour of the near universe. II. Voids
Goicoechea L.J. **288**, 30

Testing higher-order Lagrangian perturbation theory against numerical simulations. I. Pancake models
Buchert T., Melott A.L., Weiß A.G. **288**, 349

Robust morphological measures for large-scale structure in the Universe
Mecke K.R., Buchert T., Wagner H. **288**, 697

Burgers' equation, Devil's staircases and the mass distribution for large-scale structures
Vergassola M., Dubrulle B., Frisch U., Noullez A. **289**, 325

On the multifractal analysis of galaxy catalogs with box-counting methods
Dubrulle B., Lachièze-Rey M. **289**, 667

Reconstructing the CMB power spectrum
White M. **290**, L1

Galaxy formation in dark matter models
Xiang S.P. **290**, 349

Diffuse X-ray emission around high-redshift, radio-loud QSOs
Bartelmann M., Schneider P., Hasinger G. **290**, 399

The effects of smoothing on the statistical properties of large-scale cosmic fields
Bernardeau F. **291**, 697

Cosmology: miscellaneous 12.03.2

Non-variability of the fine-structure constant over cosmological time scales
Potekhin A.Y., Varshalovich D.A. **284**, 700 (***104***, *89)*

The Poisson distribution on a fractal
Dubrulle B., Lachièze-Rey M. **287**, 361

Rotation of Newtonian boson stars
Abad S., Pacheco A.F., Sañudo J. **287**, 1029

On the multifractal analysis of galaxy catalogs with box-counting methods
Dubrulle B., Lachièze-Rey M. **289**, 667

Cosmology: observations 12.03.3

Lithium abundance in a turnoff star of the old globular cluster NGC 6397
Molaro P., Pasquini L. **281**, L77

Correlation analysis of faint galaxies
Infante L. **282**, 353

Is there primordial gas in IZw 18?
Kunth D., Lequeux J., Sargent W.L.W., Viallefond F. **282**, 709

C IV QSO absorption systems and properties of galactic haloes at high redshift
Petitjean P., Bergeron J. **283**, 759

The faint galaxy correlation or lack thereof
Roukema B.F., Peterson B.A. **285**, 361

First detection of CO ($J = 0 \rightarrow 1$) absorption at cosmological distances ($z = 0.247$)
Wiklind T., Combes F. **286**, L9

Mixed fractal models for the distribution of galaxies
Dubrulle B. **286**, 351

(RN) On the detection of cosmic high-energy neutrinos
Volkova L.V. **287**, 713

Matter distribution in twelve X-ray clusters of galaxies
Durret F., Gerbal D., Lachièze-Rey M., Lima-Neto G., Sadat R. **287**, 733

A gravitational lens cluster – Abell 2104 – discovered in the ROSAT All-Sky Survey sample
Pierre M., Soucail G., Böhringer H., Sauvageot J.L. **289**, L37

On the multifractal analysis of galaxy catalogs with box-counting methods
Dubrulle B., Lachièze-Rey M. **289**, 667

Lithium in old binary stars
Spite M., Pasquini L., Spite F. **290**, 217

The $z_{abs} \sim z_{em} \sim 2$ QSO absorption line systems: evidence for abundances in excess of solar
Petitjean P., Rauch M., Carswell R.F. **291**, 29

Erratum A deep X-ray survey in the Lockman Hole and in the soft X-ray log N–log S
Hasinger G., Burg R., Giacconi R., Hartner G., Schmidt M., Trümper J., Zamorani G. **291**, 348

Milliarcsecond structures of extremely distant quasars: 0336–017, 0636+680, 1442+101, and 2048+312
Gurvits L.I., Schilizzi R.T., Barthel P.D., Kardashev N.S., Kellermann K.I., Lobanov A.P., Pauliny-Toth I.I.K., Popov M.V. **291**, 737

Cosmology: theory 12.03.4

The formation of disk galaxies in a cosmological context: populations, metallicities and metallicity gradients
Steinmetz M., Müller E. **281**, L97

Large-scale structure statistics: finite volume effects
Colombi S., Bouchet F.R., Schaeffer R. **281**, 301

Fragmenting the Universe. III. The construction and statistics of 3-D Voronoi tessellations
van de Weygaert R. **283**, 361

Apparently periodic Universe
Busarello G., Capozziello S., de Ritis R., Longo G., Rifatto A., Rubano C., Scudellaro P. **283**, 717

The large-scale structure in a universe dominated by cold plus hot dark matter
Jing Y.P., Mo H.J., Börner G., Fang L.Z. **284**, 703

The faint galaxy correlation or lack thereof
Roukema B.F., Peterson B.A. **285**, 361

Numerical analysis of the cosmic microwave background anisotropies within framework of linearized gravitational instability model
Stompor R. **287**, 693

Testing higher-order Lagrangian perturbation theory against numerical simulations. I. Pancake models
Buchert T., Melott A.L., Weiß A.G. **288**, 349

Is there a β-problem in clusters of galaxies?
Gerbal D., Durret F., Lachièze-Rey M. **288**, 746

Acquisition of angular momentum by tidal torques in expanding, spherical-symmetric density perturbations: an analysis of different approximations. III
Andriani E., Caimmi R. **289**, 1

Burgers' equation, Devil's staircases and the mass distribution for large-scale structures
Vergassola M., Dubrulle B., Frisch U., Noullez A. **289**, 325

Further astrophysical quantities expected in a quasi-steady state Universe
Hoyle F., Burbidge G., Narlikar J.V. **289**, 729

Reconstructing the CMB power spectrum
White M. **290**, L1

Galaxy formation in dark matter models
Xiang S.P. **290**, 349

The effects of smoothing on the statistical properties of large-scale cosmic fields
Bernardeau F. **291**, 697

Dense matter 02.04.1

The equation of state in the chemical picture: a grand canonical approach. I. Theory
Luo G. **281**, 460

Experimental nuclear masses and the ground state of cold dense matter
Haensel P., Pichon B. **283**, 313

Effect of compressibility on nuclear matter in a neutron star crust
Duorah H.L., Phukon T.C. **283**, 867

Beyond the mean-potential approximation in the calculation of thermonuclear reaction rates in dense stars
Sahrling M. **283**, 1004

Enhancement of thermonuclear reaction rates in dense stars
Sahrling M. **284**, 484

Direct URCA processes involving hyperons and cooling of neutron stars
Haensel P., Gnedin O.Y. **290**, 458

Diffusion 02.04.2

Mixing by internal waves. I. Lithium depletion in the Sun
Montalbán J. **281**, 421

Kinetic theory of propagation and runaway galactic cosmic rays. II. Self-consistent model
Dogiel V.A., Gurevich A.V., Zybin K.P. **281**, 937

Detection of calcium abundance stratification in Ap stars
Babel J. **283**, 189

Production of anomalous cosmic rays from pick-up ions and their inward diffusion from the termination shock of the solar wind
Fichtner H., Fahr H.-J., Grzedzielski S., Rucinski D., Sreenivasan S.R. **284**, 599

Particle acceleration at superluminal quasi-perpendicular shocks. Application to SN 1978K and SN 1987A
Achterberg A., Ball L. **285**, 687

On the nickel abundance in hot hydrogen-rich white dwarfs
Werner K., Dreizler S. **286**, L31

Thermochemistry of cometary nuclei. I. The Jupiter family case
Tancredi G., Rickman H., Greenberg J.M. **286**, 659

Variation of oxygen lines in magnetic Ap stars
Gonzalez J.-F., Artru M.-C. **289**, 209

Radiative acceleration in stars due to photoionization
Alecian G. **289**, 885

Earth 07.05.1

A contribution to the study of fortnightly and monthly zonal tides in UT 1
Schastok J., Soffel M., Ruder H. **283**, 650

Magnetohydrodynamic parametric instabilities driven by a standing Alfvén wave in the planetary magnetosphere
Chian A.C.-L., Oliveira L.P.L. **286**, L1

Impacts of meteoroids larger than 1 m into the Earth's atmosphere
Ceplecha Z. **286**, 967

New indications for the solar origin of the 50-day cycle in the atmospheric circulation and Earth's rotation
Djurovic D., Pâquet P., Billiau A. **288**, 335

Nonlinear excitation of Langmuir and Alfvén waves by auroral whistler waves in the planetary magnetosphere
Chian A.C.-L., Lopes S.R., Alves M.V. **288**, 981

Generation of auroral whistler-mode radiation via nonlinear coupling of Langmuir waves and Alfvén waves
Chian A.C.-L., Lopes S.R., Alves M.V. **290**, L13

Relationship between the astrometric z-term, the Earth rotation and the southern oscillation index
Li Z.X., Gambis D. **290**, 1001

Measurements of the sky background using the HST Faint Object Camera
Caulet A., Hook R.N., Fosbury R.A.E. **292**, 361 (***108**, 271)*

Eclipses 05.05.1

CFHT eclipse observation of the very fine-scale solar corona
Koutchmy S., Belmahdi M., Coulter R.L., Démoulin P., Gaizauskas V., MacQueen R.M., Monnet G., Mouette J., Noëns J.C., November L.J., Noyes R.W., Sime D.G., Smartt R.N., Sovka J., Vial J.C., Zimmermann J.P., Zirker J.B. **281**, 249

Mutual phenomena of the Galilean satellites: an analysis of the 1991 observations from VBO
Vasundhara R. **281**, 565

New binary young stars in the Taurus and Ophiuchus star-forming regions
Richichi A., Leinert C., Jameson R., Zinnecker H. **287**, 145

Editorials, A&A notices 01.05.1

Electronic distribution of abstracts published in A&A (Main Journal and Supplements Series)
284, E1

Evolution of the editorial policy of Astronomy and Astrophysics
Maeder A., Hearn A.G. **288**, E1

Elementary particles 02.05.1

Time variations of the ^{37}Ar production rate in the chlorine solar neutrino experiment
Gavryusev V., Gavryuseva E. **283**, 978

Periodicities in solar radius measurements
Gavryusev V., Gavryuseva E., Delache P., Laclare F. **286**, 305

(RN) On the detection of cosmic high-energy neutrinos
Volkova L.V. **287**, 713

Ephemerides 05.05.2

On the conversion of orbital elements from 1950.0 to J 2000
Lieske J.H. **281**, 281

Determination of the extragalactic-planetary frame tie from joint analysis of radio interferometric and lunar laser ranging measurements
Folkner W.M., Charlot P., Finger M.H., Williams J.G., Sovers O.J., Newhall X.X., Standish Jr. E.M. **287**, 279

Equation of state 02.05.2

The equation of state in the chemical picture: a grand canonical approach. I. Theory
Luo G. **281**, 460

Effect of compressibility on nuclear matter in a neutron star crust
Duorah H.L., Phukon T.C. **283**, 867

The equation of state in the chemical picture: a grand-canonical approach. II. The occupation number of molecules and atoms
Luo G. **284**, 679

The equation of state in the chemical picture: a grand-canonical approach. III. Thermodynamic properties and non-ideal effects
Luo G. **284**, 684

High precision rotating neutron star models. I. Analysis of neutron star properties
Salgado M., Bonazzola S., Gourgoulhon E., Haensel P. **291**, 155

High precision rotating neutron star models. II. Large sample of neutron star properties
Salgado M., Bonazzola S., Gourgoulhon E., Haensel P. **292**, 365 (***108**, 455)*

Errata, addenda 01.05.2

Erratum Study of nova shells. I. V 1229 Aquilae (1970): nebular expansion parallax and luminosity
Della Valle M., Duerbeck H.W. **281**, 967

Erratum The solar sunspot cycle in the Maunder minimum AD 1645 to AD 1715
Ribes J.C., Nesme-Ribes E. **281**, 968

Erratum ESO 138 G1: a high excitation Seyfert 2 nucleus in a low luminosity early-type galaxy
Alloin D., Bica E., Bonatto C., Prugniel P. **282**, 1041

Erratum Double star measurements made at Nice *(Text in French)*
Muller P. **283**, 716 (***103, 597***)

Erratum CCD observations in 7 open clusters: NGC 2421, NGC 2439, NGC 2489, NGC 2567, NGC 2627, NGC 2658 and NGC 2910
Ramsay G., Pollacco D.L. **285**, 356 (***104, 377***)

Erratum Extinction and the wavelength-dependent positions of the nuclei of NGC 6240
Schulz H., Fried J.W., Röser S., Keel W.C. **285**, 710

Erratum A new calibration of Geneva photometry in terms of T_e, log g and mass for B stars
North P., Nicolet B. **286**, 348

Erratum Refractive interstellar scintillations and low frequency variability: a detailed analysis using measured source structures
Spangler S.R., Eastman W.A., Gregorini L., Mantovani F., Padrielli L. **286**, 349

Erratum Do molecular clouds contain accreting black holes?
Campana S., Pardi M.C. **287**, 348

Erratum The polarized spectrum of hydrogen in the presence of electric and magnetic fields
Casini R., Landi Degl'Innocenti E. **287**, 692

Erratum The identification of krypton, xenon, and other elements of rows 4, 5, and 6 of the periodic table in the planetary nebula NGC 7027
Péquignot D., Baluteau J.-P. **289**, 659

Erratum Direct determination of stellar and orbital parameters of the spectroscopic binary TY CrA
Corporon P., Lagrange A.M., Bouvier J. **289**, 660

Erratum Detection of intracluster light in the rich clusters of galaxies Abell 2390 and Cl 1613+31
Vílchez-Gómez R., Pelló R., Sanahuja B. **289**, 661

Erratum The evidence for anisotropy of the ionizing continuum of NGC 4151
Schulz H., Komossa S. **289**, 662

Erratum Quantitative morphology of E-SO galaxies. III. Coded and parametric description of 108 galaxies in a complete sample
Michard R., Marchal J. **290**, 1022 (***107, 187***)

Erratum Stark broadening of Bi II lines astrophysical interest
Dimitrijević M.S., Popović L.Č. **290**, 1022 (***107, 191***)

Erratum A deep X-ray survey in the Lockman Hole and in the soft X-ray log N–log S
Hasinger G., Burg R., Giacconi R., Hartner G., Schmidt M., Trümper J., Zamorani G. **291**, 348

Erratum The nature of the F str λ4077 stars. III. Spectroscopy of the barium dwarfs and other CP stars
North P., Berthet S., Lanz T. **292**, 350

Erratum Near-infrared and optical broadband surface photometry of 86 face-on disk dominated galaxies. I. Selection, observations and data reduction
de Jong R.S., van der Kruit P.C. **292**, 354 (***107, 419***)

Erratum New proper-motion stars south of declination –40° and right ascension between 16 h and 21 h
Wroblewski H., Torres C. **292**, 361 (***108, 251***)

Erratum Further observational evidence that MG J0414+0534 is a gravitational mirage
Angonin-Willaime M.-C., Vanderriest C., Hammer F., Magain P. **292**, 722

Galaxies: abundances 11.01.1

The metal systems in Q 0000–2619 at high resolution
Savaglio S., D'Odorico S., Møller P. **281**, 331

How metal-rich are metal-rich H II regions
Kinkel U., Rosa M.R. **282**, L37

Is there primordial gas in IZw 18?
Kunth D., Lequeux J., Sargent W.L.W., Viallefond F. **282**, 709

Metal abundances of Magellanic Cloud clusters
Jasniewicz G., Thévenin F. **282**, 717

Erratum ESO 138 G1: a high excitation Seyfert 2 nucleus in a low luminosity early-type galaxy
Alloin D., Bica E., Bonatto C., Prugniel P. **282**, 1041

(RN) Oxygen abundances in the Large Magellanic Cloud: a prediction of SN II/SN I rates
Barbuy B., de Freitas Pacheco J.A., Castro S. **283**, 32

Dense gas in nearby galaxies. VII. The active nucleus of NGC 4945
Henkel C., Whiteoak J.B., Mauersberger R. **284**, 17

Molecules in the starburst galaxy Henize 2–10
Baas F., Israel F.P., Koornneef J. **284**, 403

Metallicity effects in star-forming regions
Cerviño M., Mas-Hesse J.M. **284**, 749

Spectrographic study of a large sample of Kiso ultraviolet excess galaxies. II. Discussion
Comte G., Augarde R., Chalabaev A., Kunth D., Maehara H. **285**, 1

High-resolution spectroscopy of two young stars between the Magellanic Clouds
Hambly N.C., Dufton P.L., Keenan F.P., Rolleston W.R.J., Howarth I.D., Irwin M.J. **285**, 716

Star formation in merging galaxies
Fritze-v. Alvensleben U., Gerhard O.E. **285**, 751

The star formation history of NGC 7252
Fritze-v. Alvensleben U., Gerhard O.E. **285**, 775

(RN) The chemical evolution of irregular galaxies with mass loss
Pilyugin L.S. **287**, 387

Absorption in three intrinsically faint quasars: Q 0009–016, Q 0347–241, and Q 2116–358
Møller P., Jakobsen P., Perryman M.A.C. **287**, 719

Abundance ratios in ellipticals and galaxy formation
Matteucci F. **288**, 57

Carbon abundances in the LMC globular cluster NGC 1818
Meliani M.T., Barbuy B., Richtler T. **290**, 753

The $z_{abs} \sim z_{em} \sim 2$ QSO absorption line systems: evidence for abundances in excess of solar
Petitjean P., Rauch M., Carswell R.F. **291**, 29

Galaxies: active 11.01.2

The X-ray AGN content of the Molonglo 408 MHz Survey: bulk properties of previously optically identified sources
Brinkmann W., Siebert J., Boller T. **281**, 355

Radio-far-infrared relation in Markarian galaxies
Marx M., Krügel E., Klein U., Wielebinski R. **281**, 718

Auger process following 1s-photoionization: O III lines
Petrini D., de Araújo F.X. **282**, 315

Erratum ESO 138 G1: a high excitation Seyfert 2 nucleus in a low luminosity early-type galaxy
Alloin D., Bica E., Bonatto C., Prugniel P. **282**, 1041

UV variability of IRAS 13224−3809, a rapidly X-ray variable far-infrared luminous galaxy
Mas-Hesse J.M., Rodríguez-Pascual P.M., Sanz Fernández de Córdoba L., Boller T. **283**, L9

Brightness temperatures and viewing angles for extragalactic radio sources: a test of unification schemes for active galactic nuclei
Teräsranta H., Valtaoja E. **283**, 51

Turbulent accretion disk dynamos
Torkelsson U., Brandenburg A. **283**, 677

Warm IRAS sources from the Point Source Catalog. III. Emission-line properties, correlations, and AGN unified models
Keel W.C., de Grijp M.H.K., Miley G.K., Zheng W. **283**, 791

AGN emission above 20 keV: the hard X-ray detection problem
Maisack M., Wood K.S., Gruber D.E. **284**, 28

HST observations of Cygnus A: circumnuclear effects of a powerful jet?
Jackson N., Sparks W.B., Miley G.K., Macchetto F. **284**, 65

Relic radio galaxies: evolution of synchrotron spectrum
Komissarov S.S., Gubanov A.G. **285**, 27

High resolution optical images of the starburst ring around the Seyfert nucleus of NGC 7469
Mauder W., Weigelt G., Appenzeller I., Wagner S.J. **285**, 44

Spectral properties of X-ray loud extragalactic radio sources
Brinkmann W., Siebert J. **285**, 812

Monitoring of active galactic nuclei. V. The Seyfert 1 galaxy Markarian 279
Stirpe G.M., Alloin D., Axon D.J., Clavel J., de Bruyn A.G., del Olmo A., Goad M., Gondhalekar P.M., Jackson N., Kollatschny W., Laurikainen E., Lawrence A., Masegosa J., McHardy I.M., Moles M., O'Brien P.T., Penston M.V., Perea J., Pérez E., Pérez-Fournon I., Robinson A., Rodríguez-Espinosa J.M., Tadhunter C.N., Terlevich R.J., Unger S.W., van Groningen E., Vila-Vilaró B., Wagner S.J. **285**, 857

Hot spot 3C 20 west: an optical synchrotron source
Hiltner P.R., Meisenheimer K., Röser H.-J., Laing R.A., Perley R.A. **286**, 25

A simultaneous radio-optical flare in BL Lacertae
Tornikoski M., Valtaoja E., Teräsranta H., Okyudo M. **286**, 80

Thin accretion disks near the critical luminosity: the effect of turbulent energy transport
Heinrich O.M. **286**, 338

Can shock models explain radio outbursts of AGN at millimeter and centimeter wavelengths?
Lainela M. **286**, 408

Interactions of cosmic ray nuclei
Mannheim K., Schlickeiser R. **286**, 983

Sub-arcsecond resolution 2D spectrography of the central regions of NGC 1275 with TIGER
Ferruit P., Pécontal E. **288**, 65

Multi-wavelength monitoring of the BL Lacutae Object PKS 2155−304. II. The ROSAT Observations
Brinkmann W., Maraschi L., Treves A., Urry C.M., Warwick R., Siebert J., Wagner S., Edelson R., Fink H., Madejski G. **288**, 433

Size and physical conditions of the coronal line region in a nearby Seyfert 2: the Circinus galaxy
Oliva E., Salvati M., Moorwood A.F.M., Marconi A. **288**, 457

Bursting and stationary star formation in disks and nuclei of galaxies
Firmani C., Tutukov A.V. **288**, 713

ROSAT X-ray survey of an area 10 degrees square around the active radio galaxy Centaurus A
Arp H. **288**, 738

Three-year monitoring of a sample of flat-spectrum radio sources at 327 MHz
Ghosh T., Gopal-Krishna, Rao A.P. **288**, 1033 (***106**, 29)*

Sub-milliarcsecond structure of quasar cores and characteristic linear sizes of shocks inferred from radio continuum flux density variations
Valtaoja E., Teräsranta H. **289**, 35

EUV energy distributions of accretion disks in active galactic nuclei
Störzer H., Hauschildt P.H. **289**, 45

TX 0211−122: a starburst radio galaxy at $z = 2.34$?
van Ojik R., Röttgering H.J.A., Miley G.K., Bremer M.N., Macchetto F., Chambers K.C. **289**, 54

HST observations of 3C 449: discovery of an extended nuclear disk and of possible optical jets
Capetti A., Macchetto F., Sparks W.B., Miley G.K. **289**, 61

Echo mapping the Balmer-emission region in NGC 3516
Wanders I., Horne K. **289**, 76

Erratum The evidence for anisotropy of the ionizing continuum of NGC 4151
Schulz H., Komossa S. **289**, 662

Multifrequency observations of ROSAT selected radio sources
Neumann M., Reich W., Fürst E., Brinkmann W., Reich P., Siebert J., Wielebinski R., Trümper J. **289**, 665 (***106**, 303)*

Correlated radio and optical variations in a sample of active galactic nuclei
Tornikoski M., Valtaoja E., Teräsranta H., Smith A.G., Nair A.D., Clements S.D., Leacock R.J. **289**, 673

Gas fueling to the central 10pc in merging galaxies
Bekki K., Noguchi M. **290**, 7

Structure of the outer regions of accretion discs in Active Galactic Nuclei
Huré J.-M., Collin-Souffrin S., Le Bourlot J., Pineau des Forêts G. **290**, 19

Structure of the outer regions of accretion discs in Active Galactic Nuclei: the influence of opacity
Huré J.-M., Collin-Souffrin S., Le Bourlot J., Pineau des Forêts G. **290**, 34

On the origin of the variability of superluminal radio sources similar to 3C 273
Roland J., Teyssier R., Roos N. **290**, 357

Silicate dust discs as sources of the AGN IR-emission
Stenholm L. **290**, 393

More ultraluminous IRAS galaxies as interacting systems
Andreasian N., Alloin D. **290**, 1019 (***107**, 23)*

A [Si VI] (1.962 μm) coronal line survey of galactic nuclei
Marconi A., Moorwood A.F.M., Salvati M., Oliva E. **291**, 18

Systematic study of the ultraviolet variability of active galactic nuclei
Paltani S., Courvoisier T.J.-L. **291**, 74

The extended narrow line region of NGC 4151. II. Spatial variations of the emission line intensities
Robinson A., Vila-Vilaró B., Axon D.J., Pérez E., Wagner S.J., Baum S.A., Boisson C., Durret F., González-Delgado R., Moles M., Masegosa J., O'Brien P.T., O'Dea C., del Olmo A., Pedlar A., Penston M.V., Perea J., Pérez-Fournon I., Rodríguez-Espinosa J.M., Tadhunter C., Terlevich R.J., Unger S.W., Ward M.J. **291**, 351

Discovery of strong X-ray variability in an HII type galaxy
Boller T., Fink H., Schaeidt S. **291**, 403

Possible continuum-diluting processes to generate Liner-like spectra
Schulz H., Fritsch C. **291**, 713

Warm IRAS sources from the point source catalog. IV. Extended optical line emission
Fehmers G.C., de Grijp M.H.K., Miley G.K., Keel W.C. **292**, 358 (***108**, 61*)

Samples of ultra-steep spectrum radio sources
Röttgering H.J.A., Lacy M., Miley G.K., Chambers K.C., Saunders R. **292**, 359 (***108**, 79*)

Black-hole stellar accretion in active galactic nuclei
Hameury J.-M., King A.R., Lasota J.-P., Auvergne M. **292**, 404

Starving accretion disks in the center of galaxies: the examples of Sagittarius A* and M 31
Falcke H., Heinrich O.M. **292**, 430

(Galaxies:) BL Lacertae objects: general 11.02.1

The asymmetries in radio-source structures. I. A comparison of two classical models
Ryś S. **281**, 15

An update of the optical identification status of the S4 radio source catalogue
Stickel M., Kühr H. **282**, 351 (***103**, 349*)

Brightness temperatures and viewing angles for extragalactic radio sources: a test of unification schemes for active galactic nuclei
Teräsranta H., Valtaoja E. **283**, 51

(RN) Redshift and nature of two BL Lacertae objects: PKS 0306+102 and S3 0503−04
Véron P. **283**, 802

Intense blazar activity in the photopolarimetric light curve of OJ 287
Takalo L.O., Sillanpää A., Nilsson K., Kidger M., de Diego J.A. **284**, 700 (***104**, 115*)

Spectral properties of X-ray loud extragalactic radio sources
Brinkmann W., Siebert J. **285**, 812

A simultaneous radio-optical flare in BL Lacertae
Tornikoski M., Valtaoja E., Teräsranta H., Okyudo M. **286**, 80

New X-ray bright BL Lacertae objects from the ROSAT All-Sky Survey
Bade N., Fink H.H., Engels D. **286**, 381

Can shock models explain radio outbursts of AGN at millimeter and centimeter wavelengths?
Lainela M. **286**, 408

X-ray spectra of a complete sample of extragalactic core-dominated radio sources
Brunner H., Lamer G., Worrall D.M., Staubert R. **287**, 436

Optical spectra and redshifts of 1 Jy, S4 and S5 radio source identifications. V
Stickel M., Kühr H. **287**, 1035 (***105**, 67*)

High resolution radio observations of intermediate redshift quasars and radio galaxies
Bogers W.J., Hes R., Barthel P.D., Zensus J.A. **287**, 1035 (***105**, 91*)

The optical identification status of the 1 Jy radio source catalogue
Stickel M., Meisenheimer K., Kühr H. **287**, 1037 (***105**, 211*)

The Hubble diagram for X-ray selected BL Lacertae objects
Fan J.H., Huang Z.H., Xie G.Z., Wang Y.J., Li J.J., Zhu Y.Y. **287**, 1041 (***105**, 415*)

On the gamma-ray emission from Markarian 421
Cheng K.S., Ding W.K.Y. **288**, 97

Sub-milliarcsecond structure of quasar cores and characteristic linear sizes of shocks inferred from radio continuum flux density variations
Valtaoja E., Teräsranta H. **289**, 35

Simultaneous multirange observations and detection of rapid variability of BL Lacertae objects
Xie G.Z., Li K.H., Zhang Y.H., Liu F.K., Fan J.H., Wang J.C. **289**, 666 (***106**, 361*)

Correlated radio and optical variations in a sample of active galactic nuclei
Tornikoski M., Valtaoja E., Teräsranta H., Smith A.G., Nair A.D., Clements S.D., Leacock R.J. **289**, 673

The variable source responsible for the photometric behaviour of OJ 287 in the IR-optical-UV region during the 1980's
Hagen-Thorn V.A., Yakoleva V.A., Takalo L.O., Sillanpää A. **290**, 1

Systematic study of the ultraviolet variability of active galactic nuclei
Paltani S., Courvoisier T.J.-L. **291**, 74

(Galaxies:) BL Lacertae objects: individual:... 11.02.2

BL Lac

A simultaneous radio-optical flare in BL Lacertae
Tornikoski M., Valtaoja E., Teräsranta H., Okyudo M. **286**, 80

Mkn 421

On the gamma-ray emission from Markarian 421
Cheng K.S., Ding W.K.Y. **288**, 97

OJ 287

Infranight infrared spectral variability in OJ 287
Kidger M.R., Takalo L.O., de Diego J.A. **282**, 369

Intense blazar activity in the photopolarimetric light curve of OJ 287
Takalo L.O., Sillanpää A., Nilsson K., Kidger M., de Diego J.A. **284**, 700 (***104**, 115*)

The variable source responsible for the photometric behaviour of OJ 287 in the IR-optical-UV region during the 1980's
Hagen-Thorn V.A., Yakoleva V.A., Takalo L.O., Sillanpää A. **290**, 1

Simultaneous *UBVRI* photopolarimetry of three blazars: 3C 66A, S5 0716+714 and OJ 287
Takalo L.O., Sillanpää A., Nilsson K. **292**, 355 (***107***, *497*)

PKS 0521–365

Strong intraday variability in the southern blazar PKS 0537–441 at 1.42 GHz
Romero G.E., Combi J.A., Colomb F.R. **288**, 731

PKS 0537–441

Strong intraday variability in the southern blazar PKS 0537–441 at 1.42 GHz
Romero G.E., Combi J.A., Colomb F.R. **288**, 731

PKS 1413+135

First detection of CO ($J = 0 \rightarrow 1$) absorption at cosmological distances ($z = 0.247$)
Wiklind T., Combes F. **286**, L9

PKS 2155–304

Multi-wavelength monitoring of the BL Lacutae Object PKS 2155–304. II. The ROSAT Observations
Brinkmann W., Maraschi L., Treves A., Urry C.M., Warwick R., Siebert J., Wagner S., Edelson R., Fink H., Madejski G. **288**, 433

S5 0716+714

Simultaneous *UBVRI* photopolarimetry of three blazars: 3C 66A, S5 0716+714 and OJ 287
Takalo L.O., Sillanpää A., Nilsson K. **292**, 355 (***107***, *497*)

3C 66A

Simultaneous *UBVRI* photopolarimetry of three blazars: 3C 66A, S5 0716+714 and OJ 287
Takalo L.O., Sillanpää A., Nilsson K. **292**, 355 (***107***, *497*)

Galaxies: clusters: general 11.03.1

Structures of small-size radio galaxies in clusters
Feretti L., Giovannini G. **281**, 375

Hα velocity fields and rotation curves of galaxies in clusters
Amram P., Marcelin M., Balkowski C., Cayatte V., Sullivan III W.T., Le Coarer E. **281**, 636 (***103***, *5*)

Magnetic field in clusters of galaxies
Carvalho J.C. **281**, 641

Sensitive limits on the molecular gas content of cluster cooling flows
McNamara B.R., Jaffe W. **281**, 673

Configurations and morphology of triple galaxies: evidence for dark matter?
Chernin A.D., Ivanov A.V., Trofimof A.V., Mikkola S. **281**, 685

Multicolor photometry of clusters of galaxies: A 3284, A 3305, A 1942
Molinari E., Banzi M., Buzzoni A., Chincarini G., Pedrana M.D. **282**, 349 (***103***, *245*)

Deep CO observations of dominant cluster galaxies with reported cooling flows
Braine J., Dupraz C. **283**, 407

The odd group of galaxies around NGC 1400/1407
Quintana H., Fouqué P., Way M.J. **283**, 722

Extraction of the mean radial mass distribution in clusters of galaxies by observations of weak gravitational imaging
Breimer T.G. **283**, 745

(RN) Quantitative morphology of E–S0 galaxies. II. Possible environmental effects on the properties of lenticulars
Michard R., Marchal J. **283**, 779

A Faber–Jackson relation for clusters of galaxies: implications for modified dynamics
Sanders R.H. **284**, L31

A toolbox for general elliptical gravitational lenses
Schramm T. **284**, 44

Morphological segregation of galaxies in clusters. I. The non-uniform distribution of types in the inner region of Perseus
Andreon S. **284**, 801

Relic radio galaxies: evolution of synchrotron spectrum
Komissarov S.S., Gubanov A.G. **285**, 27

Star formation and merging in compact groups of galaxies
Moles M., del Olmo A., Perea J., Masegosa J., Márquez I., Costa V. **285**, 404

New evidence for mergers in compact groups of galaxies
Caon N., Capaccioli M., D'Onofrio M., Longo G. **286**, L39

21 cm observations of galaxies in the NW region of the Pisces-Perseus-Supercluster near the Galactic Plane
Seeberger R., Huchtmeier W.K., Weinberger R. **286**, 17

"Redshift survey" up to b_J=27: distance of gravitational arclets behind Abell 370
Kneib J.-P., Mathez G., Fort B., Mellier Y., Soucail G., Longaretti P.-Y. **286**, 701

Observational support for the Gurzadyan-Kocharyan relation in clusters of galaxies
Monaco P. **287**, L13

Arc statistics with realistic cluster potentials. I. Method and first results
Bartelmann M., Weiss A. **287**, 1

The power spectrum implied by COBE and the matter correlation function
Torres S., Fabbri R., Ruffini R. **287**, 15

Matter distribution in twelve X-ray clusters of galaxies
Durret F., Gerbal D., Lachièze-Rey M., Lima-Neto G., Sadat R. **287**, 733

Analysis of the kinematical behaviour of the near universe. II. Voids
Goicoechea L.J. **288**, 30

Statistical determination of line-of-sight velocity membership of galaxy clusters
Zhao J.L., Shao Z.Y. **288**, 89

Narrow-band imaging of fields around optically-thick absorption systems: the line-of-sight towards Q 0000–2619
Giavalisco M., Macchetto F.D., Sparks W.B. **288**, 103

Radio observations of the Coma cluster of galaxies and its immediate vicinity. III. Statistical analyses and source counts
Kim K.-T., Kronberg P.P., Dewdney P.E., Landecker T.L. **288**, 122

Is there a β-problem in clusters of galaxies?
Gerbal D., Durret F., Lachièze-Rey M. **288**, 746

Dumbbell galaxies and multiple nuclei in rich clusters: radio data
Gregorini L., de Ruiter H.R., Parma P., Sadler E.M., Vettolani G., Ekers R.D. **288**, 1033 (***106***, *1*)

Radial cluster lensing. A simple differential equation describing arclet fields
Schramm T., Kayser R. **289**, L5

Detection of a distant cluster in the center of the shear field in Q 2345+007
Mellier Y., Dantel-Fort M., Fort B., Bonnet H. **289**, L15

Multiband studies of two distant galaxy clusters at $z>0.8$
Thimm G.J., Belloni P. **289**, L27

A giant arc in a ROSAT-detected cluster of galaxies
Edge A.C., Böhringer H., Guzzo L., Collins C.A., Neumann D., Chincarini G., De Grandi S., Dümmler R., Ebeling H., Schindler S., Seitter W., Vettolani P., Briel U., Cruddace R., Gruber R., Gursky H., Hartner G., MacGillivray H.T., Schuecker P., Shaver P., Voges W., Wallin J., Wolter A., Zamorani G. **289**, L34

A gravitational lens cluster – Abell 2104 – discovered in the ROSAT All-Sky Survey sample
Pierre M., Soucail G., Böhringer H., Sauvageot J.L. **289**, L37

Kinematics of the Local Universe: completeness of the sample
Paturel G., Bottinelli L., Di Nella H., Fouqué P., Gouguenheim L., Teerikorpi P. **289**, 711

Galaxies with a low gas content in the Coma I cloud of galaxies
Gerin M., Casoli F. **290**, 49

Diffuse X-ray emission around high-redshift, radio-loud QSOs
Bartelmann M., Schneider P., Hasinger G. **290**, 399

Optical observations of a ROSAT sample of clusters of galaxies. I. Techniques and X-ray/optical analysis
Pierre M., Böhringer H., Ebeling H., Voges W., Schuecker P., Cruddace R., MacGillivray H. **290**, 725

The $z_{abs} \sim z_{em} \sim 2$ QSO absorption line systems: evidence for abundances in excess of solar
Petitjean P., Rauch M., Carswell R.F. **291**, 29

Gravitational lensing of Q 0957+561: a study of the cluster at $z = 0.355$
Angonin-Willaime M.-C., Soucail G., Vanderriest C. **291**, 411

The effects of smoothing on the statistical properties of large-scale cosmic fields
Bernardeau F. **291**, 697

Non-polytropic model with galactic winds for clusters of galaxies
Fusco-Femiano R. **292**, 27

New HI observations for possible group member galaxies
Garcia A.M., Bottinelli L., Garnier R., Gouguenheim L., Paturel G. **292**, 352 (***107**, 265)*

Photometric CCD sequences in 7 southern Abell clusters
Cunow B., Wargau W.F. **292**, 352 (***107**, 277)*

A CCD survey of galaxies. III. Observations with the Loiano 1.5 m telescope
Gavazzi G., Randone I. **292**, 352 (***107**, 285)*

Environments of Seyfert galaxies. I. Construction of the sample and selection effects
Laurikainen E., Salo H., Teerikorpi P., Petrov G. **292**, 366 (***108**, 491)*

Galaxies: clusters: individual:... 11.03.4

A 370

"Redshift survey" up to b_J=27: distance of gravitational arclets behind Abell 370
Kneib J.-P., Mathez G., Fort B., Mellier Y., Soucail G., Longaretti P.-Y. **286**, 701

A 401 (Perseus)

Observational support for the Gurzadyan-Kocharyan relation in clusters of galaxies
Monaco P. **287**, L13

A 1367

The CO distribution in three peculiar galaxies of the A 1367 cluster
Boselli A., Gavazzi G., Combes F., Lequeux J., Casoli F. **285**, 69

A 1656 (Coma)

Observational support for the Gurzadyan-Kocharyan relation in clusters of galaxies
Monaco P. **287**, L13

A 1795

Observational support for the Gurzadyan-Kocharyan relation in clusters of galaxies
Monaco P. **287**, L13

A 1942

Multicolor photometry of clusters of galaxies: A 3284, A 3305, A 1942
Molinari E., Banzi M., Buzzoni A., Chincarini G., Pedrana M.D. **282**, 349 (***103**, 245)*

A 2104

A gravitational lens cluster – Abell 2104 – discovered in the ROSAT All-Sky Survey sample
Pierre M., Soucail G., Böhringer H., Sauvageot J.L. **289**, L37

A 2390

Detection of intracluster light in the rich clusters of galaxies Abell 2390 and Cl 1613+31
Vílchez-Gómez R., Pelló R., Sanahuja B. **283**, 37

Erratum Detection of intracluster light in the rich clusters of galaxies Abell 2390 and Cl 1613+31
Vílchez-Gómez R., Pelló R., Sanahuja B. **289**, 661

A 3284

Multicolor photometry of clusters of galaxies: A 3284, A 3305, A 1942
Molinari E., Banzi M., Buzzoni A., Chincarini G., Pedrana M.D. **282**, 349 (***103**, 245)*

A 3305

Multicolor photometry of clusters of galaxies: A 3284, A 3305, A 1942
Molinari E., Banzi M., Buzzoni A., Chincarini G., Pedrana M.D. **282**, 349 (***103, 245***)

Cl 0017–20

The medium redshift clusters CL 0017–20 and CL 0500–24
Infante L., Fouqué P., Hertling G., Way M.J., Giraud E., Quintana H. **289**, 381

Cl 0500–24

The medium redshift clusters CL 0017–20 and CL 0500–24
Infante L., Fouqué P., Hertling G., Way M.J., Giraud E., Quintana H. **289**, 381

Cl 1409+524 (3C 295)

The galaxy population in the cluster Cl 1409+524 (3C 295)
Thimm G.J., Röser H.-J., Hippelein H., Meisenheimer K. **285**, 785

Cl 1602+4313

Multiband studies of two distant galaxy clusters at $z>0.8$
Thimm G.J., Belloni P. **289**, L27

Cl 1613+31

Detection of intracluster light in the rich clusters of galaxies Abell 2390 and Cl 1613+31
Vílchez-Gómez R., Pelló R., Sanahuja B. **283**, 37

Erratum Detection of intracluster light in the rich clusters of galaxies Abell 2390 and Cl 1613+31
Vílchez-Gómez R., Pelló R., Sanahuja B. **289**, 661

Cl 2155+0334

Multiband studies of two distant galaxy clusters at $z>0.8$
Thimm G.J., Belloni P. **289**, L27

Cl 2236–04

The Cl 2236–04 lens cluster. Looking for a third gravitational image?
Kneib J.P., Melnick J., Gopal-Krishna **290**, L25

Coma cluster

Radio observations of the Coma cluster of galaxies and its immediate vicinity. I. Radio data and optical identifications
Kim K.-T., Kronberg P.P., Dewdney P.E., Landecker T.L. **287**, 1040 (***105, 385***)

Radio observations of the Coma cluster of galaxies and its immediate vicinity. II. A master list of radio sources
Kim K.-T. **287**, 1040 (***105, 403***)

Radio observations of the Coma cluster of galaxies and its immediate vicinity. III. Statistical analyses and source counts
Kim K.-T., Kronberg P.P., Dewdney P.E., Landecker T.L. **288**, 122

‚Global mapping' *B*-band photometry of a complete sample of Fornax and Virgo early-type galaxies
Caon N., Capaccioli M., D'Onofrio M. **289**, 664 (***106, 199***)

Coma I group

HI deficiency in the Coma I cloud of galaxies
García-Barreto J.A., Downes D., Huchtmeier W.K. **288**, 705

Perseus cluster

Morphological segregation of galaxies in clusters. I. The non-uniform distribution of types in the inner region of Perseus
Andreon S. **284**, 801

Psc-Per supercluster

21 cm observations of galaxies in the NW region of the Pisces-Perseus-Supercluster near the Galactic Plane
Seeberger R., Huchtmeier W.K., Weinberger R. **286**, 17

S 295

A giant arc in a ROSAT-detected cluster of galaxies
Edge A.C., Böhringer H., Guzzo L., Collins C.A., Neumann D., Chincarini G., De Grandi S., Dümmler R., Ebeling H., Schindler S., Seitter W., Vettolani P., Briel U., Cruddace R., Gruber R., Gursky H., Hartner G., MacGillivray H.T., Schuecker P., Shaver P., Voges W., Wallin J., Wolter A., Zamorani G. **289**, L34

Virgo cluster

(**RN**) Quantitative morphology of E–S0 galaxies. II. Possible environmental effects on the properties of lenticulars
Michard R., Marchal J. **283**, 779

The globular cluster system of NGC 4636: a rich system in an otherwise normal elliptical galaxy?
Kissler M., Richtler T., Held E.V., Grebel E.K., Wagner S.J., Capaccioli M. **287**, 463

‚Global mapping' *B*-band photometry of a complete sample of Fornax and Virgo early-type galaxies
Caon N., Capaccioli M., D'Onofrio M. **289**, 664 (***106, 199***)

Multifrequency windows on spiral galaxies. IV. Gas content and star formation in the Virgo cluster
Boselli A. **292**, 1

Galaxies: compact 11.03.2

Is there primordial gas in IZw 18?
Kunth D., Lequeux J., Sargent W.L.W., Viallefond F. **282**, 709

Photometric evolutionary synthesis models of dwarf galaxies
Krüger H., Fritze-v. Alvensleben U. **284**, 793

Spectrographic study of a large sample of Kiso ultraviolet excess galaxies. II. Discussion
Comte G., Augarde R., Chalabaev A., Kunth D., Maehara H. **285**, 1

Spectrographic study of a large sample of Kiso ultraviolet excess galaxies. I. The data
Augarde R., Chalabaev A., Comte G., Kunth D., Maehara H. **285**, 355 (***104, 259***)

Hot gas outflow in the blue compact dwarf galaxy VII Zw 403
Papaderos P., Fricke K.J., Thuan T.X., Loose H.-H. **291**, L13

(Galaxies:) cooling flows 11.03.3

Sensitive limits on the molecular gas content of cluster cooling flows
McNamara B.R., Jaffe W. **281**, 673

Deep CO observations of dominant cluster galaxies with reported cooling flows
Braine J., Dupraz C. **283**, 407

Sub-arcsecond resolution 2D spectrography of the central regions of NGC 1275 with TIGER
Ferruit P., Pécontal E. **288**, 65

Galaxies: distances and redshifts 11.04.1

A comparison of calculated and observed monochromatic type Ia supernova light curves
Müller E., Höflich P. **281**, 51

A search for active star-forming galaxies with the ESO 1 meter Schmidt telescope
Surace C., Comte G. **281**, 653

Light curves of type II supernovae. II. The analysis
Patat F., Barbon R., Cappellaro E., Turatto M. **282**, 731

CO versus HI in the Tully-Fisher relation for a sample of 32 galaxies
Schöniger F., Sofue Y. **283**, 21

A revision to the absolute magnitudes of RR Lyrae stars from the Baade-Wesselink method
Fernley J. **284**, L16

Analysis of the velocity-distance diagrams in the presence of the Great Attractor
Ekholm T., Teerikorpi P. **284**, 369

Spectrographic study of a large sample of Kiso ultraviolet excess galaxies. II. Discussion
Comte G., Augarde R., Chalabaev A., Kunth D., Maehara H. **285**, 1

Spectrographic study of a large sample of Kiso ultraviolet excess galaxies. I. The data
Augarde R., Chalabaev A., Comte G., Kunth D., Maehara H. **285**, 355 (***104**, 259*)

Search and redshift survey for IRAS galaxies behind the Northern Milky Way
Takata T., Yamada T., Saitō M., Chamaraux P., Kazés I. **285**, 359 (***104**, 529*)

Pulsational parallaxes and calibration of the cosmic distance scale by Cepheid variable stars
Di Benedetto G.P. **285**, 819

21 cm observations of galaxies in the NW region of the Pisces-Perseus-Supercluster near the Galactic Plane
Seeberger R., Huchtmeier W.K., Weinberger R. **286**, 17

New photometric distances for dwarf galaxies in the Local Volume
Karachentsev I.D., Tikhonov N.A. **286**, 718

On the Cepheid variables of nearby galaxies. II. Sextans A and Sextans B
Piotto G., Capaccioli M., Pellegrini C. **287**, 371

The Hubble diagram for X-ray selected BL Lacertae objects
Fan J.H., Huang Z.H., Xie G.Z., Wang Y.J., Li J.J., Zhu Y.Y. **287**, 1041 (***105**, 415*)

Analysis of the kinematical behaviour of the near universe. II. Voids
Goicoechea L.J. **288**, 30

Statistical determination of line-of-sight velocity membership of galaxy clusters
Zhao J.L., Shao Z.Y. **288**, 89

Narrow-band imaging of fields around optically-thick absorption systems: the line-of-sight towards Q 0000–2619
Giavalisco M., Macchetto F.D., Sparks W.B. **288**, 103

On the Malmquist bias in the determination of H_0 and of distances of galaxies
Triay R., Lachièze-Rey M., Rauzy S. **289**, 19

The medium redshift clusters CL 0017–20 and CL 0500–24
Infante L., Fouqué P., Hertling G., Way M.J., Giraud E., Quintana H. **289**, 381

The brightest stars in three irregular dwarfs around M 81
Karachentsev I.D., Tikhonov N.A., Sazonova L.N. **289**, 1001 (***106**, 555*)

The Cl 2236–04 lens cluster. Looking for a third gravitational image?
Kneib J.P., Melnick J., Gopal-Krishna **290**, L25

Optical observations of a ROSAT sample of clusters of galaxies. I. Techniques and X-ray/optical analysis
Pierre M., Böhringer H., Ebeling H., Voges W., Schuecker P., Cruddace R., MacGillivray H. **290**, 725

Gravitational lensing of Q 0957+561: a study of the cluster at $z = 0.355$
Angonin-Willaime M.-C., Soucail G., Vanderriest C. **291**, 411

The active environment of QSO HE 1029–1401
Wisotzki L. **292**, 45

New HI observations for possible group member galaxies
Garcia A.M., Bottinelli L., Garnier R., Gouguenheim L., Paturel G. **292**, 352 (***107**, 265*)

Galaxies: elliptical and lenticular, cD 11.05.1

Study of NGC 4442: a link between bars and boxy bulges
Bettoni D., Galletta G. **281**, 1

N-body equilibrium figures of early-type galaxies. II. Analysis of orbital populations
Udry S., Martinet L. **281**, 314

(RN) The extent of CO in the early-type galaxy NGC 4472
Huchtmeier W.K., Bregman J.N., Hogg D.E., Roberts M.S. **281**, 327

Equilibrium and rotational support of elliptical galaxies
Prugniel P., Simien F. **282**, L1

The structure of the halo of the giant elliptical galaxy IC 4296
Kemp S.N. **282**, 425

The nature of elongated ellipticals
Nieto J.L., Poulain P., Davoust E. **283**, 1

Deep CO observations of dominant cluster galaxies with reported cooling flows
Braine J., Dupraz C. **283**, 407

UBVRI photoelectric photometry of bright southern early-type galaxies
Poulain P., Nieto J.L. **283**, 716 (***103**, 573*)

A high-frequency radio continuum investigation of giant radio galaxies. I. Observations of six objects at 2.8 cm wavelength
Klein U., Mack K.-H., Strom R., Wielebinski R., Achatz U. **283**, 729

(RN) Quantitative morphology of E–S0 galaxies. II. Possible environmental effects on the properties of lenticulars
Michard R., Marchal J. **283**, 779

Kinematic properties of anisotropic models of spherical galaxies
Hiotelis N. **283**, 783

A toolbox for general elliptical gravitational lenses
Schramm T. **284**, 44

Morphological segregation of galaxies in clusters. I. The non-uniform distribution of types in the inner region of Perseus
Andreon S. **284**, 801

Interstellar matter in Shapley-Ames elliptical galaxies. I. Multi-colour CCD surface photometry
Goudfrooij P., Hansen L., Jørgensen H.E., Nørgaard-Nielsen H.U., de Jong T., van den Hoek L.B. **285**, 354 (***104**, 179*)

Angular momentum redistribution and spin tilt during *N*-body collapse: phenomenological implications
Curir A., Diaferio A. **285**, 389

New evidence for mergers in compact groups of galaxies
Caon N., Capaccioli M., D'Onofrio M., Longo G. **286**, L39

Neutral hydrogen observations of elliptical galaxies
Huchtmeier W.K. **286**, 389

The globular cluster system of NGC 4636: a rich system in an otherwise normal elliptical galaxy?
Kissler M., Richtler T., Held E.V., Grebel E.K., Wagner S.J., Capaccioli M. **287**, 463

Interstellar matter in Shapley-Ames elliptical galaxies. II. The distribution of dust and ionized gas
Goudfrooij P., Hansen L., Jørgensen H.E., Nørgaard-Nielsen H.U. **287**, 1040 (***105**, 341*)

Kinematics of 14 early-type galaxies
Longo G., Zaggia S.R., Busarello G., Richter G. **287**, 1041 (***105**, 433*)

Quantitative morphology of E-S0 galaxies. III. Coded and parametric description of 108 galaxies in a complete sample
Michard R., Marchal J. **287**, 1042 (***105**, 481*)

Abundance ratios in ellipticals and galaxy formation
Matteucci F. **288**, 57

Quantitative morphology of E-S0 galaxies. IV. Ellipticals and lenticulars as a single population
Michard R. **288**, 401

Dumbbell galaxies and multiple nuclei in rich clusters: radio data
Gregorini L., de Ruiter H.R., Parma P., Sadler E.M., Vettolani G., Ekers R.D. **288**, 1033 (***106**, 1*)

A gravitational lens cluster – Abell 2104 – discovered in the ROSAT All-Sky Survey sample
Pierre M., Soucail G., Böhringer H., Sauvageot J.L. **289**, L37

‚Global mapping' *B*-band photometry of a complete sample of Fornax and Virgo early-type galaxies
Caon N., Capaccioli M., D'Onofrio M. **289**, 664 (***106**, 199*)

Dynamical friction in head-on galaxy collisions. I. Analytical calculations and restricted three-body simulations
Séguin P., Dupraz C. **290**, 709

Erratum Quantitative morphology of E-SO galaxies. III. Coded and parametric description of 108 galaxies in a complete sample
Michard R., Marchal J. **290**, 1022 (***107**, 187*)

A two-component model for spherical galaxies
Hiotelis N. **291**, 725

Photoionization in elliptical galaxies by old stars
Binette L., Magris C.G., Stasińska G., Bruzual A.G. **292**, 13

The very red halo of the cD galaxy in A 3284
Molinari E., Buzzoni A., Chincarini G., Pedrana M.D. **292**, 54

On the non-existence of some heterogeneous equivalents of ellipsoidal Dedekind figures
Chambat F. **292**, 76

Multicolor surface photometry of early-type galaxies. I.
Penereiro J.C., de Carvalho R.R., Djorgovski S., Thompson D. **292**, 365 (***108**, 461*)

A search for dark matter in elliptical galaxies: radially extended spectroscopic observations for six objects
Bertin G., Bertola F., Buson L.M., Danziger I.J., Dejonghe H., Sadler E.M., Saglia R.P., de Zeeuw P.T., Zeilinger W.W. **292**, 381

ROSAT PSPC observation of the X-ray faint early-type galaxy NGC 5866
Pellegrini S. **292**, 395

Improved *I*-band CCD photometry of NGC 3379 and comparison with a violent relaxation model
Sodemann M., Thomsen B. **292**, 425

Galaxies: evolution 11.05.2

The metal systems in Q 0000–2619 at high resolution
Savaglio S., D'Odorico S., Møller P. **281**, 331

Ultraviolet (2000 Å) galaxy counts: comparison with predictions
Armand C., Milliard B. **282**, 1

Multicolor photometry of clusters of galaxies: A 3284, A 3305, A 1942
Molinari E., Banzi M., Buzzoni A., Chincarini G., Pedrana M.D. **282**, 349 (***103**, 245*)

(RN) Oxygen abundances in the Large Magellanic Cloud: a prediction of SN II/SN I rates
Barbuy B., de Freitas Pacheco J.A., Castro S. **283**, 32

CIV QSO absorption systems and properties of galactic haloes at high redshift
Petitjean P., Bergeron J. **283**, 759

Integrated spectral properties of star clusters in the near-ultraviolet
Bica E., Alloin D., Schmitt H.R. **283**, 805

Large-scale self-regulation in star-forming systems
Cammerer M., Shchekinov Y. **283**, 845

Far-ultraviolet diffuse background and galaxy counts
Armand C., Milliard B., Deharveng J.M. **284**, 12

Can nucleosynthesis determine the mass limit for stellar black hole formation?
Prantzos N. **284**, 477

Metallicity effects in star-forming regions
Cerviño M., Mas-Hesse J.M. **284**, 749

Photometric evolutionary synthesis models of dwarf galaxies
Krüger H., Fritze-v. Alvensleben U. **284**, 793

Spectrographic study of a large sample of Kiso ultraviolet excess galaxies. II. Discussion
Comte G., Augarde R., Chalabaev A., Kunth D., Maehara H. **285**, 1

Is dark matter in spiral galaxies cold gas? I. Observational constraints and dynamical clues about galaxy evolution
Pfenniger D., Combes F., Martinet L. **285**, 79

Is dark matter in spiral galaxies cold gas? II. Fractal models and star non-formation
Pfenniger D., Combes F. **285**, 94

Spectrographic study of a large sample of Kiso ultraviolet excess galaxies. I. The data
Augarde R., Chalabaev A., Comte G., Kunth D., Maehara H. **285**, 355 (***104**, 259*)

Star formation in merging galaxies
Fritze-v. Alvensleben U., Gerhard O.E. **285**, 751

The star formation history of NGC 7252
Fritze-v. Alvensleben U., Gerhard O.E. **285**, 775

The galaxy population in the cluster Cl 1409+524 (3C 295)
Thimm G.J., Röser H.-J., Hippelein H., Meisenheimer K. **285**, 785

Feature velocities in disk galaxies
Engström S. **285**, 801

Neutral hydrogen observations of elliptical galaxies
Huchtmeier W.K. **286**, 389

"Redshift survey" up to b_J=27: distance of gravitational arclets behind Abell 370
Kneib J.-P., Mathez G., Fort B., Mellier Y., Soucail G., Longaretti P.-Y. **286**, 701

The power spectrum implied by COBE and the matter correlation function
Torres S., Fabbri R., Ruffini R. **287**, 15

Stochastic self-propagating star formation with anisotropic probability distribution
Jungwiert B., Palouš J. **287**, 55

(RN) The chemical evolution of irregular galaxies with mass loss
Pilyugin L.S. **287**, 387

Abundance ratios in ellipticals and galaxy formation
Matteucci F. **288**, 57

HI deficiency in the Coma I cloud of galaxies
García-Barreto J.A., Downes D., Huchtmeier W.K. **288**, 705

Bursting and stationary star formation in disks and nuclei of galaxies
Firmani C., Tutukov A.V. **288**, 713

Detection of a distant cluster in the center of the shear field in Q 2345+007
Mellier Y., Dantel-Fort M., Fort B., Bonnet H. **289**, L15

Multiband studies of two distant galaxy clusters at z>0.8
Thimm G.J., Belloni P. **289**, L27

Acquisition of angular momentum by tidal torques in expanding, spherical-symmetric density perturbations: an analysis of different approximations. III
Andriani E., Caimmi R. **289**, 1

Dynamos in evolving galaxies
Beck R., Poezd A.D., Shukurov A., Sokoloff D.D. **289**, 94

Self-similar spreading of a viscous, star-forming galactic disc
Fröhlich H.-E. **289**, 749

Dynamical friction in head-on galaxy collisions. I. Analytical calculations and restricted three-body simulations
Séguin P., Dupraz C. **290**, 709

The $z_{abs} \sim z_{em} \sim 2$ QSO absorption line systems: evidence for abundances in excess of solar
Petitjean P., Rauch M., Carswell R.F. **291**, 29

Structure and age of the radiogalaxy 3C 435A (z = 0.471) with the integral field spectrograph TIGER
Rocca-Volmerange B., Adam G., Ferruit P., Bacon R. **292**, 20

Non-polytropic model with galactic winds for clusters of galaxies
Fusco-Femiano R. **292**, 27

The very red halo of the cD galaxy in A 3284
Molinari E., Buzzoni A., Chincarini G., Pedrana M.D. **292**, 54

Blue low surface-brightness galaxies. I. Surface photometry
Rönnback J., Bergvall N. **292**, 360 (***108***, *193*)

Galaxies: formation 11.06.1

The formation of disk galaxies in a cosmological context: populations, metallicities and metallicity gradients
Steinmetz M., Müller E. **281**, L97

Large-scale structure statistics: finite volume effects
Colombi S., Bouchet F.R., Schaeffer R. **281**, 301

The large-scale structure in a universe dominated by cold plus hot dark matter
Jing Y.P., Mo H.J., Börner G., Fang L.Z. **284**, 703

Morphological segregation of galaxies in clusters. I. The non-uniform distribution of types in the inner region of Perseus
Andreon S. **284**, 801

Is dark matter in spiral galaxies cold gas? I. Observational constraints and dynamical clues about galaxy evolution
Pfenniger D., Combes F., Martinet L. **285**, 79

Angular momentum redistribution and spin tilt during N-body collapse: phenomenological implications
Curir A., Diaferio A. **285**, 389

Abundance ratios in ellipticals and galaxy formation
Matteucci F. **288**, 57

Narrow-band imaging of fields around optically-thick absorption systems: the line-of-sight towards Q 0000–2619
Giavalisco M., Macchetto F.D., Sparks W.B. **288**, 103

Acquisition of angular momentum by tidal torques in expanding, spherical-symmetric density perturbations: an analysis of different approximations. III
Andriani E., Caimmi R. **289**, 1

Recycled galaxies in the colliding system Arp 105
Duc P.-A., Mirabel I.F. **289**, 83

Further astrophysical quantities expected in a quasi-steady state Universe
Hoyle F., Burbidge G., Narlikar J.V. **289**, 729

Galaxy formation in dark matter models
Xiang S.P. **290**, 349

Galaxies: fundamental parameters (classification, colors, luminosities, masses, radii, etc.) 11.06.2

Study of NGC 4442: a link between bars and boxy bulges
Bettoni D., Galletta G. **281**, 1

Equilibrium and rotational support of elliptical galaxies
Prugniel P., Simien F. **282**, L1

The nature of elongated ellipticals
Nieto J.L., Poulain P., Davoust E. **283**, 1

CO versus HI in the Tully-Fisher relation for a sample of 32 galaxies
Schöniger F., Sofue Y. **283**, 21

Parameters of stellar disks from CCD surface photometry of edge-on galaxies
Barteldrees A., Dettmar R.-J. **283**, 715 (***103***, *475*)

Interstellar matter in Shapley-Ames elliptical galaxies. I. Multicolour CCD surface photometry
Goudfrooij P., Hansen L., Jørgensen H.E., Nørgaard-Nielsen H.U., de Jong T., van den Hoek L.B. **285**, 354 (***104***, *179*)

The nova rate in galaxies of different Hubble types
Della Valle M., Rosino L., Bianchini A., Livio M. **287**, 403

Quantitative morphology of E-S0 galaxies. III. Coded and parametric description of 108 galaxies in a complete sample
Michard R., Marchal J. **287**, 1042 (***105, 481***)

2.1 μm images of the evolved stellar disk and the morphological classification of spiral galaxies
Block D.L., Bertin G., Stockton A., Grosbøl P., Moorwood A.F.M., Peletier R.F. **288**, 365

Quantitative morphology of E-S0 galaxies. IV. Ellipticals and lenticulars as a single population
Michard R. **288**, 401

The spheroidal halo of the Magellanic-like dwarf irregular galaxy MCG 06–30–025 in the Centaurus A group of galaxies
Kemp S.N., Meaburn J. **289**, 39

Near-infrared and optical broadband surface photometry of 86 face-on disk dominated galaxies. I. Selection, observations and data reduction
de Jong R.S., van der Kruit P.C. **289**, 999 (***106, 451***)

Asymmetries in disk galaxies. How often? How strong?
Richter O.-G., Sancisi R. **290**, L9

A search for spiral galaxies with extended HI disks
Broeils A.H., van Woerden H. **290**, 1021 (***107, 129***)

Erratum Quantitative morphology of E-SO galaxies. III. Coded and parametric description of 108 galaxies in a complete sample
Michard R., Marchal J. **290**, 1022 (***107, 187***)

Erratum Near-infrared and optical broadband surface photometry of 86 face-on disk dominated galaxies. I. Selection, observations and data reduction
de Jong R.S., van der Kruit P.C. **292**, 354 (***107, 419***)

Blue low surface-brightness galaxies. I. Surface photometry
Rönnback J., Bergvall N. **292**, 360 (***108, 193***)

Galaxies: general 11.07.1

A search for active star-forming galaxies with the ESO 1 meter Schmidt telescope
Surace C., Comte G. **281**, 653

Equilibrium and rotational support of elliptical galaxies
Prugniel P., Simien F. **282**, L1

An update of the optical identification status of the S4 radio source catalogue
Stickel M., Kühr H. **282**, 351 (***103, 349***)

CO versus HI in the Tully-Fisher relation for a sample of 32 galaxies
Schöniger F., Sofue Y. **283**, 21

Cool-FIR/radio correlation for late-type galaxies – The case for Supernova progenitors
Xu C., Lisenfeld U., Völk H.J. **285**, 19

Is dark matter in spiral galaxies cold gas? I. Observational constraints and dynamical clues about galaxy evolution
Pfenniger D., Combes F., Martinet L. **285**, 79

Is dark matter in spiral galaxies cold gas? II. Fractal models and star non-formation
Pfenniger D., Combes F. **285**, 94

Spectrographic study of a large sample of Kiso ultraviolet excess galaxies. I. The data
Augarde R., Chalabaev A., Comte G., Kunth D., Maehara H. **285**, 355 (***104, 259***)

A further discussion on quasar-galaxy associations from gravitational lensing
Wu X.-P. **286**, 748

Optical spectra and redshifts of 1 Jy, S4 and S5 radio source identifications. V
Stickel M., Kühr H. **287**, 1035 (***105, 67***)

The optical identification status of the 1 Jy radio source catalogue
Stickel M., Meisenheimer K., Kühr H. **287**, 1037 (***105, 211***)

Bursting and stationary star formation in disks and nuclei of galaxies
Firmani C., Tutukov A.V. **288**, 713

Kinematics of the Local Universe: completeness of the sample
Paturel G., Bottinelli L., Di Nella H., Fouqué P., Gouguenheim L., Teerikorpi P. **289**, 711

Ultraviolet observations of galaxies with the FAUST experiment
Deharveng J.-M., Sasseen T.P., Buat V., Bowyer S., Lampton M., Wu X. **289**, 715

Asymmetries in disk galaxies. How often? How strong?
Richter O.-G., Sancisi R. **290**, L9

Dynamical friction in head-on galaxy collisions. I. Analytical calculations and restricted three-body simulations
Séguin P., Dupraz C. **290**, 709

Galaxies: halos 11.08.1

The structure of the halo of the giant elliptical galaxy IC 4296
Kemp S.N. **282**, 425

The magnetic field in the halo of M 82. Polarized radio emission at λλ6.2 and 3.6 cm
Reuter H.-P., Klein U., Lesch H., Wielebinski R., Kronberg P.P. **282**, 724

CIV QSO absorption systems and properties of galactic haloes at high redshift
Petitjean P., Bergeron J. **283**, 759

Galactic models with massive coronae. IV. The Andromeda galaxy, M 31
Tenjes P., Haud U., Einasto J. **286**, 753

Galaxies: individual:... 11.09.1

Arp 105

Recycled galaxies in the colliding system Arp 105
Duc P.-A., Mirabel I.F. **289**, 83

Circinus

Size and physical conditions of the coronal line region in a nearby Seyfert 2: the Circinus galaxy
Oliva E., Salvati M., Moorwood A.F.M., Marconi A. **288**, 457

Cyg A

HST observations of Cygnus A: circumnuclear effects of a powerful jet?
Jackson N., Sparks W.B., Miley G.K., Macchetto F. **284**, 65

DDO 53

The brightest stars in three irregular dwarfs around M 81
Karachentsev I.D., Tikhonov N.A., Sazonova L.N. **289**, 1001 (***106, 555***)

DDO 82

The brightest stars in three irregular dwarfs around M 81
Karachentsev I.D., Tikhonov N.A., Sazonova L.N. **289**, 1001 (*106, 555*)

G 2237+0305

Sub-arcsecond integral field spectroscopy of the Einstein Cross 2237+0305: lensing and microlensing effects
Fitte C., Adam G. **282**, 11

He 2–10

Molecules in the starburst galaxy Henize 2–10
Baas F., Israel F.P., Koornneef J. **284**, 403

IC 1091

The distribution of light in the barred spirals NGC 5757 and IC 1091
Saraiva Schröder M.F., Pastoriza M.G., Kepler S.O. **285**, 358 (*104, 487*)

IC 4296

The structure of the halo of the giant elliptical galaxy IC 4296
Kemp S.N. **282**, 425

IRAS 10214+4724

(RN) Further support for the presence of water in IRAS 10214+4724
Casoli F., Gerin M., Encrenaz P.J., Combes F. **287**, 716

IRAS 13224–3809

UV variability of IRAS 13224–3809, a rapidly X-ray variable far-infrared luminous galaxy
Mas-Hesse J.M., Rodríguez-Pascual P.M., Sanz Fernández de Córdoba L., Boller T. **283**, L9

IRAS 15564+6359

Discovery of strong X-ray variability in an HII type galaxy
Boller T., Fink H., Schaeidt S. **291**, 403

IZw 18

Is there primordial gas in IZw 18?
Kunth D., Lequeux J., Sargent W.L.W., Viallefond F. **282**, 709

IZw 36

The massive star content of the blue dwarf galaxy IZw 36 from Faint Object Camera observations
Deharveng J.-M., Albrecht R., Barbieri C., Blades J.C., Boksenberg A., Crane P., Disney M.J., Jakobsen P., Kamperman T.M., King I.R., Macchetto F., Mackay C.D., Paresce F., Weigelt G., Baxter D., Greenfield P., Jedrzejewski R., Nota A., Sparks W.B. **288**, 413

M 31

Sub-arcsecond 2D photometry and spectrography of the nucleus of M 31: the supermassive black hole revisited
Bacon R., Emsellem E., Monnet G., Nieto J.L. **281**, 691

HST observations of globular clusters in M 31. I. Surface photometry of 13 objects
Fusi Pecci F., Battistini P., Bendinelli O., Bònoli F., Cacciari C., Djorgovski S., Federici L., Ferraro F.R., Parmeggiani G., Weir N., Zavatti F. **284**, 349

(RN) Gravitational microlensing by the halo of the Andromeda galaxy
Jetzer P. **286**, 426

Extension of the Magnier et al. 1992 catalogue of objects in the field of M 31
Haiman Z., Magnier E., Lewin W.H.G., Lester R.R., van Paradijs J., Hasinger G., Pietsch W., Supper R., Trümper J. **286**, 725

Galactic models with massive coronae. IV. The Andromeda galaxy, M 31
Tenjes P., Haud U., Einasto J. **286**, 753

Helical magnetic field structure in M 31?
Urbanik M., Otmianowska-Mazur K., Beck R. **287**, 410

Spectroscopic observations of AB-supergiants in M 31 and M 33
Herrero A., Lennon D.J., Vilchez J.M., Kudritzki R.P., Humphreys R.H. **287**, 885

Evolution of spiral structure in an interacting triple galactic system. I. M 31-type systems
Vozikis C.L., Caranicolas N.D. **288**, 448

Synthetic and observed photometric indices for globular clusters in the Galaxy and M 31
Covino S., Pasinetti Fracassini L.E., Malagnini M.L., Buzzoni A. **289**, 775

Properties of M 31 OB associations
Haiman Z, Magnier E.A., Battinelli P., Lewin W.H.G., van Paradijs J., Hasinger G., Pietsch W., Supper R., Trümper J. **290**, 371

Ultraviolet and optical spectroscopy of a B supergiant star in M 31
Bianchi L., Lamers H.J.G.L.M., Hutchings J.B., Massey P., Kudritzki R., Herrero A., Lennon D.J. **292**, 213

A new automatic identification technique for OB associations in unresolved galaxies
Adanti S., Battinelli P., Capuzzo-Dolcetta R., Hodge P.W. **292**, 363 (*108, 395*)

Starving accretion disks in the center of galaxies: the examples of Sagittarius A* and M 31
Falcke H., Heinrich O.M. **292**, 430

M 33

The distribution of the ultraviolet emission in the disk of Messier 33
Buat V., Vuillemin A., Burgarella D., Milliard B., Donas J. **281**, 666

Spectroscopic observations of AB-supergiants in M 31 and M 33
Herrero A., Lennon D.J., Vilchez J.M., Kudritzki R.P., Humphreys R.H. **287**, 885

M 51

Far-UV observations of the whirlpool galaxy M 51
Bersier D., Blecha A., Golay M., Martinet L. **286**, 37

M 81

H_2O activity in M 82 and in other members of the M 81 group
Baudry A., Brouillet N., Henkel C. **287**, 20

Far-UV imaging of M 81 and comparison to other spiral tracers
Reichen M., Kaufman M., Blecha A., Golay M., Huguenin D. **289**, 1000 (*106, 523*)

Interstellar and intergalactic gas towards SN 1993J in M 81: a study of optical and 21 cm spectra
Vladilo G., Centurión M., de Boer K.S., King D.L., Lipman K., Stegert J.S.W., Unger S.W., Walton N.A. **291**, 425

M 82

The transfer of radiation in galactic nuclei. Dusty hot spots in the starburst galaxy M 82
Krügel E., Siebenmorgen R. **282**, 407

The magnetic field in the halo of M 82. Polarized radio emission at λλ6.2 and 3.6 cm
Reuter H.-P., Klein U., Lesch H., Wielebinski R., Kronberg P.P. **282**, 724

CO and CI maps of the starburst galaxy M 82
White G.J., Ellison B., Claude S., Dent W.R.F., Matheson D.N. **284**, L23

H_2O activity in M 82 and in other members of the M 81 group
Baudry A., Brouillet N., Henkel C. **287**, 20

M 101

How metal-rich are metal-rich HII regions
Kinkel U., Rosa M.R. **282**, L37

Pyramid maximum entropy images of IRAS survey data
Bontekoe T.R., Koper E., Kester D.J.M. **284**, 1037

The IMF and the extinction law in M 101: HST FOS spectra of extragalactic HII regions
Rosa M.R., Benvenuti P. **291**, 1

MCG 06–30–025

The spheroidal halo of the Magellanic-like dwarf irregular galaxy MCG 06–30–025 in the Centaurus A group of galaxies
Kemp S.N., Meaburn J. **289**, 39

MG J0414+0534

Further observational evidence that MG J0414+0534 is a gravitational mirage
Angonin-Willaime M.-C., Vanderriest C., Hammer F., Magain P. **281**, 388

Erratum Further observational evidence that MG J0414+0534 is a gravitational mirage
Angonin-Willaime M.-C., Vanderriest C., Hammer F., Magain P. **292**, 722

Mkn 279

Monitoring of active galactic nuclei. V. The Seyfert 1 galaxy Markarian 279
Stirpe G.M., Alloin D., Axon D.J., Clavel J., de Bruyn A.G., del Olmo A., Goad M., Gondhalekar P.M., Jackson N., Kollatschny W., Laurikainen E., Lawrence A., Masegosa J., McHardy I.M., Moles M., O'Brien P.T., Penston M.V., Perea J., Pérez E., Pérez-Fournon I., Robinson A., Rodríguez-Espinosa J.M., Tadhunter C.N., Terlevich R.J., Unger S.W., van Groningen E., Vila-Vilaró B., Wagner S.J. **285**, 857

Mkn 668=1404+286

(RN) 1404+286: a non-ideal calibrator for VLBI observations
Zhang F.J., Bååth L.B., Spencer R.E. **281**, 649

Mkn 766

The variable soft X-ray excess of Mkn 766
Molendi S., Maccacaro T. **291**, 420

NGC 55

Pyramid maximum entropy images of IRAS survey data
Bontekoe T.R., Koper E., Kester D.J.M. **284**, 1037

NGC 253

Multifrequency observations of the radio continuum emission from NGC 253. I. Magnetic fields and rotation measures in the bar and halo
Beck R., Carilli C.L., Holdaway M.A., Klein U. **292**, 409

NGC 891

Spatially correlated diffuse Hα and radio continuum emission from the halo of NGC 891
Dahlem M., Dettmar R.-J., Hummel E. **290**, 384

NGC 1068

NGC 1068: a genuine hidden Seyfert 1 galaxy?
Jourdain E., Collin S., Dennefeld M., Ballet J., Roques J.P., Lebrun F., Mandrou P., Cordier B., Finoguenov A., Churazof E., Gilfanov M., Sunyaev R., Kuleshova N., Sheikhet A., Sukhanov K., Tserenin I. **281**, L57

NGC 1169

Distribution and motions of HI in the Sa galaxies NGC 1169 and NGC 3898
van Driel W., van Woerden H. **286**, 395

NGC 1275

Sub-arcsecond resolution 2D spectrography of the central regions of NGC 1275 with TIGER
Ferruit P., Pécontal E. **288**, 65

NGC 1365

Long-slit spectroscopy of three low-luminosity Seyfert 1 galaxies
Schulz H., Knake A., Schmidt-Kaler T. **288**, 425

NGC 1400/1407

The odd group of galaxies around NGC 1400/1407
Quintana H., Fouqué P., Way M.J. **283**, 722

NGC 1448

Pyramid maximum entropy images of IRAS survey data
Bontekoe T.R., Koper E., Kester D.J.M. **284**, 1037

NGC 1569

NGC 1569: identification from CaII infrared line spectra of the objects A, B as superluminous star clusters
Prada F., Greve A., McKeith C.D. **288**, 396

NGC 1808

Excitation and kinematics of the central molecular clouds of NGC 1808
Aalto S., Booth R.S., Black J.H., Koribalski B., Wielebinski R. **286**, 365

NGC 2903

A new automatic identification technique for OB associations in unresolved galaxies
Adanti S., Battinelli P., Capuzzo-Dolcetta R., Hodge P.W. **292**, 363 (*108, 395*)

NGC 2997

Imaging in the optical and near-infrared regimes. II. Arcsecond spatial resolution of widely distributed cold dust in spiral galaxies
Block D.L., Witt A.N., Grosbøl P., Stockton A., Moneti A. **288**, 383

NGC 3077

X-ray observations of NGC 3077
Bi H.G., Arp H., Zimmermann H.U. **282**, 386

NGC 3227

Sources of uncertainty in the relative scaling of spectroscopic data
Baribaud T., Salamanca I., Alloin D., Wagner S. **281**, 638 (*103, 121*)

NGC 3379

Improved *I*-band CCD photometry of NGC 3379 and comparison with a violent relaxation model
Sodemann M., Thomsen B. **292**, 425

NGC 3516

Echo mapping the Balmer-emission region in NGC 3516
Wanders I., Horne K. **289**, 76

NGC 3627

Cold dust emission from the spiral galaxy NGC 3627
Sievers A.W., Reuter H.-P., Haslam C.G.T., Kreysa E., Lemke R. **281**, 681

NGC 3898

Distribution and motions of HI in the Sa galaxies NGC 1169 and NGC 3898
van Driel W., van Woerden H. **286**, 395

NGC 4151

X-ray reprocessing and UV continuum in AGN: the case of NGC 4151
Perola G.C., Piro L. **281**, 7

Erratum The evidence for anisotropy of the ionizing continuum of NGC 4151
Schulz H., Komossa S. **289**, 662

The extended narrow line region of NGC 4151. II. Spatial variations of the emission line intensities
Robinson A., Vila-Vilaró B., Axon D.J., Pérez E., Wagner S.J., Baum S.A., Boisson C., Durret F., González-Delgado R., Moles M., Masegosa J., O'Brien P.T., O'Dea C., del Olmo A., Pedlar A., Penston M.V., Perea J., Pérez-Fournon I., Rodríguez-Espinosa J.M., Tadhunter C., Terlevich R.J., Unger S.W., Ward M.J. **291**, 351

NGC 4258

ROSAT PSPC X-ray observations of NGC 4258: detection of point sources, 4 million K halo emission, and anomalous arms
Pietsch W., Vogler A., Kahabka P., Jain A., Klein U. **284**, 386

NGC 4321

Gas response at the resonances in the grand design spiral NGC 4321
García-Burillo S., Sempere M.J., Combes F. **287**, 419

NGC 4388

Extended soft X-ray emission in the Seyfert 2 galaxy NGC 4388 discovered with the ROSAT HRI
Matt G., Piro L., Antonelli L.A., Fink H.H., Meurs E.J.A., Perola G.C. **292**, L13

NGC 4442

Study of NGC 4442: a link between bars and boxy bulges
Bettoni D., Galletta G. **281**, 1

NGC 4449

The extended HI halo in NGC 4449
Bajaja E., Huchtmeier W.K., Klein U. **285**, 385

NGC 4472

(RN) The extent of CO in the early-type galaxy NGC 4472
Huchtmeier W.K., Bregman J.N., Hogg D.E., Roberts M.S. **281**, 327

NGC 4593

Monitoring of active galactic nuclei. IV. The Seyfert 1 galaxy NGC 4593
Dietrich M., Kollatschny W., Alloin D., Aretxaga I., Axon D., de Bruyn A.G., Clavel J., Goad M.R., Gondhalekar P., van Groningen E., Horne K., Jackson N., Laurikainen E., Lawrence A., Masegosa J., Moles M., O'Brien P.T., del Olmo A., Penston M.V., Perea J., Pérez E., Pérez-Fournon I., Perry J.J., Peterson B.M., Robinson A., Rodríguez-Espinosa J.M., Stirpe G.M., Tadhunter C.N., Terlevich R.J., Unger S., Wagner S.J., Wanders I., Williams R. **284**, 33

NGC 4594

The multi-gaussian expansion method: a tool for building realistic photometric and kinematical models of stellar systems. II. Application to the central region of the Sombrero Galaxy (NGC 4594)
Emsellem E., Monnet G., Bacon R., Nieto J.L. **285**, 739

NGC 4627

Atomic hydrogen in the NGC 4631 group of galaxies
Rand R.J. **285**, 833

NGC 4631

The intrinsic magnetic field orientation in NGC 4631
Golla G., Hummel E. **284**, 777

Atomic hydrogen in the NGC 4631 group of galaxies
Rand R.J. **285**, 833

CO emission in NGC 4631: evidence for a mild starburst
Golla G., Wielebinski R. **286**, 733

NGC 4636

The globular cluster system of NGC 4636: a rich system in an otherwise normal elliptical galaxy?
Kissler M., Richtler T., Held E.V., Grebel E.K., Wagner S.J., Capaccioli M. **287**, 463

NGC 4656

Atomic hydrogen in the NGC 4631 group of galaxies
Rand R.J. **285**, 833

NGC 4736

Imaging in the optical and near-infrared regimes. II. Arcsecond spatial resolution of widely distributed cold dust in spiral galaxies
Block D.L., Witt A.N., Grosbøl P., Stockton A., Moneti A. **288**, 383

NGC 4762

Is the edge-on galaxy NGC 4762 actually barred?
Wozniak H. **286**, L5

NGC 4826

Imaging in the optical and near-infrared regimes. II. Arcsecond spatial resolution of widely distributed cold dust in spiral galaxies
Block D.L., Witt A.N., Grosbøl P., Stockton A., Moneti A. **288**, 383

NGC 4861

CCD imaging of NGC 4861: morphology and brightness distribution
Dottori H., Cepa J., Vilchez J., Barth C.S. **283**, 753

NGC 4945

Dense gas in nearby galaxies. VII. The active nucleus of NGC 4945
Henkel C., Whiteoak J.B., Mauersberger R. **284**, 17

NGC 5090

ROSAT X-ray survey of an area 10 degrees square around the active radio galaxy Centaurus A
Arp H. **288**, 738

NGC 5128

ROSAT X-ray survey of an area 10 degrees square around the active radio galaxy Centaurus A
Arp H. **288**, 738

NGC 5506

NGC 5506: physics of the extended narrow line region
Maiolino R., Stanga R., Salvati M., Rodríguez Espinosa M. **290**, 40

NGC 5757

The distribution of light in the barred spirals NGC 5757 and IC 1091
Saraiva Schröder M.F., Pastoriza M.G., Kepler S.O. **285**, 358 (*104, 487*)

NGC 5866

ROSAT PSPC observation of the X-ray faint early-type galaxy NGC 5866
Pellegrini S. **292**, 395

NGC 6240

Erratum Extinction and the wavelength-dependent positions of the nuclei of NGC 6240
Schulz H., Fried J.W., Röser S., Keel W.C. **285**, 710

NGC 6504

The vertical stellar distribution in NGC 6504: detection of a thick disk
van Dokkum P.G., Peletier R.F., de Grijs R., Balcells M. **286**, 415

NGC 6814

Long-slit spectroscopy of three low-luminosity Seyfert 1 galaxies
Schulz H., Knake A., Schmidt-Kaler T. **288**, 425

On the newly discovered 3.4 hour modulated X-ray source (RX J1940.1−1025) near NGC 6814
Staubert R., König M., Friedrich S., Lamer G., Sood R.K., James S.D., Sharma D.P. **288**, 513

NGC 7172

Kinematical properties of the members of Hickson group No. 90
Longo G., Busarello G., Lorenz H., Richter G., Zaggia S. **282**, 418

NGC 7173

Kinematical properties of the members of Hickson group No. 90
Longo G., Busarello G., Lorenz H., Richter G., Zaggia S. **282**, 418

NGC 7174

Kinematical properties of the members of Hickson group No. 90
Longo G., Busarello G., Lorenz H., Richter G., Zaggia S. **282**, 418

NGC 7176

Kinematical properties of the members of Hickson group No. 90
Longo G., Busarello G., Lorenz H., Richter G., Zaggia S. **282**, 418

NGC 7252

The star formation history of NGC 7252
Fritze-v. Alvensleben U., Gerhard O.E. **285**, 775

NGC 7314

Long-slit spectroscopy of three low-luminosity Seyfert 1 galaxies
Schulz H., Knake A., Schmidt-Kaler T. **288**, 425

NGC 7331

The HII regions and the velocity field of NGC 7331
Marcelin M., Petrosian A.R., Amram P., Boulesteix J. **282**, 363

NGC 7412

The distribution of light in the spiral galaxy NGC 7412
Saraiva Schröder M.F., Pastoriza M.G., Kepler S.O., Puerari I. **292**, 358 (***108***, *41*)

NGC 7469

High resolution optical images of the starburst ring around the Seyfert nucleus of NGC 7469
Mauder W., Weigelt G., Appenzeller I., Wagner S.J. **285**, 44

NGC 7796

A search for dark matter in elliptical galaxies: radially extended spectroscopic observations for six objects
Bertin G., Bertola F., Buson L.M., Danziger I.J., Dejonghe H., Sadler E.M., Saglia R.P., de Zeeuw P.T., Zeilinger W.W. **292**, 381

OQ 208

Amplitude calibration of the European *VLBI* network
Bondi M., Mantovani F., Sherwood W., Tzioumis A., Venturi T. **282**, 351 (***103***, *365*)

PG 1136+581

CCD spectrophotometry of CVs. I. 4600–9000 Å low resolution atlas for 31 faint systems
Zwitter T., Munari U. **292**, 355 (***107***, *503*)

PKS 2250–41

A giant emission line arc in the intermediate redshift radio galaxy PKS 2250–41
Tadhunter C., Shaw M., Clark N., Morganti R. **288**, L21

Sextans A

On the Cepheid variables of nearby galaxies. II. Sextans A and Sextans B
Piotto G., Capaccioli M., Pellegrini C. **287**, 371

Sextans B

On the Cepheid variables of nearby galaxies. II. Sextans A and Sextans B
Piotto G., Capaccioli M., Pellegrini C. **287**, 371

TX 0211–122

TX 0211–122: a starburst radio galaxy at $z = 2.34$?
van Ojik R., Röttgering H.J.A., Miley G.K., Bremer M.N., Macchetto F., Chambers K.C. **289**, 54

UCM 2303+1702

Properties of UCM 2303+1702, a new Seyfert 2 galaxy
Rego M., Zamorano J., Gallego J., Vitores A. **281**, 348

UCM 2329+2500

Discovery of an emitting ring in the Seyfert 1 galaxy UCM 2329+2500
Gallego J., Zamorano J., Rego M., Vitores A.G. **290**, 705

UGC 6818

Distribution and motions of HI in the Sa galaxies NGC 1169 and NGC 3898
van Driel W., van Woerden H. **286**, 395

UGC 7576

Photometric study of polar-ring galaxies. I. UGC 7576 and UGC 9796
Reshetnikov V.P., Hagen-Thorn V.A., Yakovleva V.A. **290**, 693

Kinematics and dark haloes of polar-ring galaxies
Reshetnikov V.P., Combes F. **291**, 57

UGC 9796

Photometric study of polar-ring galaxies. I. UGC 7576 and UGC 9796
Reshetnikov V.P., Hagen-Thorn V.A., Yakovleva V.A. **290**, 693

Kinematics and dark haloes of polar-ring galaxies
Reshetnikov V.P., Combes F. **291**, 57

VIIZw 403

The brightest stars in three irregular dwarfs around M 81
Karachentsev I.D., Tikhonov N.A., Sazonova L.N. **289**, 1001 (***106***, *555*)

Hot gas outflow in the blue compact dwarf galaxy VII Zw 403
Papaderos P., Fricke K.J., Thuan T.X., Loose H.-H. **291**, L13

3C 20

Hot spot 3C 20 west: an optical synchrotron source
Hiltner P.R., Meisenheimer K., Röser H.-J., Laing R.A., Perley R.A. **286**, 25

3C 435A

Structure and age of the radiogalaxy 3C 435A ($z = 0.471$) with the integral field spectrograph TIGER
Rocca-Volmerange B., Adam G., Ferruit P., Bacon R. **292**, 20

3C 449

HST observations of 3C 449: discovery of an extended nuclear disk and of possible optical jets
Capetti A., Macchetto F., Sparks W.B., Miley G.K. **289**, 61

4C 41.17

Dust at high z
Chini R., Krügel E. **288**, L33

Galaxies: interactions 11.09.2

Configurations and morphology of triple galaxies: evidence for dark matter?
Chernin A.D., Ivanov A.V., Trofimof A.V., Mikkola S. **281**, 685

CO in paired galaxies: star formation induced by gas flow
Combes F., Prugniel P., Rampazzo R., Sulentic J.W. **281**, 725

Kinematical properties of the members of Hickson group No. 90
Longo G., Busarello G., Lorenz H., Richter G., Zaggia S. **282**, 418

The structure of the halo of the giant elliptical galaxy IC 4296
Kemp S.N. **282**, 425

Percolation and synchrotron emission. III. Interaction between galaxies in two dimensions
Zaninetti L. **283**, 417

CCD imaging of NGC 4861: morphology and brightness distribution
Dottori H., Cepa J., Vilchez J., Barth C.S. **283**, 753

Morphological segregation of galaxies in clusters. I. The non-uniform distribution of types in the inner region of Perseus
Andreon S. **284**, 801

Spectrographic study of a large sample of Kiso ultraviolet excess galaxies. II. Discussion
Comte G., Augarde R., Chalabaev A., Kunth D., Maehara H. **285**, 1

The CO distribution in three peculiar galaxies of the A 1367 cluster
Boselli A., Gavazzi G., Combes F., Lequeux J., Casoli F. **285**, 69

Spectrographic study of a large sample of Kiso ultraviolet excess galaxies. I. The data
Augarde R., Chalabaev A., Comte G., Kunth D., Maehara H. **285**, 355 (***104**, 259*)

Star formation and merging in compact groups of galaxies
Moles M., del Olmo A., Perea J., Masegosa J., Márquez I., Costa V. **285**, 404

Erratum Extinction and the wavelength-dependent positions of the nuclei of NGC 6240
Schulz H., Fried J.W., Röser S., Keel W.C. **285**, 710

Star formation in merging galaxies
Fritze-v. Alvensleben U., Gerhard O.E. **285**, 751

The star formation history of NGC 7252
Fritze-v. Alvensleben U., Gerhard O.E. **285**, 775

Atomic hydrogen in the NGC 4631 group of galaxies
Rand R.J. **285**, 833

Is the edge-on galaxy NGC 4762 actually barred?
Wozniak H. **286**, L5

New evidence for mergers in compact groups of galaxies
Caon N., Capaccioli M., D'Onofrio M., Longo G. **286**, L39

Neutral hydrogen observations of elliptical galaxies
Huchtmeier W.K. **286**, 389

CO emission in NGC 4631: evidence for a mild starburst
Golla G., Wielebinski R. **286**, 733

Evolution of spiral structure in an interacting triple galactic system. I. M 31-type systems
Vozikis C.L., Caranicolas N.D. **288**, 448

HI deficiency in the Coma I cloud of galaxies
García-Barreto J.A., Downes D., Huchtmeier W.K. **288**, 705

Recycled galaxies in the colliding system Arp 105
Duc P.-A., Mirabel I.F. **289**, 83

Gas fueling to the central 10pc in merging galaxies
Bekki K., Noguchi M. **290**, 7

Galaxies with a low gas content in the Coma I cloud of galaxies
Gerin M., Casoli F. **290**, 49

Photometric study of polar-ring galaxies. I. UGC 7576 and UGC 9796
Reshetnikov V.P., Hagen-Thorn V.A., Yakovleva V.A. **290**, 693

Dynamical friction in head-on galaxy collisions. I. Analytical calculations and restricted three-body simulations
Séguin P., Dupraz C. **290**, 709

Structure and evolution of long-lived spiral patterns in galaxies
Donner K.J., Thomasson M. **290**, 785

More ultraluminous IRAS galaxies as interacting systems
Andreasian N., Alloin D. **290**, 1019 (***107**, 23*)

The dynamical evolution of the Magellanic System
Heller P., Rohlfs K. **291**, 743

Multifrequency windows on spiral galaxies. IV. Gas content and star formation in the Virgo cluster
Boselli A. **292**, 1

The active environment of QSO HE 1029–1401
Wisotzki L. **292**, 45

Environments of Seyfert galaxies. I. Construction of the sample and selection effects
Laurikainen E., Salo H., Teerikorpi P., Petrov G. **292**, 366 (***108**, 491*)

(Galaxies:) intergalactic medium 11.09.3

The metal systems in Q 0000–2619 at high resolution
Savaglio S., D'Odorico S., Møller P. **281**, 331

Magnetic field in clusters of galaxies
Carvalho J.C. **281**, 641

Sensitive limits on the molecular gas content of cluster cooling flows
McNamara B.R., Jaffe W. **281**, 673

The structure of the halo of the giant elliptical galaxy IC 4296
Kemp S.N. **282**, 425

Detection of intracluster light in the rich clusters of galaxies Abell 2390 and Cl 1613+31
Vílchez-Gómez R., Pelló R., Sanahuja B. **283**, 37

Deep CO observations of dominant cluster galaxies with reported cooling flows
Braine J., Dupraz C. **283**, 407

A high-frequency radio continuum investigation of giant radio galaxies. I. Observations of six objects at 2.8 cm wavelength
Klein U., Mack K.-H., Strom R., Wielebinski R., Achatz U. **283**, 729

A Faber–Jackson relation for clusters of galaxies: implications for modified dynamics
Sanders R.H. **284**, L31

The CO distribution in three peculiar galaxies of the A 1367 cluster
Boselli A., Gavazzi G., Combes F., Lequeux J., Casoli F. **285**, 69

Absorption in three intrinsically faint quasars: Q 0009–016, Q 0347–241, and Q 2116–358
Møller P., Jakobsen P., Perryman M.A.C. **287**, 719

Radio observations of the Coma cluster of galaxies and its immediate vicinity. I. Radio data and optical identifications
Kim K.-T., Kronberg P.P., Dewdney P.E., Landecker T.L. **287**, 1040 (***105**, 385)*

Radio observations of the Coma cluster of galaxies and its immediate vicinity. II. A master list of radio sources
Kim K.-T. **287**, 1040 (***105**, 403)*

A giant emission line arc in the intermediate redshift radio galaxy PKS 2250–41
Tadhunter C., Shaw M., Clark N., Morganti R. **288**, L21

Radio observations of the Coma cluster of galaxies and its immediate vicinity. III. Statistical analyses and source counts
Kim K.-T., Kronberg P.P., Dewdney P.E., Landecker T.L. **288**, 122

HI deficiency in the Coma I cloud of galaxies
García-Barreto J.A., Downes D., Huchtmeier W.K. **288**, 705

Is there a β-problem in clusters of galaxies?
Gerbal D., Durret F., Lachièze-Rey M. **288**, 746

Erratum Detection of intracluster light in the rich clusters of galaxies Abell 2390 and Cl 1613+31
Vílchez-Gómez R., Pelló R., Sanahuja B. **289**, 661

Interstellar and intergalactic gas towards SN 1993J in M 81: a study of optical and 21 cm spectra
Vladilo G., Centurión M., de Boer K.S., King D.L., Lipman K., Stegert J.S.W., Unger S.W., Walton N.A. **291**, 425

Multifrequency windows on spiral galaxies. IV. Gas content and star formation in the Virgo cluster
Boselli A. **292**, 1

Non-polytropic model with galactic winds for clusters of galaxies
Fusco-Femiano R. **292**, 27

Galaxies: irregular 11.09.5

Global properties of dwarf galaxies. I. Galaxy sample and IRAS infrared flux-densities
Melisse J.P.M., Israel F.P. **283**, 714 (***103**, 391)*

CCD imaging of NGC 4861: morphology and brightness distribution
Dottori H., Cepa J., Vilchez J., Barth C.S. **283**, 753

Photometric evolutionary synthesis models of dwarf galaxies
Krüger H., Fritze-v. Alvensleben U. **284**, 793

Global properties of dwarf galaxies. II. Colours and luminosities
Melisse J.P.M., Israel F.P. **285**, 51

Spectrographic study of a large sample of Kiso ultraviolet excess galaxies. I. The data
Augarde R., Chalabaev A., Comte G., Kunth D., Maehara H. **285**, 355 (***104**, 259)*

The extended HI halo in NGC 4449
Bajaja E., Huchtmeier W.K., Klein U. **285**, 385

New photometric distances for dwarf galaxies in the Local Volume
Karachentsev I.D., Tikhonov N.A. **286**, 718

(RN) The chemical evolution of irregular galaxies with mass loss
Pilyugin L.S. **287**, 387

The spheroidal halo of the Magellanic-like dwarf irregular galaxy MCG 06–30–025 in the Centaurus A group of galaxies
Kemp S.N., Meaburn J. **289**, 39

Recycled galaxies in the colliding system Arp 105
Duc P.-A., Mirabel I.F. **289**, 83

The brightest stars in three irregular dwarfs around M 81
Karachentsev I.D., Tikhonov N.A., Sazonova L.N. **289**, 1001 (***106**, 555)*

A search for spiral galaxies with extended HI disks
Broeils A.H., van Woerden H. **290**, 1021 (***107**, 129)*

Results of the ESO-SEST Key Programme: CO in the Magellanic Clouds. IV. Physical properties of molecular clouds in the Small Magellanic Cloud
Lequeux J., Le Bourlot J., Pineau des Forêts G., Roueff E., Boulanger F., Rubio M. **292**, 371

Galaxies: ISM 11.09.4

NGC 1068: a genuine hidden Seyfert 1 galaxy?
Jourdain E., Collin S., Dennefeld M., Ballet J., Roques J.P., Lebrun F., Mandrou P., Cordier B., Finoguenov A., Churazof E., Gilfanov M., Sunyaev R., Kuleshova N., Sheikhet A., Sukhanov K., Tserenin I. **281**, L57

(RN) The extent of CO in the early-type galaxy NGC 4472
Huchtmeier W.K., Bregman J.N., Hogg D.E., Roberts M.S. **281**, 327

Structures of small-size radio galaxies in clusters
Feretti L., Giovannini G. **281**, 375

Hα velocity fields and rotation curves of galaxies in clusters
Amram P., Marcelin M., Balkowski C., Cayatte V., Sullivan III W.T., Le Coarer E. **281**, 636 (***103**, 5)*

Sensitive limits on the molecular gas content of cluster cooling flows
McNamara B.R., Jaffe W. **281**, 673

Cold dust emission from the spiral galaxy NGC 3627
Sievers A.W., Reuter H.-P., Haslam C.G.T., Kreysa E., Lemke R. **281**, 681

Star-formation histories and the mass-normalized FIR/radio correlation in late-type galaxies
Xu C., Lisenfeld U., Völk H.J., Wunderlich E. **282**, 19

The HII regions and the velocity field of NGC 7331
Marcelin M., Petrosian A.R., Amram P., Boulesteix J. **282**, 363

The transfer of radiation in galactic nuclei. Dusty hot spots in the starburst galaxy M 82
Krügel E., Siebenmorgen R. **282**, 407

Is there primordial gas in IZw 18?
Kunth D., Lequeux J., Sargent W.L.W., Viallefond F. **282**, 709

Diffuse X-ray emission from the supergiant shell LMC 4 detected with ROSAT
Bomans D.J., Dennerl K., Kürster M. **283**, L21

CO versus HI in the Tully-Fisher relation for a sample of 32 galaxies
Schöniger F., Sofue Y. **283**, 21

CCD imaging of NGC 4861: morphology and brightness distribution
Dottori H., Cepa J., Vilchez J., Barth C.S. **283**, 753

C IV QSO absorption systems and properties of galactic haloes at high redshift
Petitjean P., Bergeron J. **283**, 759

Dense gas in nearby galaxies. VII. The active nucleus of NGC 4945
Henkel C., Whiteoak J.B., Mauersberger R. **284**, 17

Molecules in the starburst galaxy Henize 2–10
Baas F., Israel F.P., Koornneef J. **284**, 403

Cool-FIR/radio correlation for late-type galaxies – The case for Supernova progenitors
Xu C., Lisenfeld U., Völk H.J. **285**, 19

Global properties of dwarf galaxies. II. Colours and luminosities
Melisse J.P.M., Israel F.P. **285**, 51

The CO distribution in three peculiar galaxies of the A 1367 cluster
Boselli A., Gavazzi G., Combes F., Lequeux J., Casoli F. **285**, 69

Is dark matter in spiral galaxies cold gas? I. Observational constraints and dynamical clues about galaxy evolution
Pfenniger D., Combes F., Martinet L. **285**, 79

Is dark matter in spiral galaxies cold gas? II. Fractal models and star non-formation
Pfenniger D., Combes F. **285**, 94

Long slit spectroscopy of extended ionized nebulosities around four quasars
Boisson C., Durret F., Bergeron J., Petitjean P. **285**, 377

The extended H I halo in NGC 4449
Bajaja E., Huchtmeier W.K., Klein U. **285**, 385

Atomic hydrogen in the NGC 4631 group of galaxies
Rand R.J. **285**, 833

First detection of CO ($J = 0 \rightarrow 1$) absorption at cosmological distances ($z = 0.247$)
Wiklind T., Combes F. **286**, L9

Far-UV observations of the whirlpool galaxy M 51
Bersier D., Blecha A., Golay M., Martinet L. **286**, 37

Hydrodynamic simulations of open normal spiral galaxies: OLR, corotation and 4/1 models
Patsis P.A., Hiotelis N., Contopoulos G., Grosbøl P. **286**, 46

The non-linear galactic dynamo. I. Field strength and vertical parity
Schultz M., Elstner D., Rüdiger G. **286**, 72

Excitation and kinematics of the central molecular clouds of NGC 1808
Aalto S., Booth R.S., Black J.H., Koribalski B., Wielebinski R. **286**, 365

Neutral hydrogen observations of elliptical galaxies
Huchtmeier W.K. **286**, 389

Distribution and motions of H I in the Sa galaxies NGC 1169 and NGC 3898
van Driel W., van Woerden H. **286**, 395

CO emission in NGC 4631: evidence for a mild starburst
Golla G., Wielebinski R. **286**, 733

How faithful are *N*-body simulations of disc galaxies?
Romeo A.B. **286**, 799

H_2O activity in M 82 and in other members of the M 81 group
Baudry A., Brouillet N., Henkel C. **287**, 20

Stochastic self-propagating star formation with anisotropic probability distribution
Jungwiert B., Palouš J. **287**, 55

The Parker instability in disks with differential rotation
Foglizzo T., Tagger M. **287**, 297

(RN) Large amounts of cold molecular hydrogen in the Small Magellanic Cloud
Lequeux J. **287**, 368

(RN) The chemical evolution of irregular galaxies with mass loss
Pilyugin L.S. **287**, 387

Gas response at the resonances in the grand design spiral NGC 4321
García-Burillo S., Sempere M.J., Combes F. **287**, 419

On the predictive power of the minimum energy condition. II. Fractional calorimeter behaviour in the diffuse high energy gamma emission of spiral galaxies
Pohl M. **287**, 453

(RN) Further support for the presence of water in IRAS 10214+4724
Casoli F., Gerin M., Encrenaz P.J., Combes F. **287**, 716

Nuclear and extranuclear ionized gas in nine Seyfert 2 galaxies
Durret F. **287**, 1035 (***105, 57***)

Interstellar matter in Shapley-Ames elliptical galaxies. II. The distribution of dust and ionized gas
Goudfrooij P., Hansen L., Jørgensen H.E., Nørgaard-Nielsen H.U. **287**, 1040 (***105, 341***)

Dust at high z
Chini R., Krügel E. **288**, L33

A search for millimeterwave CO emission in damped Lyman-α systems
Wiklind T., Combes F. **288**, L41

Imaging in the optical and near-infrared regimes. II. Arcsecond spatial resolution of widely distributed cold dust in spiral galaxies
Block D.L., Witt A.N., Grosbøl P., Stockton A., Moneti A. **288**, 383

NGC 1569: identification from Ca II infrared line spectra of the objects A, B as superluminous star clusters
Prada F., Greve A., McKeith C.D. **288**, 396

H I deficiency in the Coma I cloud of galaxies
García-Barreto J.A., Downes D., Huchtmeier W.K. **288**, 705

The Australia Telescope Survey of 21-cm absorption in the Magellanic System. II. The cool atomic gas in the LMC
Dickey J.M., Mebold U., Marx M., Amy S., Haynes R.F., Wilson W. **289**, 357

Asymmetries in disk galaxies. How often? How strong?
Richter O.-G., Sancisi R. **290**, L9

Gas fueling to the central 10pc in merging galaxies
Bekki K., Noguchi M. **290**, 7

Galaxies with a low gas content in the Coma I cloud of galaxies
Gerin M., Casoli F. **290**, 49

Spatially correlated diffuse Hα and radio continuum emission from the halo of NGC 891
Dahlem M., Dettmar R.-J., Hummel E. **290**, 384

Silicate dust discs as sources of the AGN IR-emission
Stenholm L. **290**, 393

Hot gas outflow in the blue compact dwarf galaxy VII Zw 403
Papaderos P., Fricke K.J., Thuan T.X., Loose H.-H. **291**, L13

The IMF and the extinction law in M 101: HST FOS spectra of extragalactic H II regions
Rosa M.R., Benvenuti P. **291**, 1

The $z_{abs} \sim z_{em} \sim 2$ QSO absorption line systems: evidence for abundances in excess of solar
Petitjean P., Rauch M., Carswell R.F. **291**, 29

Interstellar molecules in the Large Magellanic Cloud
Johansson L.E.B., Olofsson H., Hjalmarson Å., Gredel R., Black J.H. **291**, 89

The extended narrow line region of NGC 4151. II. Spatial variations of the emission line intensities
Robinson A., Vila-Vilaró B., Axon D.J., Pérez E., Wagner S.J., Baum S.A., Boisson C., Durret F., González-Delgado R., Moles M., Masegosa J., O'Brien P.T., O'Dea C., del Olmo A., Pedlar A., Penston M.V., Perea J., Pérez-Fournon I., Rodríguez-Espinosa J.M., Tadhunter C., Terlevich R.J., Unger S.W., Ward M.J. **291**, 351

High spatial resolution integral field spectroscopy of extended ionized gas around three quasars
Durret F., Pécontal E., Petitjean P., Bergeron J. **291**, 392

Interstellar and intergalactic gas towards SN 1993J in M 81: a study of optical and 21 cm spectra
Vladilo G., Centurión M., de Boer K.S., King D.L., Lipman K., Stegert J.S.W., Unger S.W., Walton N.A. **291**, 425

Possible continuum-diluting processes to generate Liner-like spectra
Schulz H., Fritsch C. **291**, 713

Multifrequency windows on spiral galaxies. IV. Gas content and star formation in the Virgo cluster
Boselli A. **292**, 1

Photoionization in elliptical galaxies by old stars
Binette L., Magris C.G., Stasińska G., Bruzual A.G. **292**, 13

Warm IRAS sources from the point source catalog. IV. Extended optical line emission
Fehmers G.C., de Grijp M.H.K., Miley G.K., Keel W.C. **292**, 358 (***108, 61***)

The distribution of dust in Sb's and Sc's: *K*-band infrared imaging of a diameter-limited sample of 37 galaxies
Peletier R.F., Valentijn E.A., Moorwood A.F.M., Freudling W. **292**, 369 (***108, 621***)

Results of the ESO-SEST Key Programme: CO in the Magellanic Clouds. IV. Physical properties of molecular clouds in the Small Magellanic Cloud
Lequeux J., Le Bourlot J., Pineau des Forêts G., Roueff E., Boulanger F., Rubio M. **292**, 371

ROSAT PSPC observation of the X-ray faint early-type galaxy NGC 5866
Pellegrini S. **292**, 395

Multifrequency observations of the radio continuum emission from NGC 253. I. Magnetic fields and rotation measures in the bar and halo
Beck R., Carilli C.L., Holdaway M.A., Klein U. **292**, 409

Galaxies: jets 11.10.1

Hydrodynamical simulations of relativistic jets
Martí M^{a}J., Müller E., Ibáñez M^{a}J. **281**, L9

(RN) 1404+286: a non-ideal calibrator for VLBI observations
Zhang F.J., Bååth L.B., Spencer R.E. **281**, 649

Kelvin–Helmholtz instability of hydrodynamic supersonic jets
Bodo G., Massaglia S., Ferrari A., Trussoni E. **283**, 655

Turbulent accretion disk dynamos
Torkelsson U., Brandenburg A. **283**, 677

A high-frequency radio continuum investigation of giant radio galaxies. I. Observations of six objects at 2.8 cm wavelength
Klein U., Mack K.-H., Strom R., Wielebinski R., Achatz U. **283**, 729

Synchrotron emission from bent shocked relativistic jets. II. Shock waves in helical jets
Gómez J.L., Alberdi A., Marcaide J.M. **284**, 51

HST observations of Cygnus A: circumnuclear effects of a powerful jet?
Jackson N., Sparks W.B., Miley G.K., Macchetto F. **284**, 65

ROSAT PSPC X-ray observations of NGC 4258: detection of point sources, 4 million K halo emission, and anomalous arms
Pietsch W., Vogler A., Kahabka P., Jain A., Klein U. **284**, 386

Special relativistic jet collimation by inertial confinement
Eulderink F., Mellema G. **284**, 654

Exact solutions for helical MHD equilibria of astrophysical jets
Villata M., Ferrari A. **284**, 663

Synchrotron radiation from the jet of 3C 273. III. The speed and direction of the jet
Conway R.G., Davis R.J. **284**, 724

The quasar 3C 395 revisited: new VLBI observations and numerical simulations
Lara L., Alberdi A., Marcaide J.M., Muxlow T.W.B. **285**, 393

Hot spot 3C 20 west: an optical synchrotron source
Hiltner P.R., Meisenheimer K., Röser H.-J., Laing R.A., Perley R.A. **286**, 25

Can shock models explain radio outbursts of AGN at millimeter and centimeter wavelengths?
Lainela M. **286**, 408

Are there two engines at the center of 3C 286?
Zhang F.J., Spencer R.E., Schilizzi R.T., Fanti C., Bååth L.B., Su B.M. **287**, 32

A variational method for solving fast MHD flows. Consequences for stellar and extragalactic jets
Rosso F., Pelletier G. **287**, 325

Beamed X-rays in radio-loud quasars
Bühler P., Courvoisier T.J.-L., Staubert R. **287**, 433

Nonradial and nonpolytropic astrophysical outflows. III. A criterion for the transition from jets to winds
Sauty C., Tsinganos K. **287**, 893

Images of 25 extragalactic radio sources observed with MERLIN at 18 cm
Akujor C.E., Lüdke E., Browne I.W.A., Leahy J.P., Garrington S.T., Jackson N., Thomasson P. **287**, 1038 (***105, 247***)

The Hubble diagram for X-ray selected BL Lacertae objects
Fan J.H., Huang Z.H., Xie G.Z., Wang Y.J., Li J.J., Zhu Y.Y. **287**, 1041 (***105, 415***)

A giant emission line arc in the intermediate redshift radio galaxy PKS 2250–41
Tadhunter C., Shaw M., Clark N., Morganti R. **288**, L21

Sub-arcsecond resolution 2D spectrography of the central regions of NGC 1275 with TIGER
Ferruit P., Pécontal E. **288**, 65

ROSAT X-ray survey of an area 10 degrees square around the active radio galaxy Centaurus A
Arp H. **288**, 738

HST observations of 3C 449: discovery of an extended nuclear disk and of possible optical jets
Capetti A., Macchetto F., Sparks W.B., Miley G.K. **289**, 61

On the origin of the variability of superluminal radio sources similar to 3C 273
Roland J., Teyssier R., Roos N. **290**, 357

On the origin of extragalactic γ-ray bursters
Roland J., Frossati G., Teyssier R. **290**, 364

Milliarcsecond structures of extremely distant quasars: 0336−017, 0636+680, 1442+101, and 2048+312
Gurvits L.I., Schilizzi R.T., Barthel P.D., Kardashev N.S., Kellermann K.I., Lobanov A.P., Pauliny-Toth I.I.K., Popov M.V. **291**, 737

Structure and age of the radiogalaxy 3C 435A ($z = 0.471$) with the integral field spectrograph TIGER
Rocca-Volmerange B., Adam G., Ferruit P., Bacon R. **292**, 20

Synchrotron emission from bent shocked relativistic jets. III. Aberration of light and time delay effects
Gómez J.L., Alberdi A., Marcaide J.M., Marscher A.P., Travis J.P. **292**, 33

The age of GHz-peaked-spectrum radio sources
Carvalho J.C. **292**, 392

Galaxies: kinematics and dynamics 11.11.1

The formation of disk galaxies in a cosmological context: populations, metallicities and metallicity gradients
Steinmetz M., Müller E. **281**, L97

Study of NGC 4442: a link between bars and boxy bulges
Bettoni D., Galletta G. **281**, 1

N-body equilibrium figures of early-type galaxies. II. Analysis of orbital populations
Udry S., Martinet L. **281**, 314

Hα velocity fields and rotation curves of galaxies in clusters
Amram P., Marcelin M., Balkowski C., Cayatte V., Sullivan III W.T., Le Coarer E. **281**, 636 (***103, 5***)

Configurations and morphology of triple galaxies: evidence for dark matter?
Chernin A.D., Ivanov A.V., Trofimof A.V., Mikkola S. **281**, 685

Sub-arcsecond 2D photometry and spectrography of the nucleus of M 31: the supermassive black hole revisited
Bacon R., Emsellem E., Monnet G., Nieto J.L. **281**, 691

Equilibrium and rotational support of elliptical galaxies
Prugniel P., Simien F. **282**, L1

The HII regions and the velocity field of NGC 7331
Marcelin M., Petrosian A.R., Amram P., Boulesteix J. **282**, 363

Kinematical properties of the members of Hickson group No. 90
Longo G., Busarello G., Lorenz H., Richter G., Zaggia S. **282**, 418

Collisional relaxation in a nonintegrable potential
Kandrup H.E., Willmes D.E. **283**, 59

Kinematic properties of anisotropic models of spherical galaxies
Hiotelis N. **283**, 783

Galactic dynamics and magnetic fields. II. Magnetic fields in barred galaxies
Chiba M., Lesch H. **284**, 731

Long slit spectroscopy of extended ionized nebulosities around four quasars
Boisson C., Durret F., Bergeron J., Petitjean P. **285**, 377

The extended HI halo in NGC 4449
Bajaja E., Huchtmeier W.K., Klein U. **285**, 385

Angular momentum redistribution and spin tilt during *N*-body collapse: phenomenological implications
Curir A., Diaferio A. **285**, 389

Star formation and merging in compact groups of galaxies
Moles M., del Olmo A., Perea J., Masegosa J., Márquez I., Costa V. **285**, 404

The multi-gaussian expansion method: a tool for building realistic photometric and kinematical models of stellar systems. I. The formalism
Emsellem E., Monnet G., Bacon R. **285**, 723

The multi-gaussian expansion method: a tool for building realistic photometric and kinematical models of stellar systems. II. Application to the central region of the Sombrero Galaxy (NGC 4594)
Emsellem E., Monnet G., Bacon R., Nieto J.L. **285**, 739

Feature velocities in disk galaxies
Engström S. **285**, 801

Is the edge-on galaxy NGC 4762 actually barred?
Wozniak H. **286**, L5

New evidence for mergers in compact groups of galaxies
Caon N., Capaccioli M., D'Onofrio M., Longo G. **286**, L39

Hydrodynamic simulations of open normal spiral galaxies: OLR, corotation and 4/1 models
Patsis P.A., Hiotelis N., Contopoulos G., Grosbøl P. **286**, 46

Excitation and kinematics of the central molecular clouds of NGC 1808
Aalto S., Booth R.S., Black J.H., Koribalski B., Wielebinski R. **286**, 365

Distribution and motions of HI in the Sa galaxies NGC 1169 and NGC 3898
van Driel W., van Woerden H. **286**, 395

CO emission in NGC 4631: evidence for a mild starburst
Golla G., Wielebinski R. **286**, 733

How faithful are *N*-body simulations of disc galaxies?
Romeo A.B. **286**, 799

The generation of Stäckel potentials for galactic dynamical modeling
Batsleer P., Dejonghe H. **287**, 43

Gas response at the resonances in the grand design spiral NGC 4321
García-Burillo S., Sempere M.J., Combes F. **287**, 419

Nuclear and extranuclear ionized gas in nine Seyfert 2 galaxies
Durret F. **287**, 1035 (***105, 57***)

Kinematics of 14 early-type galaxies
Longo G., Zaggia S.R., Busarello G., Richter G. **287**, 1041 (***105, 433***)

Analytical study of adiabatic black hole growth in spherical stellar systems
Cipollina M., Bertin G. **288**, 43

2.1 μm images of the evolved stellar disk and the morphological classification of spiral galaxies
Block D.L., Bertin G., Stockton A., Grosbøl P., Moorwood A.F.M., Peletier R.F. **288**, 365

Long-slit spectroscopy of three low-luminosity Seyfert 1 galaxies
Schulz H., Knake A., Schmidt-Kaler T. **288**, 425

Evolution of spiral structure in an interacting triple galactic system. I. M 31-type systems
Vozikis C.L., Caranicolas N.D. **288**, 448

On the energetics of molecular cloud systems
Sotnikova N., Volkov E. **288**, 942

Dynamos in evolving galaxies
Beck R., Poezd A.D., Shukurov A., Sokoloff D.D. **289**, 94

The Australia Telescope Survey of 21-cm absorption in the Magellanic System. II. The cool atomic gas in the LMC
Dickey J.M., Mebold U., Marx M., Amy S., Haynes R.F., Wilson W. **289**, 357

Gas fueling to the central 10pc in merging galaxies
Bekki K., Noguchi M. **290**, 7

NGC 5506: physics of the extended narrow line region
Maiolino R., Stanga R., Salvati M., Rodríguez Espinosa M. **290**, 40

Dynamical friction in head-on galaxy collisions. I. Analytical calculations and restricted three-body simulations
Séguin P., Dupraz C. **290**, 709

Short times characterisations of stochasticity in nonintegrable galactic potentials
Kandrup H.E., Mahon M.E. **290**, 762

Structure and evolution of long-lived spiral patterns in galaxies
Donner K.J., Thomasson M. **290**, 785

More ultraluminous IRAS galaxies as interacting systems
Andreasian N., Alloin D. **290**, 1019 (***107, 23***)

A search for spiral galaxies with extended HI disks
Broeils A.H., van Woerden H. **290**, 1021 (***107, 129***)

Kinematics and dark haloes of polar-ring galaxies
Reshetnikov V.P., Combes F. **291**, 57

High spatial resolution integral field spectroscopy of extended ionized gas around three quasars
Durret F., Pécontal E., Petitjean P., Bergeron J. **291**, 392

A two-component model for spherical galaxies
Hiotelis N. **291**, 725

The dynamical evolution of the Magellanic System
Heller P., Rohlfs K. **291**, 743

On the non-existence of some heterogeneous equivalents of ellipsoidal Dedekind figures
Chambat F. **292**, 76

A search for dark matter in elliptical galaxies: radially extended spectroscopic observations for six objects
Bertin G., Bertola F., Buson L.M., Danziger I.J., Dejonghe H., Sadler E.M., Saglia R.P., de Zeeuw P.T., Zeilinger W.W. **292**, 381

(Galaxies:) Local Group 11.12.1

The nova rate in galaxies of different Hubble types
Della Valle M., Rosino L., Bianchini A., Livio M. **287**, 403

Galaxies: luminosity function, mass function 11.12.2

Spectrographic study of a large sample of Kiso ultraviolet excess galaxies. II. Discussion
Comte G., Augarde R., Chalabaev A., Kunth D., Maehara H. **285**, 1

Observational support for the Gurzadyan-Kocharyan relation in clusters of galaxies
Monaco P. **287**, L13

Radio observations of the Coma cluster of galaxies and its immediate vicinity. III. Statistical analyses and source counts
Kim K.-T., Kronberg P.P., Dewdney P.E., Landecker T.L. **288**, 122

(Galaxies:) Magellanic Clouds 11.13.1

Another supersoft X-ray source in the LMC
Greiner J., Hasinger G., Thomas H.-C. **281**, L61

Evolutionary sequences for massive close binary stars with Magellanic Cloud metallicities with Rogers-Iglesias opacities
de Loore C., Vanbeveren D. **281**, 637 (***103, 67***)

Absolute fluxes for Supernova 1987A. III. Days 158–314
Hanuschik R.W., Kimeswenger S., Gochermann J., Poetzel R., Schnur G.F.O., Werger M. **281**, 737

Synthetic AGB evolution. II. The predicted abundances of planetary nebulae in the LMC
Groenewegen M.A.T., de Jong T. **282**, 127

The UKST Survey of planetary nebulae in the Large Magellanic Cloud
Morgan D.H. **282**, 349 (***103, 235***)

Metal abundances of Magellanic Cloud clusters
Jasniewicz G., Thévenin F. **282**, 717

A search for γ-ray lines from the decay of ^{59}Fe in Supernova 1987A
Harris M.J., Leising M.D. **282**, 766

Diffuse X-ray emission from the supergiant shell LMC 4 detected with ROSAT
Bomans D.J., Dennerl K., Kürster M. **283**, L21

(**RN**) Oxygen abundances in the Large Magellanic Cloud: a prediction of SN II/SN I rates
Barbuy B., de Freitas Pacheco J.A., Castro S. **283**, 32

Wide area colour magnitude diagrams of the LMC cluster NGC 2214
Bhatia R., Piotto G. **283**, 424

Synthetic AGB evolution. III. The influence of different mass-loss laws
Groenewegen M.A.T., de Jong T. **283**, 463

Integrated spectral properties of star clusters in the near-ultraviolet
Bica E., Alloin D., Schmitt H.R. **283**, 805

A revision to the absolute magnitudes of RR Lyrae stars from the Baade-Wesselink method
Fernley J. **284**, L16

On the interstellar grains in the Magellanic Clouds and in the Galaxy
Maccioni A., Perinotto M. **284**, 241

Filling factors and ionized masses in planetary nebulae
Boffi F.R., Stanghellini L. **284**, 248

A study of the color-magnitude diagrams and luminosity functions of the two LMC clusters NGC 2134 and NGC 2249 with the new radiative opacities
Vallenari A., Aparicio A., Fagotto F., Chiosi C. **284**, 424

Active star formation regions at the edge of the LMC Bar: NGC 1850 and NGC 1858
Vallenari A., Aparicio A., Fagotto F., Chiosi C., Ortolani S., Meylan G. **284**, 447

High-resolution spectroscopy of two young stars between the Magellanic Clouds
Hambly N.C., Dufton P.L., Keenan F.P., Rolleston W.R.J., Howarth I.D., Irwin M.J. **285**, 716

Kinematics of supernova remnants in the Small Magellanic Cloud. I. The SNRs inside the nebular complex N 19, the SNR 0046–73.5 and the SNR 0050–72.8
Rosado M., Le Coarer E., Georgelin Y.P. **286**, 231

Further decomposition of a "very massive" star
Heydari-Malayeri M., Beuzit J.-L. **287**, L17

(RN) Large amounts of cold molecular hydrogen in the Small Magellanic Cloud
Lequeux J. **287**, 368

Empirical masses and radii for the luminous binary Sk–67°105 in the LMC
Haefner R., Simon K.P., Fiedler A. **288**, L9

Super-soft X-ray sources in the fields of the Magellanic Clouds
Kahabka P., Pietsch W., Hasinger G. **288**, 538

The exciting star of the small bubble N 120A in the Large Magellanic Cloud
Laval A., Gry C., Rosado M., Marcelin M., Greve A. **288**, 572

Synthetic AGB evolution. IV. Long-period variables in the LMC
Groenewegen M.A.T., de Jong T. **288**, 782

Extragalactic symbiotic systems. I. IUE observations of LMC 1, N 67, SMC 3, and S 154
Vogel M., Morgan D.H. **288**, 842

Optical identification of the supersoft X-ray source 1E 0035.4–7230 in the Small Magellanic Cloud
Orio M., Della Valle M., Massone G., Ögelman H. **289**, L11

The Australia Telescope Survey of 21-cm absorption in the Magellanic System. II. The cool atomic gas in the LMC
Dickey J.M., Mebold U., Marx M., Amy S., Haynes R.F., Wilson W. **289**, 357

Red supergiant variables in the Large Magellanic Cloud: their evolution and pulsations
Li Y., Gong Z.G. **289**, 449

A *UBVRI* photoelectric sequence in the SMC cluster NGC 419
Wenderoth E., Alvarado F., Alcaino G., Liller W. **289**, 664 (***106***, *253*)

Core overshooting and the enigma of NGC 1866
Brocato E., Castellani V., Piersimoni A.M. **290**, 59

Radio and infrared emission from a [WC]-type planetary nebula in the LMC
Zijlstra A.A., van Hoof P.A.M., Chapman J.M., Loup C. **290**, 228

Carbon abundances in the LMC globular cluster NGC 1818
Meliani M.T., Barbuy B., Richtler T. **290**, 753

Stellar associations in the Large Magellanic Cloud. I. LH 15, LH 47, 48, 49, LH 52, 53, LH 83, LH 91, 95
Kontizas M., Kontizas E., Dapergolas A., Argyropoulos S., Bellas-Velidis Y. **290**, 1021 (***107***, *77*)

Interstellar molecules in the Large Magellanic Cloud
Johansson L.E.B., Olofsson H., Hjalmarson Å., Gredel R., Black J.H. **291**, 89

The dynamical evolution of the Magellanic System
Heller P., Rohlfs K. **291**, 743

The LMC H II region N4A and its unusual molecular cloud
Heydari-Malayeri M., Lecavelier des Etangs A. **291**, 960

Photometry of the young cluster NGC 330 in the Small Magellanic Cloud
Vallenari A., Ortolani S., Chiosi C. **292**, 367 (***108***, *571*)

Results of the ESO-SEST Key Programme: CO in the Magellanic Clouds. IV. Physical properties of molecular clouds in the Small Magellanic Cloud
Lequeux J., Le Bourlot J., Pineau des Forêts G., Roueff E., Boulanger F., Rubio M. **292**, 371

Fourier analysis of short-period SMC Cepheids: a comparison with Galactic Cepheids
Buchler J.R., Moskalik P. **292**, 450

Massive close binary evolution in the Galaxy and in the Magellanic Clouds
de Loore C., Vanbeveren D. **292**, 463

Galaxies: magnetic fields 11.13.2

High-frequency radio continuum observations of radio galaxies with low and intermediate luminosity. II. Sources with sizes 4' to 5'
Mack K.-H., Gregorini L., Parma P., Klein U. **281**, 639 (***103***, *157*)

Magnetic field in clusters of galaxies
Carvalho J.C. **281**, 641

The magnetic field in the halo of M 82. Polarized radio emission at λλ6.2 and 3.6 cm
Reuter H.-P., Klein U., Lesch H., Wielebinski R., Kronberg P.P. **282**, 724

Time-evolution of axisymmetric magnetic fields in galaxies
Camenzind M., Lesch H. **284**, 411

Galactic dynamics and magnetic fields. II. Magnetic fields in barred galaxies
Chiba M., Lesch H. **284**, 731

The intrinsic magnetic field orientation in NGC 4631
Golla G., Hummel E. **284**, 777

The non-linear galactic dynamo. I. Field strength and vertical parity
Schultz M., Elstner D., Rüdiger G. **286**, 72

The Parker instability in disks with differential rotation
Foglizzo T., Tagger M. **287**, 297

Helical magnetic field structure in M 31?
Urbanik M., Otmianowska-Mazur K., Beck R. **287**, 410

Radio observations of the Coma cluster of galaxies and its immediate vicinity. I. Radio data and optical identifications
Kim K.-T., Kronberg P.P., Dewdney P.E., Landecker T.L. **287**, 1040 (***105***, *385*)

Dynamos in evolving galaxies
Beck R., Poezd A.D., Shukurov A., Sokoloff D.D. **289**, 94

Spatially correlated diffuse Hα and radio continuum emission from the halo of NGC 891
Dahlem M., Dettmar R.-J., Hummel E. **290**, 384

Multifrequency observations of the radio continuum emission from NGC 253. I. Magnetic fields and rotation measures in the bar and halo
Beck R., Carilli C.L., Holdaway M.A., Klein U. **292**, 409

Galaxies: nuclei 11.14.1

X-ray reprocessing and UV continuum in AGN: the case of NGC 4151
Perola G.C., Piro L. **281**, 7

(RN) 1404+286: a non-ideal calibrator for VLBI observations
Zhang F.J., Bååth L.B., Spencer R.E. **281**, 649

Sub-arcsecond 2D photometry and spectrography of the nucleus of M 31: the supermassive black hole revisited
Bacon R., Emsellem E., Monnet G., Nieto J.L. **281**, 691

CO in paired galaxies: star formation induced by gas flow
Combes F., Prugniel P., Rampazzo R., Sulentic J.W. **281**, 725

The transfer of radiation in galactic nuclei. Dusty hot spots in the starburst galaxy M 82
Krügel E., Siebenmorgen R. **282**, 407

Spectroscopic monitoring of active galactic nuclei. III. Size of the broad line region in NGC 3227
Salamanca I., Alloin D., Baribaud T., Axon D., de Bruyn A.G., Goad M., Gondhalekar P., van Groningen E., Jackson N., Kollatschny W., Laurikainen E., Lawrence A., Masegosa J., O'Brien P.T., Pelat D., Penston M.V., Pérez E., Pérez-Fournon I., Robinson A., Santos-Lleo M., Stirpe G.M., Tadhunter C.N., Terlevich R.J., Unger S., Wagner S., Wanders I. **282**, 742

HST observations of Cygnus A: circumnuclear effects of a powerful jet?
Jackson N., Sparks W.B., Miley G.K., Macchetto F. **284**, 65

Erratum Extinction and the wavelength-dependent positions of the nuclei of NGC 6240
Schulz H., Fried J.W., Röser S., Keel W.C. **285**, 710

The multi-gaussian expansion method: a tool for building realistic photometric and kinematical models of stellar systems. II. Application to the central region of the Sombrero Galaxy (NGC 4594)
Emsellem E., Monnet G., Bacon R., Nieto J.L. **285**, 739

Are there two engines at the center of 3C 286?
Zhang F.J., Spencer R.E., Schilizzi R.T., Fanti C., Bååth L.B., Su B.M. **287**, 32

Analytical study of adiabatic black hole growth in spherical stellar systems
Cipollina M., Bertin G. **288**, 43

Long-slit spectroscopy of three low-luminosity Seyfert 1 galaxies
Schulz H., Knake A., Schmidt-Kaler T. **288**, 425

Size and physical conditions of the coronal line region in a nearby Seyfert 2: the Circinus galaxy
Oliva E., Salvati M., Moorwood A.F.M., Marconi A. **288**, 457

Bursting and stationary star formation in disks and nuclei of galaxies
Firmani C., Tutukov A.V. **288**, 713

EUV energy distributions of accretion disks in active galactic nuclei
Störzer H., Hauschildt P.H. **289**, 45

Erratum The evidence for anisotropy of the ionizing continuum of NGC 4151
Schulz H., Komossa S. **289**, 662

Gas fueling to the central 10pc in merging galaxies
Bekki K., Noguchi M. **290**, 7

Structure of the outer regions of accretion discs in Active Galactic Nuclei
Huré J.-M., Collin-Souffrin S., Le Bourlot J., Pineau des Forêts G. **290**, 19

Structure of the outer regions of accretion discs in Active Galactic Nuclei: the influence of opacity
Huré J.-M., Collin-Souffrin S., Le Bourlot J., Pineau des Forêts G. **290**, 34

On the origin of the variability of superluminal radio sources similar to 3C 273
Roland J., Teyssier R., Roos N. **290**, 357

On the origin of extragalactic γ-ray bursters
Roland J., Frossati G., Teyssier R. **290**, 364

A [Si VI] (1.962 μm) coronal line survey of galactic nuclei
Marconi A., Moorwood A.F.M., Salvati M., Oliva E. **291**, 18

Possible continuum-diluting processes to generate Liner-like spectra
Schulz H., Fritsch C. **291**, 713

Limits on the short-timescale near-infrared variability of Seyfert 1 nuclei
Hunt L.K., Zhekov S., Salvati M., Mannucci F., Stanga R.M. **292**, 67

Black-hole stellar accretion in active galactic nuclei
Hameury J.-M., King A.R., Lasota J.-P., Auvergne M. **292**, 404

Starving accretion disks in the center of galaxies: the examples of Sagittarius A* and M 31
Falcke H., Heinrich O.M. **292**, 430

Galaxies: peculiar 11.16.2

Photometric study of polar-ring galaxies. I. UGC 7576 and UGC 9796
Reshetnikov V.P., Hagen-Thorn V.A., Yakovleva V.A. **290**, 693

Kinematics and dark haloes of polar-ring galaxies
Reshetnikov V.P., Combes F. **291**, 57

Galaxies: photometry 11.16.1

Sub-arcsecond 2D photometry and spectrography of the nucleus of M 31: the supermassive black hole revisited
Bacon R., Emsellem E., Monnet G., Nieto J.L. **281**, 691

Multicolor photometry of clusters of galaxies: A 3284, A 3305, A 1942
Molinari E., Banzi M., Buzzoni A., Chincarini G., Pedrana M.D. **282**, 349 (***103**, 245*)

Infranight infrared spectral variability in OJ 287
Kidger M.R., Takalo L.O., de Diego J.A. **282**, 369

(RN) A simple model for the luminosity distribution of edge-on spiral galaxies normal to the plane
Jacobi S., Kegel W.H. **282**, 401

Multifrequency windows on spiral galaxies. III. Internal extinction at optical and near-infrared wavelengths
Boselli A., Gavazzi G. **283**, 12

Detection of intracluster light in the rich clusters of galaxies Abell 2390 and Cl 1613+31
Vílchez-Gómez R., Pelló R., Sanahuja B. **283**, 37

Parameters of stellar disks from CCD surface photometry of edge-on galaxies
Barteldrees A., Dettmar R.-J. **283**, 715 (***103**, 475*)

UBVRI photoelectric photometry of bright southern early-type galaxies
Poulain P., Nieto J.L. **283**, 716 (***103**, 573*)

(RN) Quantitative morphology of E–S0 galaxies. II. Possible environmental effects on the properties of lenticulars
Michard R., Marchal J. **283**, 779

Intense blazar activity in the photopolarimetric light curve of OJ 287
Takalo L.O., Sillanpää A., Nilsson K., Kidger M., de Diego J.A. **284**, 700 (***104**, 115*)

Photometric evolutionary synthesis models of dwarf galaxies
Krüger H., Fritze-v. Alvensleben U. **284**, 793

Interstellar matter in Shapley-Ames elliptical galaxies. I. Multicolour CCD surface photometry
Goudfrooij P., Hansen L., Jørgensen H.E., Nørgaard-Nielsen H.U., de Jong T., van den Hoek L.B. **285**, 354 (***104**, 179*)

A CCD survey of galaxies. II. Observations with the 2.1 m telescope at San Pedro Martir
Gavazzi G., Garilli B., Carrasco L., Boselli A., Cruz-Gonzalez I. **285**, 355 (***104**, 271)*

The distribution of light in the barred spirals NGC 5757 and IC 1091
Saraiva Schröder M.F., Pastoriza M.G., Kepler S.O. **285**, 358 (***104**, 487)*

Star formation and merging in compact groups of galaxies
Moles M., del Olmo A., Perea J., Masegosa J., Márquez I., Costa V. **285**, 404

Is the edge-on galaxy NGC 4762 actually barred?
Wozniak H. **286**, L5

"Redshift survey" up to b_J=27: distance of gravitational arclets behind Abell 370
Kneib J.-P., Mathez G., Fort B., Mellier Y., Soucail G., Longaretti P.-Y. **286**, 701

Extension of the Magnier et al. 1992 catalogue of objects in the field of M 31
Haiman Z., Magnier E., Lewin W.H.G., Lester R.R., van Paradijs J., Hasinger G., Pietsch W., Supper R., Trümper J. **286**, 725

An extragalactic database. V. Conversion of apparent B magnitudes to a standard system
Paturel G., Bottinelli L., Gouguenheim L. **286**, 768

Interstellar matter in Shapley-Ames elliptical galaxies. II. The distribution of dust and ionized gas
Goudfrooij P., Hansen L., Jørgensen H.E., Nørgaard-Nielsen H.U. **287**, 1040 (***105**, 341)*

Quantitative morphology of E-S0 galaxies. III. Coded and parametric description of 108 galaxies in a complete sample
Michard R., Marchal J. **287**, 1042 (***105**, 481)*

Multiband studies of two distant galaxy clusters at $z>0.8$
Thimm G.J., Belloni P. **289**, L27

The medium redshift clusters CL 0017–20 and CL 0500–24
Infante L., Fouqué P., Hertling G., Way M.J., Giraud E., Quintana H. **289**, 381

Erratum Detection of intracluster light in the rich clusters of galaxies Abell 2390 and Cl 1613+31
Vílchez-Gómez R., Pelló R., Sanahuja B. **289**, 661

‚Global mapping' *B*-band photometry of a complete sample of Fornax and Virgo early-type galaxies
Caon N., Capaccioli M., D'Onofrio M. **289**, 664 (***106**, 199)*

Near-infrared and optical broadband surface photometry of 86 face-on disk dominated galaxies. I. Selection, observations and data reduction
de Jong R.S., van der Kruit P.C. **289**, 999 (***106**, 451)*

Far-UV imaging of M 81 and comparison to other spiral tracers
Reichen M., Kaufman M., Blecha A., Golay M., Huguenin D. **289**, 1000 (***106**, 523)*

Properties of M 31 OB associations
Haiman Z, Magnier E.A., Battinelli P., Lewin W.H.G., van Paradijs J., Hasinger G., Pietsch W., Supper R., Trümper J. **290**, 371

Photometric study of polar-ring galaxies. I. UGC 7576 and UGC 9796
Reshetnikov V.P., Hagen-Thorn V.A., Yakovleva V.A. **290**, 693

Erratum Quantitative morphology of E-SO galaxies. III. Coded and parametric description of 108 galaxies in a complete sample
Michard R., Marchal J. **290**, 1022 (***107**, 187)*

Near- and far-infrared emission of Seyfert 2 galaxies and various types of star-forming galaxies
Dultzin-Hacyan D., Benitez E. **291**, 720

The very red halo of the cD galaxy in A 3284
Molinari E., Buzzoni A., Chincarini G., Pedrana M.D. **292**, 54

Limits on the short-timescale near-infrared variability of Seyfert 1 nuclei
Hunt L.K., Zhekov S., Salvati M., Mannucci F., Stanga R.M. **292**, 67

Photometric CCD sequences in 7 southern Abell clusters
Cunow B., Wargau W.F. **292**, 352 (***107**, 277)*

A CCD survey of galaxies. III. Observations with the Loiano 1.5 m telescope
Gavazzi G., Randone I. **292**, 352 (***107**, 285)*

Erratum Near-infrared and optical broadband surface photometry of 86 face-on disk dominated galaxies. I. Selection, observations and data reduction
de Jong R.S., van der Kruit P.C. **292**, 354 (***107**, 419)*

The distribution of light in the spiral galaxy NGC 7412
Saraiva Schröder M.F., Pastoriza M.G., Kepler S.O., Puerari I. **292**, 358 (***108**, 41)*

Blue low surface-brightness galaxies. I. Surface photometry
Rönnback J., Bergvall N. **292**, 360 (***108**, 193)*

Multicolor surface photometry of early-type galaxies. I.
Penereiro J.C., de Carvalho R.R., Djorgovski S., Thompson D. **292**, 365 (***108**, 461)*

The distribution of dust in Sb's and Sc's: *K*-band infrared imaging of a diameter-limited sample of 37 galaxies
Peletier R.F., Valentijn E.A., Moorwood A.F.M., Freudling W. **292**, 369 (***108**, 621)*

Improved *I*-band CCD photometry of NGC 3379 and comparison with a violent relaxation model
Sodemann M., Thomsen B. **292**, 425

(Galaxies:) quasars: absorption lines 11.17.1

PG 1416-129: a broad absorption line QSO with low intrinsic X-ray absorption
de Kool M., Meurs E.J.A. **281**, L65

The metal systems in Q 0000–2619 at high resolution
Savaglio S., D'Odorico S., Møller P. **281**, 331

CIV QSO absorption systems and properties of galactic haloes at high redshift
Petitjean P., Bergeron J. **283**, 759

Non-variability of the fine-structure constant over cosmological time scales
Potekhin A.Y., Varshalovich D.A. **284**, 700 (***104**, 89)*

First detection of CO ($J = 0 \rightarrow 1$) absorption at cosmological distances ($z = 0.247$)
Wiklind T., Combes F. **286**, L9

Absorption in three intrinsically faint quasars: Q 0009–016, Q 0347–241, and Q 2116–358
Møller P., Jakobsen P., Perryman M.A.C. **287**, 719

A search for millimeterwave CO emission in damped Lyman-α systems
Wiklind T., Combes F. **288**, L41

The $z_{abs} \sim z_{em} \sim 2$ QSO absorption line systems: evidence for abundances in excess of solar
Petitjean P., Rauch M., Carswell R.F. **291**, 29

Atomic data for absorption lines from the ground level at wavelengths greater than 228 Å
Verner D.A., Barthel P.D., Tytler D. **292**, 362 (***108, 287***)

(Galaxies:) quasars: emission lines 11.17.2

(RN) Redshift and nature of two BL Lacertae objects: PKS 0306+102 and S3 0503−04
Véron P. **283**, 802

Long slit spectroscopy of extended ionized nebulosities around four quasars
Boisson C., Durret F., Bergeron J., Petitjean P. **285**, 377

Echo mapping the Balmer-emission region in NGC 3516
Wanders I., Horne K. **289**, 76

The extended narrow line region of NGC 4151. II. Spatial variations of the emission line intensities
Robinson A., Vila-Vilaró B., Axon D.J., Pérez E., Wagner S.J., Baum S.A., Boisson C., Durret F., González-Delgado R., Moles M., Masegosa J., O'Brien P.T., O'Dea C., del Olmo A., Pedlar A., Penston M.V., Perea J., Pérez-Fournon I., Rodríguez-Espinosa J.M., Tadhunter C., Terlevich R.J., Unger S.W., Ward M.J. **291**, 351

High spatial resolution integral field spectroscopy of extended ionized gas around three quasars
Durret F., Pécontal E., Petitjean P., Bergeron J. **291**, 392

(Galaxies:) quasars: general 11.17.3

The asymmetries in radio-source structures. I. A comparison of two classical models
Ryś S. **281**, 15

The X-ray AGN content of the Molonglo 408 MHz Survey: bulk properties of previously optically identified sources
Brinkmann W., Siebert J., Boller T. **281**, 355

The first geodetic VLBI experiment at 22 GHz between Japan and Italy
Takahashi Y., Kiuchi H., Kurihara N., Grueff G., Ambrosini R. **282**, 341

An update of the optical identification status of the S4 radio source catalogue
Stickel M., Kühr H. **282**, 351 (***103, 349***)

Brightness temperatures and viewing angles for extragalactic radio sources: a test of unification schemes for active galactic nuclei
Teräsranta H., Valtaoja E. **283**, 51

Warm IRAS sources from the Point Source Catalog. III. Emission-line properties, correlations, and AGN unified models
Keel W.C., de Grijp M.H.K., Miley G.K., Zheng W. **283**, 791

Non-variability of the fine-structure constant over cosmological time scales
Potekhin A.Y., Varshalovich D.A. **284**, 700 (***104, 89***)

The Hamburg Quasar Monitoring program (HQM) at Calar Alto. I. Low amplitude variability in quasars
Borgeest U., Schramm K.-J. **284**, 764

The Hamburg Quasar Monitoring program (HQM) at Calar Alto. II. Lightcurves of weakly variable objects
Schramm K.-J., Borgeest U., Kühl D., von Linde J., Linnert M.D. **285**, 358 (***104, 473***)

Long slit spectroscopy of extended ionized nebulosities around four quasars
Boisson C., Durret F., Bergeron J., Petitjean P. **285**, 377

Spectral properties of X-ray loud extragalactic radio sources
Brinkmann W., Siebert J. **285**, 812

Investigation of the spatial clustering of quasars using the two-point correlation function
Komberg B.V., Kravtsov A.V., Lukash V.N. **286**, L19

Can shock models explain radio outbursts of AGN at millimeter and centimeter wavelengths?
Lainela M. **286**, 408

A further discussion on quasar-galaxy associations from gravitational lensing
Wu X.-P. **286**, 748

Beamed X-rays in radio-loud quasars
Bühler P., Courvoisier T.J.-L., Staubert R. **287**, 433

X-ray spectra of a complete sample of extragalactic core-dominated radio sources
Brunner H., Lamer G., Worrall D.M., Staubert R. **287**, 436

Optical spectra and redshifts of 1 Jy, S4 and S5 radio source identifications. V
Stickel M., Kühr H. **287**, 1035 (***105, 67***)

High resolution radio observations of intermediate redshift quasars and radio galaxies
Bogers W.J., Hes R., Barthel P.D., Zensus J.A. **287**, 1035 (***105, 91***)

The optical identification status of the 1 Jy radio source catalogue
Stickel M., Meisenheimer K., Kühr H. **287**, 1037 (***105, 211***)

Images of 25 extragalactic radio sources observed with MERLIN at 18 cm
Akujor C.E., Lüdke E., Browne I.W.A., Leahy J.P., Garrington S.T., Jackson N., Thomasson P. **287**, 1038 (***105, 247***)

Bursting and stationary star formation in disks and nuclei of galaxies
Firmani C., Tutukov A.V. **288**, 713

Three-year monitoring of a sample of flat-spectrum radio sources at 327 MHz
Ghosh T., Gopal-Krishna, Rao A.P. **288**, 1033 (***106, 29***)

Sub-milliarcsecond structure of quasar cores and characteristic linear sizes of shocks inferred from radio continuum flux density variations
Valtaoja E., Teräsranta H. **289**, 35

Optical long-term variability of a sample of quasars in the field around M 3
Meusinger H., Klose S., Ziener R., Scholz R.-D. **289**, 67

The Hamburg quasar monitoring program (HQM) at Calar Alto. III. Lightcurves of optically violent variable sources
Schramm K.-J., Borgeest U., Kühl D., von Linde J., Linnert M.D., Schramm T. **289**, 666 (***106, 349***)

Correlated radio and optical variations in a sample of active galactic nuclei
Tornikoski M., Valtaoja E., Teräsranta H., Smith A.G., Nair A.D., Clements S.D., Leacock R.J. **289**, 673

Silicate dust discs as sources of the AGN IR-emission
Stenholm L. **290**, 393

Systematic study of the ultraviolet variability of active galactic nuclei
Paltani S., Courvoisier T.J.-L. **291**, 74

Microlensing of optically thin clouds in active galactic nuclei
Jaroszyński M., Marck J.-A. **291**, 731

The active environment of QSO HE 1029−1401
Wisotzki L. **292**, 45

Gaseous cocoons around compact steep spectrum sources
Mantovani F., Junor W., Fanti R., Padrielli L., Saikia D.J. **292**, 59

The age of GHz-peaked-spectrum radio sources
Carvalho J.C. **292**, 392

(Galaxies:) quasars: individual:... 11.17.4

B 1422+231

A gravitational lens model for B 1422+231
Kormann R., Schneider P., Bartelmann M. **286**, 357

HE 1029–1401

The active environment of QSO HE 1029–1401
Wisotzki L. **292**, 45

PG 1416–129

PG 1416-129: a broad absorption line QSO with low intrinsic X-ray absorption
de Kool M., Meurs E.J.A. **281**, L65

PKS 0306+102

(RN) Redshift and nature of two BL Lacertae objects: PKS 0306+102 and S3 0503–04
Véron P. **283**, 802

Q 0000–2619

The metal systems in Q 0000–2619 at high resolution
Savaglio S., D'Odorico S., Møller P. **281**, 331

Narrow-band imaging of fields around optically-thick absorption systems: the line-of-sight towards Q 0000–2619
Giavalisco M., Macchetto F.D., Sparks W.B. **288**, 103

Q 0009–016

Absorption in three intrinsically faint quasars: Q 0009–016, Q 0347–241, and Q 2116–358
Møller P., Jakobsen P., Perryman M.A.C. **287**, 719

Q 0336–017

Milliarcsecond structures of extremely distant quasars: 0336–017, 0636+680, 1442+101, and 2048+312
Gurvits L.I., Schilizzi R.T., Barthel P.D., Kardashev N.S., Kellermann K.I., Lobanov A.P., Pauliny-Toth I.I.K., Popov M.V. **291**, 737

Q 0347–241

Absorption in three intrinsically faint quasars: Q 0009–016, Q 0347–241, and Q 2116–358
Møller P., Jakobsen P., Perryman M.A.C. **287**, 719

Q 0636+680

Milliarcsecond structures of extremely distant quasars: 0336–017, 0636+680, 1442+101, and 2048+312
Gurvits L.I., Schilizzi R.T., Barthel P.D., Kardashev N.S., Kellermann K.I., Lobanov A.P., Pauliny-Toth I.I.K., Popov M.V. **291**, 737

Q 0957+561

Time delay controversy on QSO 0957+561 not yet decided
Pelt J., Hoff W., Kayser R., Refsdal S., Schramm T. **286**, 775

Gravitational lensing of Q 0957+561: a study of the cluster at $z = 0.355$
Angonin-Willaime M.-C., Soucail G., Vanderriest C. **291**, 411

Q 1442+101

Milliarcsecond structures of extremely distant quasars: 0336–017, 0636+680, 1442+101, and 2048+312
Gurvits L.I., Schilizzi R.T., Barthel P.D., Kardashev N.S., Kellermann K.I., Lobanov A.P., Pauliny-Toth I.I.K., Popov M.V. **291**, 737

Q 2048+312

Milliarcsecond structures of extremely distant quasars: 0336–017, 0636+680, 1442+101, and 2048+312
Gurvits L.I., Schilizzi R.T., Barthel P.D., Kardashev N.S., Kellermann K.I., Lobanov A.P., Pauliny-Toth I.I.K., Popov M.V. **291**, 737

Q 2116–358

Absorption in three intrinsically faint quasars: Q 0009–016, Q 0347–241, and Q 2116–358
Møller P., Jakobsen P., Perryman M.A.C. **287**, 719

Q 2237+0305

Determining the size of the emission line region in Q2237+031 from microlensing
Saust A.B. **281**, 636 (***103, 33***)

Sub-arcsecond integral field spectroscopy of the Einstein Cross 2237+0305: lensing and microlensing effects
Fitte C., Adam G. **282**, 11

Variability of microlensing light curves. I. Autocorrelation method and the calculation of the correlated deflection probability
Seitz C., Schneider P. **288**, 1

Variability of microlensing light curves. II. Magnification fluctuations, autocorrelation functions, and applications to QSO 2237+0305
Seitz C., Wambsganss J., Schneider P. **288**, 19

Microlensing of optically thin clouds in active galactic nuclei
Jaroszyński M., Marck J.-A. **291**, 731

Rotate-And-Stare: A new method for PSF estimation
Teuber J., Østensen R., Stabell R., Florentin-Nielsen R. **292**, 366 (***108, 509***)

Q 2354+007

Detection of a distant cluster in the center of the shear field in Q 2345+007
Mellier Y., Dantel-Fort M., Fort B., Bonnet H. **289**, L15

S3 0503–04

(RN) Redshift and nature of two BL Lacertae objects: PKS 0306+102 and S3 0503–04
Véron P. **283**, 802

3C 273

Synchrotron radiation from the jet of 3C 273. III. The speed and direction of the jet
Conway R.G., Davis R.J. **284**, 724

Beamed X-rays in radio-loud quasars
Bühler P., Courvoisier T.J.-L., Staubert R. **287**, 433

On the origin of the variability of superluminal radio sources similar to 3C 273
Roland J., Teyssier R., Roos N. **290**, 357

3C 286

Are there two engines at the center of 3C 286?
Zhang F.J., Spencer R.E., Schilizzi R.T., Fanti C., Bååth L.B., Su B.M. **287**, 32

3C 395

The quasar 3C 395 revisited: new VLBI observations and numerical simulations
Lara L., Alberdi A., Marcaide J.M., Muxlow T.W.B. **285**, 393

Galaxies: Seyfert 11.19.1

NGC 1068: a genuine hidden Seyfert 1 galaxy?
Jourdain E., Collin S., Dennefeld M., Ballet J., Roques J.P., Lebrun F., Mandrou P., Cordier B., Finoguenov A., Churazof E., Gilfanov M., Sunyaev R., Kuleshova N., Sheikhet A., Sukhanov K., Tserenin I. **281**, L57

X-ray reprocessing and UV continuum in AGN: the case of NGC 4151
Perola G.C., Piro L. **281**, 7

Properties of UCM 2303+1702, a new Seyfert 2 galaxy
Rego M., Zamorano J., Gallego J., Vitores A. **281**, 348

Radio-far-infrared relation in Markarian galaxies
Marx M., Krügel E., Klein U., Wielebinski R. **281**, 718

Spectroscopic monitoring of active galactic nuclei. III. Size of the broad line region in NGC 3227
Salamanca I., Alloin D., Baribaud T., Axon D., de Bruyn A.G., Goad M., Gondhalekar P., van Groningen E., Jackson N., Kollatschny W., Laurikainen E., Lawrence A., Masegosa J., O'Brien P.T., Pelat D., Penston M.V., Pérez E., Pérez-Fournon I., Robinson A., Santos-Lleo M., Stirpe G.M., Tadhunter C.N., Terlevich R.J., Unger S., Wagner S., Wanders I. **282**, 742

Erratum ESO 138 G1: a high excitation Seyfert 2 nucleus in a low luminosity early-type galaxy
Alloin D., Bica E., Bonatto C., Prugniel P. **282**, 1041

UV variability of IRAS 13224−3809, a rapidly X-ray variable far-infrared luminous galaxy
Mas-Hesse J.M., Rodríguez-Pascual P.M., Sanz Fernández de Córdoba L., Boller T. **283**, L9

Warm IRAS sources from the Point Source Catalog. III. Emission-line properties, correlations, and AGN unified models
Keel W.C., de Grijp M.H.K., Miley G.K., Zheng W. **283**, 791

Monitoring of active galactic nuclei. IV. The Seyfert 1 galaxy NGC 4593
Dietrich M., Kollatschny W., Alloin D., Aretxaga I., Axon D., de Bruyn A.G., Clavel J., Goad M.R., Gondhalekar P., van Groningen E., Horne K., Jackson N., Laurikainen E., Lawrence A., Masegosa J., Moles M., O'Brien P.T., del Olmo A., Penston M.V., Perea J., Pérez E., Pérez-Fournon I., Perry J.J., Peterson B.M., Robinson A., Rodríguez-Espinosa J.M., Stirpe G.M., Tadhunter C.N., Terlevich R.J., Unger S., Wagner S.J., Wanders I., Williams R. **284**, 33

ROSAT PSPC X-ray observations of NGC 4258: detection of point sources, 4 million K halo emission, and anomalous arms
Pietsch W., Vogler A., Kahabka P., Jain A., Klein U. **284**, 386

High resolution optical images of the starburst ring around the Seyfert nucleus of NGC 7469
Mauder W., Weigelt G., Appenzeller I., Wagner S.J. **285**, 44

Simultaneous observations of Seyfert 1 galaxies with IUE, ROSAT and Ginga
Walter R., Orr A., Courvoisier T.J.-L., Fink H.H., Makino F., Otani C., Wamsteker W. **285**, 119

Monitoring of active galactic nuclei. V. The Seyfert 1 galaxy Markarian 279
Stirpe G.M., Alloin D., Axon D.J., Clavel J., de Bruyn A.G., del Olmo A., Goad M., Gondhalekar P.M., Jackson N., Kollatschny W., Laurikainen E., Lawrence A., Masegosa J., McHardy I.M., Moles M., O'Brien P.T., Penston M.V., Perea J., Pérez E., Pérez-Fournon I., Robinson A., Rodríguez-Espinosa J.M., Tadhunter C.N., Terlevich R.J., Unger S.W., van Groningen E., Vila-Vilaró B., Wagner S.J. **285**, 857

Nuclear and extranuclear ionized gas in nine Seyfert 2 galaxies
Durret F. **287**, 1035 (*105, 57*)

Long-slit spectroscopy of three low-luminosity Seyfert 1 galaxies
Schulz H., Knake A., Schmidt-Kaler T. **288**, 425

On the newly discovered 3.4 hour modulated X-ray source (RX J1940.1−1025) near NGC 6814
Staubert R., König M., Friedrich S., Lamer G., Sood R.K., James S.D., Sharma D.P. **288**, 513

Echo mapping the Balmer-emission region in NGC 3516
Wanders I., Horne K. **289**, 76

Erratum The evidence for anisotropy of the ionizing continuum of NGC 4151
Schulz H., Komossa S. **289**, 662

Asymmetries in disk galaxies. How often? How strong?
Richter O.-G., Sancisi R. **290**, L9

NGC 5506: physics of the extended narrow line region
Maiolino R., Stanga R., Salvati M., Rodríguez Espinosa M. **290**, 40

Discovery of an emitting ring in the Seyfert 1 galaxy UCM 2329+2500
Gallego J., Zamorano J., Rego M., Vitores A.G. **290**, 705

A [Si VI] (1.962 μm) coronal line survey of galactic nuclei
Marconi A., Moorwood A.F.M., Salvati M., Oliva E. **291**, 18

Systematic study of the ultraviolet variability of active galactic nuclei
Paltani S., Courvoisier T.J.-L. **291**, 74

The extended narrow line region of NGC 4151. II. Spatial variations of the emission line intensities
Robinson A., Vila-Vilaró B., Axon D.J., Pérez E., Wagner S.J., Baum S.A., Boisson C., Durret F., González-Delgado R., Moles M., Masegosa J., O'Brien P.T., O'Dea C., del Olmo A., Pedlar A., Penston M.V., Perea J., Pérez-Fournon I., Rodríguez-Espinosa J.M., Tadhunter C., Terlevich R.J., Unger S.W., Ward M.J. **291**, 351

The variable soft X-ray excess of Mkn 766
Molendi S., Maccacaro T. **291**, 420

Possible continuum-diluting processes to generate Liner-like spectra
Schulz H., Fritsch C. **291**, 713

Near- and far-infrared emission of Seyfert 2 galaxies and various types of star-forming galaxies
Dultzin-Hacyan D., Benitez E. **291**, 720

Extended soft X-ray emission in the Seyfert 2 galaxy NGC 4388 discovered with the ROSAT HRI
Matt G., Piro L., Antonelli L.A., Fink H.H., Meurs E.J.A., Perola G.C. **292**, L13

Limits on the short-timescale near-infrared variability of Seyfert 1 nuclei
Hunt L.K., Zhekov S., Salvati M., Mannucci F., Stanga R.M. **292**, 67

Warm IRAS sources from the point source catalog. IV. Extended optical line emission
Fehmers G.C., de Grijp M.H.K., Miley G.K., Keel W.C. **292**, 358 (***108**, 61*)

Environments of Seyfert galaxies. I. Construction of the sample and selection effects
Laurikainen E., Salo H., Teerikorpi P., Petrov G. **292**, 366 (***108**, 491*)

Galaxies: spiral 11.19.2

Ultraviolet (2000 Å) galaxy counts: comparison with predictions
Armand C., Milliard B. **282**, 1

(RN) A simple model for the luminosity distribution of edge-on spiral galaxies normal to the plane
Jacobi S., Kegel W.H. **282**, 401

Multifrequency windows on spiral galaxies. III. Internal extinction at optical and near-infrared wavelengths
Boselli A., Gavazzi G. **283**, 12

Percolation and synchrotron emission. III. Interaction between galaxies in two dimensions
Zaninetti L. **283**, 417

Parameters of stellar disks from CCD surface photometry of edge-on galaxies
Barteldrees A., Dettmar R.-J. **283**, 715 (***103**, 475*)

ROSAT PSPC X-ray observations of NGC 4258: detection of point sources, 4 million K halo emission, and anomalous arms
Pietsch W., Vogler A., Kahabka P., Jain A., Klein U. **284**, 386

Galactic dynamics and magnetic fields. II. Magnetic fields in barred galaxies
Chiba M., Lesch H. **284**, 731

The intrinsic magnetic field orientation in NGC 4631
Golla G., Hummel E. **284**, 777

Morphological segregation of galaxies in clusters. I. The non-uniform distribution of types in the inner region of Perseus
Andreon S. **284**, 801

A CCD survey of galaxies. II. Observations with the 2.1 m telescope at San Pedro Martir
Gavazzi G., Garilli B., Carrasco L., Boselli A., Cruz-Gonzalez I. **285**, 355 (***104**, 271*)

The distribution of light in the barred spirals NGC 5757 and IC 1091
Saraiva Schröder M.F., Pastoriza M.G., Kepler S.O. **285**, 358 (***104**, 487*)

Feature velocities in disk galaxies
Engström S. **285**, 801

Hydrodynamic simulations of open normal spiral galaxies: OLR, corotation and 4/1 models
Patsis P.A., Hiotelis N., Contopoulos G., Grosbøl P. **286**, 46

The vertical stellar distribution in NGC 6504: detection of a thick disk
van Dokkum P.G., Peletier R.F., de Grijs R., Balcells M. **286**, 415

Extension of the Magnier et al. 1992 catalogue of objects in the field of M 31
Haiman Z., Magnier E., Lewin W.H.G., Lester R.R., van Paradijs J., Hasinger G., Pietsch W., Supper R., Trümper J. **286**, 725

Galactic models with massive coronae. IV. The Andromeda galaxy, M 31
Tenjes P., Haud U., Einasto J. **286**, 753

How faithful are *N*-body simulations of disc galaxies?
Romeo A.B. **286**, 799

The generation of Stäckel potentials for galactic dynamical modeling
Batsleer P., Dejonghe H. **287**, 43

Stochastic self-propagating star formation with anisotropic probability distribution
Jungwiert B., Palouš J. **287**, 55

Helical magnetic field structure in M 31?
Urbanik M., Otmianowska-Mazur K., Beck R. **287**, 410

Gas response at the resonances in the grand design spiral NGC 4321
García-Burillo S., Sempere M.J., Combes F. **287**, 419

On the predictive power of the minimum energy condition. II. Fractional calorimeter behaviour in the diffuse high energy gamma emission of spiral galaxies
Pohl M. **287**, 453

2.1 μm images of the evolved stellar disk and the morphological classification of spiral galaxies
Block D.L., Bertin G., Stockton A., Grosbøl P., Moorwood A.F.M., Peletier R.F. **288**, 365

Evolution of spiral structure in an interacting triple galactic system. I. M 31-type systems
Vozikis C.L., Caranicolas N.D. **288**, 448

Near-infrared and optical broadband surface photometry of 86 face-on disk dominated galaxies. I. Selection, observations and data reduction
de Jong R.S., van der Kruit P.C. **289**, 999 (***106**, 451*)

Far-UV imaging of M 81 and comparison to other spiral tracers
Reichen M., Kaufman M., Blecha A., Golay M., Huguenin D. **289**, 1000 (***106**, 523*)

Spatially correlated diffuse Hα and radio continuum emission from the halo of NGC 891
Dahlem M., Dettmar R.-J., Hummel E. **290**, 384

Structure and evolution of long-lived spiral patterns in galaxies
Donner K.J., Thomasson M. **290**, 785

A search for spiral galaxies with extended HI disks
Broeils A.H., van Woerden H. **290**, 1021 (***107**, 129*)

Multifrequency windows on spiral galaxies. IV. Gas content and star formation in the Virgo cluster
Boselli A. **292**, 1

Erratum Near-infrared and optical broadband surface photometry of 86 face-on disk dominated galaxies. I. Selection, observations and data reduction
de Jong R.S., van der Kruit P.C. **292**, 354 (***107**, 419*)

The distribution of light in the spiral galaxy NGC 7412
Saraiva Schröder M.F., Pastoriza M.G., Kepler S.O., Puerari I. **292**, 358 (***108**, 41*)

The distribution of dust in Sb's and Sc's: *K*-band infrared imaging of a diameter-limited sample of 37 galaxies
Peletier R.F., Valentijn E.A., Moorwood A.F.M., Freudling W. **292**, 369 (***108**, 621*)

Non-linear structures in self-gravitating disks
Li X.-Q., Zhang H. **292**, 686

Galaxies: star clusters 11.19.4

Metal abundances of Magellanic Cloud clusters
Jasniewicz G., Thévenin F. **282**, 717

Wide area colour magnitude diagrams of the LMC cluster NGC 2214
Bhatia R., Piotto G. **283**, 424

Integrated spectral properties of star clusters in the near-ultraviolet
Bica E., Alloin D., Schmitt H.R. **283**, 805

HST observations of globular clusters in M 31. I. Surface photometry of 13 objects
Fusi Pecci F., Battistini P., Bendinelli O., Bònoli F., Cacciari C., Djorgovski S., Federici L., Ferraro F.R., Parmeggiani G., Weir N., Zavatti F. **284**, 349

A study of the color-magnitude diagrams and luminosity functions of the two LMC clusters NGC 2134 and NGC 2249 with the new radiative opacities
Vallenari A., Aparicio A., Fagotto F., Chiosi C. **284**, 424

Active star formation regions at the edge of the LMC Bar: NGC 1850 and NGC 1858
Vallenari A., Aparicio A., Fagotto F., Chiosi C., Ortolani S., Meylan G. **284**, 447

The globular cluster system of NGC 4636: a rich system in an otherwise normal elliptical galaxy?
Kissler M., Richtler T., Held E.V., Grebel E.K., Wagner S.J., Capaccioli M. **287**, 463

Sub-arcsecond resolution 2D spectrography of the central regions of NGC 1275 with TIGER
Ferruit P., Pécontal E. **288**, 65

NGC 1569: identification from Ca II infrared line spectra of the objects A, B as superluminous star clusters
Prada F., Greve A., McKeith C.D. **288**, 396

A *UBVRI* photoelectric sequence in the SMC cluster NGC 419
Wenderoth E., Alvarado F., Alcaino G., Liller W. **289**, 664 (***106***, *253*)

Far-UV imaging of M 81 and comparison to other spiral tracers
Reichen M., Kaufman M., Blecha A., Golay M., Huguenin D. **289**, 1000 (***106***, *523*)

Properties of M 31 OB associations
Haiman Z, Magnier E.A., Battinelli P., Lewin W.H.G., van Paradijs J., Hasinger G., Pietsch W., Supper R., Trümper J. **290**, 371

Carbon abundances in the LMC globular cluster NGC 1818
Meliani M.T., Barbuy B., Richtler T. **290**, 753

Stellar associations in the Large Magellanic Cloud. I. LH 15, LH 47, 48, 49, LH 52, 53, LH 83, LH 91, 95
Kontizas M., Kontizas E., Dapergolas A., Argyropoulos S., Bellas-Velidis Y. **290**, 1021 (***107***, *77*)

A new automatic identification technique for OB associations in unresolved galaxies
Adanti S., Battinelli P., Capuzzo-Dolcetta R., Hodge P.W. **292**, 363 (***108***, *395*)

Galaxies: starburst 11.19.3

NGC 1068: a genuine hidden Seyfert 1 galaxy?
Jourdain E., Collin S., Dennefeld M., Ballet J., Roques J.P., Lebrun F., Mandrou P., Cordier B., Finoguenov A., Churazof E., Gilfanov M., Sunyaev R., Kuleshova N., Sheikhet A., Sukhanov K., Tserenin I. **281**, L57

A search for active star-forming galaxies with the ESO 1 meter Schmidt telescope
Surace C., Comte G. **281**, 653

Radio-far-infrared relation in Markarian galaxies
Marx M., Krügel E., Klein U., Wielebinski R. **281**, 718

CO in paired galaxies: star formation induced by gas flow
Combes F., Prugniel P., Rampazzo R., Sulentic J.W. **281**, 725

X-ray observations of NGC 3077
Bi H.G., Arp H., Zimmermann H.U. **282**, 386

The magnetic field in the halo of M 82. Polarized radio emission at λλ6.2 and 3.6 cm
Reuter H.-P., Klein U., Lesch H., Wielebinski R., Kronberg P.P. **282**, 724

Dense gas in nearby galaxies. VII. The active nucleus of NGC 4945
Henkel C., Whiteoak J.B., Mauersberger R. **284**, 17

High resolution optical images of the starburst ring around the Seyfert nucleus of NGC 7469
Mauder W., Weigelt G., Appenzeller I., Wagner S.J. **285**, 44

Erratum Extinction and the wavelength-dependent positions of the nuclei of NGC 6240
Schulz H., Fried J.W., Röser S., Keel W.C. **285**, 710

CO emission in NGC 4631: evidence for a mild starburst
Golla G., Wielebinski R. **286**, 733

Narrow-band imaging of fields around optically-thick absorption systems: the line-of-sight towards Q 0000–2619
Giavalisco M., Macchetto F.D., Sparks W.B. **288**, 103

TX 0211–122: a starburst radio galaxy at $z = 2.34$?
van Ojik R., Röttgering H.J.A., Miley G.K., Bremer M.N., Macchetto F., Chambers K.C. **289**, 54

Hot gas outflow in the blue compact dwarf galaxy VII Zw 403
Papaderos P., Fricke K.J., Thuan T.X., Loose H.-H. **291**, L13

Discovery of strong X-ray variability in an H II type galaxy
Boller T., Fink H., Schaeidt S. **291**, 403

Possible continuum-diluting processes to generate Liner-like spectra
Schulz H., Fritsch C. **291**, 713

Near- and far-infrared emission of Seyfert 2 galaxies and various types of star-forming galaxies
Dultzin-Hacyan D., Benitez E. **291**, 720

CCD spectrophotometry of CVs. I. 4600–9000 Å low resolution atlas for 31 faint systems
Zwitter T., Munari U. **292**, 355 (***107***, *503*)

Galaxies: stellar content 11.19.5

The formation of disk galaxies in a cosmological context: populations, metallicities and metallicity gradients
Steinmetz M., Müller E. **281**, L97

The distribution of the ultraviolet emission in the disk of Messier 33
Buat V., Vuillemin A., Burgarella D., Milliard B., Donas J. **281**, 666

Star-formation histories and the mass-normalized FIR/radio correlation in late-type galaxies
Xu C., Lisenfeld U., Völk H.J., Wunderlich E. **282**, 19

The Ca II triplet lines in cool stars
Mallik S.V. **282**, 350 (***103***, *279*)

(RN) A simple model for the luminosity distribution of edge-on spiral galaxies normal to the plane
Jacobi S., Kegel W.H. **282**, 401

Theoretical hot horizontal branch stars
Castellani M., Castellani V., Pulone L., Tornambé A. **282**, 771

Erratum ESO 138 G1: a high excitation Seyfert 2 nucleus in a low luminosity early-type galaxy
Alloin D., Bica E., Bonatto C., Prugniel P. **282**, 1041

Wide area colour magnitude diagrams of the LMC cluster NGC 2214
Bhatia R., Piotto G. **283**, 424

Metallicity effects in star-forming regions
Cerviño M., Mas-Hesse J.M. **284**, 749

The distribution of light in the barred spirals NGC 5757 and IC 1091
Saraiva Schröder M.F., Pastoriza M.G., Kepler S.O. **285**, 358 (***104**, 487)*

New photometric distances for dwarf galaxies in the Local Volume
Karachentsev I.D., Tikhonov N.A. **286**, 718

Extension of the Magnier et al. 1992 catalogue of objects in the field of M 31
Haiman Z., Magnier E., Lewin W.H.G., Lester R.R., van Paradijs J., Hasinger G., Pietsch W., Supper R., Trümper J. **286**, 725

Galactic models with massive coronae. IV. The Andromeda galaxy, M 31
Tenjes P., Haud U., Einasto J. **286**, 753

New models of Wolf-Rayet stars and comparison with data in galaxies
Maeder A., Meynet G. **287**, 803

Spectroscopic observations of AB-supergiants in M 31 and M 33
Herrero A., Lennon D.J., Vilchez J.M., Kudritzki R.P., Humphreys R.H. **287**, 885

NGC 1569: identification from Ca II infrared line spectra of the objects A, B as superluminous star clusters
Prada F., Greve A., McKeith C.D. **288**, 396

The massive star content of the blue dwarf galaxy IZw 36 from Faint Object Camera observations
Deharveng J.-M., Albrecht R., Barbieri C., Blades J.C., Boksenberg A., Crane P., Disney M.J., Jakobsen P., Kamperman T.M., King I.R., Macchetto F., Mackay C.D., Paresce F., Weigelt G., Baxter D., Greenfield P., Jedrzejewski R., Nota A., Sparks W.B. **288**, 413

Ultraviolet observations of galaxies with the FAUST experiment
Deharveng J.-M., Sasseen T.P., Buat V., Bowyer S., Lampton M., Wu X. **289**, 715

The brightest stars in three irregular dwarfs around M 81
Karachentsev I.D., Tikhonov N.A., Sazonova L.N. **289**, 1001 (***106**, 555)*

Properties of M 31 OB associations
Haiman Z, Magnier E.A., Battinelli P., Lewin W.H.G., van Paradijs J., Hasinger G., Pietsch W., Supper R., Trümper J. **290**, 371

Photoionization in elliptical galaxies by old stars
Binette L., Magris C.G., Stasińska G., Bruzual A.G. **292**, 13

The very red halo of the cD galaxy in A 3284
Molinari E., Buzzoni A., Chincarini G., Pedrana M.D. **292**, 54

The distribution of light in the spiral galaxy NGC 7412
Saraiva Schröder M.F., Pastoriza M.G., Kepler S.O., Puerari I. **292**, 358 (***108**, 41)*

Blue low surface-brightness galaxies. I. Surface photometry
Rönnback J., Bergvall N. **292**, 360 (***108**, 193)*

Galaxies: structure 11.19.6

The formation of disk galaxies in a cosmological context: populations, metallicities and metallicity gradients
Steinmetz M., Müller E. **281**, L97

N-body equilibrium figures of early-type galaxies. II. Analysis of orbital populations
Udry S., Martinet L. **281**, 314

The nature of elongated ellipticals
Nieto J.L., Poulain P., Davoust E. **283**, 1

Parameters of stellar disks from CCD surface photometry of edge-on galaxies
Barteldrees A., Dettmar R.-J. **283**, 715 (***103**, 475)*

Search for faint ring-shaped galaxies in the –77° to –87° declination interval
Faúndez-Abans M., Cuevas H.L., Hertling G.P. **284**, 699 (***104**, 1)*

The multi-gaussian expansion method: a tool for building realistic photometric and kinematical models of stellar systems. I. The formalism
Emsellem E., Monnet G., Bacon R. **285**, 723

The multi-gaussian expansion method: a tool for building realistic photometric and kinematical models of stellar systems. II. Application to the central region of the Sombrero Galaxy (NGC 4594)
Emsellem E., Monnet G., Bacon R., Nieto J.L. **285**, 739

Is the edge-on galaxy NGC 4762 actually barred?
Wozniak H. **286**, L5

New evidence for mergers in compact groups of galaxies
Caon N., Capaccioli M., D'Onofrio M., Longo G. **286**, L39

Far-UV observations of the whirlpool galaxy M 51
Bersier D., Blecha A., Golay M., Martinet L. **286**, 37

Hydrodynamic simulations of open normal spiral galaxies: OLR, corotation and 4/1 models
Patsis P.A., Hiotelis N., Contopoulos G., Grosbøl P. **286**, 46

The vertical stellar distribution in NGC 6504: detection of a thick disk
van Dokkum P.G., Peletier R.F., de Grijs R., Balcells M. **286**, 415

Galactic models with massive coronae. IV. The Andromeda galaxy, M 31
Tenjes P., Haud U., Einasto J. **286**, 753

Stochastic self-propagating star formation with anisotropic probability distribution
Jungwiert B., Palouš J. **287**, 55

Interstellar matter in Shapley-Ames elliptical galaxies. II. The distribution of dust and ionized gas
Goudfrooij P., Hansen L., Jørgensen H.E., Nørgaard-Nielsen H.U. **287**, 1040 (***105**, 341)*

Kinematics of 14 early-type galaxies
Longo G., Zaggia S.R., Busarello G., Richter G. **287**, 1041 (***105**, 433)*

2.1 μm images of the evolved stellar disk and the morphological classification of spiral galaxies
Block D.L., Bertin G., Stockton A., Grosbøl P., Moorwood A.F.M., Peletier R.F. **288**, 365

Evolution of spiral structure in an interacting triple galactic system. I. M 31-type systems
Vozikis C.L., Caranicolas N.D. **288**, 448

Near-infrared and optical broadband surface photometry of 86 face-on disk dominated galaxies. I. Selection, observations and data reduction
de Jong R.S., van der Kruit P.C. **289**, 999 (***106, 451***)

Far-UV imaging of M 81 and comparison to other spiral tracers
Reichen M., Kaufman M., Blecha A., Golay M., Huguenin D. **289**, 1000 (***106, 523***)

Spatially correlated diffuse Hα and radio continuum emission from the halo of NGC 891
Dahlem M., Dettmar R.-J., Hummel E. **290**, 384

Discovery of an emitting ring in the Seyfert 1 galaxy UCM 2329+2500
Gallego J., Zamorano J., Rego M., Vitores A.G. **290**, 705

A two-component model for spherical galaxies
Hiotelis N. **291**, 725

Structure and age of the radiogalaxy 3C 435A ($z = 0.471$) with the integral field spectrograph TIGER
Rocca-Volmerange B., Adam G., Ferruit P., Bacon R. **292**, 20

On the non-existence of some heterogeneous equivalents of ellipsoidal Dedekind figures
Chambat F. **292**, 76

Erratum Near-infrared and optical broadband surface photometry of 86 face-on disk dominated galaxies. I. Selection, observations and data reduction
de Jong R.S., van der Kruit P.C. **292**, 354 (***107, 419***)

The distribution of dust in Sb's and Sc's: *K*-band infrared imaging of a diameter-limited sample of 37 galaxies
Peletier R.F., Valentijn E.A., Moorwood A.F.M., Freudling W. **292**, 369 (***108, 621***)

Improved *I*-band CCD photometry of NGC 3379 and comparison with a violent relaxation model
Sodemann M., Thomsen B. **292**, 425

Galaxy: abundances 10.01.1

The evolution of abundance gradients in spiral galaxies
Köppen J. **281**, 26

Abundance gradients from disk planetary nebulae: O, Ne, S, and Ar
Maciel W.J., Köppen J. **282**, 436

Elemental abundances in the old open clusters NGC 2243 and Melotte 66
Gratton R.G., Contarini G. **283**, 911

The chemical composition at a galactocentric distance of 13 kpc
Rolleston W.R.J., Dufton P.L., Fitzsimmons A. **284**, 72

The galactic distribution of chemical elements as derived from B-stars in open clusters. I. NGC 6231: stellar parameters and chemical abundances
Kilian J., Montenbruck O., Nissen P.E. **284**, 437

A hint on the age and helium content of the Galactic Bulge
Renzini A. **285**, L5

Evolution of carbon and oxygen in the Galaxy: the effect of metallicity dependent yields
Prantzos N., Vangioni-Flam E., Chauveau S. **285**, 132

Chemical composition and atmospheric parameters of metal-poor halo stars
Nissen P.E., Gustafsson B., Edvardsson B., Gilmore G. **285**, 440

NGC 6522: an intermediate metallicity globular cluster projected on the Baade Window
Barbuy B., Ortolani S., Bica E. **285**, 871

A NLTE study of neutral boron in solar-type stars
Kiselman D. **286**, 169

(RN) The chemical compositions of the open clusters Be 94 and NGC 457
Dufton P.L., Fitzsimmons A., Rolleston W.R.J. **286**, 449

The Galactic system of old open clusters: age calibration and age-metallicity relation
Carraro G., Chiosi C. **287**, 761

Galactic orbits of the old open clusters NGC 188, NGC 2682, NGC 2420, NGC 752 and NGC 2506
Carraro G., Chiosi C. **288**, 751

Planetary nebulae and the helium-to-metals enrichment ratio
Chiappini C., Maciel W.J. **288**, 921

The galactic abundance gradients traced by B-type stars
Kaufer A., Szeifert T., Krenzin R., Baschek B., Wolf B. **289**, 740

Boron in the extreme Population II star HD 140283 and the production of light elements in the Early Galaxy
Edvardsson B., Gustafsson B., Johansson S.G., Kiselman D., Lambert D.L., Nissen P.E., Gilmore G. **290**, 176

Carbon abundances in F and G dwarfs
Andersson H., Edvardsson B. **290**, 590

Abundances of four very metal-poor stars of the BPS survey
Primas F., Molaro P., Castelli F. **290**, 885

The galactic distribution of chemical elements as derived from B-stars in open clusters. II. NGC 6611, S 285, and S 289
Kilian-Montenbruck J., Gehren T., Nissen P.E. **291**, 757

Galaxy: center 10.03.1

Astrometry in the Galactic Center region
Müller T., Rosa M.R., Röser S. **283**, L29

Binary black hole in a dense star cluster
Polnarev A.G., Rees M.J. **283**, 301

Angular diameters of compact planetary nebulae
Bedding T.R., Zijlstra A.A. **283**, 955

Filling factors and ionized masses in planetary nebulae
Boffi F.R., Stanghellini L. **284**, 248

Discovery of a giant molecular cloud near the Galactic centre
Albinson J.S., Evans A., Krautter J., Weight A. **284**, 971

A hint on the age and helium content of the Galactic Bulge
Renzini A. **285**, L5

The nature of the brightest galactic center HeI emission line star
Najarro F., Hillier D.J., Kudritzki R.P., Krabbe A., Genzel R., Lutz D., Drapatz S., Geballe T.R. **285**, 573

(RN) Discovery of an obscured globular cluster candidate in the bulge
Bica E. **285**, 868

NGC 6522: an intermediate metallicity globular cluster projected on the Baade Window
Barbuy B., Ortolani S., Bica E. **285**, 871

The spectrum of Sgr A* and its variability
Duschl W.J., Lesch H. **286**, 431

(RN) Discovery of two new planetary nebulae in the direction of the galactic bulge
Cuisinier F., Terzan A., Acker A. **287**, 227

VLA data constraints on the Galactic-Centre annihilation line source 1E 1740.7–2942
Zheleznyakov V.V., Belyanin A.A. **287**, 782

Hydrodynamical 3D Bondi-Hoyle accretion onto the Galactic Center blackhole candidate Sgr A
Ruffert M., Melia F. **288**, L29

An extensive study of planetary nebulae in the Galactic bulge. V. Monte-Carlo simulations of an observed sample
Stasińska G., Tylenda R. **289**, 225

The investigation of the error boxes of KVANT and GRANAT X-ray sources in the region of Galactic center
Cherepashchuk A.M., Goranskij V.P., Karitskaya E.A., Nadjip A.E., Savage A., Shakura N.I., Sunyaev R.A., Volchkov A.A. **289**, 419

The metal-rich globular cluster NGC 6356
Bica E., Ortolani S., Barbuy B. **289**, 663 (***106**, 161)*

Three-dimensional hydrodynamic Bondi-Hoyle accretion. III. Mach 0.6, 1.4 and 10; $\gamma = 5/3$
Ruffert M. **289**, 1000 (***106**, 505)*

ROSAT observation of the Sgr A region
Predehl P., Trümper J. **290**, L29

A large-scale survey of OH in the galactic centre
Boyce P.J., Cohen R.J. **292**, 357 (***107**, 563)*

Starving accretion disks in the center of galaxies: the examples of Sagittarius A* and M 31
Falcke H., Heinrich O.M. **292**, 430

Galaxy: evolution 10.05.1

The evolution of abundance gradients in spiral galaxies
Köppen J. **281**, 26

Abundance gradients from disk planetary nebulae: O, Ne, S, and Ar
Maciel W.J., Köppen J. **282**, 436

Elemental abundances in the old open clusters NGC 2243 and Melotte 66
Gratton R.G., Contarini G. **283**, 911

Can nucleosynthesis determine the mass limit for stellar black hole formation?
Prantzos N. **284**, 477

Evolution of carbon and oxygen in the Galaxy: the effect of metallicity dependent yields
Prantzos N., Vangioni-Flam E., Chauveau S. **285**, 132

A large, complete, volume-limited sample of G-type dwarfs. I. Completion of Strömgren *uvby* photometry
Olsen E.H. **285**, 358 (***104**, 429)*

The Galactic system of old open clusters: age calibration and age-metallicity relation
Carraro G., Chiosi C. **287**, 761

Abundances of neutron-capture elements in metal-poor stars
Gratton R.G., Sneden C. **287**, 927

Planetary nebulae and the helium-to-metals enrichment ratio
Chiappini C., Maciel W.J. **288**, 921

The galactic abundance gradients traced by B-type stars
Kaufer A., Szeifert T., Krenzin R., Baschek B., Wolf B. **289**, 740

Self-similar spreading of a viscous, star-forming galactic disc
Fröhlich H.-E. **289**, 749

Carbon abundances in F and G dwarfs
Andersson H., Edvardsson B. **290**, 590

uvby–β photometry of high-velocity and metal-poor stars. VII. Ages of halo and thick-disk field stars
Marquez A., Schuster W.J. **292**, 362 (***108**, 341)*

Galaxy: formation 10.06.1

A hint on the age and helium content of the Galactic Bulge
Renzini A. **285**, L5

Galaxy: fundamental parameters 10.06.2

The disc scale length of the Galaxy
Fux R., Martinet L. **287**, L21

Galaxy: general 10.07.1

IRAS sources beyond the solar circle. IV. Maps of far-outer Galaxy molecular clouds
Brand J., Wouterloot J.G.A. **283**, 715 (***103**, 503)*

The magnetic field in the disk of our Galaxy
Han J.L., Qiao G.J. **288**, 759

Synthetic and observed photometric indices for globular clusters in the Galaxy and M 31
Covino S., Pasinetti Fracassini L.E., Malagnini M.L., Buzzoni A. **289**, 775

(Galaxy:) globular clusters: general 10.07.2

A comparison of methods for determining the centers of globular clusters
Picard A., Johnston H.M. **283**, 76

Integrated spectral properties of star clusters in the near-ultraviolet
Bica E., Alloin D., Schmitt H.R. **283**, 805

HST observations of globular clusters in M 31. I. Surface photometry of 13 objects
Fusi Pecci F., Battistini P., Bendinelli O., Bònoli F., Cacciari C., Djorgovski S., Federici L., Ferraro F.R., Parmeggiani G., Weir N., Zavatti F. **284**, 349

On the Oosterhoff–Arp–Sandage period-shift effect and its evolutionary interpretation
Catelan M. **285**, 469

(RN) Discovery of an obscured globular cluster candidate in the bulge
Bica E. **285**, 868

Discovery of multiple X-ray sources in 47 Tucanae
Hasinger G., Johnston H.M., Verbunt F. **288**, 466

ROSAT PSPC observations of globular clusters
Johnston H.M., Verbunt F., Hasinger G. **289**, 763

Synthetic and observed photometric indices for globular clusters in the Galaxy and M 31
Covino S., Pasinetti Fracassini L.E., Malagnini M.L., Buzzoni A. **289**, 775

The cases of the "disk" globular clusters NGC 6496, NGC 6624, and NGC 6637
Richtler T., Grebel E.K., Seggewiss W. **290**, 412

Stellar OH masers toward globular clusters
Frail D.A., Beasley A.J. **290**, 796

The low galactic latitude metal-rich globular cluster NGC 6440
Ortolani S., Barbuy B., Bica E. **292**, 369 (***108**, 653)*

(Galaxy:) globular clusters: individual:... 10.07.3

M 3

UV-(2000 Å) imaging of globular clusters. II. The blue straggler stars of M 3
Laget M., Milliard B., Donas J. **282**, 37

Proper motion study of the globular cluster M 3
Tucholke H.-J., Scholz R.-D., Brosche P. **284**, 701 (***104, 161***)

The stellar population of the globular cluster M3. I. Photographic photometry of 10000 stars
Buonanno R., Corsi C.E., Buzzoni A., Cacciari C., Ferraro F.R., Fusi Pecci F. **290**, 69

M 5

Distances and luminosities for RR Lyrae stars in M 5 and M 92 from a Baade-Wesselink analysis
Storm J., Carney B.W., Latham D.W. **290**, 443

M 13

(RN) The helium-to-hydrogen ratio of the UV-bright star Barnard 29 of Messier 13
Adelman S.J., Aikman G.C.L., Hayes D.S., Philip A.G.D., Sweigart A.V. **282**, 134

Investigation of the II-90 giant in globular cluster M 13
Klochkova V.G., Mishenina T.V., Panchuk V.E. **287**, 881

M 15

High-resolution kinematical mapping of the core of the globular cluster M 15 ≡ NGC 7078
Dubath P., Meylan G. **290**, 104

M 55

The structure of the interstellar gas towards stars in the globular cluster M 55
Lyons M.A., Bates B., Kemp S.N. **286**, 535

M 71

Interstellar dust clouds in the direction of the globular cluster M 71
Smriglio F., Dasgupta A.K., Boyle R.P. **292**, 367 (***108, 581***)

M 92

Distances and luminosities for RR Lyrae stars in M 5 and M 92 from a Baade-Wesselink analysis
Storm J., Carney B.W., Latham D.W. **290**, 443

NGC 288

(RN) Horizontal-branch models and the second-parameter phenomenon: the case of NGC 288 and NGC 362
Catelan M., de Freitas Pacheco J.A. **289**, 394

NGC 330 (SMC)

Photometry of the young cluster NGC 330 in the Small Magellanic Cloud
Vallenari A., Ortolani S., Chiosi C. **292**, 367 (***108, 571***)

NGC 362

(RN) Horizontal-branch models and the second-parameter phenomenon: the case of NGC 288 and NGC 362
Catelan M., de Freitas Pacheco J.A. **289**, 394

NGC 1818 (LMC)

Carbon abundances in the LMC globular cluster NGC 1818
Meliani M.T., Barbuy B., Richtler T. **290**, 753

NGC 1850 (LMC)

Active star formation regions at the edge of the LMC Bar: NGC 1850 and NGC 1858
Vallenari A., Aparicio A., Fagotto F., Chiosi C., Ortolani S., Meylan G. **284**, 447

NGC 1851

Hot stars near the position of X0512–401 in the globular cluster NGC 1851
Aurière M., Bonnet-Bidaud J.M., Koch-Miramond L. **284**, 457

NGC 1858 (LMC)

Active star formation regions at the edge of the LMC Bar: NGC 1850 and NGC 1858
Vallenari A., Aparicio A., Fagotto F., Chiosi C., Ortolani S., Meylan G. **284**, 447

NGC 1866 (LMC)

Core overshooting and the enigma of NGC 1866
Brocato E., Castellani V., Piersimoni A.M. **290**, 59

NGC 2134 (LMC)

A study of the color-magnitude diagrams and luminosity functions of the two LMC clusters NGC 2134 and NGC 2249 with the new radiative opacities
Vallenari A., Aparicio A., Fagotto F., Chiosi C. **284**, 424

NGC 2214

Wide area colour magnitude diagrams of the LMC cluster NGC 2214
Bhatia R., Piotto G. **283**, 424

NGC 2249 (LMC)

A study of the color-magnitude diagrams and luminosity functions of the two LMC clusters NGC 2134 and NGC 2249 with the new radiative opacities
Vallenari A., Aparicio A., Fagotto F., Chiosi C. **284**, 424

NGC 6171

An OH maser towards the globular cluster NGC 6171
Feast M.W., Whitelock P.A. **287**, L29

Stellar OH masers toward globular clusters
Frail D.A., Beasley A.J. **290**, 796

NGC 6397

Faint blue stars in the core of NGC 6397
De Marchi G., Paresce F. **281**, L13

Lithium abundance in a turnoff star of the old globular cluster NGC 6397
Molaro P., Pasquini L. **281**, L77

HST observations of the core of globular cluster NGC 6397
Burgarella D., Paresce F., Meylan G., King I.R., Greenfield P., Baxter D., Jedrzejewski R., Nota A., Albrecht R., Barbieri C., Blades J.C., Boksenberg A., Crane P., Deharveng J.M., Disney M.J., Jakobsen P., Kamperman T.M., Macchetto F., Mackay C.D., Weigelt G. **287**, 769

NGC 6401

Pt 1: a Halo symbiotic binary not related to the globular cluster NGC 6401
Munari U., Lattanzi M.G., Bragaglia A. **292**, 501

NGC 6440

The low galactic latitude metal-rich globular cluster NGC 6440
Ortolani S., Barbuy B., Bica E. **292**, 369 (***108**, 653)*

NGC 6496

The cases of the "disk" globular clusters NGC 6496, NGC 6624, and NGC 6637
Richtler T., Grebel E.K., Seggewiss W. **290**, 412

NGC 6522

NGC 6522: an intermediate metallicity globular cluster projected on the Baade Window
Barbuy B., Ortolani S., Bica E. **285**, 871

NGC 6528

The metal-rich globular cluster NGC 6356
Bica E., Ortolani S., Barbuy B. **289**, 663 (***106**, 161)*

NGC 6540

The globular cluster NGC 6540
Bica E., Ortolani S., Barbuy B. **283**, 67

NGC 6624

The cases of the "disk" globular clusters NGC 6496, NGC 6624, and NGC 6637
Richtler T., Grebel E.K., Seggewiss W. **290**, 412

NGC 6637

The cases of the "disk" globular clusters NGC 6496, NGC 6624, and NGC 6637
Richtler T., Grebel E.K., Seggewiss W. **290**, 412

NGC 6652

The globular cluster NGC 6652
Ortolani S., Bica E., Barbuy B. **286**, 444

NGC 6712

New optical positions of the globular cluster X-ray sources NGC 6712: S/X 1850-086 and M 15: AC 211/X 2127+119
Geffert M., Aurière M., Requième Y., Mazurier J.-M. **282**, 989

ω Cen

The RR Lyrae stars of ω Centauri revisited. I. Catalogue of Fourier decomposition parameters
Petersen J.O. **287**, 1036 (***105**, 145)*

47 Tuc

Discovery of multiple X-ray sources in 47 Tucanae
Hasinger G., Johnston H.M., Verbunt F. **288**, 466

A Baade-Wesselink analysis of the RR Lyrae star V9 in 47 Tucanae
Storm J., Nordström B., Carney B.W., Andersen J. **291**, 121

Galaxy: halo 10.08.1

Kinetic theory of propagation and runaway galactic cosmic rays. II. Self-consistent model
Dogiel V.A., Gurevich A.V., Zybin K.P. **281**, 937

PG 2120+062: an apparently normal O-star at high galactic latitude
Moehler S., Heber U., Dreizler S. **282**, L29

Chemical composition and atmospheric parameters of metal-poor halo stars
Nissen P.E., Gustafsson B., Edvardsson B., Gilmore G. **285**, 440

The impact of a high velocity cloud onto the galactic disk
Kerp J., Lesch H., Mack K.-H. **286**, L13

The distance to the Complex C of high-velocity halo clouds
de Boer K.S., Altan A.Z., Bomans D.J., Lilienthal D., Moehler S., van Woerden H., Wakker B.P., Bregman J.N. **286**, 925

Abundances of four very metal-poor stars of the BPS survey
Primas F., Molaro P., Castelli F. **290**, 885

Interstellar and intergalactic gas towards SN 1993J in M 81: a study of optical and 21 cm spectra
Vladilo G., Centurión M., de Boer K.S., King D.L., Lipman K., Stegert J.S.W., Unger S.W., Walton N.A. **291**, 425

Optical and 21-cm observations of high-velocity gas towards subdwarfs in the halo and early-type stars in the disk
Centurión M., Vladilo G., de Boer K.S., Herbstmeier U., Schwarz U.J. **292**, 261

uvby–β photometry of high-velocity and metal-poor stars. VII. Ages of halo and thick-disk field stars
Marquez A., Schuster W.J. **292**, 362 (***108**, 341)*

Galaxy: kinematics and dynamics 10.11.1

1:1:1 resonant periodic orbits in 3-dimensional galactic-type Hamiltonians
Caranicolas N.D. **282**, 34

Collisional relaxation in a nonintegrable potential
Kandrup H.E., Willmes D.E. **283**, 59

A new *UBV* and proper motion survey in the anticentre direction at intermediate galactic latitude: kinematics of the Galaxy's stellar populations
Ojha D.K., Bienaymé O., Robin A.C., Mohan V. **284**, 810

New radial velocities for classical Cepheids. Local galactic rotation revisited
Pont F., Mayor M., Burki G. **285**, 415

The disc scale length of the Galaxy
Fux R., Martinet L. **287**, L21

Kinematics of hot subdwarfs
Colin J., de Boer K.S., Dauphole B., Ducourant C., Dulou M.R., Geffert M., Le Campion J.-F., Moehler S., Odenkirchen M., Schmidt J.H.K., Theissen A. **287**, 38

The generation of Stäckel potentials for galactic dynamical modeling
Batsleer P., Dejonghe H. **287**, 43

A semi-numerical method for resonances in galactic-type Hamiltonians
Caranicolas N.D. **287**, 752

(RN) Quadratic integrals in uniformly rotating Hamiltonian systems
Stewart P. **287**, 757

New radial velocities for 96 faint southern Cepheids
Pont F., Burki G., Mayor M. **287**, 1036 (***105, 165***)

Galactic orbits of the old open clusters NGC 188, NGC 2682, NGC 2420, NGC 752 and NGC 2506
Carraro G., Chiosi C. **288**, 751

Self-similar spreading of a viscous, star-forming galactic disc
Fröhlich H.-E. **289**, 749

Short times characterisations of stochasticity in nonintegrable galactic potentials
Kandrup H.E., Mahon M.E. **290**, 762

A multicolor survey of absolute proper motions: galactic structure and kinematics in the direction of the galactic center at intermediate latitude
Ojha D.K., Bienaymé O., Robin A.C., Mohan V. **290**, 771

Structure and evolution of long-lived spiral patterns in galaxies
Donner K.J., Thomasson M. **290**, 785

Numerical simulations for the study of the methods for stellar kinematics and luminosity calibration
Jaschek C., Valbousquet A., Luri X. **291**, 439

The basic solar motion and the median solar motion
Jaschek C., Valbousquet A. **291**, 448

A map for galaxy potentials in resonance cases
Caranicolas N.D. **291**, 754

(Galaxy:) open clusters and associations: general 10.15.1

Five old open clusters: NGC 2682, NGC 2243, Berkeley 39, NGC 188 and NGC 6791
Carraro G., Chiosi C., Bressan A., Bertelli G. **282**, 352 (***103, 375***)

The young stellar population associated with the H II region NGC 3576
Persi P., Roth M., Tapia M., Ferrari-Toniolo M., Marenzi A.R. **282**, 474

(RN) H and He burning phases in galactic clusters: the role of the original chemical composition
Cassisi S., Castellani V., Straniero O. **282**, 753

Integrated spectral properties of star clusters in the near-ultraviolet
Bica E., Alloin D., Schmitt H.R. **283**, 805

The chemical composition at a galactocentric distance of 13 kpc
Rolleston W.R.J., Dufton P.L., Fitzsimmons A. **284**, 72

Integrated photometric properties of open clusters
Battinelli P., Brandimarti A., Capuzzo-Dolcetta R. **285**, 357 (***104, 379***)

Star formation by infall of high velocity clouds on the galactic disk
Lépine J.R.D., Duvert G. **286**, 60

Maximum likelihood estimation of the mean parallax and the kinematic parameters of moving clusters
Zhao J.L., Chen L. **287**, 68

The Galactic system of old open clusters: age calibration and age-metallicity relation
Carraro G., Chiosi C. **287**, 761

Monte-Carlo simulations of binary stellar evolution in young open clusters
Pols O.R., Marinus M. **288**, 475

Galactic orbits of the old open clusters NGC 188, NGC 2682, NGC 2420, NGC 752 and NGC 2506
Carraro G., Chiosi C. **288**, 751

The Orion OB 1 association. I. Stellar content
Brown A.G.A., de Geus E.J., de Zeeuw P.T. **289**, 101

The apparent distribution of red giant spectroscopic binaries in open clusters
Raboud D., Mermilliod J.-C. **289**, 121

The use of the $(B-I)$ color index and applications of the $(B-I)$ versus $(B-V)$ relationship. I. Open clusters
Natali F., Natali G., Pompei E., Pedichini F. **289**, 756

Stellar associations in the Large Magellanic Cloud. I. LH 15, LH 47, 48, 49, LH 52, 53, LH 83, LH 91, 95
Kontizas M., Kontizas E., Dapergolas A., Argyropoulos S., Bellas-Velidis Y. **290**, 1021 (***107, 77***)

Spectroscopy of the young cluster Blanco 1
Panagi P.M., O'Dell M.A., Collier Cameron A., Robinson R.D. **292**, 439

(Galaxy:) open clusters and associations: individual:... 10.15.2

Ara OB1

The interstellar medium in the Ara OB1 field
Rizzo J.R., Bajaja E. **289**, 922

Be 22

CCD photometry of distant open clusters. I. Berkeley 22, Berkeley 29 and Berkeley 54
Kaluzny J. **292**, 359 (***108, 151***)

Be 29

CCD photometry of distant open clusters. I. Berkeley 22, Berkeley 29 and Berkeley 54
Kaluzny J. **292**, 359 (***108, 151***)

Be 54

CCD photometry of distant open clusters. I. Berkeley 22, Berkeley 29 and Berkeley 54
Kaluzny J. **292**, 359 (***108, 151***)

Be 94

(RN) The chemical compositions of the open clusters Be 94 and NGC 457
Dufton P.L., Fitzsimmons A., Rolleston W.R.J. **286**, 449

Blanco 1

Spectroscopy of the young cluster Blanco 1
Panagi P.M., O'Dell M.A., Collier Cameron A., Robinson R.D. **292**, 439

Cyg OB 2

Complex interstellar absorption lines of C_2 in the Cygnus OB 2 association
Gredel R., Münch G. **285**, 640

Gould Belt

The origin of the Gould Belt by the impact of a high velocity cloud on the galactic disk
Comerón F., Torra J. **281**, 35

On the characteristics and origin of the expansion of the local system of young objects
Comerón F., Torra J., Gómez A.E. **286**, 789

IC 2714

Photometric and Coravel observations of stars in the open cluster IC 2714
Clariá J.J., Mermilliod J.-C., Piatti A.E., Minniti D. **290**, 1020 (***107, 39***)

Lk Hα 101 IR Cluster

Near-IR imaging photometry of the J–K>4 sources in the Lk Hα 101 infrared cluster
Aspin C., Barsony M. **288**, 849

M 67

The interior structure and evolution of blue straggler stars in open clusters
Schönberner D., Napiwotzki R. **282**, 106

BVRI photometry of the Dipper Asterism region in M 67
Anupama G.C., Kembhavi A.K., Prabhu T.P., Singh K.P., Bhat P.N. **282**, 351 (***103, 315***)

The apparent distribution of red giant spectroscopic binaries in open clusters
Raboud D., Mermilliod J.-C. **289**, 121

Optical identification of two soft ROSAT sources in the old open cluster M67
Pasquini L., Belloni T., Abbott T.M.C. **290**, L17

Mel 66

Elemental abundances in the old open clusters NGC 2243 and Melotte 66
Gratton R.G., Contarini G. **283**, 911

NGC 457

(RN) The chemical compositions of the open clusters Be 94 and NGC 457
Dufton P.L., Fitzsimmons A., Rolleston W.R.J. **286**, 449

NGC 1245

CCD *BV* photometry of the intermediate age open cluster NGC 1245
Carraro G., Patat F. **289**, 397

NGC 2169

Period of the Si-star in NGC 2169
Renson P. **285**, 912

NGC 2175

UBVRI photometry and polarimetry of the stars in S 252 (NGC 2175). I. The observations
Haikala L.K. **292**, 369 (***108, 643***)

NGC 2243

Elemental abundances in the old open clusters NGC 2243 and Melotte 66
Gratton R.G., Contarini G. **283**, 911

NGC 2286

Proper motions of stars in the region of the open cluster NGC 2286 and its membership study
Tian K.P., Zhao J.L., van Leeuwen F. **287**, 1033 (***105, 15***)

NGC 2451

NGC 2451 – What is it?
Röser S., Bastian U. **285**, 875

NGC 4815

Deep CCD *BV* photometry of the poorly studied open cluster NGC 4815
Carraro G., Ortolani S. **289**, 1001 (***106, 573***)

NGC 5606

Deep photometry in the core of the open cluster NGC 5606
Vázquez R.A., Baume G., Feinstein A., Prado P. **289**, 666 (***106, 339***)

NGC 6231

The galactic distribution of chemical elements as derived from B-stars in open clusters. I. NGC 6231: stellar parameters and chemical abundances
Kilian J., Montenbruck O., Nissen P.E. **284**, 437

NGC 6611

The galactic distribution of chemical elements as derived from B-stars in open clusters. II. NGC 6611, S 285, and S 289
Kilian-Montenbruck J., Gehren T., Nissen P.E. **291**, 757

NGC 6633

(RN) Spectroscopic identification of white dwarfs in galactic clusters. VII. NGC 6633
Reimers D., Koester D. **285**, 451

NGC 6939

UBV photoelectric photometry of red giants in NGC 6939
Mermilliod J.-C., Huestamendia G., del Rio G. **289**, 999 (***106, 419***)

NGC 7380

H_α interferometric, optical and near IR photometric studies of star forming regions. II. The NGC 7380E/Sh2-142/NGC 7380 complex
Chavarría-K. C., Moreno-Corral M.A., Hernández-Toledo H., Terranegra L., de Lara E. **283**, 963

NGC 7789

The interior structure and evolution of blue straggler stars in open clusters
Schönberner D., Napiwotzki R. **282**, 106

The luminosity function of stars in the intermediate age open cluster NGC 7789
Martinez Roger C., Paez E., Castellani V., Straniero O. **290**, 62

Orion association

Is Geminga a runaway member of the Orion association?
Smith V.V., Cunha K., Plez B. **281**, L41

Orion OB 1

The Orion OB 1 association. I. Stellar content
Brown A.G.A., de Geus E.J., de Zeeuw P.T. **289**, 101

Per OB2

AG Persei: absolute dimensions and membership of Perseus OB2
Giménez A., Clausen J.V. **291**, 795

Pismis 3

Pismis 3: an unstudied old open cluster
Carraro G., Ortolani S. **291**, 106

Pleiades

Pre-main sequence lithium burning. II. Pleiades low mass stars
García López R.J., Rebolo R., Martín E.L. **282**, 518

(RN) The mass-ratio distribution of the spectroscopic binaries in the Pleiades
Goldberg D., Mazeh T. **282**, 801

Praesepe

Time-resolved photometry of BN and BU Cancri, two δ Scuti stars in the Praesepe cluster. Fourth photometry campaign of the STEPHI network
Belmonte J.A., Michel E., Álvarez M., Jiang S.Y., Chevreton M., Auvergne M., Liu Y.Y., Goupil M.J., Baglin A., Roca Cortés T., Mangeney A., Dolez N., Valtier J.C., Massacrier G., Sareyan J.P., Schmider F.X., Vidal I. **283**, 121

Investigation of the Praesepe cluster. II. Three triple systems: KW 365, 367 and 495
Mermilliod J.-C., Duquennoy A., Mayor M. **283**, 515

S 285 cluster

The galactic distribution of chemical elements as derived from B-stars in open clusters. II. NGC 6611, S 285, and S 289
Kilian-Montenbruck J., Gehren T., Nissen P.E. **291**, 757

S 289 cluster

The galactic distribution of chemical elements as derived from B-stars in open clusters. II. NGC 6611, S 285, and S 289
Kilian-Montenbruck J., Gehren T., Nissen P.E. **291**, 757

α Persei

Pre-main sequence lithium burning. II. Pleiades low mass stars
García López R.J., Rebolo R., Martín E.L. **282**, 518

(Galaxy:) solar neighbourhood 10.19.1

The origin of the Gould Belt by the impact of a high velocity cloud on the galactic disk
Comerón F., Torra J. **281**, 35

The HI gas kinetic temperature of high galactic latitude cirrus clouds
Stark R., Dickey J.M., Burton W.B., Wennmacher A. **281**, 199

A model of stellar evolution of the galactic disc. The IMF at low masses
Haywood M. **282**, 444

A large, complete, volume-limited sample of G-type dwarfs. I. Completion of Strömgren *uvby* photometry
Olsen E.H. **285**, 358 (***104, 429***)

On the characteristics and origin of the expansion of the local system of young objects
Comerón F., Torra J., Gómez A.E. **286**, 789

GHRS observations of Sirius-A. I. Interstellar clouds toward Sirius and Local Cloud ionization
Lallement R., Bertin P., Ferlet R., Vidal-Madjar A., Bertaux J.L. **286**, 898

The disc scale length of the Galaxy
Fux R., Martinet L. **287**, L21

The evolution of Local Interstellar Medium
Kosarev I.B., Loseva T.V., Nemtchinov I.V., Popel S.I. **287**, 470

The warm and the cold neutral phase in the local interstellar medium at $|b| \geq 10°$ and at low velocities
Pöppel W.G.L., Marronetti P., Benaglia P. **287**, 601

Solar cycle and interplanetary hydrogen
Kyrölä E., Summanen T., Raðback P. **288**, 299

Observations of interplanetary Lyman-α with the Galileo Ultraviolet Spectrometer: multiple scattering effects at solar maximum
Ajello J.M., Pryor W.R., Barth C.A., Hord C.W., Stewart A.I.F., Simmons K.E., Hall D.T. **289**, 283

Strömgren photometry of F- and G-type stars brighter than $V = 9.6$. I. *uvby* photometry
Olsen E.H. **289**, 664 (***106, 257***)

Origin of the O^+ pick-up ions in the heliosphere
Geiss J., Gloeckler G., Mall U. **289**, 933

A new measurement of the interplanetary hydrogen density with ALAE/ATLAS 1
Quémerais E., Bertaux J.L., Sandel B.R., Lallement R. **290**, 941

The basic solar motion and the median solar motion
Jaschek C., Valbousquet A. **291**, 448

CCD *uvbyβ* photometry of faint stars. II. Reddening in six fields in the Galaxy
Jønch-Sørensen H. **292**, 92

Dynamics of nearby multiple stars. The α Centauri system
Anosova J., Orlov V.V., Pavlova N.A. **292**, 115

Galaxy: stellar content 10.19.2

A new *UBV* and proper motion survey in the anticentre direction at intermediate galactic latitude: kinematics of the Galaxy's stellar populations
Ojha D.K., Bienaymé O., Robin A.C., Mohan V. **284**, 810

Spatial distribution of old neutron stars. Semianalytical considerations
Prokhorov M.E., Postnov K.A. **286**, 437

On the nova rate in the Galaxy
Della Valle M., Livio M. **286**, 786

On the characteristics and origin of the expansion of the local system of young objects
Comerón F., Torra J., Gómez A.E. **286**, 789

The distance to the Complex C of high-velocity halo clouds
de Boer K.S., Altan A.Z., Bomans D.J., Lilienthal D., Moehler S., van Woerden H., Wakker B.P., Bregman J.N. **286**, 925

The OH/IR-planetary nebula connection: space distribution and kinematics
Ortiz R., Maciel W.J. **287**, 552

Distant A- and F-stars in a low latitude field. Probes of interstellar reddening and Galactic structure
Jønch-Sørensen H., Knude J. **288**, 139

A new method for the determination of the population types of field stars
Karaali S. **288**, 1034 (***106***, *107)*

Strömgren photometry of F- and G-type stars brighter than $V = 9.6$. I. *uvby* photometry
Olsen E.H. **289**, 664 (***106***, *257)*

A multicolor survey of absolute proper motions: galactic structure and kinematics in the direction of the galactic center at intermediate latitude
Ojha D.K., Bienaymé O., Robin A.C., Mohan V. **290**, 771

The Spacelab-1 Very Wide Field Survey of UV-excess objects. IV. The performance of the instrument in combination with optical photometry as a means of identifying stars with peculiar properties
Tobin W., Viton M., Sivan J.-P. **292**, 353 (***107***, *385)*

Counts and colours of faint stars in 5 fields near the North Galactic Pole
Infante L. **292**, 354 (***107***, *413)*

uvby–β photometry of high-velocity and metal-poor stars. VII. Ages of halo and thick-disk field stars
Marquez A., Schuster W.J. **292**, 362 (***108***, *341)*

Galaxy: structure 10.19.3

A new *UBV* and proper motion survey in the anticentre direction at intermediate galactic latitude: kinematics of the Galaxy's stellar populations
Ojha D.K., Bienaymé O., Robin A.C., Mohan V. **284**, 810

Star formation by infall of high velocity clouds on the galactic disk
Lépine J.R.D., Duvert G. **286**, 60

The large scale distribution of PAHs in the Galaxy
Giard M., Lamarre J.M., Pajot F., Serra G. **286**, 203

The disc scale length of the Galaxy
Fux R., Martinet L. **287**, L21

The generation of Stäckel potentials for galactic dynamical modeling
Batsleer P., Dejonghe H. **287**, 43

A deep VLA search for OH (1612 MHz) maser sources in the galactic plane
Blommaert J.A.D.L., Van Langevelde H.J., Michiels W.F.P. **287**, 479

Distant A- and F-stars in a low latitude field. Probes of interstellar reddening and Galactic structure
Jønch-Sørensen H., Knude J. **288**, 139

Galactic orbits of the old open clusters NGC 188, NGC 2682, NGC 2420, NGC 752 and NGC 2506
Carraro G., Chiosi C. **288**, 751

The magnetic field in the disk of our Galaxy
Han J.L., Qiao G.J. **288**, 759

A new method for the determination of the population types of field stars
Karaali S. **288**, 1034 (***106***, *107)*

The cases of the "disk" globular clusters NGC 6496, NGC 6624, and NGC 6637
Richtler T., Grebel E.K., Seggewiss W. **290**, 412

A multicolor survey of absolute proper motions: galactic structure and kinematics in the direction of the galactic center at intermediate latitude
Ojha D.K., Bienaymé O., Robin A.C., Mohan V. **290**, 771

CCD *uvby*β photometry of faint stars. II. Reddening in six fields in the Galaxy
Jønch-Sørensen H. **292**, 92

Counts and colours of faint stars in 5 fields near the North Galactic Pole
Infante L. **292**, 354 (***107***, *413)*

A large-scale survey of OH in the galactic centre
Boyce P.J., Cohen R.J. **292**, 357 (***107***, *563)*

Deep Hα survey of the Milky Way. II. The $l = 328°$ area
Georgelin Y.M., Amram P., Georgelin Y.P., le Coarer E., Marcelin M. **292**, 366 (***108***, *513)*

Gamma rays: bursts 13.07.1

Observational constraints on the inter-binary stellar flare hypothesis for the gamma-ray bursts
Rao A.R., Vahia M.N. **281**, L21

The radio/infrared counterpart of the hard X-ray transient in Aquila: a possible source of repeated soft gamma-ray bursts
Mirabel I.F., Duc P.A., Rodríguez L.F., Teyssier R., Paul J., Claret A., Aurière M., Golombek D., Martí J. **282**, L17

On the nature of KY Cephei
Hudec R., Dědoch A. **282**, 452

Observations from the gamma-ray burst experiment onboard the SROSS-C satellite
Kasturirangan K., Marar T.M.K., Padmini V.N., Prasad N.L., Rao U.R., Seetha S. **283**, 435

Re-analysis of three archival optical objects on Odessa plates
Greiner J., Moskalenko E.I. **283**, 693

The gamma-ray burst experiment onboard the SROSS-C satellite
Marar T.M.K., Sharma M.R., Seetha S., Upadhyaya N., Padmini V.N., Umapathy C.N., Prasad N.L., Murthy N.S.R., Sreenivasaiah K.V., Kasturirangan K., Rao U.R. **283**, 698

OT 1928: a real candidate for GRB 781119
Hudec R., Pravec P., Borovička J. **284**, 499

Optical studies in the fields of gamma ray burst sources. II. GRB 910219 and the detection of flashing optical counterpart
Hudec R., Dědoch A., Pravec P., Borovička J. **284**, 839

Observations of gamma-ray bursts by COMPTEL
Hanlon L.O., Bennett K., Collmar W., Connors A., Diehl R., van Dijk R., Greiner J., den Herder J.W., Hermsen W., Kippen R.M., Kuiper L., McConnell M., Ryan J., Schönfelder V., Steinle H., Strong A., Varendorff M., Williams O.R., Winkler C. **285**, 161

Strange stars are not likely to be sources of gamma-ray bursts
Kluźniak W. **286**, L17

Application of the V/V_{max} test to Phebus gamma-ray bursts
Dezalay J.-P., Atteia J.-L., Barat C., Talon R., Sunyaev R., Terekhov O., Kuznetsov A., Dyatchkov A. **286**, 103

Spatial distribution of old neutron stars. Semianalytical considerations
Prokhorov M.E., Postnov K.A. **286**, 437

On the possible source of GRB 930131
Rao A.R., Vahia M.N. **287**, L34

Localizations and spectra of gamma-ray bursts observed within the sidelobes of the SIGMA telescope
Claret A., Lebrun F., Paul J., Cordier B., Pelaez F., Jourdain E., Niel M., Roques J.P., Terekov O., Lobachev V., Denisenko D., Sunyaev R., Churazov E., Gilfanov M., Dyachkov A., Khavenson N. **287**, 824

The lognormal properties of the soft gamma-ray repeater SGR 1806–20 and the Vela pulsar
Hurley K.J., McBreen B., Rabbette M., Steel S. **288**, L49

Simultaneous observations of γ-ray bursts with Phebus/Granat and Ulysses GRB
Atteia J.-L., Barat C., Boer M., Dezalay J.-P., Niel M., Talon R., Vedrenne G., Hurley K., Sommer M., Sunyaev R., Kuznetsov A., Terekhov O. **288**, 213

A case study: the time evolution of dust scattered X-ray halos from gamma-ray bursters
Klose S. **289**, L1

On the origin of extragalactic γ-ray bursters
Roland J., Frossati G., Teyssier R. **290**, 364

Optical studies of the field of GRB 940301
Pedersen H. **291**, L17

Gamma rays: observations 13.07.2

COMPTEL observations of the Orion complex: evidence for cosmic-ray induced gamma-ray lines
Bloemen H., Wijnands R., Bennett K., Diehl R., Hermsen W., Lichti G., Morris D., Ryan J., Schönfelder V., Strong A.W., Swanenburg B.N., de Vries C., Winkler C. **281**, L5

Gamma-ray emission from millisecond pulsars
Sturner S.J., Dermer C.D. **281**, L101

A search for γ-ray lines from the decay of ^{59}Fe in Supernova 1987A
Harris M.J., Leising M.D. **282**, 766

Sidelobes of the SIGMA telescope
Claret A., Lebrun F., Laurent P., Leray J.P. **282**, 1034

Observations from the gamma-ray burst experiment onboard the SROSS-C satellite
Kasturirangan K., Marar T.M.K., Padmini V.N., Prasad N.L., Rao U.R., Seetha S. **283**, 435

COMPTEL observations of ^{44}Ti gamma-ray line emission from Cas A
Iyudin A.F., Diehl R., Bloemen H., Hermsen W., Lichti G.G., Morris D., Ryan J., Schönfelder V., Steinle H., Varendorff M., de Vries C., Winkler C. **284**, L1

AGN emission above 20 keV: the hard X-ray detection problem
Maisack M., Wood K.S., Gruber D.E. **284**, 28

Observations of the pulsar PSR 1509–58 with the SIGMA telescope
Laurent P., Paul J., Claret A., Caraveo P.A., Schmitz-Fraysse M.C., Jourdain E., Roques J.P., Mandrou P., Churazov E., Gilfanov M., Sunyaev R., Finoguenov A., Sitdikov A., Vikhlinin A., Dyachkov A., Khavenson N. **286**, 838

SIGMA/GRANAT observations of the bright nearby millisecond pulsar PSR J0437–4715
Barret D., Stephen J.B., Olive J.F., Mandrou P., Laurent P., Denis M., Claret A., Cordier B., Churazov E., Gilfanov M., Sunyaev R., Dyachkov A., Khavenson N., Kuleshova N., Kovtunenko V., Sukhanov K. **288**, 472

EGRET observations of the Vela pulsar, PSR 0833–45
Kanbach G., Arzoumanian Z., Bertsch D.L., Brazier K.T.S., Chiang J., Fichtel C.E., Fierro J.M., Hartman R.C., Hunter S.D., Kniffen D.A., Lin Y.C., Mattox J.R., Mayer-Hasselwander H.A., Michelson P.F., von Montigny C., Nel H.I., Nice D., Nolan P.L., Pinkau K., Rothermel H., Schneid E., Sommer M., Sreekumar P., Taylor J.H., Thompson D.J. **289**, 855

On the temporal behaviour of the Crab pulsar as seen by COMPTEL
Carramiñana A., Bennett K., Buccheri R., Busetta M., Connors A., Hermsen W., Kuiper L., Lichti G.G., Ryan J., Schönfelder V., Strong A. **290**, 487

The radio-gamma time delay of the Crab pulsar
Masnou J.L., Agrinier B., Barouch E., Comte R., Costa E., Christy J.C., Cusumano G., Gerardi G., Lemoine D., Mandrou P., Massaro E., Matt G., Mineo T., Niel M., Olive J.F., Parlier B., Sacco B., Salvati M., Scarsi L. **290**, 503

Search for TeV gamma-ray emission from the Vela pulsar
Edwards P.G., Thornton G.J., Patterson J.R., Roberts M.D., Rowell G.P. **291**, 468

Diffuse continuum gamma rays from the Galaxy observed by COMPTEL
Strong A.W., Bennett K., Bloemen H., Diehl R., Hermsen W., Morris D., Schönfelder V., Stacy J.G., de Vries C., Varendorff M., Winkler C., Youssefi G. **292**, 82

COMPTEL upper limits on gamma-ray line emission from Supernova 1991T
Lichti G.G., Bennett K., den Herder J.W., Diehl R., Morris D., Ryan J., Schönfelder V., Steinle H., Strong A.W., Winkler C. **292**, 569

Gamma rays: theory 13.07.3

Gamma-ray emission from millisecond pulsars
Sturner S.J., Dermer C.D. **281**, L101

Gamma-ray spectroscopy of the interstellar medium in the Orion complex
Bykov A., Bloemen H. **283**, L1

(RN) Estimates of the Compton backscattering feature at ~150 keV in the Crab Nebula pulsar
Bednarek W., Cremonesi O., Treves A. **284**, 85

GeV/TeV gamma-ray emission from dense molecular clouds overtaken by supernova shells
Aharonian F.A., Drury L.O'C., Völk H.J. **285**, 645

Strange stars are not likely to be sources of gamma-ray bursts
Kluźniak W. **286**, L17

Interactions of cosmic ray nuclei
Mannheim K., Schlickeiser R. **286**, 983

On the predictive power of the minimum energy condition. II. Fractional calorimeter behaviour in the diffuse high energy gamma emission of spiral galaxies
Pohl M. **287**, 453

VLA data constraints on the Galactic-Centre annihilation line source 1E 1740.7–2942
Zheleznyakov V.V., Belyanin A.A. **287**, 782

e^+–e^- annihilation lines from accretion discs around Kerr black holes
Hameury J.-M., Marck J.-A., Pelat D. **287**, 795

The gamma-ray visibility of supernova remnants. A test of cosmic ray origin
Drury L.O'C., Aharonian F.A., Völk H.J. **287**, 959

On the gamma-ray emission from Markarian 421
Cheng K.S., Ding W.K.Y. **288**, 97

On the origin of extragalactic γ-ray bursters
Roland J., Frossati G., Teyssier R. **290**, 364

(RN) The γ-ray pulsars and the generation order parameter
Lu T., Wei D.M., Song L.M. **290**, 815

Gravitation 02.07.1

A Faber–Jackson relation for clusters of galaxies: implications for modified dynamics
Sanders R.H. **284**, L31

Gravitational lenses as giant diffractive telescopes
Labeyrie A. **284**, 689

On the competition of forces in the Kerr field
Semerák O. **291**, 679

History and philosophy of astronomy 01.08.1

(RN) A supposed brightening of η Carinae
Feast M.W., Whitelock P.A., Warner B. **285**, 199

"Guest stars", sample completeness and the local supernova rate
Strom R.G. **288**, L1

The visual magnitudes of stars in the Almagest of Ptolemeus and in later catalogues
Schmidt H. **289**, 1001 (***106**, 581)*

Hydrodynamics 02.08.1

Hydrodynamical simulations of relativistic jets
Martí M^{a}J., Müller E., Ibáñez M^{a}J. **281**, L9

Three-dimensional simulation of penetrative convection-penetration above a convection zone
Singh H.P., Roxburgh I.W., Chan K.L. **281**, L73

Nonlinear instability of colliding winds in a double star system
Dgani R., Soker N. **282**, 54

Titius-Bode laws in the solar system. I. Scale invariance explains everything
Graner F., Dubrulle B. **282**, 262

Titius-Bode laws in the solar system. II. Build your own law from disk models
Dubrulle B., Graner F. **282**, 269

Multidimensional relativistic hydrodynamics: characteristic fields and modern high-resolution shock-capturing schemes
Font J.A., Ibáñez J.M., Marquina A., Martí J.M. **282**, 304

Space and time distribution of hard X-ray emission in a loop at the beginning of a flare
Karlický M., Hénoux J.C. **283**, 202

The X-ray continuum of Tycho's remnant measured with Ginga
Fink H.H., Asaoka I., Brinkmann W., Kawai N., Koyama K. **283**, 635

Kelvin–Helmholtz instability of hydrodynamic supersonic jets
Bodo G., Massaglia S., Ferrari A., Trussoni E. **283**, 655

Successive hierarchical fragmentation of centrally condensed protostellar cores
Di G. Sigalotti L. **283**, 858

Numerical simulations of convection at the surface of a ZZ Ceti white dwarf
Ludwig H.-G., Jordan S., Steffen M. **284**, 105

Does solar differential rotation arise from a large scale instability?
Tuominen I., Brandenburg A., Moss D., Rieutord M. **284**, 259

Proper motion measurements and high resolution imaging of the HH 46/47 outflow
Eislöffel J., Mundt R. **284**, 530

The role of electric currents in saturated conduction. I. General theory
Bandiera R., Chen Y. **284**, 629

The role of electric currents in saturated conduction. II. Suprathermal evaporation of clouds in supernova remnants
Bandiera R., Chen Y. **284**, 637

Special relativistic jet collimation by inertial confinement
Eulderink F., Mellema G. **284**, 654

Propagation of acoustic waves in a stratified atmosphere. I
Kalkofen W., Rossi P., Bodo G., Massaglia S. **284**, 976

One-dimensional equilibrium structures of infinitely thin polytropic sheets
Schmitz F. **284**, 1007

Numerical studies of wind accretion using SPH. I. 2D simulations
Boffin H.M.J., Anzer U. **284**, 1026

BL Herculis model pulsations. III. Livermore opacities
Buchler J.R., Buchler N.E.G. **285**, 213

Mixing in ejecta of supernovae. II. Mixing width of 2 D Rayleigh-Taylor instabilities in the helium star models for type Ib/Ic supernovae
Hachisu I., Matsuda T., Nomoto K., Shigeyama T. **285**, 355 (***104**, 341)*

Expanding rings in the WR nebula NGC 2359
Goudis C.D., Christopoulou P.-E., Meaburn J., Dyson J.E. **285**, 631

On a generalization of the Zeldovich approximation for a low-viscosity self-gravitating fluid
Dubrulle B. **285**, 711

Instabilities of protostellar cores. The influence of adaptive grids on instabilities of first protostellar cores
Kürschner R. **285**, 897

Modern high-resolution shock-capturing methods for structure evolution in cosmology
Quilis V., Ibáñez J.M., Sáez D. **286**, 1

Thin accretion disks near the critical luminosity: the effect of turbulent energy transport
Heinrich O.M. **286**, 338

Reynolds stresses and differential rotation in Boussinesq convection in a rotating spherical shell
Rieutord M., Brandenburg A., Mangeney A., Drossart P. **286**, 471

The production of turbulence by gravitational instabilities in self-gravitating differentially rotating disks
Ebert R. **286**, 997

The disc scale length of the Galaxy
Fux R., Martinet L. **287**, L21

Modeling the X-ray spectrum of Kepler's supernova remnant
Decourchelle A., Ballet J. **287**, 206

An Eulerian approach for the computation of oscillation mode visibility
Gouttebroze P., Toutain T. **287**, 535

Hydrodynamical 3D Bondi-Hoyle accretion onto the Galactic Center blackhole candidate Sgr A
Ruffert M., Melia F. **288**, L29

Hydrodynamic calculations of accretion discs in close binaries. The superhump phenomenon
Heemskerk M.H.M. **288**, 807

On the propagation of linear 3-D hydrodynamic waves in plane non-isothermal atmospheres
Schmitz F., Fleck B. **288**, 1035 (***106**, 129)*

Cometary globules. I. Formation, evolution and morphology
Lefloch B., Lazareff B. **289**, 559

A radiation-gasdynamical method for numerical simulations of ionized nebulae: radiation-gasdynamics of PNe I
Frank A., Mellema G. **289**, 937

Three-dimensional hydrodynamic Bondi-Hoyle accretion. III. Mach 0.6, 1.4 and 10; $\gamma = 5/3$
Ruffert M. **289**, 1000 (***106**, 505)*

Two-fluid models for stationary dust-driven winds. I. Momentum and energy balance
Krüger D., Gauger A., Sedlmayr E. **290**, 573

Circumstellar dust shells around long-period variables. II. Theoretical lightcurves of C-stars
Winters J.M., Fleischer A.J., Gauger A., Sedlmayr E. **290**, 623

The collimation of jets and bipolar outflows in young stellar objects: inertial confinement
Frank A., Noriega-Crespo A. **290**, 643

The gasdynamic evolution of spherical planetary nebulae. Radiation-gasdynamics of PNe III
Mellema G. **290**, 915

Transition region lineshifts in the rebound shock spicule model
Hansteen V.H., Wikstøl Ø. **290**, 995

Nonlinear stellar pulsation. II. Radiative models of RR-Lyrae stars
Feuchtinger M.U., Dorfi E.A. **291**, 209

Hydrodynamic model of Kepler's supernova remnant constrained by EINSTEIN and EXOSAT X-ray spectra
Rothenflug R., Magne B., Chièze J.P., Ballet J. **291**, 271

On shock wave impact ionization of dust particles
Hornung K., Kissel J. **291**, 324

Three-dimensional hydrodynamic models of solar granulation and their application to a spectral analysis problem
Atroshchenko I.N., Gadun A.S. **291**, 635

Radiation-hydrodynamic waves in an optically grey atmosphere. II. Analysis of wave properties and effects of thermal conductivity in a homogeneous model
Dzhalilov N.S., Zhugzhda Y.D., Staude J. **291**, 1001

Starving accretion disks in the center of galaxies: the examples of Sagittarius A* and M 31
Falcke H., Heinrich O.M. **292**, 430

Non-linear structures in self-gravitating disks
Li X.-Q., Zhang H. **292**, 686

Infrared: galaxies 13.09.1

Radio-far-infrared relation in Markarian galaxies
Marx M., Krügel E., Klein U., Wielebinski R. **281**, 718

Star-formation histories and the mass-normalized FIR/radio correlation in late-type galaxies
Xu C., Lisenfeld U., Völk H.J., Wunderlich E. **282**, 19

Infranight infrared spectral variability in OJ 287
Kidger M.R., Takalo L.O., de Diego J.A. **282**, 369

The transfer of radiation in galactic nuclei. Dusty hot spots in the starburst galaxy M 82
Krügel E., Siebenmorgen R. **282**, 407

Global properties of dwarf galaxies. I. Galaxy sample and IRAS infrared flux-densities
Melisse J.P.M., Israel F.P. **283**, 714 (***103**, 391)*

Warm IRAS sources from the Point Source Catalog. III. Emission-line properties, correlations, and AGN unified models
Keel W.C., de Grijp M.H.K., Miley G.K., Zheng W. **283**, 791

Cool-FIR/radio correlation for late-type galaxies – The case for Supernova progenitors
Xu C., Lisenfeld U., Völk H.J. **285**, 19

Global properties of dwarf galaxies. II. Colours and luminosities
Melisse J.P.M., Israel F.P. **285**, 51

Search and redshift survey for IRAS galaxies behind the Northern Milky Way
Takata T., Yamada T., Saitō M., Chamaraux P., Kazés I. **285**, 359 (***104**, 529)*

2.1 μm images of the evolved stellar disk and the morphological classification of spiral galaxies
Block D.L., Bertin G., Stockton A., Grosbøl P., Moorwood A.F.M., Peletier R.F. **288**, 365

Imaging in the optical and near-infrared regimes. II. Arcsecond spatial resolution of widely distributed cold dust in spiral galaxies
Block D.L., Witt A.N., Grosbøl P., Stockton A., Moneti A. **288**, 383

Size and physical conditions of the coronal line region in a nearby Seyfert 2: the Circinus galaxy
Oliva E., Salvati M., Moorwood A.F.M., Marconi A. **288**, 457

Simultaneous multirange observations and detection of rapid variability of BL Lacertae objects
Xie G.Z., Li K.H., Zhang Y.H., Liu F.K., Fan J.H., Wang J.C. **289**, 666 (***106**, 361)*

The variable source responsible for the photometric behaviour of OJ 287 in the IR-optical-UV region during the 1980's
Hagen-Thorn V.A., Yakoleva V.A., Takalo L.O., Sillanpää A. **290**, 1

Silicate dust discs as sources of the AGN IR-emission
Stenholm L. **290**, 393

More ultraluminous IRAS galaxies as interacting systems
Andreasian N., Alloin D. **290**, 1019 (***107**, 23)*

A [Si VI] (1.962 μm) coronal line survey of galactic nuclei
Marconi A., Moorwood A.F.M., Salvati M., Oliva E. **291**, 18

Near- and far-infrared emission of Seyfert 2 galaxies and various types of star-forming galaxies
Dultzin-Hacyan D., Benitez E. **291**, 720

Limits on the short-timescale near-infrared variability of Seyfert 1 nuclei
Hunt L.K., Zhekov S., Salvati M., Mannucci F., Stanga R.M. **292**, 67

Warm IRAS sources from the point source catalog. IV. Extended optical line emission
Fehmers G.C., de Grijp M.H.K., Miley G.K., Keel W.C. **292**, 358 (***108, 61***)

The distribution of dust in Sb's and Sc's: *K*-band infrared imaging of a diameter-limited sample of 37 galaxies
Peletier R.F., Valentijn E.A., Moorwood A.F.M., Freudling W. **292**, 369 (***108, 621***)

Infrared: general 13.09.2

Pyramid maximum entropy images of IRAS survey data
Bontekoe T.R., Koper E., Kester D.J.M. **284**, 1037

On improving IR photometric passbands
Young A.T., Milone E.F., Stagg C.R. **287**, 1038 (***105, 259***)

Atomic data from the IRON project. IV. Electron excitation of the $^2P^o_{3/2}$-$^2P^o_{1/2}$ fine structure transition in fluorine-like ions
Saraph H.E., Tully J.A. **290**, 1019 (***107, 29***)

Infrared: ISM: continuum 13.09.3

Radio and near-infrared images of IRAS 21282+5050: a transitional planetary nebula
Likkel L., Morris M., Kastner J.H., Forveille T. **282**, 190

Infrared images, 1.3 mm continuum and ammonia line observations of IRAS 08076-3556
Persi P., Ferrari-Toniolo M., Marenzi A.R., Anglada G., Chini R., Krügel E., Sepúlveda I. **282**, 233

HII regions and IRAS PSC sources: the reliability of the association
Codella C., Felli M., Natale V. **284**, 233

A near-infrared survey of northern planetary nebulae
Phillips J.P., Cuesta L. **284**, 701 (***104, 169***)

Far-infrared observations of three Galactic star-forming regions: RCW 36, IRAS 10361–5830 and IRAS 10365–5803
Verma R.P., Bisht R.S., Ghosh S.K., Iyengar K.V.K., Rengarajan T.N., Tandon S.N. **284**, 936

Empirical corrections of the rigid rotor interaction potential of H_2–H_2 in the attractive region; dimer features in the FIR absorption spectra
Schaefer J. **284**, 1015

The diffuse galactic emission at 6.2 μm
Ristorcelli I., Giard M., Mény C., Serra G., Lamarre J.M., Le Naour C., Léotin J., Pajot F. **286**, L23

A search for OH emission from IRAS sources at high galactic latitudes
Slysh V.I., Dzura A.M., Val'tts I.E., Gerard E. **288**, 1034 (***106, 87***)

Near-IR imaging photometry of NGC 1333. I. The embedded PMS stellar population
Aspin C., Sandell G., Russell A.P.G. **289**, 663 (***106, 165***)

Dust emission of galactic cirrus from DIRBE observations
Bernard J.P., Boulanger F., Désert F.X., Giard M., Helou G., Puget J.L. **291**, L5

H_2O masers from low and intermediate luminosity young stellar objects: H_2O masers and YSOs
Persi P., Palagi F., Felli M. **291**, 577

Dust opacities for protostellar cores
Ossenkopf V., Henning T. **291**, 943

Infrared: ISM: lines and bands 13.09.4

Far-infrared spectra of cosmic-type pure and mixed ices
Moore M.H., Hudson R.L. **281**, 637 (***103, 45***)

Infrared spectroscopy of gas-phase PAH molecules. I. Role of the physical environment
Joblin C., d'Hendecourt L., Léger A., Défourneau D. **281**, 923

Atomic carbon in interstellar clouds
Flower D.R., Le Bourlot J., Pineau des Forêts G., Roueff E. **282**, 225

Molecules in the starburst galaxy Henize 2–10
Baas F., Israel F.P., Koornneef J. **284**, 403

A near-infrared survey of northern planetary nebulae
Phillips J.P., Cuesta L. **284**, 701 (***104, 169***)

An investigation of extinction diagnostics towards the Orion Nebula
Greve A., Castles J., McKeith C.D. **284**, 919

Empirical corrections of the rigid rotor interaction potential of H_2–H_2 in the attractive region; dimer features in the FIR absorption spectra
Schaefer J. **284**, 1015

The diffuse galactic emission at 6.2 μm
Ristorcelli I., Giard M., Mény C., Serra G., Lamarre J.M., Le Naour C., Léotin J., Pajot F. **286**, L23

The large scale distribution of PAHs in the Galaxy
Giard M., Lamarre J.M., Pajot F., Serra G. **286**, 203

High spatial resolution observations of H_2 vibrational fluorescence in NGC 2023
Field D., Gerin M., Leach S., Lemaire J.L., Pineau des Forêts G., Rostas F., Rouan D., Simons D. **286**, 909

The spatial distribution of excited H_2 in T Tauri: a molecular outflow in a young binary system
van Langevelde H.J., van Dishoeck E.F., van der Werf P.P., Blake G.A. **287**, L25

An infrared counter-flow in the HH 111 jet complex
Gredel R., Reipurth B. **289**, L19

Strong evidence for a molecular jump shock in the HH 90/91 outflow
Smith M.D. **289**, 256

PAH distribution in BD+30 3639
Bernard J.P., Giard M., Normand P., Tiphène D. **289**, 524

PAH destruction at ionization fronts
Giard M., Bernard J.P., Lacombe F., Normand P., Rouan D. **291**, 239

Atomic data from the IRON Project. V. Effective collision strengths for transitions in the ground configuration of oxygen-like ions
Butler K., Zeippen C.J. **292**, 357 (***108, 1***)

Near-infrared spectroscopy and imaging of Herbig-Haro objects
Gredel R. **292**, 580

Steps toward interstellar silicate mineralogy. I. Laboratory results of a silicate glass of mean cosmic composition
Jäger C., Mutschke H., Begemann B., Dorschner J., Henning T. **292**, 641

Infrared: solar system 13.09.5

Detection of a polycyclic aromatic molecule in comet P/Halley
Moreels G., Clairemidi J., Hermine P., Brechignac P., Rousselot P. **282**, 643

Silicon carbide: a possible component of the cometary dust
Orofino V., Blanco A., Fonti S. **282**, 657

Infrared: stars 13.09.6

Resolution of a fossil dust shell around U Hydrae using maximum entropy image reconstruction
Waters L.B.F.M., Loup C., Kester D.J.M., Bontekoe T.R., de Jong T. **281**, L1

Scattered near-IR CO emission bands in GGD27-IRS. Observing the circumstellar environment of heavily obscured young PMS stars
Aspin C. **281**, L29

Discovery of near-infrared hydrogen line emission in the peculiar F8 hypergiant IRC+10420
Oudmaijer R.D., Geballe T.R., Waters L.B.F.M., Sahu K.C. **281**, L33

86 GHz SiO, $v = 1$, $J = 2 \rightarrow 1$ survey of southern IRAS point sources. II. Detection of 74 new maser sources
Haikala L.K., Nyman L.-Å., Forsström V. **281**, 638 (***103***, *107*)

A study of Be stars in the wavelength region around Paschen 7
Andrillat Y., Jaschek M., Jaschek C. **281**, 639 (***103***, *135*)

The radio/infrared counterpart of the hard X-ray transient in Aquila: a possible source of repeated soft gamma-ray bursts
Mirabel I.F., Duc P.A., Rodríguez L.F., Teyssier R., Paul J., Claret A., Aurière M., Golombek D., Martí J. **282**, L17

The remarkable pre-main sequence object V 1318 Cygni
Aspin C., Sandell G., Weintraub D.A. **282**, L25

A systematic study of IRAS selected proto-planetary nebula candidates. II. OH and CO observations
Hu J.Y., te Lintel Hekkert P., Slijkhuis S., Baas F., Sahai R., Wood P.R. **282**, 350 (***103***, *301*)

The young stellar population associated with the H II region NGC 3576
Persi P., Roth M., Tapia M., Ferrari-Toniolo M., Marenzi A.R. **282**, 474

A semi-empirical absolute flux calibration in the near infrared. Direct stellar diameters vs. IRFM determinations
Alonso A., Arribas S., Martínez-Roger C. **282**, 684

(RN) The behavior of some red and infrared helium lines
Jaschek M., Andrillat Y., Houziaux L., Jaschek C. **282**, 911

Amorphous carbon and silicon carbide grain mixtures in the envelopes of carbon stars
Blanco A., Borghesi A., Fonti S., Orofino V. **283**, 561

Speckle imaging of T Tauri stars in the L and M near-IR bands
Tessier E., Bouvier J., Lacombe F. **283**, 827

Infrared line emission in 10 Lacertae
Murdoch K.A., Drew J.E., Anderson L.S. **284**, L27

Nebular emission lines in IRAS 10215–5916
García-Lario P., Manchado A., Parthasarathy M., Pottasch S.R. **285**, 179

Vega: smaller dust grains in a larger shell
van der Bliek N.S., Prusti T., Waters L.B.F.M. **285**, 229

A new catalogue of members and candidate members of the Herbig Ae/Be (HAEBE) stellar group
Thé P.S., de Winter D., Pérez M.R. **285**, 355 (***104***, *315*)

The nature of the brightest galactic center He I emission line star
Najarro F., Hillier D.J., Kudritzki R.P., Krabbe A., Genzel R., Lutz D., Drapatz S., Geballe T.R. **285**, 573

Photometry and polarimetry of pre-main sequence stars
Hutchinson M.G., Albinson J.S., Barrett P., Davies J.K., Evans A., Goldsmith M.J., Maddison R.C. **285**, 883

An OH maser towards the globular cluster NGC 6171
Feast M.W., Whitelock P.A. **287**, L29

The 3 μm spectra of candidate carbon stars
Groenewegen M.A.T., de Jong T., Geballe T.R. **287**, 163

Ambiguities of parametrized dust disk models for young stellar objects
Thamm E., Steinacker J., Henning T. **287**, 493

PAH emission in XX Ophiuchi
Evans A. **288**, L37

(RN) Near-IR monitoring of the pre-main sequence star SSV 13: October 1990 to December 1993
Aspin C., Sandell G. **288**, 803

(RN) Near-infrared observations of new young stellar objects from the IRAS Point Source Catalog
Carballo R., Sahu M. **289**, 131

Semiregular variables of types SRa and SRb. New *JHKL'M*-photometry for 200 stars
Kerschbaum F., Hron J. **289**, 998 (***106***, *397*)

More (on) red giants with unusual dust shells
Groenewegen M.A.T. **290**, 207

A search for near-infrared variability in LSI+61°303
Hunt L.K., Massi M., Zhekov S.A. **290**, 428

NGC 2024–IRS 2: an outburst in its near-infrared line and continuum emission
Nisini B., Smith H.A., Fischer J., Geballe T.R. **290**, 463

(RN) S 269-IRS 2: a massive young stellar object powering Herbig-Haro emission
Eiroa C., Casali M.M., Miranda L.F., Ortiz E. **290**, 599

Near-IR excess of Be stars
Dougherty S.M., Waters L.B.F.M., Burki G., Coté J., Cramer N., van Kerkwijk M.H., Taylor A.R. **290**, 609

Adaptive optics imaging of the Frosty Leo nebula
Beuzit J.-L., Thébault P., Perrin G., Rouan D. **291**, L1

Multiwavelength observations of RV Tauri stars. IV. SX Centauri
Shenton M., Evans A., Albinson J.S., Barrett P., Davies J.K., Goldsmith M.J., Hutchinson M.G., Laney D., Maddison R.C. **292**, 102

Fourier-transform spectroscopy and near-infrared variability of η Carinae
Altamore A., Maillard J.-P., Viotti R. **292**, 208

Broad band *JHK* infrared photometry of an extended sample of late-type dwarfs and subdwarfs
Alonso A., Arribas S., Martínez-Roger C. **292**, 353 (***107***, *365*)

Circumstellar dust envelopes of oxygen-rich AGB stars
Hashimoto O. **292**, 355 (***107***, *445*)

Spectral classifications in the near-infrared of stars with composite spectra. I. The study of MK standards
Ginestet N., Carquillat J.M., Jaschek M., Jaschek C. **292**, 362 (***108***, *359*)

Infrared properties of OH/IR stars. I. Near-infrared observation and some physical parameters of OH/IR stars
Xiong G.Z., Chen P.S., Gao H. **292**, 369 (***108***, *661*)

Extended mid-infrared emission around Herbig Ae/Be stars
Prusti T., Natta A., Palla F. **292**, 593

Instabilities 02.09.1

Instability and eruption of magnetic flux tubes in the solar convection zone
Schüssler M., Caligari P., Ferriz-Mas A., Moreno-Insertis F. **281**, L69

Nonlinear instability of colliding winds in a double star system
Dgani R., Soker N. **282**, 54

Titius-Bode laws in the solar system. I. Scale invariance explains everything
Graner F., Dubrulle B. **282**, 262

Titius-Bode laws in the solar system. II. Build your own law from disk models
Dubrulle B., Graner F. **282**, 269

Kelvin–Helmholtz instability of hydrodynamic supersonic jets
Bodo G., Massaglia S., Ferrari A., Trussoni E. **283**, 655

One-dimensional equilibrium structures of infinitely thin polytropic sheets
Schmitz F. **284**, 1007

Numerical studies of wind accretion using SPH. I. 2D simulations
Boffin H.M.J., Anzer U. **284**, 1026

Mixing in ejecta of supernovae. II. Mixing width of 2 D Rayleigh-Taylor instabilities in the helium star models for type Ib/Ic supernovae
Hachisu I., Matsuda T., Nomoto K., Shigeyama T. **285**, 355 (***104**, 341*)

Instabilities of protostellar cores. The influence of adaptive grids on instabilities of first protostellar cores
Kürschner R. **285**, 897

Stability of a polytropic accretion disk around a black hole
Cao X., Zhang J. **285**, 1047

Magnetohydrodynamic parametric instabilities driven by a standing Alfvén wave in the planetary magnetosphere
Chian A.C.-L., Oliveira L.P.L. **286**, L1

How faithful are *N*-body simulations of disc galaxies?
Romeo A.B. **286**, 799

The Parker instability in disks with differential rotation
Foglizzo T., Tagger M. **287**, 297

Instability in a braking disk: Herculis X-1 in the inactive state
Meyer F., Meyer-Hofmeister E. **287**, 559

Thermodynamics of the one-dimensional gravitational gas
Muriel A., Esguerra P., Feix M. **287**, 1021

Hydrodynamic calculations of accretion discs in close binaries. The superhump phenomenon
Heemskerk M.H.M. **288**, 807

Nonlinear excitation of Langmuir and Alfvén waves by auroral whistler waves in the planetary magnetosphere
Chian A.C.-L., Lopes S.R., Alves M.V. **288**, 981

A dynamo effect due to instability of magnetic flux tubes
Ferriz-Mas A., Schmitt D., Schüssler M. **289**, 949

Generation of auroral whistler-mode radiation via nonlinear coupling of Langmuir waves and Alfvén waves
Chian A.C.-L., Lopes S.R., Alves M.V. **290**, L13

Fragmentation of shocked interstellar gas layers
Whitworth A.P., Bhattal A.S., Chapman S.J., Disney M.J., Turner J.A. **290**, 421

Systematics of dwarf nova outbursts: a parameter study in the framework of the disk-instability model
Ludwig K., Meyer-Hofmeister E., Ritter H. **290**, 473

Magnetic reconnection theory for coronal loop interaction
Li X-Q., Zhang Z., Smartt R.N. **290**, 963

Magnetic drift driven instability for cosmic-ray acceleration: oblique propagation
Pajot-El Abed P., Melikidze G., Tagger M. **291**, 687

Non-linear structures in self-gravitating disks
Li X.-Q., Zhang H. **292**, 686

Instrumentation: detectors 03.09.1

"Va-et-Vient" spectroscopy: a new mode for faint object CCD spectroscopy with very large telescopes
Cuillandre J.C., Fort B., Picat J.P., Soucail G., Altieri B., Beigbeder F., Dupin J.P., Pourthié T., Ratier G. **281**, 603

A 230 GHz SIS receiver for SEST
Bloemhof E.E., Blundell R., Miller R.E. **282**, 318

The gamma-ray burst experiment onboard the SROSS-C satellite
Marar T.M.K., Sharma M.R., Seetha S., Upadhyaya N., Padmini V.N., Umapathy C.N., Prasad N.L., Murthy N.S.R., Sreenivasaiah K.V., Kasturirangan K., Rao U.R. **283**, 698

Speckle interferometry with a photon-counting detector
Thiébaut E. **284**, 340

The optimum open fraction of coded apertures. With an application to the wide field X-ray cameras of SAX
in 't Zand J.J.M., Heise J., Jager R. **288**, 665

First light for an astronomical 3-D photon detector
Keller C.U., Graff W., Rosselet A., Gschwind R., Wild U.P. **289**, L41

Autocorrelation central value in clipped photon-counting detection from the moments of the total number of counts
Cagigal M.P., Prieto P. **289**, L51

Spectral and correlated timing behaviour of GX 5–1
Kuulkers E., van der Klis M., Oosterbroek T., Asai K., Dotani T., van Paradijs J., Lewin W.H.G. **289**, 795

High time resolution observations of Cygnus X-3 with EXOSAT
Berger M., van der Klis M. **292**, 175

AURELIE: the high resolution spectrometer of the Haute-Provence Observatory
Gillet D., Burnage R., Kohler D., Lacroix D., Adrianzyk G., Baietto J.C., Berger J.P., Goillandeau M., Guillaume C., Joly C., Meunier J.P., Rimbaud G., Vin A. **292**, 360 (***108**, 181*)

Instrumentation: interferometers 03.09.2

The GI2T interferometer on Plateau de Calern
Mourard D., Tallon-Bosc I., Blazit A., Bonneau D., Merlin G., Morand F., Vakili F., Labeyrie A. **283**, 705

Measurement of the atmospheric limit to narrow-angle interferometric astrometry using the Mark III stellar interferometer
Colavita M.M. **283**, 1027

Phase-referenced visibility averaging in optical long-baseline interferometry
Quirrenbach A., Mozurkewich D., Buscher D.F., Hummel C.A., Armstrong J.T. **286**, 1019

Observations of atmospheric noise fluctuations with a metre-baseline interferometer in the 13–17 GHz band
Robson M., O'Sullivan C.M.M., Scott P.F., Duffett-Smith P.J. **286**, 1028

The MPE imaging beam combiner simulator COSI
Böker T., Cruzalèbes P., Hofmann R., Katterloher R., Eckart A., Genzel R., Drapatz S., von der Lühe O. **288**, 656

An optical interferometer with wavelength dispersion
Bedding T.R., Robertson J.G., Marson R.G. **290**, 340

Instrumentation: miscellaneous 03.09.3

A liquid adaptive mirror
Ragazzoni R., Marchetti E. **283**, L17

A simple active corrector for liquid mirror telescopes observing at large zenith angles
Wang M., Moretto G., Borra E.F., Lemaître G. **285**, 344

The MPE imaging beam combiner simulator COSI
Böker T., Cruzalèbes P., Hofmann R., Katterloher R., Eckart A., Genzel R., Drapatz S., von der Lühe O. **288**, 656

G.S.M.: a Grating Scale Monitor for atmospheric turbulence measurements. I. The instrument and first results of angle of arrival measurements
Martin F., Tokovinin A., Agabi A., Borgnino J., Ziad A. **292**, 360 (***108**, 173*)

Instrumentation: photometers 03.09.4

(RN) eXCALIBur – absolute calibration of the X-ray spectrum of the Crab Nebula
Nørgaard-Nielsen H.U., Budtz-Jørgensen C., Westergaard N.J., Schnopper H.W. **285**, 705

On improving IR photometric passbands
Young A.T., Milone E.F., Stagg C.R. **287**, 1038 (***105**, 259*)

Determining photometric dead time by using hydrogen filters
Morris S.L., Naftilan S.A. **290**, 1020 (***107**, 71*)

A spaceborne near-Earth asteroid detection system
Jackson B.V., Buffington A., Hick P.L., Kahler S.W., Webb D.F. **292**, 362 (***108**, 279*)

Instrumentation: polarimeters 03.09.5

Recalibration of the Voyager PRA antenna for polarization sense measurement
Wang L., Carr T.D. **281**, 945

Instrumentation: spectrographs 03.09.6

A 230 GHz SIS receiver for SEST
Bloemhof E.E., Blundell R., Miller R.E. **282**, 318

CFHT MOS/SIS spectrograph performance
Le Fèvre O., Crampton D., Felenbok P., Monnet G. **282**, 325

Observation of global solar oscillations with a modified optical resonance spectrometer
Boumier P., van der Raay H.B., Roca Cortés T. **290**, 1022 (***107**, 177*)

AURELIE: the high resolution spectrometer of the Haute-Provence Observatory
Gillet D., Burnage R., Kohler D., Lacroix D., Adrianzyk G., Baietto J.C., Berger J.P., Goillandeau M., Guillaume C., Joly C., Meunier J.P., Rimbaud G., Vin A. **292**, 360 (***108**, 181*)

Interplanetary medium 07.09.1

Interstellar oxygen, nitrogen and neon in the heliosphere
Geiss J., Gloeckler G., Mall U., von Steiger R., Galvin A.B., Ogilvie K.W. **282**, 924

Dynamical evolution of interplanetary dust particles
Marzari F., Vanzani V. **283**, 275

Observations by Ulysses of a pure electron event and its associated type III radio emission of 15 December 1990
Mangeney A., Pick M., Hoang S., Chaizy P., Anderson K., Lanzerotti L.J., Lin R.P., Sarris E.T., Forsyth R., Phillips J.L., Enome S. **283**, 982

Fractal properties of the interplanetary magnetic field fluctuations: indications of chaotic dynamics
Polygiannakis J.M., Moussas X. **283**, 990

Laboratory simulation of microdiamonds present in space
Colangeli L., Mennella V., Stephens J.R., Bussoletti E. **284**, 583

Production of anomalous cosmic rays from pick-up ions and their inward diffusion from the termination shock of the solar wind
Fichtner H., Fahr H.-J., Grzedzielski S., Rucinski D., Sreenivasan S.R. **284**, 599

Interstellar dust in the heliosphere
Grün E., Gustafson B., Mann I., Baguhl M., Morfill G.E., Staubach P., Taylor A., Zook H.A. **286**, 915

The evolution of Local Interstellar Medium
Kosarev I.B., Loseva T.V., Nemtchinov I.V., Popel S.I. **287**, 470

Solar cycle and interplanetary hydrogen
Kyrölä E., Summanen T., Raðback P. **288**, 299

A two-fluid model of the solar wind termination shock modified by shock-generated cosmic rays including energy losses
Chalov S.V., Fahr H.J. **288**, 973

Observations of interplanetary Lyman-α with the Galileo Ultraviolet Spectrometer: multiple scattering effects at solar maximum
Ajello J.M., Pryor W.R., Barth C.A., Hord C.W., Stewart A.I.F., Simmons K.E., Hall D.T. **289**, 283

Origin of the O^+ pick-up ions in the heliosphere
Geiss J., Gloeckler G., Mall U. **289**, 933

Interplanetary type III radio bursts that approach the plasma frequency: Ulysses observations
Hoang S., Dulk G.A., Leblanc Y. **289**, 957

Temporary capture of grains in exterior resonances with the Earth: planar circular restricted three-body problem with Poynting–Robertson drag
Šidlichovský M., Nesvorný D. **289**, 972

A new measurement of the interplanetary hydrogen density with ALAE/ATLAS 1
Quémerais E., Bertaux J.L., Sandel B.R., Lallement R. **290**, 941

Fractal aggregate analogues for near solar dust properties
Mann I., Okamoto H., Mukai T., Kimura H., Kitada Y. **291**, 1011

Particle acceleration by an interplanetary shock-pair seen at Ulysses at 3.15 AU
Tappin S.J., Roelof E.C., Lanzerotti L.J. **292**, 311

Measurements of the sky background using the HST Faint Object Camera
Caulet A., Hook R.N., Fosbury R.A.E. **292**, 361 (***108**, 271*)

The solar wind termination shock in the presence of cosmic rays
Ziemkiewicz J. **292**, 677

ISM: abundances 09.01.1

Diffuse interstellar bands in Orion. The environment dependence of DIB strength
Jenniskens P., Ehrenfreund P., Foing B. **281**, 517

Plateau de Bure observations of mm-wave molecular absorption from ^{13}CO, HCO^+, and HCN
Lucas R., Liszt H. **282**, L5

How metal-rich are metal-rich H II regions
Kinkel U., Rosa M.R. **282**, L37

The carbon abundance problem in planetary nebulae
Rola C., Stasińska G. **282**, 199

Iron-aromatics coordination in molecular clouds
Marty P., Serra G., Chaudret B., Ristorcelli I. **282**, 916

Interstellar oxygen, nitrogen and neon in the heliosphere
Geiss J., Gloeckler G., Mall U., von Steiger R., Galvin A.B., Ogilvie K.W. **282**, 924

The identification of krypton, xenon, and other elements of rows 4, 5, and 6 of the periodic table in the planetary nebula NGC 7027
Péquignot D., Baluteau J.-P. **283**, 593

Millimetre observations of southern translucent clouds
Gredel R., van Dishoeck E.F., Black J.H. **285**, 300

Complex interstellar absorption lines of C_2 in the Cygnus OB 2 association
Gredel R., Münch G. **285**, 640

Detection of [C I] 492 GHz emission from a high-latitude translucent cloud
Stark R., van Dishoeck E.F. **286**, L43

The Zn^+/Na° interstellar ratio
Vladilo G., Centurión M. **287**, 1041 (***105, 421***)

Bidimensional spectral analysis of NGC 6302
Bohigas J. **288**, 617

PAH distribution in BD+30 3639
Bernard J.P., Giard M., Normand P., Tiphène D. **289**, 524

Optical studies of interstellar material in low density regions of the Galaxy. II. Cloud properties, kinematics, and distribution of the neutral gas
Sembach K.R., Danks A.C. **289**, 539

Erratum The identification of krypton, xenon, and other elements of rows 4, 5, and 6 of the periodic table in the planetary nebula NGC 7027
Péquignot D., Baluteau J.-P. **289**, 659

Origin of the O^+ pick-up ions in the heliosphere
Geiss J., Gloeckler G., Mall U. **289**, 933

Two key processes in dust/gas chemical modelling: photoprocessing of grain mantles and explosive desorption
Shalabiea O.M., Greenberg J.M. **290**, 266

ISM: atoms 09.01.2

The H I gas kinetic temperature of high galactic latitude cirrus clouds
Stark R., Dickey J.M., Burton W.B., Wennmacher A. **281**, 199

Interstellar oxygen, nitrogen and neon in the heliosphere
Geiss J., Gloeckler G., Mall U., von Steiger R., Galvin A.B., Ogilvie K.W. **282**, 924

CO and *C* I observations of shock-excited gas in IC 443C
White G.J. **283**, L25

Narrow features in the early spectrum of SN 1993J
Benetti S., Patat F., Turatto M., Contarini G., Gratton R., Cappellaro E. **285**, L13

Detection of [C I] 492 GHz emission from a high-latitude translucent cloud
Stark R., van Dishoeck E.F. **286**, L43

The structure of the interstellar gas towards stars in the globular cluster M 55
Lyons M.A., Bates B., Kemp S.N. **286**, 535

GHRS observations of Sirius-A. I. Interstellar clouds toward Sirius and Local Cloud ionization
Lallement R., Bertin P., Ferlet R., Vidal-Madjar A., Bertaux J.L. **286**, 898

The Zn^+/Na° interstellar ratio
Vladilo G., Centurión M. **287**, 1041 (***105, 421***)

Optical studies of interstellar material in low density regions of the Galaxy. II. Cloud properties, kinematics, and distribution of the neutral gas
Sembach K.R., Danks A.C. **289**, 539

ISM: bubbles 09.02.1

Diffuse X-ray emission from the supergiant shell LMC 4 detected with ROSAT
Bomans D.J., Dennerl K., Kürster M. **283**, L21

Expanding rings in the WR nebula NGC 2359
Goudis C.D., Christopoulou P.-E., Meaburn J., Dyson J.E. **285**, 631

X-ray emission from wind blown interstellar bubbles. I. ROSAT observations of NGC 6888
Wrigge M., Wendker H.J., Wisotzki L. **286**, 219

ROSAT observation of the giant H II region RCW 49
Belloni T., Mereghetti S. **286**, 935

The exciting star of the small bubble N 120A in the Large Magellanic Cloud
Laval A., Gry C., Rosado M., Marcelin M., Greve A. **288**, 572

The Orion OB 1 association. I. Stellar content
Brown A.G.A., de Geus E.J., de Zeeuw P.T. **289**, 101

Fragmentation of shocked interstellar gas layers
Whitworth A.P., Bhattal A.S., Chapman S.J., Disney M.J., Turner J.A. **290**, 421

The origin of extended interstellar shells around Wolf–Rayet stars having bright optical ring nebulae
Nichols J.S., Fesen R.A. **291**, 283

G 79.29+0.46: a young stellar-wind shell in Cygnus X
Higgs L.A., Wendker H.J., Landecker T.L. **291**, 295

ISM: clouds 09.03.1

The H I gas kinetic temperature of high galactic latitude cirrus clouds
Stark R., Dickey J.M., Burton W.B., Wennmacher A. **281**, 199

An ammonia study of the Orion streamer
Cesaroni R., Wilson T.L. **281**, 209

The molecular surroundings of W3(OH)
Wink J.E., Duvert G., Guilloteau S., Güsten R., Walmsley C.M., Wilson T.L. **281**, 505

Far-infrared spectra of cosmic-type pure and mixed ices
Moore M.H., Hudson R.L. **281**, 637 (*103, 45)*

Plateau de Bure observations of mm-wave molecular absorption from ^{13}CO, HCO^+, and HCN
Lucas R., Liszt H. **282**, L5

On the question of dark matter and cold H_2
Wilson T.L., Mauersberger R. **282**, L41

Atomic carbon in interstellar clouds
Flower D.R., Le Bourlot J., Pineau des Forêts G., Roueff E. **282**, 225

Iron-aromatics coordination in molecular clouds
Marty P., Serra G., Chaudret B., Ristorcelli I. **282**, 916

Physical and chemical variations within the W 3 star-forming region. I. SO_2, CH_3OH and H_2CO
Helmich F.P., Jansen D.J., de Graauw T., Groesbeck T.D., van Dishoeck E.F. **283**, 626

IRAS sources beyond the solar circle. IV. Maps of far-outer Galaxy molecular clouds
Brand J., Wouterloot J.G.A. **283**, 715 (*103, 503)*

Carbon monoxide line emission from photon dominated regions
Köster B., Störzer H., Stutzki J., Sternberg A. **284**, 545

W 3 – a study of a site of massive star formation. I. Continuum and $C^{18}O$ observations and comparison as mass tracers
Oldham P.G., Griffin M.J., Richardson K.J., Sandell G. **284**, 559

The contribution of small particles to the extinction curve
Boulanger F., Prévot M.L., Gry C. **284**, 956

Discovery of a giant molecular cloud near the Galactic centre
Albinson J.S., Evans A., Krautter J., Weight A. **284**, 971

Millimetre observations of southern translucent clouds
Gredel R., van Dishoeck E.F., Black J.H. **285**, 300

GeV/TeV gamma-ray emission from dense molecular clouds overtaken by supernova shells
Aharonian F.A., Drury L.O'C., Völk H.J. **285**, 645

The impact of a high velocity cloud onto the galactic disk
Kerp J., Lesch H., Mack K.-H. **286**, L13

Detection of [CI] 492 GHz emission from a high-latitude translucent cloud
Stark R., van Dishoeck E.F. **286**, L43

Star formation by infall of high velocity clouds on the galactic disk
Lépine J.R.D., Duvert G. **286**, 60

(RN) Do star forming regions have different binary fractions?
Durisen R.H., Sterzik M.F. **286**, 84

The structure of the interstellar gas towards stars in the globular cluster M 55
Lyons M.A., Bates B., Kemp S.N. **286**, 535

DR 21(OH), a cluster in the making. I. Observations in carbon monosulphide and methanol
Richardson K.J., Sandell G., Cunningham C.T., Davies S.R. **286**, 555

The distance to the Complex C of high-velocity halo clouds
de Boer K.S., Altan A.Z., Bomans D.J., Lilienthal D., Moehler S., van Woerden H., Wakker B.P., Bregman J.N. **286**, 925

Erratum Do molecular clouds contain accreting black holes?
Campana S., Pardi M.C. **287**, 348

Critical density for magnetic decoupling: preliminary observations
Massi M., Lizano S. **287**, 581

The warm and the cold neutral phase in the local interstellar medium at $|b| \geq 10°$ and at low velocities
Pöppel W.G.L., Marronetti P., Benaglia P. **287**, 601

Analysis of a cold cloud fragment
Krügel E., Chini R. **287**, 947

Numerical simulation of three-dimensional self-gravitating flow
Shebalin J.V. **288**, 150

Multi-wavelength study of NGC 281 A
Henning T., Martin K., Reimann H.-G., Launhardt R., Leisawitz D., Zinnecker H. **288**, 282

A CO and CS study of three low luminosity PMS candidates in Chamaeleon II
Olmi L., Felli M., Prusti T. **288**, 591

Studies of dense molecular cores in regions of massive star formation. CS $J = 2–1$ and HCN $J = 1–0$ observations of 11 northern cores
Zinchenko I., Forsström V., Lapinov A., Mattila K. **288**, 601

Strong intraday variability in the southern blazar PKS 0537–441 at 1.42 GHz
Romero G.E., Combi J.A., Colomb F.R. **288**, 731

Hot ammonia towards compact HII regions
Cesaroni R., Churchwell E., Hofner P., Walmsley C.M., Kurtz S. **288**, 903

On the energetics of molecular cloud systems
Sotnikova N., Volkov E. **288**, 942

Hydromagnetic interaction of magnetized clumps and the ambient medium in molecular clouds
Just A., Jacobi S., Deiss B.M. **289**, 237

Strong evidence for a molecular jump shock in the HH 90/91 outflow
Smith M.D. **289**, 256

Optical studies of interstellar material in low density regions of the Galaxy. II. Cloud properties, kinematics, and distribution of the neutral gas
Sembach K.R., Danks A.C. **289**, 539

Cometary globules. I. Formation, evolution and morphology
Lefloch B., Lazareff B. **289**, 559

SO and H_2S in low density molecular clouds
Tieftrunk A., Pineau des Forêts G., Schilke P., Walmsley C.M. **289**, 579

The interstellar medium in the Ara OB1 field
Rizzo J.R., Bajaja E. **289**, 922

(RN) SAO 75669: a late-type giant behind the molecular cloud MBM 12
Bhatt H.C., Sagar R., Subramaniam A., Gorti U., Chandrasekhar T., Ashok N.M., Ragland S. **289**, 946

Molecular line observations of a comet-shaped cloud (LBN 437) in the Lacerta OB1 association
Olano C.A., Walmsley C.M., Wilson T.L. **290**, 235

Characteristics of ‚spiral arm' clouds, from CS absorption line observations
Greaves J.S., Williams P.G. **290**, 259

Fragmentation of shocked interstellar gas layers
Whitworth A.P., Bhattal A.S., Chapman S.J., Disney M.J., Turner J.A. **290**, 421

The polarized water maser in Orion: A proto-planetary ring?
Abraham Z., Vilas Boas J.W.S. **290**, 956

Conditions for condensation and preservation of amorphous ice and crystallinity of astrophysical ices
Kouchi A., Yamamoto T., Kozasa T., Kuroda T., Greenberg J.M. **290**, 1009

Dust emission of galactic cirrus from DIRBE observations
Bernard J.P., Boulanger F., Désert F.X., Giard M., Helou G., Puget J.L. **291**, L5

Interstellar molecules in the Large Magellanic Cloud
Johansson L.E.B., Olofsson H., Hjalmarson Å., Gredel R., Black J.H. **291**, 89

Measuring the fractal structure of interstellar clouds
Vogelaar M.G.R., Wakker B.P. **291**, 557

Diffuse continuum gamma rays from the Galaxy observed by COMPTEL
Strong A.W., Bennett K., Bloemen H., Diehl R., Hermsen W., Morris D., Schönfelder V., Stacy J.G., de Vries C., Varendorff M., Winkler C., Youssefi G. **292**, 82

Study of L 1340: a star-forming cloud in Cassiopeia
Kun M., Obayashi A., Sato F., Yonekura Y., Fukui Y., Balázs L.G., Ábrahám P., Szabados L., Kelemen J. **292**, 249

Optical and 21-cm observations of high-velocity gas towards subdwarfs in the halo and early-type stars in the disk
Centurión M., Vladilo G., de Boer K.S., Herbstmeier U., Schwarz U.J. **292**, 261

UBVRI photometry and polarimetry of the stars in S 252 (NGC 2175). I. The observations
Haikala L.K. **292**, 369 (***108, 643***)

Results of the ESO-SEST Key Programme: CO in the Magellanic Clouds. IV. Physical properties of molecular clouds in the Small Magellanic Cloud
Lequeux J., Le Bourlot J., Pineau des Forêts G., Roueff E., Boulanger F., Rubio M. **292**, 371

The velocity field of the L 1551 IRS 5 jet
Fridlund C.V.M., Liseau R. **292**, 631

Non-linear structures in self-gravitating disks
Li X.-Q., Zhang H. **292**, 686

Magnetic beaming and the origin of 100% circular polarization in OH masers
Gray M.D., Field D. **292**, 693

(ISM:) cosmic rays 09.03.2

COMPTEL observations of the Orion complex: evidence for cosmic-ray induced gamma-ray lines
Bloemen H., Wijnands R., Bennett K., Diehl R., Hermsen W., Lichti G., Morris D., Ryan J., Schönfelder V., Strong A.W., Swanenburg B.N., de Vries C., Winkler C. **281**, L5

Evidence for enhanced MHD turbulence outside sharp-rimmed supernova remnants
Achterberg A., Blandford R.D., Reynolds S.P. **281**, 220

Kinetic theory of propagation and runaway galactic cosmic rays. II. Self-consistent model
Dogiel V.A., Gurevich A.V., Zybin K.P. **281**, 937

Gamma-ray spectroscopy of the interstellar medium in the Orion complex
Bykov A., Bloemen H. **283**, L1

Efficiency of the second-order Fermi acceleration at parallel shock waves
Ostrowski M. **283**, 344

Production of anomalous cosmic rays from pick-up ions and their inward diffusion from the termination shock of the solar wind
Fichtner H., Fahr H.-J., Grzedzielski S., Rucinski D., Sreenivasan S.R. **284**, 599

GeV/TeV gamma-ray emission from dense molecular clouds overtaken by supernova shells
Aharonian F.A., Drury L.O'C., Völk H.J. **285**, 645

Computation of cosmic-ray acceleration by Itô's stochastic differential equations
Krülls W.M., Achterberg A. **286**, 314

Interactions of cosmic ray nuclei
Mannheim K., Schlickeiser R. **286**, 983

The Parker instability in disks with differential rotation
Foglizzo T., Tagger M. **287**, 297

On the predictive power of the minimum energy condition. II. Fractional calorimeter behaviour in the diffuse high energy gamma emission of spiral galaxies
Pohl M. **287**, 453

The gamma-ray visibility of supernova remnants. A test of cosmic ray origin
Drury L.O'C., Aharonian F.A., Völk H.J. **287**, 959

A two-fluid model of the solar wind termination shock modified by shock-generated cosmic rays including energy losses
Chalov S.V., Fahr H.J. **288**, 973

Observational evidence for a spurious dependence of slab QLT proton mean free paths on the magnetic field angle
Wanner W., Jaekel U., Kallenrode M.-B., Wibberenz G., Schlickeiser R. **290**, L5

Magnetic field fluctuation geometry as a possible solution to the proton mean free path discrepancy problem
Jaekel U., Wanner W., Schlickeiser R., Wibberenz G. **291**, L35

Cosmic ray hydrodynamics at shock fronts
Duffy P., Drury L.O'C., Völk H. **291**, 613

Similarity solutions for synchrotron emission from a supernova blast wave
Ratkiewicz R., Axford W.I., McKenzie J.F. **291**, 935

Diffuse continuum gamma rays from the Galaxy observed by COMPTEL
Strong A.W., Bennett K., Bloemen H., Diehl R., Hermsen W., Morris D., Schönfelder V., Stacy J.G., de Vries C., Varendorff M., Winkler C., Youssefi G. **292**, 82

The solar wind termination shock in the presence of cosmic rays
Ziemkiewicz J. **292**, 677

(ISM:) dust, extinction 09.04.1

(RN) Small non-spherical grains in envelopes of M giants
Il'in V.B. **281**, 486

Diffuse interstellar bands in Orion. The environment dependence of DIB strength
Jenniskens P., Ehrenfreund P., Foing B. **281**, 517

Extinction-distances to planetary nebulae
Martin W. **281**, 526

Far-infrared spectra of cosmic-type pure and mixed ices
Moore M.H., Hudson R.L. **281**, 637 (***103, 45***)

The distribution of the ultraviolet emission in the disk of Messier 33
Buat V., Vuillemin A., Burgarella D., Milliard B., Donas J. **281**, 666

Cold dust emission from the spiral galaxy NGC 3627
Sievers A.W., Reuter H.-P., Haslam C.G.T., Kreysa E., Lemke R. **281**, 681

The transfer of radiation in galactic nuclei. Dusty hot spots in the starburst galaxy M 82
Krügel E., Siebenmorgen R. **282**, 407

Silicon carbide: a possible component of the cometary dust
Orofino V., Blanco A., Fonti S. **282**, 657

Iron-aromatics coordination in molecular clouds
Marty P., Serra G., Chaudret B., Ristorcelli I. **282**, 916

Multifrequency windows on spiral galaxies. III. Internal extinction at optical and near-infrared wavelengths
Boselli A., Gavazzi G. **283**, 12

Amorphous carbon and silicon carbide grain mixtures in the envelopes of carbon stars
Blanco A., Borghesi A., Fonti S., Orofino V. **283**, 561

Very-broadband-structure and the linear rise in the extinction curve
Jenniskens P. **284**, 227

On the interstellar grains in the Magellanic Clouds and in the Galaxy
Maccioni A., Perinotto M. **284**, 241

W 3 – a study of a site of massive star formation. I. Continuum and $C^{18}O$ observations and comparison as mass tracers
Oldham P.G., Griffin M.J., Richardson K.J., Sandell G. **284**, 559

Laboratory simulation of microdiamonds present in space
Colangeli L., Mennella V., Stephens J.R., Bussoletti E. **284**, 583

uvbyβ photometry of all stars earlier than G0 and brighter than $m_{pg} \approx 10^m.3$ in Selected Area 194
Franco G.A.P. **284**, 699 (***104**, 9*)

An investigation of extinction diagnostics towards the Orion Nebula
Greve A., Castles J., McKeith C.D. **284**, 919

The contribution of small particles to the extinction curve
Boulanger F., Prévot M.L., Gry C. **284**, 956

Organometallic chemistry and the interstellar medium: experimental evidence of coordination between metal cations and polycyclic hydrocarbons in the gas phase
Boissel P. **285**, L33

uvbyβ photometry of Orion population stars and related objects associated with six star forming regions
Terranegra L., Chavarría-K.C., Diaz S., González-Patiño D. **285**, 359 (***104**, 557*)

The dust heating mechanism in the coal model
Guillois O., Nenner I., Papoular R., Reynaud C. **285**, 1003

Far-UV observations of the whirlpool galaxy M 51
Bersier D., Blecha A., Golay M., Martinet L. **286**, 37

The large scale distribution of PAHs in the Galaxy
Giard M., Lamarre J.M., Pajot F., Serra G. **286**, 203

Interstellar dust in the heliosphere
Grün E., Gustafson B., Mann I., Baguhl M., Morfill G.E., Staubach P., Taylor A., Zook H.A. **286**, 915

(RN) Large amounts of cold molecular hydrogen in the Small Magellanic Cloud
Lequeux J. **287**, 368

The desorption of CO from interstellar grains
Galloway E.T., Herbst E. **287**, 633

Analysis of a cold cloud fragment
Krügel E., Chini R. **287**, 947

On the spectra and photometry of M-giant stars
Fluks M.A., Plez B., Thé P.S., de Winter D., Westerlund B.E., Steenman H.C. **287**, 1039 (***105**, 311*)

Distant A- and F-stars in a low latitude field. Probes of interstellar reddening and Galactic structure
Jønch-Sørensen H., Knude J. **288**, 139

Multi-wavelength study of NGC 281 A
Henning T., Martin K., Reimann H.-G., Launhardt R., Leisawitz D., Zinnecker H. **288**, 282

On the frequency of interstellar meteoroids
Hajduková Jr. M. **288**, 330

Imaging in the optical and near-infrared regimes. II. Arcsecond spatial resolution of widely distributed cold dust in spiral galaxies
Block D.L., Witt A.N., Grosbøl P., Stockton A., Moneti A. **288**, 383

Dust in protostellar cores and stellar disks
Krügel E., Siebenmorgen R. **288**, 929

A survey of diffuse interstellar bands (3800–8680 Å)
Jenniskens P., Désert F.-X. **288**, 1033 (***106**, 39*)

A case study: the time evolution of dust scattered X-ray halos from gamma-ray bursters
Klose S. **289**, L1

VLA measurements of a sample of planetary nebulae
Pottasch S.R., Zijlstra A.A. **289**, 261

Ultraviolet observations of galaxies with the FAUST experiment
Deharveng J.-M., Sasseen T.P., Buat V., Bowyer S., Lampton M., Wu X. **289**, 715

The use of the $(B-I)$ color index and applications of the $(B-I)$ versus $(B-V)$ relationship. I. Open clusters
Natali F., Natali G., Pompei E., Pedichini F. **289**, 756

(RN) SAO 75669: a late-type giant behind the molecular cloud MBM 12
Bhatt H.C., Sagar R., Subramaniam A., Gorti U., Chandrasekhar T., Ashok N.M., Ragland S. **289**, 946

Two key processes in dust/gas chemical modelling: photoprocessing of grain mantles and explosive desorption
Shalabiea O.M., Greenberg J.M. **290**, 266

A dusty nebula around the luminous blue variable candidate HD 168625
Hutsemékers D., Van Drom E., Gosset E., Melnick J. **290**, 906

Dust emission of galactic cirrus from DIRBE observations
Bernard J.P., Boulanger F., Désert F.X., Giard M., Helou G., Puget J.L. **291**, L5

The IMF and the extinction law in M 101: HST FOS spectra of extragalactic H II regions
Rosa M.R., Benvenuti P. **291**, 1

PAH destruction at ionization fronts
Giard M., Bernard J.P., Lacombe F., Normand P., Rouan D. **291**, 239

SiC grains and evolution of carbon stars
Lorenz-Martins S., Lefèvre J. **291**, 831

Dust opacities for protostellar cores
Ossenkopf V., Henning T. **291**, 943

The LMC H II region N4A and its unusual molecular cloud
Heydari-Malayeri M., Lecavelier des Etangs A. **291**, 960

Fractal aggregate analogues for near solar dust properties
Mann I., Okamoto H., Mukai T., Kimura H., Kitada Y. **291**, 1011

CCD *uvbyβ* photometry of faint stars. II. Reddening in six fields in the Galaxy
Jønch-Sørensen H. **292**, 92

Interstellar dust clouds in the direction of the globular cluster M 71
Smriglio F., Dasgupta A.K., Boyle R.P. **292**, 367 (***108**, 581)*

UBVRI photometry and polarimetry of the stars in S 252 (NGC 2175). I. The observations
Haikala L.K. **292**, 369 (***108**, 643)*

Steps toward interstellar silicate mineralogy. I. Laboratory results of a silicate glass of mean cosmic composition
Jäger C., Mutschke H., Begemann B., Dorschner J., Henning T. **292**, 641

ISM: general 09.07.1

Infrared spectroscopy of gas-phase PAH molecules. I. Role of the physical environment
Joblin C., d'Hendecourt L., Léger A., Défourneau D. **281**, 923

Interaction of a pulsar with interstellar matter
Istomin Y.N. **283**, 85

The diffuse galactic emission at 6.2 μm
Ristorcelli I., Giard M., Mény C., Serra G., Lamarre J.M., Le Naour C., Léotin J., Pajot F. **286**, L23

The large scale distribution of PAHs in the Galaxy
Giard M., Lamarre J.M., Pajot F., Serra G. **286**, 203

Erratum Refractive interstellar scintillations and low frequency variability: a detailed analysis using measured source structures
Spangler S.R., Eastman W.A., Gregorini L., Mantovani F., Padrielli L. **286**, 349

Interactions of cosmic ray nuclei
Mannheim K., Schlickeiser R. **286**, 983

One-year modulation in the flux density time series of low frequency variables
Bondi M., Padrielli L., Gregorini L., Mantovani F., Shapirovskaya N., Spangler S.R. **287**, 390

The Australia Telescope Survey of 21-cm absorption in the Magellanic System. II. The cool atomic gas in the LMC
Dickey J.M., Mebold U., Marx M., Amy S., Haynes R.F., Wilson W. **289**, 357

The radio-gamma time delay of the Crab pulsar
Masnou J.L., Agrinier B., Barouch E., Comte R., Costa E., Christy J.C., Cusumano G., Gerardi G., Lemoine D., Mandrou P., Massaro E., Matt G., Mineo T., Niel M., Olive J.F., Parlier B., Sacco B., Salvati M., Scarsi L. **290**, 503

A new measurement of the interplanetary hydrogen density with ALAE/ATLAS 1
Quémerais E., Bertaux J.L., Sandel B.R., Lallement R. **290**, 941

Interstellar and intergalactic gas towards SN 1993J in M 81: a study of optical and 21 cm spectra
Vladilo G., Centurión M., de Boer K.S., King D.L., Lipman K., Stegert J.S.W., Unger S.W., Walton N.A. **291**, 425

Measuring the fractal structure of interstellar clouds
Vogelaar M.G.R., Wakker B.P. **291**, 557

Diffuse continuum gamma rays from the Galaxy observed by COMPTEL
Strong A.W., Bennett K., Bloemen H., Diehl R., Hermsen W., Morris D., Schönfelder V., Stacy J.G., de Vries C., Varendorff M., Winkler C., Youssefi G. **292**, 82

CCD *uvby*β photometry of faint stars. II. Reddening in six fields in the Galaxy
Jønch-Sørensen H. **292**, 92

(ISM:) HII regions 09.08.1

How metal-rich are metal-rich HII regions
Kinkel U., Rosa M.R. **282**, L37

Recombination coefficients for OII lines at nebular temperatures and densities
Storey P.J. **282**, 999

Water masers embedded in ultracompact HII regions: the W 75N cloud core
Hunter T.R., Taylor G.B., Felli M., Tofani G. **284**, 215

HII regions and IRAS PSC sources: the reliability of the association
Codella C., Felli M., Natale V. **284**, 233

W 3 – a study of a site of massive star formation. I. Continuum and $C^{18}O$ observations and comparison as mass tracers
Oldham P.G., Griffin M.J., Richardson K.J., Sandell G. **284**, 559

Far-infrared observations of three Galactic star-forming regions: RCW 36, IRAS 10361–5830 and IRAS 10365–5803
Verma R.P., Bisht R.S., Ghosh S.K., Iyengar K.V.K., Rengarajan T.N., Tandon S.N. **284**, 936

Young stars associated with the Vela Molecular Ridge. I. VMR clouds C and D, Collinder 197 and Vela R2
Pettersson B., Reipurth B. **285**, 354 (***104**, 233)*

The diffuse galactic emission at 6.2 μm
Ristorcelli I., Giard M., Mény C., Serra G., Lamarre J.M., Le Naour C., Léotin J., Pajot F. **286**, L23

ROSAT observation of the giant HII region RCW 49
Belloni T., Mereghetti S. **286**, 935

PAH distribution in BD+30 3639
Bernard J.P., Giard M., Normand P., Tiphène D. **289**, 524

Cometary globules. I. Formation, evolution and morphology
Lefloch B., Lazareff B. **289**, 559

The interstellar medium in the Ara OB1 field
Rizzo J.R., Bajaja E. **289**, 922

The IMF and the extinction law in M 101: HST FOS spectra of extragalactic HII regions
Rosa M.R., Benvenuti P. **291**, 1

CI emission from the outflow and PDR in S 140
Minchin N.R., White G.J., Stutzki J., Krause D. **291**, 250

The occurrence of H_2O masers in HII regions
Codella C., Felli M., Natale V., Palagi F., Palla F. **291**, 261

Pumping of Class II methanol masers. I. The 2_0–3_{-1}E transition
Sobolev A.M., Deguchi S. **291**, 569

The LMC HII region N4A and its unusual molecular cloud
Heydari-Malayeri M., Lecavelier des Etangs A. **291**, 960

Deep Hα survey of the Milky Way. II. The $l = 328°$ area
Georgelin Y.M., Amram P., Georgelin Y.P., le Coarer E., Marcelin M. **292**, 366 (***108**, 513)*

ISM: individual objects:... (except planetary nebulae) 09.09.1

Cas A

On the question of dark matter and cold H_2
Wilson T.L., Mauersberger R. **282**, L41

COMPTEL observations of ^{44}Ti gamma-ray line emission from Cas A
Iyudin A.F., Diehl R., Bloemen H., Hermsen W., Lichti G.G., Morris D., Ryan J., Schönfelder V., Steinle H., Varendorff M., de Vries C., Winkler C. **284**, L1

The role of electric currents in saturated conduction. II. Suprathermal evaporation of clouds in supernova remnants
Bandiera R., Chen Y. **284**, 637

Chamaeleon clouds

A CO and CS study of three low luminosity PMS candidates in Chamaeleon II
Olmi L., Felli M., Prusti T. **288**, 591

Crab Nebula

(RN) eXCALIBur – absolute calibration of the X-ray spectrum of the Crab Nebula
Nørgaard-Nielsen H.U., Budtz-Jørgensen C., Westergaard N.J., Schnopper H.W. **285**, 705

HI voids around filled-center supernova remnants
Wallace B.J., Landecker T.L., Taylor A.R. **286**, 565

Spectral and correlated timing behaviour of GX 5–1
Kuulkers E., van der Klis M., Oosterbroek T., Asai K., Dotani T., van Paradijs J., Lewin W.H.G. **289**, 795

Case A evolution of massive close binaries: formation of contact systems and possible reversal of the supernova order
Pols O.R. **290**, 119

Cygnus Loop

Image deprojection applied to the Einstein Cygnus Loop X-ray image
Leahy D.A., Volk K. **282**, 561

DR 21

Submillimetre polarimetric mapping of DR 21 and NGC 7538-IRS 11: tracing the circumstellar magnetic field
Minchin N.R., Murray A.G. **286**, 579

OH absorption in DR 21 and K 3–50 revisited
Jones K.N., Field D., Gray M.D., Walker R.N.F. **288**, 581

DR 21 (OH)

DR 21(OH), a cluster in the making. I. Observations in carbon monosulphide and methanol
Richardson K.J., Sandell G., Cunningham C.T., Davies S.R. **286**, 555

Draco clouds

Direct evidence for a two component spectrum of the soft X-ray background
Kerp J. **289**, 597

G 21.5–0.9

HI voids around filled-center supernova remnants
Wallace B.J., Landecker T.L., Taylor A.R. **286**, 565

G 28.8+1.5

Evidence for a low-luminosity X-ray pulsar associated with a supernova remnant
Schwentker O. **286**, L47

G 74.9+1.2

HI voids around filled-center supernova remnants
Wallace B.J., Landecker T.L., Taylor A.R. **286**, 565

G 79.29+0.46

G 79.29+0.46: a young stellar-wind shell in Cygnus X
Higgs L.A., Wendker H.J., Landecker T.L. **291**, 295

G 272.2–3.2

G 272.2–3.2: a centrally filled and possibly young SNR discovered by ROSAT
Greiner J., Egger R., Aschenbach B. **286**, L35

GGD 27-IRS

Scattered near-IR CO emission bands in GGD27-IRS. Observing the circumstellar environment of heavily obscured young PMS stars
Aspin C. **281**, L29

Thermal infrared imaging of GGD 27-IRS. The active pre-main sequence star revealed
Aspin C., Puxley P.J., Blanco P.R., Piña R.K., Pickup D.A., Paterson M.J., Sylvester J., Laird D.C., Bridger A., Daly P.N., Griffin J.L. **292**, L9

GGD 33 (NGC 7129)

Long-slit spectroscopy and direct imaging of the PMS objects GGD 33 and V 350 Cephei in NGC 7129
Miranda L.F., Eiroa C., Fernández M., Gómez de Castro A.I. **281**, 864

HD 210121 cloud

Detection of [CI] 492 GHz emission from a high-latitude translucent cloud
Stark R., van Dishoeck E.F. **286**, L43

HH 24 MMS

Analysis of a cold cloud fragment
Krügel E., Chini R. **287**, 947

HH 46/47

Proper motion measurements and high resolution imaging of the HH 46/47 outflow
Eislöffel J., Mundt R. **284**, 530

HH 111

The exciting source of the Herbig-Haro 111 jet complex: VLA detection of a one-sided radio jet
Rodríguez L.F., Reipurth B. **281**, 882

An infrared counter-flow in the HH 111 jet complex
Gredel R., Reipurth B. **289**, L19

IC 63

Physical and chemical structure of the IC 63 nebula. I. Millimeter and far-infrared observations
Jansen D.J., van Dishoeck E.F., Black J.H. **282**, 605

IC 443

CO and *C*I observations of shock-excited gas in IC 443C
White G.J. **283**, L25

An X-ray study of IC 443 and the discovery of a new supernova remnant by ROSAT
Asaoka I., Aschenbach B. **284**, 573

IRAS 08076-3556

Infrared images, 1.3 mm continuum and ammonia line observations of IRAS 08076-3556
Persi P., Ferrari-Toniolo M., Marenzi A.R., Anglada G., Chini R., Krügel E., Sepúlveda I. **282**, 233

IRAS 10361–5830

Far-infrared observations of three Galactic star-forming regions: RCW 36, IRAS 10361–5830 and IRAS 10365–5803
Verma R.P., Bisht R.S., Ghosh S.K., Iyengar K.V.K., Rengarajan T.N., Tandon S.N. **284**, 936

IRAS 10365–5803

Far-infrared observations of three Galactic star-forming regions: RCW 36, IRAS 10361–5830 and IRAS 10365–5803
Verma R.P., Bisht R.S., Ghosh S.K., Iyengar K.V.K., Rengarajan T.N., Tandon S.N. **284**, 936

K 3–50

OH absorption in DR 21 and K 3–50 revisited
Jones K.N., Field D., Gray M.D., Walker R.N.F. **288**, 581

Kepler SNR

The role of electric currents in saturated conduction. II. Suprathermal evaporation of clouds in supernova remnants
Bandiera R., Chen Y. **284**, 637

Modeling the X-ray spectrum of Kepler's supernova remnant
Decourchelle A., Ballet J. **287**, 206

Hydrodynamic model of Kepler's supernova remnant constrained by EINSTEIN and EXOSAT X-ray spectra
Rothenflug R., Magne B., Chièze J.P., Ballet J. **291**, 271

L 1340

Study of L 1340: a star-forming cloud in Cassiopeia
Kun M., Obayashi A., Sato F., Yonekura Y., Fukui Y., Balázs L.G., Ábrahám P., Szabados L., Kelemen J. **292**, 249

L 1448

Herbig–Haro objects associated with extremely young sources in L 1527 and L 1448
Eiroa C., Miranda L.F., Anglada G., Estalella R., Torrelles J.M. **283**, 973

L 1527

Herbig–Haro objects associated with extremely young sources in L 1527 and L 1448
Eiroa C., Miranda L.F., Anglada G., Estalella R., Torrelles J.M. **283**, 973

L 1551 IRS 5

The velocity field of the L 1551 IRS 5 jet
Fridlund C.V.M., Liseau R. **292**, 631

LBN 437

Molecular line observations of a comet-shaped cloud (LBN 437) in the Lacerta OB1 association
Olano C.A., Walmsley C.M., Wilson T.L. **290**, 235

M 17

PAH destruction at ionization fronts
Giard M., Bernard J.P., Lacombe F., Normand P., Rouan D. **291**, 239

MBM 12

(RN) SAO 75669: a late-type giant behind the molecular cloud MBM 12
Bhatt H.C., Sagar R., Subramaniam A., Gorti U., Chandrasekhar T., Ashok N.M., Ragland S. **289**, 946

N 4A (LMC)

The LMC H II region N4A and its unusual molecular cloud
Heydari-Malayeri M., Lecavelier des Etangs A. **291**, 960

N 19 (SMC)

Kinematics of supernova remnants in the Small Magellanic Cloud. I. The SNRs inside the nebular complex N 19, the SNR 0046–73.5 and the SNR 0050–72.8
Rosado M., Le Coarer E., Georgelin Y.P. **286**, 231

N 24 (SMC)

Kinematics of supernova remnants in the Small Magellanic Cloud. I. The SNRs inside the nebular complex N 19, the SNR 0046–73.5 and the SNR 0050–72.8
Rosado M., Le Coarer E., Georgelin Y.P. **286**, 231

N 50 (SMC)

Kinematics of supernova remnants in the Small Magellanic Cloud. I. The SNRs inside the nebular complex N 19, the SNR 0046–73.5 and the SNR 0050–72.8
Rosado M., Le Coarer E., Georgelin Y.P. **286**, 231

N 120A (LMC)

The exciting star of the small bubble N 120A in the Large Magellanic Cloud
Laval A., Gry C., Rosado M., Marcelin M., Greve A. **288**, 572

NGC 281 A cloud

Multi-wavelength study of NGC 281 A
Henning T., Martin K., Reimann H.-G., Launhardt R., Leisawitz D., Zinnecker H. **288**, 282

NGC 1333

A molecular jet and bow shock in the low mass protostellar binary NGC 1333–IRAS 2
Sandell G., Knee L.B.G., Aspin C., Robson I.E., Russell A.P.G. **285**, L1

(RN) Near-IR monitoring of the pre-main sequence star SSV 13: October 1990 to December 1993
Aspin C., Sandell G. **288**, 803

Near-IR imaging photometry of NGC 1333. I. The embedded PMS stellar population
Aspin C., Sandell G., Russell A.P.G. **289**, 663 (***106, 165***)

NGC 2023

Physical and chemical structure of the IC 63 nebula. I. Millimeter and far-infrared observations
Jansen D.J., van Dishoeck E.F., Black J.H. **282**, 605

High spatial resolution observations of H_2 vibrational fluorescence in NGC 2023
Field D., Gerin M., Leach S., Lemaire J.L., Pineau des Forêts G., Rostas F., Rouan D., Simons D. **286**, 909

NGC 2359

Expanding rings in the WR nebula NGC 2359
Goudis C.D., Christopoulou P.-E., Meaburn J., Dyson J.E. **285**, 631

NGC 3576

The young stellar population associated with the H II region NGC 3576
Persi P., Roth M., Tapia M., Ferrari-Toniolo M., Marenzi A.R. **282**, 474

NGC 6888

X-ray emission from wind blown interstellar bubbles. I. ROSAT observations of NGC 6888
Wrigge M., Wendker H.J., Wisotzki L. **286**, 219

NGC 7129

Long-slit spectroscopy and direct imaging of the PMS objects GGD 33 and V 350 Cephei in NGC 7129
Miranda L.F., Eiroa C., Fernández M., Gómez de Castro A.I. **281**, 864

Hα observations of the HH objects in the NGC 7129 field
Magakian T.Y., Boulesteix J., Marcelin M., Le Coarer E. **291**, 928

NGC 7538

Submillimetre polarimetric mapping of DR 21 and NGC 7538-IRS 11: tracing the circumstellar magnetic field
Minchin N.R., Murray A.G. **286**, 579

Orion clouds

COMPTEL observations of the Orion complex: evidence for cosmic-ray induced gamma-ray lines
Bloemen H., Wijnands R., Bennett K., Diehl R., Hermsen W., Lichti G., Morris D., Ryan J., Schönfelder V., Strong A.W., Swanenburg B.N., de Vries C., Winkler C. **281**, L5

An ammonia study of the Orion streamer
Cesaroni R., Wilson T.L. **281**, 209

Diffuse interstellar bands in Orion. The environment dependence of DIB strength
Jenniskens P., Ehrenfreund P., Foing B. **281**, 517

Gamma-ray spectroscopy of the interstellar medium in the Orion complex
Bykov A., Bloemen H. **283**, L1

The polarized water maser in Orion: A proto-planetary ring?
Abraham Z., Vilas Boas J.W.S. **290**, 956

Orion Nebula

An investigation of extinction diagnostics towards the Orion Nebula
Greve A., Castles J., McKeith C.D. **284**, 919

RCW 36

Far-infrared observations of three Galactic star-forming regions: RCW 36, IRAS 10361–5830 and IRAS 10365–5803
Verma R.P., Bisht R.S., Ghosh S.K., Iyengar K.V.K., Rengarajan T.N., Tandon S.N. **284**, 936

RCW 49

ROSAT observation of the giant H II region RCW 49
Belloni T., Mereghetti S. **286**, 935

RNO 138 (NGC 7129)

Outburst of the illuminating star of the bipolar reflection nebula RNO 138?
Miranda L.F., Eiroa C., Birkle K. **289**, L7

S 140

C I emission from the outflow and PDR in S 140
Minchin N.R., White G.J., Stutzki J., Krause D. **291**, 250

S 187

A new young stellar object in the S 187 complex: photometry and spectroscopy
Zavagno A., Deharveng L., Caplan J. **281**, 491

S 252

UBVRI photometry and polarimetry of the stars in S 252 (NGC 2175). I. The observations
Haikala L.K. **292**, 369 (***108, 643***)

S 269

(RN) S 269-IRS 2: a massive young stellar object powering Herbig-Haro emission
Eiroa C., Casali M.M., Miranda L.F., Ortiz E. **290**, 599

Serpens cloud

Is ESO Hα 279 a pre-main sequence binary?
Aspin C., Reipurth B., Lehmann T. **288**, 165

Sh2-142

H_α interferometric, optical and near IR photometric studies of star forming regions. II. The NGC 7380E/Sh2-142/NGC 7380 complex
Chavarría-K. C., Moreno-Corral M.A., Hernández-Toledo H., Terranegra L., de Lara E. **283**, 963

Southern Coalsack

uvbyβ photometry of all stars earlier than G0 and brighter than $m_{pg} \approx 10^m.3$ in Selected Area 194
Franco G.A.P. **284**, 699 (***104**, 9)*

Tycho SNR

The X-ray continuum of Tycho's remnant measured with Ginga
Fink H.H., Asaoka I., Brinkmann W., Kawai N., Koyama K. **283**, 635

Vela clouds

Young stars associated with the Vela Molecular Ridge. I. VMR clouds C and D, Collinder 197 and Vela R2
Pettersson B., Reipurth B. **285**, 354 (***104**, 233)*

W 3

Physical and chemical variations within the W 3 star-forming region. I. SO_2, CH_3OH and H_2CO
Helmich F.P., Jansen D.J., de Graauw T., Groesbeck T.D., van Dishoeck E.F. **283**, 626

Investigating the magnetic field structure around star formation cores
Greaves J.S., Murray A.G., Holland W.S. **284**, L19

W 3 – a study of a site of massive star formation. I. Continuum and $C^{18}O$ observations and comparison as mass tracers
Oldham P.G., Griffin M.J., Richardson K.J., Sandell G. **284**, 559

W 3 (H_2O)

Physical and chemical variations within the W 3 star-forming region. I. SO_2, CH_3OH and H_2CO
Helmich F.P., Jansen D.J., de Graauw T., Groesbeck T.D., van Dishoeck E.F. **283**, 626

W 3 (OH)

The molecular surroundings of W3(OH)
Wink J.E., Duvert G., Guilloteau S., Güsten R., Walmsley C.M., Wilson T.L. **281**, 505

Very Long Baseline Interferometry of 1720 MHz masers in W3(OH)
Masheder M.R.W., Field D., Gray M.D., Migenes V., Cohen R.J., Booth R.S. **281**, 871

The magnetic field in the dense gas bordering W3(OH)
Güsten R., Fiebig D., Uchida K.I. **286**, L51

DR 21(OH), a cluster in the making. I. Observations in carbon monosulphide and methanol
Richardson K.J., Sandell G., Cunningham C.T., Davies S.R. **286**, 555

W 75N

Water masers embedded in ultracompact H II regions: the W 75N cloud core
Hunter T.R., Taylor G.B., Felli M., Tofani G. **284**, 215

ϱ Oph clouds

A 230 GHz SIS receiver for SEST
Bloemhof E.E., Blundell R., Miller R.E. **282**, 318

Investigating the magnetic field structure around star formation cores
Greaves J.S., Murray A.G., Holland W.S. **284**, L19

3C 58

H I voids around filled-center supernova remnants
Wallace B.J., Landecker T.L., Taylor A.R. **286**, 565

ISM: jets and outflows 09.10.1

Long-slit spectroscopy and direct imaging of the PMS objects GGD 33 and V 350 Cephei in NGC 7129
Miranda L.F., Eiroa C., Fernández M., Gómez de Castro A.I. **281**, 864

The exciting source of the Herbig-Haro 111 jet complex: VLA detection of a one-sided radio jet
Rodríguez L.F., Reipurth B. **281**, 882

The remarkable pre-main sequence object V 1318 Cygni
Aspin C., Sandell G., Weintraub D.A. **282**, L25

Infrared images, 1.3 mm continuum and ammonia line observations of IRAS 08076-3556
Persi P., Ferrari-Toniolo M., Marenzi A.R., Anglada G., Chini R., Krügel E., Sepúlveda I. **282**, 233

Long-slit spectroscopic study of the bipolar reflection nebula M 1-92: detection of compact Herbig–Haro condensations in the lobes
Solf J. **282**, 567

Kelvin–Helmholtz instability of hydrodynamic supersonic jets
Bodo G., Massaglia S., Ferrari A., Trussoni E. **283**, 655

Herbig–Haro objects associated with extremely young sources in L 1527 and L 1448
Eiroa C., Miranda L.F., Anglada G., Estalella R., Torrelles J.M. **283**, 973

Water masers embedded in ultracompact H II regions: the W 75N cloud core
Hunter T.R., Taylor G.B., Felli M., Tofani G. **284**, 215

Proper motion measurements and high resolution imaging of the HH 46/47 outflow
Eislöffel J., Mundt R. **284**, 530

Exact solutions for helical MHD equilibria of astrophysical jets
Villata M., Ferrari A. **284**, 663

A molecular jet and bow shock in the low mass protostellar binary NGC 1333–IRAS 2
Sandell G., Knee L.B.G., Aspin C., Robson I.E., Russell A.P.G. **285**, L1

Jet flows and disk winds from T Tauri stars: the case of CW Tau
Hirth G.A., Mundt R., Solf J. **285**, 929

DR 21(OH), a cluster in the making. I. Observations in carbon monosulphide and methanol
Richardson K.J., Sandell G., Cunningham C.T., Davies S.R. **286**, 555

Submillimetre polarimetric mapping of DR 21 and NGC 7538-IRS 11: tracing the circumstellar magnetic field
Minchin N.R., Murray A.G. **286**, 579

The spatial distribution of excited H_2 in T Tauri: a molecular outflow in a young binary system
van Langevelde H.J., van Dishoeck E.F., van der Werf P.P., Blake G.A. **287**, L25

Magnetically driven wind from an accretion disk with low-inclination field lines
Xinwu Cao, Spruit H.C. **287**, 80

New HST observations of the core of R Aquarii. I. Imaging
Paresce F., Hack W. **287**, 154

A variational method for solving fast MHD flows. Consequences for stellar and extragalactic jets
Rosso F., Pelletier G. **287**, 325

A Herbig-Haro flow in HV Tauri
Magazzù A., Martín E.L. **287**, 571

Nonradial and nonpolytropic astrophysical outflows. III. A criterion for the transition from jets to winds
Sauty C., Tsinganos K. **287**, 893

An infrared counter-flow in the HH 111 jet complex
Gredel R., Reipurth B. **289**, L19

Strong evidence for a molecular jump shock in the HH 90/91 outflow
Smith M.D. **289**, 256

(RN) S 269-IRS 2: a massive young stellar object powering Herbig-Haro emission
Eiroa C., Casali M.M., Miranda L.F., Ortiz E. **290**, 599

Optical outflows in the vicinity of the southern Herbig Ae/Be star vdB 65b
Ray T.P., Eislöffel J. **290**, 605

The collimation of jets and bipolar outflows in young stellar objects: inertial confinement
Frank A., Noriega-Crespo A. **290**, 643

CI emission from the outflow and PDR in S 140
Minchin N.R., White G.J., Stutzki J., Krause D. **291**, 250

Hα observations of the HH objects in the NGC 7129 field
Magakian T.Y., Boulesteix J., Marcelin M., Le Coarer E. **291**, 928

Thermal infrared imaging of GGD 27-IRS. The active pre-main sequence star revealed
Aspin C., Puxley P.J., Blanco P.R., Piña R.K., Pickup D.A., Paterson M.J., Sylvester J., Laird D.C., Bridger A., Daly P.N., Griffin J.L. **292**, L9

Optical nebulosities associated with IRAS sources in dense cloud cores
Eiroa C., Torrelles J.M., Miranda L.F., Anglada G., Estalella R. **292**, 359 (*108, 73*)

Near-infrared spectroscopy and imaging of Herbig-Haro objects
Gredel R. **292**, 580

The velocity field of the L 1551 IRS 5 jet
Fridlund C.V.M., Liseau R. **292**, 631

ISM: kinematics and dynamics 09.11.1

The HI gas kinetic temperature of high galactic latitude cirrus clouds
Stark R., Dickey J.M., Burton W.B., Wennmacher A. **281**, 199

The molecular surroundings of W3(OH)
Wink J.E., Duvert G., Guilloteau S., Güsten R., Walmsley C.M., Wilson T.L. **281**, 505

One-dimensional equilibrium structures of infinitely thin polytropic sheets
Schmitz F. **284**, 1007

Expanding rings in the WR nebula NGC 2359
Goudis C.D., Christopoulou P.-E., Meaburn J., Dyson J.E. **285**, 631

(RN) Do star forming regions have different binary fractions?
Durisen R.H., Sterzik M.F. **286**, 84

Kinematics of supernova remnants in the Small Magellanic Cloud. I. The SNRs inside the nebular complex N 19, the SNR 0046–73.5 and the SNR 0050–72.8
Rosado M., Le Coarer E., Georgelin Y.P. **286**, 231

The structure of the interstellar gas towards stars in the globular cluster M 55
Lyons M.A., Bates B., Kemp S.N. **286**, 535

How faithful are *N*-body simulations of disc galaxies?
Romeo A.B. **286**, 799

Interstellar dust in the heliosphere
Grün E., Gustafson B., Mann I., Baguhl M., Morfill G.E., Staubach P., Taylor A., Zook H.A. **286**, 915

A stellar-interstellar counterflow configuration with transversal plasma compressibility
Scherer K., Fahr H.J., Ratkiewicz R. **287**, 219

The evolution of Local Interstellar Medium
Kosarev I.B., Loseva T.V., Nemtchinov I.V., Popel S.I. **287**, 470

The warm and the cold neutral phase in the local interstellar medium at $|b| \geq 10°$ and at low velocities
Pöppel W.G.L., Marronetti P., Benaglia P. **287**, 601

Numerical simulation of three-dimensional self-gravitating flow
Shebalin J.V. **288**, 150

On the energetics of molecular cloud systems
Sotnikova N., Volkov E. **288**, 942

Hydromagnetic interaction of magnetized clumps and the ambient medium in molecular clouds
Just A., Jacobi S., Deiss B.M. **289**, 237

Optical studies of interstellar material in low density regions of the Galaxy. II. Cloud properties, kinematics, and distribution of the neutral gas
Sembach K.R., Danks A.C. **289**, 539

Cometary globules. I. Formation, evolution and morphology
Lefloch B., Lazareff B. **289**, 559

Self-similar spreading of a viscous, star-forming galactic disc
Fröhlich H.-E. **289**, 749

The interstellar medium in the Ara OB1 field
Rizzo J.R., Bajaja E. **289**, 922

A radiation-gasdynamical method for numerical simulations of ionized nebulae: radiation-gasdynamics of PNe I
Frank A., Mellema G. **289**, 937

Optical and 21-cm observations of high-velocity gas towards subdwarfs in the halo and early-type stars in the disk
Centurión M., Vladilo G., de Boer K.S., Herbstmeier U., Schwarz U.J. **292**, 261

ISM: magnetic fields 09.13.1

Investigating the magnetic field structure around star formation cores
Greaves J.S., Murray A.G., Holland W.S. **284**, L19

Time-evolution of axisymmetric magnetic fields in galaxies
Camenzind M., Lesch H. **284**, 411

The non-linear galactic dynamo. I. Field strength and vertical parity
Schultz M., Elstner D., Rüdiger G. **286**, 72

Submillimetre polarimetric mapping of DR 21 and NGC 7538-IRS 11: tracing the circumstellar magnetic field
Minchin N.R., Murray A.G. **286**, 579

Critical density for magnetic decoupling: preliminary observations
Massi M., Lizano S. **287**, 581

The magnetic field in the disk of our Galaxy
Han J.L., Qiao G.J. **288**, 759

Similarity solutions for synchrotron emission from a supernova blast wave
Ratkiewicz R., Axford W.I., McKenzie J.F. **291**, 935

UBVRI photometry and polarimetry of the stars in S 252 (NGC 2175). I. The observations
Haikala L.K. **292**, 369 (***108***, *643)*

ISM: molecules 09.13.2

An ammonia study of the Orion streamer
Cesaroni R., Wilson T.L. **281**, 209

The molecular surroundings of W3(OH)
Wink J.E., Duvert G., Guilloteau S., Güsten R., Walmsley C.M., Wilson T.L. **281**, 505

Diffuse interstellar bands in Orion. The environment dependence of DIB strength
Jenniskens P., Ehrenfreund P., Foing B. **281**, 517

Observations of methanol masers at 95 GHz
Kalenskii S.V., Liljeström T., Val'tts I.E., Vasil'kov V.I., Slysh V.I., Urpo S. **281**, 639 (***103***, *129)*

CO in paired galaxies: star formation induced by gas flow
Combes F., Prugniel P., Rampazzo R., Sulentic J.W. **281**, 725

Very Long Baseline Interferometry of 1720 MHz masers in W3(OH)
Masheder M.R.W., Field D., Gray M.D., Migenes V., Cohen R.J., Booth R.S. **281**, 871

Plateau de Bure observations of mm-wave molecular absorption from ^{13}CO, HCO^+, and HCN
Lucas R., Liszt H. **282**, L5

On the question of dark matter and cold H_2
Wilson T.L., Mauersberger R. **282**, L41

Lineshapes of intense OH masers in star-forming regions
Field D., Gray M.D., de St. Paer P. **282**, 213

Atomic carbon in interstellar clouds
Flower D.R., Le Bourlot J., Pineau des Forêts G., Roueff E. **282**, 225

Iron-aromatics coordination in molecular clouds
Marty P., Serra G., Chaudret B., Ristorcelli I. **282**, 916

CO and *C*I observations of shock-excited gas in IC 443C
White G.J. **283**, L25

Physical and chemical variations within the W 3 star-forming region. I. SO_2, CH_3OH and H_2CO
Helmich F.P., Jansen D.J., de Graauw T., Groesbeck T.D., van Dishoeck E.F. **283**, 626

IRAS sources beyond the solar circle. IV. Maps of far-outer Galaxy molecular clouds
Brand J., Wouterloot J.G.A. **283**, 715 (***103***, *503)*

Dense gas in nearby galaxies. VII. The active nucleus of NGC 4945
Henkel C., Whiteoak J.B., Mauersberger R. **284**, 17

Molecules in the starburst galaxy Henize 2–10
Baas F., Israel F.P., Koornneef J. **284**, 403

Carbon monoxide line emission from photon dominated regions
Köster B., Störzer H., Stutzki J., Sternberg A. **284**, 545

The contribution of small particles to the extinction curve
Boulanger F., Prévot M.L., Gry C. **284**, 956

Discovery of a giant molecular cloud near the Galactic centre
Albinson J.S., Evans A., Krautter J., Weight A. **284**, 971

A molecular jet and bow shock in the low mass protostellar binary NGC 1333–IRAS 2
Sandell G., Knee L.B.G., Aspin C., Robson I.E., Russell A.P.G. **285**, L1

Millimetre observations of southern translucent clouds
Gredel R., van Dishoeck E.F., Black J.H. **285**, 300

Complex interstellar absorption lines of C_2 in the Cygnus OB 2 association
Gredel R., Münch G. **285**, 640

The diffuse galactic emission at 6.2 μm
Ristorcelli I., Giard M., Mény C., Serra G., Lamarre J.M., Le Naour C., Léotin J., Pajot F. **286**, L23

The large scale distribution of PAHs in the Galaxy
Giard M., Lamarre J.M., Pajot F., Serra G. **286**, 203

DR 21(OH), a cluster in the making. I. Observations in carbon monosulphide and methanol
Richardson K.J., Sandell G., Cunningham C.T., Davies S.R. **286**, 555

High spatial resolution observations of H_2 vibrational fluorescence in NGC 2023
Field D., Gerin M., Leach S., Lemaire J.L., Pineau des Forêts G., Rostas F., Rouan D., Simons D. **286**, 909

The spatial distribution of excited H_2 in T Tauri: a molecular outflow in a young binary system
van Langevelde H.J., van Dishoeck E.F., van der Werf P.P., Blake G.A. **287**, L25

Critical density for magnetic decoupling: preliminary observations
Massi M., Lizano S. **287**, 581

The desorption of CO from interstellar grains
Galloway E.T., Herbst E. **287**, 633

(RN) Further support for the presence of water in IRAS 10214+4724
Casoli F., Gerin M., Encrenaz P.J., Combes F. **287**, 716

Analysis of a cold cloud fragment
Krügel E., Chini R. **287**, 947

OH absorption in DR 21 and K 3–50 revisited
Jones K.N., Field D., Gray M.D., Walker R.N.F. **288**, 581

A CO and CS study of three low luminosity PMS candidates in Chamaeleon II
Olmi L., Felli M., Prusti T. **288**, 591

Studies of dense molecular cores in regions of massive star formation. CS $J = 2–1$ and HCN $J = 1–0$ observations of 11 northern cores
Zinchenko I., Forsström V., Lapinov A., Mattila K. **288**, 601

Near-infrared images of galactic masers. I. Association between infrared sources and masers
Testi L., Felli M., Persi P., Roth M. **288**, 634

Hot ammonia towards compact H II regions
Cesaroni R., Churchwell E., Hofner P., Walmsley C.M., Kurtz S. **288**, 903

On the energetics of molecular cloud systems
Sotnikova N., Volkov E. **288**, 942

A survey of diffuse interstellar bands (3800–8680 Å)
Jenniskens P., Désert F.-X. **288**, 1033 (***106***, *39)*

A search for OH emission from IRAS sources at high galactic latitudes
Slysh V.I., Dzura A.M., Val'tts I.E., Gerard E. **288**, 1034 (***106***, *87)*

An infrared counter-flow in the HH 111 jet complex
Gredel R., Reipurth B. **289**, L19

PAH distribution in BD+30 3639
Bernard J.P., Giard M., Normand P., Tiphène D. **289**, 524

SO and H_2S in low density molecular clouds
Tieftrunk A., Pineau des Forêts G., Schilke P., Walmsley C.M. **289**, 579

Molecular line observations of a comet-shaped cloud (LBN 437) in the Lacerta OB1 association
Olano C.A., Walmsley C.M., Wilson T.L. **290**, 235

Characteristics of ‚spiral arm' clouds, from CS absorption line observations
Greaves J.S., Williams P.G. **290**, 259

Two key processes in dust/gas chemical modelling: photoprocessing of grain mantles and explosive desorption
Shalabiea O.M., Greenberg J.M. **290**, 266

The polarized water maser in Orion: A proto-planetary ring?
Abraham Z., Vilas Boas J.W.S. **290**, 956

Dust emission of galactic cirrus from DIRBE observations
Bernard J.P., Boulanger F., Désert F.X., Giard M., Helou G., Puget J.L. **291**, L5

Interstellar molecules in the Large Magellanic Cloud
Johansson L.E.B., Olofsson H., Hjalmarson Å., Gredel R., Black J.H. **291**, 89

PAH destruction at ionization fronts
Giard M., Bernard J.P., Lacombe F., Normand P., Rouan D. **291**, 239

Pumping of Class II methanol masers. I. The $2_0-3_{-1}E$ transition
Sobolev A.M., Deguchi S. **291**, 569

The LMC H II region N4A and its unusual molecular cloud
Heydari-Malayeri M., Lecavelier des Etangs A. **291**, 960

Study of L 1340: a star-forming cloud in Cassiopeia
Kun M., Obayashi A., Sato F., Yonekura Y., Fukui Y., Balázs L.G., Ábrahám P., Szabados L., Kelemen J. **292**, 249

The influence of free electrons on the evolution of circular polarization in OH masers
Field D., Gray M.D. **292**, 271

A large-scale survey of OH in the galactic centre
Boyce P.J., Cohen R.J. **292**, 357 (***107**, 563*)

Results of the ESO-SEST Key Programme: CO in the Magellanic Clouds. IV. Physical properties of molecular clouds in the Small Magellanic Cloud
Lequeux J., Le Bourlot J., Pineau des Forêts G., Roueff E., Boulanger F., Rubio M. **292**, 371

Near-infrared spectroscopy and imaging of Herbig-Haro objects
Gredel R. **292**, 580

(ISM:) planetary nebulae: general 09.16.1

Detection of the λ 609 μm line of neutral atomic carbon in the Ring nebula
Bachiller R., Huggins P.J., Cox P., Forveille T. **281**, L93

Extinction-distances to planetary nebulae
Martin W. **281**, 526

Synthetic AGB evolution. II. The predicted abundances of planetary nebulae in the LMC
Groenewegen M.A.T., de Jong T. **282**, 127

Radio and near-infrared images of IRAS 21282+5050: a transitional planetary nebula
Likkel L., Morris M., Kastner J.H., Forveille T. **282**, 190

The carbon abundance problem in planetary nebulae
Rola C., Stasińska G. **282**, 199

The UKST Survey of planetary nebulae in the Large Magellanic Cloud
Morgan D.H. **282**, 349 (***103**, 235*)

Abundance gradients from disk planetary nebulae: O, Ne, S, and Ar
Maciel W.J., Köppen J. **282**, 436

Is there a connection between thermal pulses and PNe halos: on the way to an answer
Frank A., van der Veen W.E.C.J., Balick B. **282**, 554

Recombination coefficients for O II lines at nebular temperatures and densities
Storey P.J. **282**, 999

Synthetic AGB evolution. III. The influence of different mass-loss laws
Groenewegen M.A.T., de Jong T. **283**, 463

Angular diameters of compact planetary nebulae
Bedding T.R., Zijlstra A.A. **283**, 955

On the neon abundance in PG 1159-type central stars of planetary nebulae
Werner K., Rauch T. **284**, L5

Filling factors and ionized masses in planetary nebulae
Boffi F.R., Stanghellini L. **284**, 248

A near-infrared survey of northern planetary nebulae
Phillips J.P., Cuesta L. **284**, 701 (***104**, 169*)

Mass loss and the evolution of planetary nebula nuclei
Górny S.K., Tylenda R., Szczerba R. **284**, 949

V 417 Centauri: a yellow symbiotic system in a resolved nebula
Van Winckel H., Schwarz H.E., Duerbeck H.W., Fuhrmann B. **285**, 241

Chemical abundances of symbiotic nebulae. II
Costa R.D.D., de Freitas Pacheco J.A. **285**, 998

(RN) Discovery of two new planetary nebulae in the direction of the galactic bulge
Cuisinier F., Terzan A., Acker A. **287**, 227

The OH/IR-planetary nebula connection: space distribution and kinematics
Ortiz R., Maciel W.J. **287**, 552

The abundance of carbon in three type I planetary nebulae
Patriarchi P., Perinotto M. **287**, 585

1978–1993 *UBVR–JHKLMN* photometry of the very slow nova and symbiotic Mira HM Sagittae. I. The data
Yudin B., Munari U., Taranova O., Dalmeri I. **287**, 1037 (***105**, 169*)

(RN) Confrontation of theoretical tracks for post-AGB stars with observations of planetary nebulae
Tylenda R., Stasińska G. **288**, 897

Planetary nebulae and the helium-to-metals enrichment ratio
Chiappini C., Maciel W.J. **288**, 921

An extensive study of planetary nebulae in the Galactic bulge. V. Monte-Carlo simulations of an observed sample
Stasińska G., Tylenda R. **289**, 225

VLA measurements of a sample of planetary nebulae
Pottasch S.R., Zijlstra A.A. **289**, 261

A radiation-gasdynamical method for numerical simulations of ionized nebulae: radiation-gasdynamics of PNe I
Frank A., Mellema G. **289**, 937

A catalogue He II 4686 line intensities in Galactic planetary nebulae
Tylenda R., Stasińska G., Acker A., Stenholm B. **289**, 1001 (***106***, *559)*

Discovery of the new emission nebula G 4.4+6.4
Xilouris K.M., Papamastorakis J., Sokolov N., Paleologou E., Reich W. **290**, 639

Termination of AGB-evolution by hydrogen recombination
Wagenhuber J., Weiss A. **290**, 807

The gasdynamic evolution of spherical planetary nebulae. Radiation-gasdynamics of PNe III
Mellema G. **290**, 915

Location of PN central stars on the HR diagram
Cazetta J.O., Maciel W.J. **290**, 936

Bidimensional analysis of the planetary nebula NGC 7009
Bohigas J., López J.A., Aguilar L. **291**, 595

Spectrophotometry of southern planetary nebulae
Perinotto M., Purgathofer A., Pasquali A., Patriarchi P. **292**, 355 (***107***, *481)*

On an alternative statistical distance scale for planetary nebulae. Catalog with statistical distances to planetary nebulae
Van de Steene G.C., Zijlstra A.A. **292**, 365 (***108***, *485)*

(ISM:) planetary nebulae: individual:... 09.16.2

Abell 35

Ultraviolet variations in the spectrum of the visible central star of Abell 35
Jasniewicz G., Lapierre G., Monier R. **287**, 591

BD+30°3639

PAH distribution in BD+30 3639
Bernard J.P., Giard M., Normand P., Tiphène D. **289**, 524

BD+33°2642

Analysis of BD+33°2642: a newly detected planetary nebula in the galactic halo and its central star
Napiwotzki R., Heber U., Köppen J. **292**, 239

G 4.4+6.4

Discovery of the new emission nebula G 4.4+6.4
Xilouris K.M., Papamastorakis J., Sokolov N., Paleologou E., Reich W. **290**, 639

IC 1297

Narrow emission line O VI planetary nebulae nuclei
Stanghellini L., Kaler J.B., Shaw R.A. **291**, 604

IC 1747

Narrow emission line O VI planetary nebulae nuclei
Stanghellini L., Kaler J.B., Shaw R.A. **291**, 604

IC 4673

The abundance of carbon in three type I planetary nebulae
Patriarchi P., Perinotto M. **287**, 585

IRAS 09371+1212 = Frosty Leo

Adaptive optics imaging of the Frosty Leo nebula
Beuzit J.-L., Thébault P., Perrin G., Rouan D. **291**, L1

IRAS 21282+5050

Radio and near-infrared images of IRAS 21282+5050: a transitional planetary nebula
Likkel L., Morris M., Kastner J.H., Forveille T. **282**, 190

K 1–16

Narrow emission line O VI planetary nebulae nuclei
Stanghellini L., Kaler J.B., Shaw R.A. **291**, 604

K 1-27

Spectral analysis of the planetary nebula K 1-27 and its very hot hydrogen-deficient central star
Rauch T., Köppen J., Werner K. **286**, 543

LoTr 5

Further observations of the central star of LoTr 5
Jasniewicz G., Acker A., Mauron N., Duquennoy A., Cuypers J. **286**, 211

M 1–7

The abundance of carbon in three type I planetary nebulae
Patriarchi P., Perinotto M. **287**, 585

M 1–92

Long-slit spectroscopic study of the bipolar reflection nebula M 1-92: detection of compact Herbig–Haro condensations in the lobes
Solf J. **282**, 567

Me 1–1

The abundance of carbon in three type I planetary nebulae
Patriarchi P., Perinotto M. **287**, 585

NGC 1501

Narrow emission line O VI planetary nebulae nuclei
Stanghellini L., Kaler J.B., Shaw R.A. **291**, 604

NGC 6302

Bidimensional spectral analysis of NGC 6302
Bohigas J. **288**, 617

NGC 6720

Detection of the λ 609 μm line of neutral atomic carbon in the Ring nebula
Bachiller R., Huggins P.J., Cox P., Forveille T. **281**, L93

NGC 7027

The identification of krypton, xenon, and other elements of rows 4, 5, and 6 of the periodic table in the planetary nebula NGC 7027
Péquignot D., Baluteau J.-P. **283**, 593

Erratum The identification of krypton, xenon, and other elements of rows 4, 5, and 6 of the periodic table in the planetary nebula NGC 7027
Péquignot D., Baluteau J.-P. **289**, 659

PG 1712+493

CCD spectrophotometry of CVs. I. 4600–9000 Å low resolution atlas for 31 faint systems
Zwitter T., Munari U. **292**, 355 (***107**, 503*)

PK 60–7°.1

On the pre-decline and decline phases of FG Sagittae, the post-AGB star and central star of the planetary nebula PK 60–7?1
van Genderen A.M. **284**, 465

PN G160.7-2.9

(RN) PN G160.7–2.9: a new planetary nebula
Weinberger R., Saurer W., Lercher G., Seeberger R. **282**, 197

Pt 1

Pt 1: a Halo symbiotic binary not related to the globular cluster NGC 6401
Munari U., Lattanzi M.G., Bragaglia A. **292**, 501

SMP 58 (LMC)

Radio and infrared emission from a [WC]-type planetary nebula in the LMC
Zijlstra A.A., van Hoof P.A.M., Chapman J.M., Loup C. **290**, 228

Te 139

(RN) Discovery of two new planetary nebulae in the direction of the galactic bulge
Cuisinier F., Terzan A., Acker A. **287**, 227

Te 140

(RN) Discovery of two new planetary nebulae in the direction of the galactic bulge
Cuisinier F., Terzan A., Acker A. **287**, 227

(ISM:) reflection nebulae 09.18.1

Physical and chemical structure of the IC 63 nebula. I. Millimeter and far-infrared observations
Jansen D.J., van Dishoeck E.F., Black J.H. **282**, 605

Herbig–Haro objects associated with extremely young sources in L 1527 and L 1448
Eiroa C., Miranda L.F., Anglada G., Estalella R., Torrelles J.M. **283**, 973

The dust heating mechanism in the coal model
Guillois O., Nenner I., Papoular R., Reynaud C. **285**, 1003

High spatial resolution observations of H_2 vibrational fluorescence in NGC 2023
Field D., Gerin M., Leach S., Lemaire J.L., Pineau des Forêts G., Rostas F., Rouan D., Simons D. **286**, 909

A dusty nebula around the luminous blue variable candidate HD 168625
Hutsemékers D., Van Drom E., Gosset E., Melnick J. **290**, 906

Optical nebulosities associated with IRAS sources in dense cloud cores
Eiroa C., Torrelles J.M., Miranda L.F., Anglada G., Estalella R. **292**, 359 (***108**, 73*)

ISM: structure 09.19.1

The HI gas kinetic temperature of high galactic latitude cirrus clouds
Stark R., Dickey J.M., Burton W.B., Wennmacher A. **281**, 199

Plateau de Bure observations of mm-wave molecular absorption from ^{13}CO, HCO^+, and HCN
Lucas R., Liszt H. **282**, L5

The contribution of small particles to the extinction curve
Boulanger F., Prévot M.L., Gry C. **284**, 956

Is dark matter in spiral galaxies cold gas? II. Fractal models and star non-formation
Pfenniger D., Combes F. **285**, 94

Millimetre observations of southern translucent clouds
Gredel R., van Dishoeck E.F., Black J.H. **285**, 300

Star formation by infall of high velocity clouds on the galactic disk
Lépine J.R.D., Duvert G. **286**, 60

The structure of the interstellar gas towards stars in the globular cluster M 55
Lyons M.A., Bates B., Kemp S.N. **286**, 535

GHRS observations of Sirius-A. I. Interstellar clouds toward Sirius and Local Cloud ionization
Lallement R., Bertin P., Ferlet R., Vidal-Madjar A., Bertaux J.L. **286**, 898

The distance to the Complex C of high-velocity halo clouds
de Boer K.S., Altan A.Z., Bomans D.J., Lilienthal D., Moehler S., van Woerden H., Wakker B.P., Bregman J.N. **286**, 925

One-year modulation in the flux density time series of low frequency variables
Bondi M., Padrielli L., Gregorini L., Mantovani F., Shapirovskaya N., Spangler S.R. **287**, 390

Strong intraday variability in the southern blazar PKS 0537–441 at 1.42 GHz
Romero G.E., Combi J.A., Colomb F.R. **288**, 731

Optical studies of interstellar material in low density regions of the Galaxy. II. Cloud properties, kinematics, and distribution of the neutral gas
Sembach K.R., Danks A.C. **289**, 539

Direct evidence for a two component spectrum of the soft X-ray background
Kerp J. **289**, 597

Measuring the fractal structure of interstellar clouds
Vogelaar M.G.R., Wakker B.P. **291**, 557

Optical and 21-cm observations of high-velocity gas towards subdwarfs in the halo and early-type stars in the disk
Centurión M., Vladilo G., de Boer K.S., Herbstmeier U., Schwarz U.J. **292**, 261

ISM: supernova remnants 09.19.2

Evidence for enhanced MHD turbulence outside sharp-rimmed supernova remnants
Achterberg A., Blandford R.D., Reynolds S.P. **281**, 220

Image deprojection applied to the Einstein Cygnus Loop X-ray image
Leahy D.A., Volk K. **282**, 561

The X-ray continuum of Tycho's remnant measured with Ginga
Fink H.H., Asaoka I., Brinkmann W., Kawai N., Koyama K. **283**, 635

An X-ray study of IC 443 and the discovery of a new supernova remnant by ROSAT
Asaoka I., Aschenbach B. **284**, 573

The role of electric currents in saturated conduction. II. Suprathermal evaporation of clouds in supernova remnants
Bandiera R., Chen Y. **284**, 637

Observations of sources from the DRAO galactic plane survey: the SNR G104.7+2.8 and five sources near $l = 105°$, $b = 0°$
Green D.A., Joncas G. **285**, 358 (***104, 481***)

GeV/TeV gamma-ray emission from dense molecular clouds overtaken by supernova shells
Aharonian F.A., Drury L.O'C., Völk H.J. **285**, 645

G 272.2−3.2: a centrally filled and possibly young SNR discovered by ROSAT
Greiner J., Egger R., Aschenbach B. **286**, L35

Evidence for a low-luminosity X-ray pulsar associated with a supernova remnant
Schwentker O. **286**, L47

Kinematics of supernova remnants in the Small Magellanic Cloud. I. The SNRs inside the nebular complex N 19, the SNR 0046−73.5 and the SNR 0050−72.8
Rosado M., Le Coarer E., Georgelin Y.P. **286**, 231

HI voids around filled-center supernova remnants
Wallace B.J., Landecker T.L., Taylor A.R. **286**, 565

Modeling the X-ray spectrum of Kepler's supernova remnant
Decourchelle A., Ballet J. **287**, 206

The evolution of Local Interstellar Medium
Kosarev I.B., Loseva T.V., Nemtchinov I.V., Popel S.I. **287**, 470

The gamma-ray visibility of supernova remnants. A test of cosmic ray origin
Drury L.O'C., Aharonian F.A., Völk H.J. **287**, 959

"Guest stars", sample completeness and the local supernova rate
Strom R.G. **288**, L1

Hydrodynamic model of Kepler's supernova remnant constrained by EINSTEIN and EXOSAT X-ray spectra
Rothenflug R., Magne B., Chièze J.P., Ballet J. **291**, 271

The origin of extended interstellar shells around Wolf−Rayet stars having bright optical ring nebulae
Nichols J.S., Fesen R.A. **291**, 283

Cosmic ray hydrodynamics at shock fronts
Duffy P., Drury L.O'C., Völk H. **291**, 613

Similarity solutions for synchrotron emission from a supernova blast wave
Ratkiewicz R., Axford W.I., McKenzie J.F. **291**, 935

Line: formation 02.12.1

Raman scattered emission lines in symbiotic stars: a spectropolarimetric survey
Schmid H.M., Schild H. **281**, 145

NLTE model stellar atmospheres with line blanketing near the series limits
Hubeny I., Hummer D.G., Lanz T. **282**, 151

Line broadening in the presence of strong magnetic fields
Friedrich S., Östreicher R., Ruder H., Zeller G. **282**, 179

Lineshapes of intense OH masers in star-forming regions
Field D., Gray M.D., de St. Paer P. **282**, 213

An atlas of high resolution line profiles of symbiotic stars. II. Echelle spectroscopy of northern sky objects
Ivison R.J., Bode M.F., Meaburn J. **282**, 349 (***103, 201***)

Chromospheric fine structure: black & white mottles
Heinzel P., Schmieder B. **282**, 939

On the sensitivity of Stokes profiles to physical quantities
Ruiz Cobo B., del Toro Iniesta J.C. **283**, 129

Carbon monoxide line emission from photon dominated regions
Köster B., Störzer H., Stutzki J., Sternberg A. **284**, 545

High-spatial-resolution solar observations of spectral lines used for abundance analysis
Kiselman D. **284**, 699 (***104, 23***)

Resonance line polarization for arbitrary magnetic fields in optically thick media. III. A generalization of the $\bar{Y}\varepsilon$-law
Landi Degl'Innocenti E., Bommier V. **284**, 865

Balmer lines in cool dwarf stars. II. Effective temperatures and calibration of colour indices
Fuhrmann K., Axer M., Gehren T. **285**, 585

The Balmer line problem of hot stars and the impact of ion-dynamical effects on the Stark broadening of HI and HeII lines
Napiwotzki R., Rauch T. **285**, 603

Hanle effect of magnetic canopies in the solar chromosphere
Faurobert-Scholl M. **285**, 655

Height of formation of solar photospheric spectral lines
Grossmann-Doerth U. **285**, 1012

On the nickel abundance in hot hydrogen-rich white dwarfs
Werner K., Dreizler S. **286**, L31

A NLTE study of neutral boron in solar-type stars
Kiselman D. **286**, 169

New contribution functions for Zeeman split spectral lines
Solanki S.K., Bruls J.H.M.J. **286**, 269

SiII resonance multiplets in the Sun
Lanzafame A.C. **287**, 972

Size and physical conditions of the coronal line region in a nearby Seyfert 2: the Circinus galaxy
Oliva E., Salvati M., Moorwood A.F.M., Marconi A. **288**, 457

The non-LTE formation of LiI lines in cool stars
Carlsson M., Rutten R.J., Bruls J.H.M.J., Shchukina N.G. **288**, 860

An operator splitting method for line radiation with partial redistribution in atmospheres with shocks
Ulmschneider P. **288**, 1021

The optical thickness of stellar coronae in EUV lines
Schrijver C.J., van den Oord G.H.J., Mewe R. **289**, L23

Observation and modelling of main sequence star chromospheres. I. Modelling of the hydrogen spectrum in dMe stars
Houdebine E.R., Doyle J.G. **289**, 169

Observation and modelling of main sequence star chromospheres. II. Modelling of the AU Microscopii (dM2.5e) hydrogen spectrum
Houdebine E.R., Doyle J.G. **289**, 185

Line formation in Be star envelopes. I. Inhomogeneous density distributions
Hummel W. **289**, 458

Forbidden lines in Herbig Ae/Be stars: the [O I] (1F) 6300.31 Å and 6363.79 Å lines. I. Observations and qualitative analysis
Böhm T., Catala C. **290**, 167

Boron in the extreme Population II star HD 140283 and the production of light elements in the Early Galaxy
Edvardsson B., Gustafsson B., Johansson S.G., Kiselman D., Lambert D.L., Nissen P.E., Gilmore G. **290**, 176

An accelerated lambda iteration method for multilevel radiative transfer. III. Noncoherent electron scattering
Rybicki G.B., Hummer D.G. **290**, 553

A [Si VI] (1.962 μm) coronal line survey of galactic nuclei
Marconi A., Moorwood A.F.M., Salvati M., Oliva E. **291**, 18

The extended narrow line region of NGC 4151. II. Spatial variations of the emission line intensities
Robinson A., Vila-Vilaró B., Axon D.J., Pérez E., Wagner S.J., Baum S.A., Boisson C., Durret F., González-Delgado R., Moles M., Masegosa J., O'Brien P.T., O'Dea C., del Olmo A., Pedlar A., Penston M.V., Perea J., Pérez-Fournon I., Rodríguez-Espinosa J.M., Tadhunter C., Terlevich R.J., Unger S.W., Ward M.J. **291**, 351

The expanding envelope of ζ Aurigae
Kirsch T., Baade R. **291**, 535

Three-dimensional hydrodynamic models of solar granulation and their application to a spectral analysis problem
Atroshchenko I.N., Gadun A.S. **291**, 635

Properties of the first-order moments of the polarization profiles of hydrogen lines
Casini R., Landi Degl'Innocenti E. **291**, 668

The relation between microturbulence and mass loss from supergiants
Lamers H.J.G.L.M., Achmad L. **291**, 856

Spectroscopic analyses of metal-poor stars. I. Basic data and stellar parameters
Axer M., Fuhrmann K., Gehren T. **291**, 895

The influence of free electrons on the evolution of circular polarization in OH masers
Field D., Gray M.D. **292**, 271

Multidimensional radiative transfer with multilevel atoms. I. ALI method with preconditioning of the rate equations
Auer L., Fabiani Bendicho P., Trujillo Bueno J. **292**, 599

Line: identification 02.12.2

Spectral line identification of the ultraviolet spectrum of the peculiar post-AGB star HD 101584 (F0Iape)
Bakker E.J. **281**, 640 (*103, 189*)

Line identifications in a fireball spectrum
Borovička J. **281**, 638 (*103, 83*)

On the information content of stellar spectra
Hafner M., Wehrse R. **282**, 874

High-resolution spectroscopy of cool K and M stars through the telluric water vapor absorption band near 9360 Å. I. Methodology and first results
Widemann T., Bertaux J.L., Querci M., Querci F. **282**, 879

(RN) The behavior of some red and infrared helium lines
Jaschek M., Andrillat Y., Houziaux L., Jaschek C. **282**, 911

The identification of krypton, xenon, and other elements of rows 4, 5, and 6 of the periodic table in the planetary nebula NGC 7027
Péquignot D., Baluteau J.-P. **283**, 593

High-resolution optical spectroscopy of the hot R CrB star V 348 Sagittarii
Leuenhagen U., Heber U., Jeffery C.S. **283**, 714 (*103, 445*)

COMPTEL observations of ^{44}Ti gamma-ray line emission from Cas A
Iyudin A.F., Diehl R., Bloemen H., Hermsen W., Lichti G.G., Morris D., Ryan J., Schönfelder V., Steinle H., Varendorff M., de Vries C., Winkler C. **284**, L1

The EUV spectrum of AU Microscopii: temperature and density diagnostic from EUVE Spectrometers observations
Monsignori Fossi B.C., Landini M. **284**, 900

Atomic data and spectral line intensities for O VIII and Fe XVII resonance lines as well as their O VII and Fe XVI satellite lines
Cornille M., Dubau J., Faucher P., Bely-Dubau F., Blancard C. **287**, 1035 (*105, 77*)

Size and physical conditions of the coronal line region in a nearby Seyfert 2: the Circinus galaxy
Oliva E., Salvati M., Moorwood A.F.M., Marconi A. **288**, 457

Erratum The identification of krypton, xenon, and other elements of rows 4, 5, and 6 of the periodic table in the planetary nebula NGC 7027
Péquignot D., Baluteau J.-P. **289**, 659

Identification of the 1600 A feature in Lambda Bootis stars
Holweger H., Koester D., Allard N.F. **290**, L21

How did the spectrum of P Cygni look in 1985? Spectral atlas with complete line identifications in the wavelength range from 3550 to 4800 Å
Markova N. **292**, 367 (*108, 561*)

Line: profiles 02.12.3

A new young stellar object in the S 187 complex: photometry and spectroscopy
Zavagno A., Deharveng L., Caplan J. **281**, 491

Line broadening in the presence of strong magnetic fields
Friedrich S., Östreicher R., Ruder H., Zeller G. **282**, 179

Lineshapes of intense OH masers in star-forming regions
Field D., Gray M.D., de St. Paer P. **282**, 213

An atlas of high resolution line profiles of symbiotic stars. II. Echelle spectroscopy of northern sky objects
Ivison R.J., Bode M.F., Meaburn J. **282**, 349 (*103, 201*)

Stratification in WR envelopes as seen in He II lines
Niedzielski A. **282**, 529

Center-to-limb observations of the λ285.2 nm Mg I UV resonance line
Briand C., Lemaire P. **282**, 621

On the information content of stellar spectra
Hafner M., Wehrse R. **282**, 874

Chromospheric fine structure: black & white mottles
Heinzel P., Schmieder B. **282**, 939

Ion-dynamical effects in the Stark broadening of H I and He II lines and the implications for high resolution spectroscopy
Schöning T. **282**, 994

Erratum ESO 138 G1: a high excitation Seyfert 2 nucleus in a low luminosity early-type galaxy
Alloin D., Bica E., Bonatto C., Prugniel P. **282**, 1041

A spectroscopic analysis of the β Cephei star α Lupi
Mathias P., Aerts C., De Pauw M., Gillet D., Waelkens C. **283**, 813

Monitoring of active galactic nuclei. IV. The Seyfert 1 galaxy NGC 4593
Dietrich M., Kollatschny W., Alloin D., Aretxaga I., Axon D., de Bruyn A.G., Clavel J., Goad M.R., Gondhalekar P., van Groningen E., Horne K., Jackson N., Laurikainen E., Lawrence A., Masegosa J., Moles M., O'Brien P.T., del Olmo A., Penston M.V., Perea J., Pérez E., Pérez-Fournon I., Perry J.J., Peterson B.M., Robinson A., Rodríguez-Espinosa J.M., Stirpe G.M., Tadhunter C.N., Terlevich R.J., Unger S., Wagner S.J., Wanders I., Williams R. **284**, 33

Synthetic line profiles for supernovae of type II
Best M., Wehrse R. **284**, 507

Resonance line polarization for arbitrary magnetic fields in optically thick media. III. A generalization of the Ÿε-law
Landi Degl'Innocenti E., Bommier V. **284**, 865

Parametric determination of the inclination, velocity and density structure of circumstellar discs from spectropolarimetric profiles of scattered lines
Wood K., Brown J.C. **285**, 220

ZEBRA – Zeeman Broadening Analysis of magnetic white dwarfs. I. Maximum entropy reconstruction of Hα profiles
Donati J.-F., Achilleos N., Matthews J.M., Wesemael F. **285**, 285

Stark broadening of hydrogen Lyman and Balmer in the conditions of stellar envelopes
Stehlé C. **285**, 359 (***104, 509***)

Balmer lines in cool dwarf stars. II. Effective temperatures and calibration of colour indices
Fuhrmann K., Axer M., Gehren T. **285**, 585

The Balmer line problem of hot stars and the impact of ion-dynamical effects on the Stark broadening of H I and He II lines
Napiwotzki R., Rauch T. **285**, 603

Monitoring of active galactic nuclei. V. The Seyfert 1 galaxy Markarian 279
Stirpe G.M., Alloin D., Axon D.J., Clavel J., de Bruyn A.G., del Olmo A., Goad M., Gondhalekar P.M., Jackson N., Kollatschny W., Laurikainen E., Lawrence A., Masegosa J., McHardy I.M., Moles M., O'Brien P.T., Penston M.V., Perea J., Pérez E., Pérez-Fournon I., Robinson A., Rodríguez-Espinosa J.M., Tadhunter C.N., Terlevich R.J., Unger S.W., van Groningen E., Vila-Vilaró B., Wagner S.J. **285**, 857

Multiperiodicity and pulsation characteristics of β Cephei
Aerts C., Mathias P., Gillet D., Waelkens C. **286**, 109

Mode identification with the moment method in four multiperiodic β Cephei stars: KK Velorum, ν Eri, β CMa, and V 348 Normae
Aerts C., Waelkens C., De Pauw M. **286**, 136

Non-linear dynamics of the solar granulation: a first approach
Hanslmeier A., Nesis A. **286**, 263

New contribution functions for Zeeman split spectral lines
Solanki S.K., Bruls J.H.M.J. **286**, 269

On the fluctuation of wing strengths as diagnostics of the solar atmosphere
Kneer F., Nolte U. **286**, 309

The shock wave propagation effects in BL Herculis. I. The Hα profile
Gillet D., Burki G., Chatel A., Duquennoy A., Lèbre A. **286**, 508

(RN) On the shifts of magnesium Rydberg lines in the solar infrared spectrum
Hoang-Binh D. **286**, 607

The height variation of sunspot umbral dots
Wiehr E. **287**, L1

Solar chromospheric structures as observed simultaneously in strong UV lines. I. Observations, statistical analysis and characteristic line profiles
Bocchialini K., Vial J.-C. **287**, 233

Photometric and spectroscopic observations of the 53 Persei type stars: ζ Cassiopeiae
Sadsaoud H., Le Contel J.M., Chapellier E., Le Contel D., Gonzalez-Bedolla S. **287**, 509

The long-period symbiotic binary CH Cygni. III. Emission line profiles from the rotating accretion disk
Leedjärv L., Mikolajewski M., Tomov T. **287**, 543

Profile variations of the Hα emission line in the Herbig B3e star HD 200775
Beskrovnaya N.G., Pogodin M.A., Shcherbakov A.G., Tarasov A.E. **287**, 564

Parametrized Stark profiles of hydrogen lines in hot stellar plasmas
Clausset F., Stehlé C., Artru M.-C. **287**, 666

Detection of "moving bumps" for the Be star η Centauri
Leister N.V., Janot-Pacheco E., Hubert A.M., Floquet M., Hubert H., Briot D. **287**, 789

Measured Stark widths and shifts of several Ni I and Ni II spectral lines
Djeniže S., Skuljan L., Labat J., Bukvić S., Konjević R. **287**, 1035 (***105, 115***)

Stark broadening of Be I spectral lines
Dimitrijević M.S., Sahal-Bréchot S. **287**, 1038 (***105, 243***)

Stark broadening of spectral lines of multicharged ions of astrophysical interest. XI. Al XI and Si XII
Dimitrijević M.S., Sahal-Bréchot S. **287**, 1038 (***105, 245***)

HD 37151: a new "slowly pulsating B star"
North P., Paltani S. **288**, 155

Dynamics of the solar granulation: bisector analysis
Hanslmeier A., Nesis A., Mattig W. **288**, 960

An operator splitting method for line radiation with partial redistribution in atmospheres with shocks
Ulmschneider P. **288**, 1021

Line formation in Be star envelopes. I. Inhomogeneous density distributions
Hummel W. **289**, 458

The detectability of cool polar caps on late type stars
Piskunov N., Wehlau W.H. **289**, 868

A spectroscopic analysis of the β Cephei star 12 Lacertae
Mathias P., Aerts C., Gillet D., Waelkens C. **289**, 875

Asymmetries in disk galaxies. How often? How strong?
Richter O.-G., Sancisi R. **290**, L9

HST-GHRS observations of β Pictoris: additional evidence for infalling comets
Vidal-Madjar A., Lagrange-Henri A.M., Feldman P.D., Beust H., Lissauer J.J., Deleuil M., Ferlet R., Gry C., Hobbs L.M., McGrath M.A., McPhate J.B., Moos H.W. **290**, 245

Time evolution of fine structures in the solar chromosphere
Tsiropoula G., Alissandrakis C.E., Schmieder B. **290**, 285

Inversion of Thomson scattered spectropolarimetric line profiles to yield the velocity structure of rotating or expanding circumstellar discs
Brown J.C., Wood K. **290**, 634

The shock wave propagation effects in BL Herculis. II. Nonlinear model and theoretical profile of Hα
Fokin A.B., Gillet D. **290**, 875

The relation between microturbulence and mass loss from supergiants
Lamers H.J.G.L.M., Achmad L. **291**, 856

Fourier-transform spectroscopy and near-infrared variability of η Carinae
Altamore A., Maillard J.-P., Viotti R. **292**, 208

A determination of the solar abundance of iron from faint Fe I lines
Milford P.N., O'Mara B.J., Ross J.E. **292**, 276

AURELIE: the high resolution spectrometer of the Haute-Provence Observatory
Gillet D., Burnage R., Kohler D., Lacroix D., Adrianzyk G., Baietto J.C., Berger J.P., Goillandeau M., Guillaume C., Joly C., Meunier J.P., Rimbaud G., Vin A. **292**, 360 (*108, 181*)

Free-free quasi-molecular absorption and satellites in Lyman-alpha due to collisions with H and H^+
Allard N.F., Koester D., Feautrier N., Spielfiedel A. **292**, 364 (*108, 417*)

Spectropolarimetry of magnetic stars. III. Measurement uncertainties
Mathys G. **292**, 367 (*108, 547*)

Stark profiles of He^+
Stehlé C. **292**, 699

Magnetic fields 02.13.1

Non-axisymmetry vs. axisymmetry in dynamo-excited stellar magnetic fields
Rüdiger G., Elstner D. **281**, 46

Detection of calcium abundance stratification in Ap stars
Babel J. **283**, 189

A high-frequency radio continuum investigation of giant radio galaxies. I. Observations of six objects at 2.8 cm wavelength
Klein U., Mack K.-H., Strom R., Wielebinski R., Achatz U. **283**, 729

Fractal properties of the interplanetary magnetic field fluctuations: indications of chaotic dynamics
Polygiannakis J.M., Moussas X. **283**, 990

The nonlinear limitation of nonaxisymmetric mean field dynamos by the large scale Lorentz force
Barker D.M., Moss D. **283**, 1009

Diffusion effect on the dynamo action at high order approximation
Carvalho J.C. **283**, 1046

Time-evolution of axisymmetric magnetic fields in galaxies
Camenzind M., Lesch H. **284**, 411

Exact solutions for helical MHD equilibria of astrophysical jets
Villata M., Ferrari A. **284**, 663

Galactic dynamics and magnetic fields. II. Magnetic fields in barred galaxies
Chiba M., Lesch H. **284**, 731

Are magnetic null points important in solar flares?
Démoulin P., Hénoux J.C., Mandrini C.H. **285**, 1023

The magnetic field in the dense gas bordering W3(OH)
Güsten R., Fiebig D., Uchida K.I. **286**, L51

Erratum The polarized spectrum of hydrogen in the presence of electric and magnetic fields
Casini R., Landi Degl'Innocenti E. **287**, 692

Observational evidence for a spurious dependence of slab QLT proton mean free paths on the magnetic field angle
Wanner W., Jaekel U., Kallenrode M.-B., Wibberenz G., Schlickeiser R. **290**, L5

Magnetic field fluctuation geometry as a possible solution to the proton mean free path discrepancy problem
Jaekel U., Wanner W., Schlickeiser R., Wibberenz G. **291**, L35

Properties of the first-order moments of the polarization profiles of hydrogen lines
Casini R., Landi Degl'Innocenti E. **291**, 668

The many incarnations of accretion disk dynamos: mixed parities and chaos for large dynamo numbers
Torkelsson U., Brandenburg A. **292**, 341

Magnetic beaming and the origin of 100% circular polarization in OH masers
Gray M.D., Field D. **292**, 693

Magnetohydrodynamics (MHD) 02.13.2

Instability and eruption of magnetic flux tubes in the solar convection zone
Schüssler M., Caligari P., Ferriz-Mas A., Moreno-Insertis F. **281**, L69

Evidence for enhanced MHD turbulence outside sharp-rimmed supernova remnants
Achterberg A., Blandford R.D., Reynolds S.P. **281**, 220

Kinetic theory of propagation and runaway galactic cosmic rays. II. Self-consistent model
Dogiel V.A., Gurevich A.V., Zybin K.P. **281**, 937

The shape of a magnetic arcade embedded in the solar corona
Čadež V.M., Oliver R., Ballester J.L. **282**, 934

Interaction of a pulsar with interstellar matter
Istomin Y.N. **283**, 85

Current sheet formation and dissipation in general *X*-point topologies
Craig I.J.D. **283**, 331

Magneto-atmospheric waves subject to Newtonian cooling
Bünte M., Bogdan T.J. **283**, 642

Turbulent accretion disk dynamos
Torkelsson U., Brandenburg A. **283**, 677

The nonlinear limitation of nonaxisymmetric mean field dynamos by the large scale Lorentz force
Barker D.M., Moss D. **283**, 1009

Diffusion effect on the dynamo action at high order approximation
Carvalho J.C. **283**, 1046

Time-evolution of axisymmetric magnetic fields in galaxies
Camenzind M., Lesch H. **284**, 411

Alpha effect in the solar atmosphere
Seehafer N. **284**, 593

Exact solutions for helical MHD equilibria of astrophysical jets
Villata M., Ferrari A. **284**, 663

Galactic dynamics and magnetic fields. II. Magnetic fields in barred galaxies
Chiba M., Lesch H. **284**, 731

Stationary subalfvénic and low-β MHD flows in solar coronal loops and arcades
Surlantzis G., Démoulin P., Heyvaerts J., Sauty C. **284**, 985

The deep layers of solar magnetic elements
Grossmann-Doerth U., Knölker M., Schüssler M., Solanki S.K. **285**, 648

Particle acceleration at superluminal quasi-perpendicular shocks. Application to SN 1978K and SN 1987A
Achterberg A., Ball L. **285**, 687

Are magnetic null points important in solar flares?
Démoulin P., Hénoux J.C., Mandrini C.H. **285**, 1023

Magnetohydrodynamic parametric instabilities driven by a standing Alfvén wave in the planetary magnetosphere
Chian A.C.-L., Oliveira L.P.L. **286**, L1

The impact of a high velocity cloud onto the galactic disk
Kerp J., Lesch H., Mack K.-H. **286**, L13

The non-linear galactic dynamo. I. Field strength and vertical parity
Schultz M., Elstner D., Rüdiger G. **286**, 72

Magnetohydrodynamic waves in coronal flux tubes
Goedbloed J.P., Halberstadt G. **286**, 275

The spectrum of Sgr A* and its variability
Duschl W.J., Lesch H. **286**, 431

A magnetic explanation for the rapid burster
Kuijpers J., Kuperus M. **286**, 491

Flux corrected transport method for MHD plasma: description of the numerical algorithm and tests
Murawski K., Goossens M. **286**, 943

Excitation of nonlinear MHD waves by foot-point motions
Murawski K., Goossens M. **286**, 952

An analytical study of simple waves in thin magnetic flux tubes
Cheng J. **286**, 962

Electromagnetic expulsion force in cosmic plasma
Litvinenko Y.E., Somov B.V. **287**, L37

Magnetically driven wind from an accretion disk with low-inclination field lines
Xinwu Cao, Spruit H.C. **287**, 80

Linear models of steady state, incompressible magnetic reconnection
Craig I.J.D., Rickard G.J. **287**, 261

The Parker instability in disks with differential rotation
Foglizzo T., Tagger M. **287**, 297

Large-scale vortices in rotating stratified disks
Kitchatinov L.L., Rüdiger G., Khomenko G. **287**, 320

A variational method for solving fast MHD flows. Consequences for stellar and extragalactic jets
Rosso F., Pelletier G. **287**, 325

Nonradial and nonpolytropic astrophysical outflows. III. A criterion for the transition from jets to winds
Sauty C., Tsinganos K. **287**, 893

The Maunder minimum: a mixed-parity dynamo mode?
Sokoloff D., Nesme-Ribes E. **288**, 293

Asymptotic formation of a current sheet in an indefinitely sheared force-free field: an analytical example
Aly J.J. **288**, 1012

Dynamos in evolving galaxies
Beck R., Poezd A.D., Shukurov A., Sokoloff D.D. **289**, 94

Hydromagnetic interaction of magnetized clumps and the ambient medium in molecular clouds
Just A., Jacobi S., Deiss B.M. **289**, 237

The effect of random alpha-fluctuations and the global properties of the solar magnetic field
Hoyng P., Schmitt D., Teuben L.J.W. **289**, 265

A dynamo effect due to instability of magnetic flux tubes
Ferriz-Mas A., Schmitt D., Schüssler M. **289**, 949

Thick penumbra in a magnetostatic sunspot model
Jahn K., Schmidt H.U. **290**, 295

Magnetic reconnection theory for coronal loop interaction
Li X-Q., Zhang Z., Smartt R.N. **290**, 963

Cosmic ray hydrodynamics at shock fronts
Duffy P., Drury L.O'C., Völk H. **291**, 613

Λ-quenching as the nonlinearity in stellar-turbulence dynamos
Kitchatinov L.L., Rüdiger G., Küker M. **292**, 125

Line profiles and intensity maps from an axi-symmetric radiative wind model for Be stars
Stee P., de Araújo F.X. **292**, 221

The many incarnations of accretion disk dynamos: mixed parities and chaos for large dynamo numbers
Torkelsson U., Brandenburg A. **292**, 341

Local waves in a magnetic arcade embedded in the solar corona
Cadez V.M., Ballester J.L. **292**, 669

Masers 02.13.3

86 GHz SiO, $v = 1$, $J = 2 \rightarrow 1$ survey of southern IRAS point sources. II. Detection of 74 new maser sources
Haikala L.K., Nyman L.-Å., Forsström V. **281**, 638 (***103, 107***)

Observations of methanol masers at 95 GHz
Kalenskii S.V., Liljeström T., Val'tts I.E., Vasil'kov V.I., Slysh V.I., Urpo S. **281**, 639 (***103, 129***)

Very Long Baseline Interferometry of 1720 MHz masers in W3(OH)
Masheder M.R.W., Field D., Gray M.D., Migenes V., Cohen R.J., Booth R.S. **281**, 871

Lineshapes of intense OH masers in star-forming regions
Field D., Gray M.D., de St. Paer P. **282**, 213

The effects of stellar rotation on the absorption spectra of comets orbiting β Pictoris
Beust H., Lissauer J.J. **282**, 804

Near infrared speckle interferometry and water maser observations of carbon stars with an oxygen-rich circumstellar environment
Engels D., Leinert C. **282**, 858

A submillimeter recombination line maser in MWC 349
Thum C., Matthews H.E., Martín-Pintado J., Serabyn E., Planesas P., Bachiller R. **283**, 582

Water masers embedded in ultracompact H II regions: the W 75N cloud core
Hunter T.R., Taylor G.B., Felli M., Tofani G. **284**, 215

More H_2O masers in J-type carbon stars
Engels D. **285**, 497

Numerical calculations of SiO maser emission. I. Intensity and variability
Bujarrabal V. **285**, 953

Numerical calculations of SiO maser emission. II. Angular extent
Bujarrabal V. **285**, 971

The magnetic field in the dense gas bordering W3(OH)
Güsten R., Fiebig D., Uchida K.I. **286**, L51

Short time scale monitoring of SiO sources
Pijpers F.P., Pardo J.R., Bujarrabal V. **286**, 501

New radio recombination maser features and CO observations in MWC 349
Martín-Pintado J., Neri R., Thum C., Planesas P., Bachiller R. **286**, 890

An OH maser towards the globular cluster NGC 6171
Feast M.W., Whitelock P.A. **287**, L29

H_2O activity in M 82 and in other members of the M 81 group
Baudry A., Brouillet N., Henkel C. **287**, 20

A deep VLA search for OH (1612 MHz) maser sources in the galactic plane
Blommaert J.A.D.L., Van Langevelde H.J., Michiels W.F.P. **287**, 479

Detection of H 21α maser emission at 662 GHz in MWC 349
Thum C., Matthews H.E., Harris A.I., Tacconi L.J., Schuster K.F., Martín-Pintado J. **288**, L25

Near-infrared images of galactic masers. I. Association between infrared sources and masers
Testi L., Felli M., Persi P., Roth M. **288**, 634

A search for OH emission from IRAS sources at high galactic latitudes
Slysh V.I., Dzura A.M., Val'tts I.E., Gerard E. **288**, 1034 (*106, 87*)

Stellar OH masers toward globular clusters
Frail D.A., Beasley A.J. **290**, 796

The polarized water maser in Orion: A proto-planetary ring?
Abraham Z., Vilas Boas J.W.S. **290**, 956

The occurrence of H_2O masers in H II regions
Codella C., Felli M., Natale V., Palagi F., Palla F. **291**, 261

Pumping of Class II methanol masers. I. The 2_0–3_{-1}E transition
Sobolev A.M., Deguchi S. **291**, 569

H_2O masers from low and intermediate luminosity young stellar objects: H_2O masers and YSOs
Persi P., Palagi F., Felli M. **291**, 577

The influence of free electrons on the evolution of circular polarization in OH masers
Field D., Gray M.D. **292**, 271

Magnetic beaming and the origin of 100% circular polarization in OH masers
Gray M.D., Field D. **292**, 693

Meteors, meteoroids 07.13.1

Line identifications in a fireball spectrum
Borovička J. **281**, 638 (*103, 83*)

Delivery of meteorites through the ν_6 secular resonance
Morbidelli A., Gonczi R., Froeschlé C., Farinella P. **282**, 955

Earth-grazing daylight fireball of August 10, 1972
Ceplecha Z. **283**, 287

Fine structure of the 1985 Giacobinids
Šimek M. **284**, 276

Is there any mechanism capable of producing the same Fresnel characteristics as fragmentation of meteoroids?
Novikov G.G., Pecina P., Radzhabov T.S. **284**, 612

Impacts of meteoroids larger than 1 m into the Earth's atmosphere
Ceplecha Z. **286**, 967

Meteor stream activity. I. The annual streams
Jenniskens P. **287**, 990

On the frequency of interstellar meteoroids
Hajduková Jr. M. **288**, 330

On shock wave impact ionization of dust particles
Hornung K., Kissel J. **291**, 324

On the dust belts of Mars
Krivov A.V. **291**, 657

Current meteor production of comet P/Swift–Tuttle 1992t
Fulle M., Böhm C., Mengoli G., Muzzi F., Orlandi S., Sette G. **292**, 304

Analysis of identified iron meteoroids: possible relation with M-type Earth-crossing asteroids?
Re Velle D.O., Ceplecha Z. **292**, 330

A spaceborne near-Earth asteroid detection system
Jackson B.V., Buffington A., Hick P.L., Kahler S.W., Webb D.F. **292**, 362 (*108, 279*)

Methods: analytical 03.13.1

(RN) A method for defining structures in the distribution of galaxies
Gurzadyan V.G., Harutyunyan V.V., Kocharyan A.A. **281**, 964

A toolbox for general elliptical gravitational lenses
Schramm T. **284**, 44

The main problem of geosynchronous satellite theory around an equilibrium position
Oberti P. **284**, 281

Exact solutions for helical MHD equilibria of astrophysical jets
Villata M., Ferrari A. **284**, 663

Correction to the luni-solar precession from Very Long Baseline Interferometry
Walter H.G., Ma C. **284**, 1000

Time/frequency analysis of solar *p*-modes
Baudin F., Gabriel A., Gibert D. **285**, L29

Fourier coefficients of nonlinear oscillators
Antonello E. **285**, 140

Resolvent method: exact solutions of half-space transport problems by elementary means
Ivanov V.V. **286**, 328

Nonlinear, nonradial, isentropic oscillations of stars: Hamiltonian formalism
Van Hoolst T. **286**, 879

Hough transform for robust regression and automated detection
Ballester P. **286**, 1011

Quasi-periodic oscillations in the shot noise model of X-ray sources
Vikhlinin A., Churazov E., Gilfanov M. **287**, 73

A variational method for solving fast MHD flows. Consequences for stellar and extragalactic jets
Rosso F., Pelletier G. **287**, 325

Thermodynamics of the one-dimensional gravitational gas
Muriel A., Esguerra P., Feix M. **287**, 1021

Testing higher-order Lagrangian perturbation theory against numerical simulations. I. Pancake models
Buchert T., Melott A.L., Weiß A.G. **288**, 349

Inversion of bremsstrahlung spectra emitted by solar plasma
Piana M. **288**, 949

A 3.9 GHz survey for declination –1° to 0°
Larionov M.G., Parijskij Y.N., Zhuravlev V.I., Sidorenkov V.N., Berlin A.B., Nizhel'skii N.A. **288**, 1035 (***106***, *119*)

On the propagation of linear 3-D hydrodynamic waves in plane non-isothermal atmospheres
Schmitz F., Fleck B. **288**, 1035 (***106***, *129*)

Radial cluster lensing. A simple differential equation describing arclet fields
Schramm T., Kayser R. **289**, L5

Burgers' equation, Devil's staircases and the mass distribution for large-scale structures
Vergassola M., Dubrulle B., Frisch U., Noullez A. **289**, 325

Automatic search for periodic light curves with any kind of shape in unevenly spaced data
Grison P. **289**, 404

Maximum likelihood estimators: an application to the estimation of the precision of helioseismic measurements
Toutain T., Appourchaux T. **289**, 649

Nonasymptotic helioseismic inversion for solar structure
Antia H.M., Basu S. **292**, 354 (***107***, *421*)

Coupled-mode equations and amplitude equations for nonadiabatic, nonradial oscillations of stars
Van Hoolst T. **292**, 471

Methods: data analysis 03.13.2

The δ Scuti star BI Canis Minoris (≡ HD 66853): pulsational behaviour and a critical discussion of physical parameter determination
Mantegazza L., Poretti E. **281**, 66

Disentangling of composite spectra
Simon K.P., Sturm E. **281**, 286

"Va-et-Vient" spectroscopy: a new mode for faint object CCD spectroscopy with very large telescopes
Cuillandre J.C., Fort B., Picat J.P., Soucail G., Altieri B., Beigbeder F., Dupin J.P., Pourthié T., Ratier G. **281**, 603

CAPELLA: software for stellar photometry in dense fields with an irregular background
Debray B., Llebaria A., Dubout-Crillon R., Petit M. **281**, 613

Sources of uncertainty in the relative scaling of spectroscopic data
Baribaud T., Salamanca I., Alloin D., Wagner S. **281**, 638 (***103***, *121*)

Chromospheric activity in G and K giants and their rotation-activity relation
Strassmeier K.G., Handler G., Paunzen E., Rauth M. **281**, 855

Recalibration of the Voyager PRA antenna for polarization sense measurement
Wang L., Carr T.D. **281**, 945

The first geodetic VLBI experiment at 22 GHz between Japan and Italy
Takahashi Y., Kiuchi H., Kurihara N., Grueff G., Ambrosini R. **282**, 341

Amplitude calibration of the European *VLBI* network
Bondi M., Mantovani F., Sherwood W., Tzioumis A., Venturi T. **282**, 351 (***103***, *365*)

Correlation analysis of faint galaxies
Infante L. **282**, 353

Image deprojection applied to the Einstein Cygnus Loop X-ray image
Leahy D.A., Volk K. **282**, 561

Center-to-limb observations of the λ285.2 nm MgI UV resonance line
Briand C., Lemaire P. **282**, 621

Iterative blind deconvolution method using Lucy's algorithm
Tsumuraya F., Miura N., Baba N. **282**, 699

On the information content of stellar spectra
Hafner M., Wehrse R. **282**, 874

A comparison of methods for determining the centers of globular clusters
Picard A., Johnston H.M. **283**, 76

Image reconstruction by the wavelet transform applied to aperture synthesis
Starck J.-L., Bijaoui A., Lopez B., Perrier C. **283**, 349

Locating the emission line regions in polars: Doppler imaging of VV Puppis
Diaz M.P., Steiner J.E. **283**, 508

Re-analysis of three archival optical objects on Odessa plates
Greiner J., Moskalenko E.I. **283**, 693

Procedures for the interactive analysis of point sources from the ROSAT XRT/PSPC All-Sky Survey
Belloni T., Hasinger G., Izzo C. **283**, 1037

Speckle interferometry with a photon-counting detector
Thiébaut E. **284**, 340

OT 1928: a real candidate for GRB 781119
Hudec R., Pravec P., Borovička J. **284**, 499

Analysis of ground-based observations of the satellites of Saturn 1874–1988
Harper D., Taylor D.B. **284**, 619

Pyramid maximum entropy images of IRAS survey data
Bontekoe T.R., Koper E., Kester D.J.M. **284**, 1037

The Fourier decomposition of new light curves of Cepheids with $P<7$ d
Poretti E. **285**, 524

Non-linear properties of the dynamics of bursts and flares in the solar and stellar coronae
Isliker H., Benz A.O. **285**, 663

Feature velocities in disk galaxies
Engström S. **285**, 801

Hough transform for robust regression and automated detection
Ballester P. **286**, 1011

Phase-referenced visibility averaging in optical long-baseline interferometry
Quirrenbach A., Mozurkewich D., Buscher D.F., Hummel C.A., Armstrong J.T. **286**, 1019

Simultaneous intensive photometry and high resolution spectroscopy of δ Scuti stars. I. Mode typing of HD 106384≡FG Virginis
Mantegazza L., Poretti E., Bossi M. **287**, 95

Cross-correlation radial-velocity techniques for rotating F stars
Nordström B., Latham D.W., Morse J.A., Milone A.A.E., Kurucz R.L., Andersen J., Stefanik R.P. **287**, 338

On the estimation of intensity for low S/N ratio narrow emission lines
Rola C., Pelat D. **287**, 676

Image restoration with noise suppression using the wavelet transform
Starck J.-L., Murtagh F. **288**, 342

Surface imaging of late-type contact binaries I: AE Phoenicis and YY Eridani
Maceroni C., Vilhu O., van 't Veer F., Van Hamme W. **288**, 529

Estimation of visibility amplitude by optical long-baseline Michelson interferometry with large apertures
Mourard D., Tallon-Bosc I., Rigal F., Vakili F., Bonneau D., Morand F., Stee P. **288**, 675

Multiband studies of two distant galaxy clusters at $z>0.8$
Thimm G.J., Belloni P. **289**, L27

Echo mapping the Balmer-emission region in NGC 3516
Wanders I., Horne K. **289**, 76

(RN) Determining hot star wind terminal velocities from low-resolution IUE data
Prinja R.K. **289**, 221

Imaging of very distant comets: current and future limits
Hainaut O., West R.M., Smette A., Marsden B.G. **289**, 311

Automatic search for periodic light curves with any kind of shape in unevenly spaced data
Grison P. **289**, 404

Kinematics of the Local Universe: completeness of the sample
Paturel G., Bottinelli L., Di Nella H., Fouqué P., Gouguenheim L., Teerikorpi P. **289**, 711

Period variations of the late type contact binaries YY Eri and AE Phe: how to use light curves outside minimum
Maceroni C., van 't Veer F. **289**, 871

Optimum strategies for inverse problems in statistical astronomy
Lucy L.B. **289**, 983

Optical observations of a ROSAT sample of clusters of galaxies. I. Techniques and X-ray/optical analysis
Pierre M., Böhringer H., Ebeling H., Voges W., Schuecker P., Cruddace R., MacGillivray H. **290**, 725

A search for chaotic behaviour in solar activity
Carbonell M., Oliver R., Ballester J.L. **290**, 983

Relationship between the astrometric z-term, the Earth rotation and the southern oscillation index
Li Z.X., Gambis D. **290**, 1001

An analysis of visibility-based continuum subtraction
Sault R.J. **290**, 1020 (*107, 55*)

Modelling of geometric transformations of solar images
Molowny-Horas R. **290**, 1021 (*107, 121*)

Astronomical adaptive optics. I. Modal control optimization
Gendron E., Léna P. **291**, 337

An application of the internal calibration method using stellar profiles
Markov H. **291**, 1027

Geometrical analysis of average pulsar profiles using multi-component gaussian fits at several frequencies. I. Method and analysis
Kramer M., Wielebinski R., Jessner A., Gil J.A., Seiradakis J.H. **292**, 356 (*107, 515*)

Geometrical analysis of average pulsar profiles using multi-component gaussian fits at several frequencies. II. Individual results
Kramer M. **292**, 356 (*107, 527*)

Generation of artificial helioseismic time-series
Schou J., Brown T.M. **292**, 356 (*107, 541*)

The long-term behaviour of the photometric variability of β Cassiopeiae
Riboni E., Poretti E., Galli G. **292**, 358 (*108, 55*)

A spaceborne near-Earth asteroid detection system
Jackson B.V., Buffington A., Hick P.L., Kahler S.W., Webb D.F. **292**, 362 (*108, 279*)

Application of wavelet analysis in variable star research. I. Properties of the wavelet map of simulated variable star light curves
Szatmáry K., Vinkó J., Gál J. **292**, 363 (*108, 377*)

A new automatic identification technique for OB associations in unresolved galaxies
Adanti S., Battinelli P., Capuzzo-Dolcetta R., Hodge P.W. **292**, 363 (*108, 395*)

When does the Richardson–Lucy deconvolution converge?
Bi H., Börner G. **292**, 364 (*108, 409*)

Multi-frequency synthesis techniques in radio interferometric imaging
Sault R.J., Wieringa M.H. **292**, 368 (*108, 585*)

Methods: laboratory 03.13.7

Far-infrared spectra of cosmic-type pure and mixed ices
Moore M.H., Hudson R.L. **281**, 637 (*103, 45*)

Detection of a polycyclic aromatic molecule in comet P/Halley
Moreels G., Clairemidi J., Hermine P., Brechignac P., Rousselot P. **282**, 643

Amorphous carbon and silicon carbide grain mixtures in the envelopes of carbon stars
Blanco A., Borghesi A., Fonti S., Orofino V. **283**, 561

Oscillator strength measurements in the vacuum-ultraviolet. VI. Neutral oxygen lines in the 950–1200 Å range
Goldbach C., Nollez G. **284**, 307

Laboratory simulation of microdiamonds present in space
Colangeli L., Mennella V., Stephens J.R., Bussoletti E. **284**, 583

Organometallic chemistry and the interstellar medium: experimental evidence of coordination between metal cations and polycyclic hydrocarbons in the gas phase
Boissel P. **285**, L33

The dust heating mechanism in the coal model
Guillois O., Nenner I., Papoular R., Reynaud C. **285**, 1003

Branching fractions for the transition $3s^23p^3(^4S)4s\ ^3S \rightarrow 3s^23p^4\ ^3P$ of neutral sulphur
Ricci E., Mazzoni M. **286**, 344

Lifetimes and oscillator strengths for Y III
Maniak S.T., Curtis L.J., Theodosiou C.E., Hellborg R., Johansson S.G., Martinson I., Irving R.E., Beideck D.J. **286**, 978

Methods: miscellaneous 03.13.3

Pole, albedo and shape of the minor planets 624 Hektor and 43 Ariadne: two tests for comparing four different pole determination methods
Detal A., Hainaut O., Pospieszalska-Surdej A., Schils P., Schober H.J., Surdej J. **281**, 269

Re-analysis of three archival optical objects on Odessa plates
Greiner J., Moskalenko E.I. **283**, 693

Methods: numerical 03.13.4

Hydrodynamical simulations of relativistic jets
Martí M^{a}J., Müller E., Ibáñez M^{a}J. **281**, L9

The SOLA method for helioseismic inversion
Pijpers F.P., Thompson M.J. **281**, 231

Application of asymptotic expressions for computing the polarized radiation in optically thick planetary atmospheres
Wauben W.M.F., de Haan J.F., Hovenier J.W. **281**, 258

Disentangling of composite spectra
Simon K.P., Sturm E. **281**, 286

Large-scale structure statistics: finite volume effects
Colombi S., Bouchet F.R., Schaeffer R. **281**, 301

A method for computing visible and infrared polarized monochromatic radiation in planetary atmospheres
Wauben W.M.F., de Haan J.F., Hovenier J.W. **282**, 277

Polynomial approximations of Poincaré maps for Hamiltonian systems. II
Petit J.-M., Froeschlé C. **282**, 291

Multidimensional relativistic hydrodynamics: characteristic fields and modern high-resolution shock-capturing schemes
Font J.A., Ibáñez J.M., Marquina A., Martí J.M. **282**, 304

A comparison of methods for determining the centers of globular clusters
Picard A., Johnston H.M. **283**, 76

Dynamical evolution of interplanetary dust particles
Marzari F., Vanzani V. **283**, 275

Fragmenting the Universe. III. The construction and statistics of 3-D Voronoi tessellations
van de Weygaert R. **283**, 361

Successive hierarchical fragmentation of centrally condensed protostellar cores
Di G. Sigalotti L. **283**, 858

A toolbox for general elliptical gravitational lenses
Schramm T. **284**, 44

Synchrotron emission from bent shocked relativistic jets. II. Shock waves in helical jets
Gómez J.L., Alberdi A., Marcaide J.M. **284**, 51

Simulation of polarization maps. I. Protostellar envelopes
Fischer O., Henning T., Yorke H.W. **284**, 187

Three-dimensional radiative transfer on a massively parallel computer
Väth H.M. **284**, 319

Special relativistic jet collimation by inertial confinement
Eulderink F., Mellema G. **284**, 654

Numerical studies of wind accretion using SPH. I. 2D simulations
Boffin H.M.J., Anzer U. **284**, 1026

Angular momentum redistribution and spin tilt during *N*-body collapse: phenomenological implications
Curir A., Diaferio A. **285**, 389

Two-dimensional radiative transfer with partial frequency redistribution. I. General method
Auer L.H., Paletou F. **285**, 675

Instabilities of protostellar cores. The influence of adaptive grids on instabilities of first protostellar cores
Kürschner R. **285**, 897

An operator splitting method for atmospheres with shocks
Buchholz B., Hauschildt P.H., Rammacher W., Ulmschneider P. **285**, 987

Modern high-resolution shock-capturing methods for structure evolution in cosmology
Quilis V., Ibáñez J.M., Sáez D. **286**, 1

Numerical methods for AGB evolution
Wagenhuber J., Weiss A. **286**, 121

Computation of cosmic-ray acceleration by Itô's stochastic differential equations
Krülls W.M., Achterberg A. **286**, 314

How faithful are *N*-body simulations of disc galaxies?
Romeo A.B. **286**, 799

Flux corrected transport method for MHD plasma: description of the numerical algorithm and tests
Murawski K., Goossens M. **286**, 943

Excitation of nonlinear MHD waves by foot-point motions
Murawski K., Goossens M. **286**, 952

Spherically symmetric model atmospheres using approximate lambda operators. I. First results for static NLTE atmospheres
Kubát J. **287**, 179

On the estimation of intensity for low S/N ratio narrow emission lines
Rola C., Pelat D. **287**, 676

Variability of microlensing light curves. II. Magnification fluctuations, autocorrelation functions, and applications to QSO 2237+0305
Seitz C., Wambsganss J., Schneider P. **288**, 19

Numerical simulation of three-dimensional self-gravitating flow
Shebalin J.V. **288**, 150

An operator splitting method for line radiation with partial redistribution in atmospheres with shocks
Ulmschneider P. **288**, 1021

EUV energy distributions of accretion disks in active galactic nuclei
Störzer H., Hauschildt P.H. **289**, 45

Burgers' equation, Devil's staircases and the mass distribution for large-scale structures
Vergassola M., Dubrulle B., Frisch U., Noullez A. **289**, 325

The calculation of continuum polarization due to the Rayleigh scattering phase matrix in multi-scattering axisymmetric envelopes
Hillier D.J. **289**, 492

Probability density estimation in astronomy
Vio R., Fasano G., Lazzarin M., Lessi O. **289**, 640

Doppler imaging with a CLEAN-like approach. II. A photospheric image of AB Doradus (= HD 36705)
Kürster M., Schmitt J.H.M.M., Cutispoto G. **289**, 899

A radiation-gasdynamical method for numerical simulations of ionized nebulae: radiation-gasdynamics of PNe I
Frank A., Mellema G. **289**, 937

A Newton iteration method for obtaining equilibria of rapidly rotating stars
Aksenov A.G., Blinnikov S.I. **290**, 674

A trial-and-error approach to the determination of the orbital parameters of visual binaries
Pourbaix D. **290**, 682

The gasdynamic evolution of spherical planetary nebulae. Radiation-gasdynamics of PNe III
Mellema G. **290**, 915

Nonlinear stellar pulsation. II. Radiative models of RR-Lyrae stars
Feuchtinger M.U., Dorfi E.A. **291**, 209

Numerical simulations for the study of the methods for stellar kinematics and luminosity calibration
Jaschek C., Valbousquet A., Luri X. **291**, 439

The influence of the troposphere on the oscillations of giant planets
Mosser B., Gudkova T., Guillot T. **291**, 1019

Synchrotron emission from bent shocked relativistic jets. III. Aberration of light and time delay effects
Gómez J.L., Alberdi A., Marcaide J.M., Marscher A.P., Travis J.P. **292**, 33

Wavefront sensing and image restoration from focused and defocused solar images
Löfdahl M.G., Scharmer G.B. **292**, 352 (***107, 243***)

Multidimensional radiative transfer with multilevel atoms. I. ALI method with preconditioning of the rate equations
Auer L., Fabiani Bendicho P., Trujillo Bueno J. **292**, 599

Methods: observational 03.13.5

"Va-et-Vient" spectroscopy: a new mode for faint object CCD spectroscopy with very large telescopes
Cuillandre J.C., Fort B., Picat J.P., Soucail G., Altieri B., Beigbeder F., Dupin J.P., Pourthié T., Ratier G. **281**, 603

The influence of the stray light in the solar image on the Fraunhofer line profiles
Barducci A., Cavallini F., Ceppatelli G., Righini A. **281**, 955

The first geodetic VLBI experiment at 22 GHz between Japan and Italy
Takahashi Y., Kiuchi H., Kurihara N., Grueff G., Ambrosini R. **282**, 341

High-resolution spectroscopy of cool K and M stars through the telluric water vapor absorption band near 9360 Å. I. Methodology and first results
Widemann T., Bertaux J.L., Querci M., Querci F. **282**, 879

Experimental estimation of the spatial-coherence outer scale from a wavefront statistical analysis
Ziad A., Borgnino J., Martin F., Agabi A. **282**, 1021

Sidelobes of the SIGMA telescope
Claret A., Lebrun F., Laurent P., Leray J.P. **282**, 1034

Measurement of the atmospheric limit to narrow-angle interferometric astrometry using the Mark III stellar interferometer
Colavita M.M. **283**, 1027

An updated list of radio flux density calibrators
Ott M., Witzel A., Quirrenbach A., Krichbaum T.P., Standke K.J., Schalinski C.J., Hummel C.A. **284**, 331

Analysis of ground-based observations of the satellites of Saturn 1874–1988
Harper D., Taylor D.B. **284**, 619

Phase-referenced visibility averaging in optical long-baseline interferometry
Quirrenbach A., Mozurkewich D., Buscher D.F., Hummel C.A., Armstrong J.T. **286**, 1019

Cross-correlation radial-velocity techniques for rotating F stars
Nordström B., Latham D.W., Morse J.A., Milone A.A.E., Kurucz R.L., Andersen J., Stefanik R.P. **287**, 338

Localizations and spectra of gamma-ray bursts observed within the sidelobes of the SIGMA telescope
Claret A., Lebrun F., Paul J., Cordier B., Pelaez F., Jourdain E., Niel M., Roques J.P., Terekov O., Lobachev V., Denisenko D., Sunyaev R., Churazov E., Giifanov M., Dyachkov A., Khavenson N. **287**, 824

A 3.9 GHz survey for declination –1° to 0°
Larionov M.G., Parijskij Y.N., Zhuravlev V.I., Sidorenkov V.N., Berlin A.B., Nizhel'skii N.A. **288**, 1035 (***106, 119***)

Asteroids as reference stars for high resolution astronomy
Ribak E.N., Rigaut F. **289**, L47

High-resolution kinematical mapping of the core of the globular cluster M 15 ≡ NGC 7078
Dubath P., Meylan G. **290**, 104

Fourier analysis of spotted star light curves as a tool to detect stellar differential rotation. II. Spots' evolution and binarity
Lanza A.F., Rodonò M., Zappalà R.A. **290**, 861

Determining photometric dead time by using hydrogen filters
Morris S.L., Naftilan S.A. **290**, 1020 (***107, 71***)

Wavefront sensing and image restoration from focused and defocused solar images
Löfdahl M.G., Scharmer G.B. **292**, 352 (***107, 243***)

Measurements of the sky background using the HST Faint Object Camera
Caulet A., Hook R.N., Fosbury R.A.E. **292**, 361 (***108, 271***)

Methods: statistical 03.13.6

Solar granulation and statistical crystallography: a modeling approach using size-shape relations
Noever D.A. **282**, 252

The faint galaxy correlation or lack thereof
Roukema B.F., Peterson B.A. **285**, 361

Non-linear properties of the dynamics of bursts and flares in the solar and stellar coronae
Isliker H., Benz A.O. **285**, 663

Mixed fractal models for the distribution of galaxies
Dubrulle B. **286**, 351

On the amplitude modulation of low-degree solar p-modes
Gabriel M., Lazrek M. **286**, 635

Time delay controversy on QSO 0957+561 not yet decided
Pelt J., Hoff W., Kayser R., Refsdal S., Schramm T. **286**, 775

Impacts of meteoroids larger than 1 m into the Earth's atmosphere
Ceplecha Z. **286**, 967

Maximum likelihood estimation of the mean parallax and the kinematic parameters of moving clusters
Zhao J.L., Chen L. **287**, 68

The Poisson distribution on a fractal
Dubrulle B., Lachièze-Rey M. **287**, 361

On the estimation of intensity for low S/N ratio narrow emission lines
Rola C., Pelat D. **287**, 676

The probability-density function of a Fourier line
Gabriel M. **287**, 685

"Guest stars", sample completeness and the local supernova rate
Strom R.G. **288**, L1

The lognormal properties of the soft gamma-ray repeater SGR 1806–20 and the Vela pulsar
Hurley K.J., McBreen B., Rabbette M., Steel S. **288**, L49

Robust morphological measures for large-scale structure in the Universe
Mecke K.R., Buchert T., Wagner H. **288**, 697

On the Malmquist bias in the determination of H_0 and of distances of galaxies
Triay R., Lachièze-Rey M., Rauzy S. **289**, 19

An extensive study of planetary nebulae in the Galactic bulge. V. Monte-Carlo simulations of an observed sample
Stasińska G., Tylenda R. **289**, 225

The effect of random alpha-fluctuations and the global properties of the solar magnetic field
Hoyng P., Schmitt D., Teuben L.J.W. **289**, 265

Burgers' equation, Devil's staircases and the mass distribution for large-scale structures
Vergassola M., Dubrulle B., Frisch U., Noullez A. **289**, 325

Probability density estimation in astronomy
Vio R., Fasano G., Lazzarin M., Lessi O. **289**, 640

Maximum likelihood estimators: an application to the estimation of the precision of helioseismic measurements
Toutain T., Appourchaux T. **289**, 649

On the multifractal analysis of galaxy catalogs with box-counting methods
Dubrulle B., Lachièze-Rey M. **289**, 667

Optimum strategies for inverse problems in statistical astronomy
Lucy L.B. **289**, 983

When does the Richardson–Lucy deconvolution converge?
Bi H., Börner G. **292**, 364 (***108**, 409*)

Environments of Seyfert galaxies. I. Construction of the sample and selection effects
Laurikainen E., Salo H., Teerikorpi P., Petrov G. **292**, 366 (***108**, 491*)

Minor planets, asteroids 07.13.2

Pole, albedo and shape of the minor planets 624 Hektor and 43 Ariadne: two tests for comparing four different pole determination methods
Detal A., Hainaut O., Pospieszalska-Surdej A., Schils P., Schober H.J., Surdej J. **281**, 269

On the conversion of orbital elements from 1950.0 to J 2000
Lieske J.H. **281**, 281

(**RN**) Polarimetric observations of 51 Nemausa during its 1991 apparition
Broglia P., Manara A. **281**, 576

Cometary splitting – a source for the Jupiter family?
Pittich E.M., Rickman H. **281**, 579

A spectroscopic survey of D-type asteroids
Fitzsimmons A., Dahlgren M., Lagerkvist C.-I., Magnusson P., Williams I.P. **282**, 634

Delivery of meteorites through the ν_6 secular resonance
Morbidelli A., Gonczi R., Froeschlé C., Farinella P. **282**, 955

Spin axis orientation of 2060 Chiron from dust coma modeling
Fulle M. **282**, 980

Orbits of real and fictitious asteroids studied by numerical integration
Schubart J. **285**, 357 (***104**, 391*)

Impacts of meteoroids larger than 1 m into the Earth's atmosphere
Ceplecha Z. **286**, 967

Millimeter-wavelength observations of minor planets
Altenhoff W.J., Johnston K.J., Stumpff P., Webster W.J. **287**, 641

Physical studies of asteroids. XXVIII. Lightcurves and photoelectric photometry of asteroids 2, 14, 51, 105, 181, 238, 258, 369, 377, 416, 487, 626, 679, 1048 and 2183
Schober H.J., Erikson A., Hahn G., Lagerkvist C.-I., Albrecht R., Ornig W., Schroll A., Stadler M. **287**, 1038 (***105**, 281*)

Asteroids as reference stars for high resolution astronomy
Ribak E.N., Rigaut F. **289**, L47

(**RN**) Comments on Hills's approximation in the problem of planetary encounters
Brunini A. **289**, 637

Photometry of eleven asteroids at small phase angles
Piironen J., Bowell E., Erikson A., Magnusson P. **289**, 1002 (***106**, 587*)

Analysis of identified iron meteoroids: possible relation with M-type Earth-crossing asteroids?
Re Velle D.O., Ceplecha Z. **292**, 330

Asteroid 83 Beatrix – photometry and model
Krugly Y.N., Shevchenko V.G., Velichko F.P., Bowell E., Piironen J., Kwiatkowski T., Kryszczyńska A., Michałowski T. **292**, 359 (***108**, 143*)

Photometry of five asteroids: 189 Phthia, 220 Stephania, 289 Nenetta, 312 Pierretta and 626 Notburga
Mohamed R.A., Chiorny V.G., Dovgopol A.N., Shevchenko V.G. **292**, 359 (***108**, 69*)

A spaceborne near-Earth asteroid detection system
Jackson B.V., Buffington A., Hick P.L., Kahler S.W., Webb D.F. **292**, 362 (***108**, 279*)

Molecular data 02.13.4

Far-infrared spectra of cosmic-type pure and mixed ices
Moore M.H., Hudson R.L. **281**, 637 (***103**, 45*)

Detection of a polycyclic aromatic molecule in comet P/Halley
Moreels G., Clairemidi J., Hermine P., Brechignac P., Rousselot P. **282**, 643

Amorphous carbon and silicon carbide grain mixtures in the envelopes of carbon stars
Blanco A., Borghesi A., Fonti S., Orofino V. **283**, 561

Effects of TiO in stellar atmospheres
Jørgensen U.G. **284**, 179

Laboratory simulation of microdiamonds present in space
Colangeli L., Mennella V., Stephens J.R., Bussoletti E. **284**, 583

Empirical corrections of the rigid rotor interaction potential of H_2–H_2 in the attractive region; dimer features in the FIR absorption spectra
Schaefer J. **284**, 1015

Organometallic chemistry and the interstellar medium: experimental evidence of coordination between metal cations and polycyclic hydrocarbons in the gas phase
Boissel P. **285**, L33

The dust heating mechanism in the coal model
Guillois O., Nenner I., Papoular R., Reynaud C. **285**, 1003

Molecular processes 02.13.5

Atomic carbon in interstellar clouds
Flower D.R., Le Bourlot J., Pineau des Forêts G., Roueff E. **282**, 225

Detection of a polycyclic aromatic molecule in comet P/Halley
Moreels G., Clairemidi J., Hermine P., Brechignac P., Rousselot P. **282**, 643

Iron-aromatics coordination in molecular clouds
Marty P., Serra G., Chaudret B., Ristorcelli I. **282**, 916

CO and C I maps of the starburst galaxy M 82
White G.J., Ellison B., Claude S., Dent W.R.F., Matheson D.N. **284**, L23

Empirical corrections of the rigid rotor interaction potential of H_2–H_2 in the attractive region; dimer features in the FIR absorption spectra
Schaefer J. **284**, 1015

Observations of the OH Meinel system in comet P/Swift–Tuttle
Tozzi G.P., Feldman P.D., Weaver H.A. **285**, L9

Organometallic chemistry and the interstellar medium: experimental evidence of coordination between metal cations and polycyclic hydrocarbons in the gas phase
Boissel P. **285**, L33

High spatial resolution observations of H_2 vibrational fluorescence in NGC 2023
Field D., Gerin M., Leach S., Lemaire J.L., Pineau des Forêts G., Rostas F., Rouan D., Simons D. **286**, 909

The radial distribution of HC_3N molecules in IRC+10216
Audinos P., Kahane C., Lucas R. **287**, L5

Ammonia in comet P/Halley
Meier R., Eberhardt P., Krankowsky D., Hodges R.R. **287**, 268

The desorption of CO from interstellar grains
Galloway E.T., Herbst E. **287**, 633

The rotational lines of methanol in comets Austin 1990 V and Levy 1990 XX
Bockelée-Morvan D., Crovisier J., Colom P., Despois D. **287**, 647

Methanol and hydrogen sulfide in comet P/Halley
Eberhardt P., Meier R., Krankowsky D., Hodges R.R. **288**, 315

A new chemical model of the circumstellar envelope surrounding IRC +10216
Millar T.J., Herbst E. **288**, 561

OH absorption in DR 21 and K 3–50 revisited
Jones K.N., Field D., Gray M.D., Walker R.N.F. **288**, 581

Images of low excitation HC_3N emission from IRC+10°216
Wootten A., Nguyen-Q-Rieu, Truong-Bach **290**, 198

Two key processes in dust/gas chemical modelling: photoprocessing of grain mantles and explosive desorption
Shalabiea O.M., Greenberg J.M. **290**, 266

Abundance and origin of the CH_n^+ ions in the coma of comet P/Halley
Altwegg K., Balsiger H., Geiss J. **290**, 318

Conditions for condensation and preservation of amorphous ice and crystallinity of astrophysical ices
Kouchi A., Yamamoto T., Kozasa T., Kuroda T., Greenberg J.M. **290**, 1009

Moon 07.13.3

On the conversion of orbital elements from 1950.0 to J 2000
Lieske J.H. **281**, 281

Numerical expressions for precession formulae and mean elements for the Moon and the planets
Simon J.L., Bretagnon P., Chapront J., Chapront-Touzé M., Francou G., Laskar J. **282**, 663

Lunar VLBI observation model
Fukushima T. **291**, 320

Nuclear reactions, nucleosynthesis, abundances 02.14.1

Lithium abundance in a turnoff star of the old globular cluster NGC 6397
Molaro P., Pasquini L. **281**, L77

The nature of the F str λ4077 stars. III. Spectroscopy of the barium dwarfs and other CP stars
North P., Berthet S., Lanz T. **281**, 775

The nature of the F str λ4077 stars. V. Spectroscopic data
North P., Berthet S., Lanz T. **282**, 351 (***103, 321***)

(RN) Oxygen abundances in the Large Magellanic Cloud: a prediction of SN II/SN I rates
Barbuy B., de Freitas Pacheco J.A., Castro S. **283**, 32

A spectroscopic analysis of barium stars
Začs L. **283**, 937

Time variations of the ^{37}Ar production rate in the chlorine solar neutrino experiment
Gavryusev V., Gavryuseva E. **283**, 978

Beyond the mean-potential approximation in the calculation of thermonuclear reaction rates in dense stars
Sahrling M. **283**, 1004

Vacuum polarization and nuclear reactions at energies of astrophysical interest
Degl'Innocenti S., Fiorentini G. **284**, 300

Can nucleosynthesis determine the mass limit for stellar black hole formation?
Prantzos N. **284**, 477

Enhancement of thermonuclear reaction rates in dense stars
Sahrling M. **284**, 484

Evolution of carbon and oxygen in the Galaxy: the effect of metallicity dependent yields
Prantzos N., Vangioni-Flam E., Chauveau S. **285**, 132

Low-mass stars: pre-main sequence evolution and nucleosynthesis
Forestini M. **285**, 473

CNO isotopes in red giants: theory versus observations
El Eid M.F. **285**, 915

Nucleosynthesis in neutrino-driven winds from protoneutron stars. I. The α-process
Witti J., Janka H.-T., Takahashi K. **286**, 841

Nucleosynthesis in neutrino-driven winds from protoneutron stars. II. The r-process
Takahashi K., Witti J., Janka H.-T. **286**, 857

Interactions of cosmic ray nuclei
Mannheim K., Schlickeiser R. **286**, 983

Investigation of the II-90 giant in globular cluster M 13
Klochkova V.G., Mishenina T.V., Panchuk V.E. **287**, 881

Abundances of neutron-capture elements in metal-poor stars
Gratton R.G., Sneden C. **287**, 927

Methanol and hydrogen sulfide in comet P/Halley
Eberhardt P., Meier R., Krankowsky D., Hodges R.R. **288**, 315

Energy implications of Li production in X-ray transients
Martín E.L., Spruit H.C., van Paradijs J. **291**, L43

Erratum The nature of the F str λ4077 stars. III. Spectroscopy of the barium dwarfs and other CP stars
North P., Berthet S., Lanz T. **292**, 350

COMPTEL upper limits on gamma-ray line emission from Supernova 1991T
Lichti G.G., Bennett K., den Herder J.W., Diehl R., Morris D., Ryan J., Schönfelder V., Steinle H., Strong A.W., Winkler C. **292**, 569

Occultations 05.15.1

Mutual phenomena of the Galilean satellites: an analysis of the 1991 observations from VBO
Vasundhara R. **281**, 565

New binary stars discovered by lunar occultations
Richichi A., Calamai G., Leinert C. **286**, 829

Neptune's upper stratosphere, 1983–1990: ground-based stellar occultation observations. III. Temperature profiles
Roques F., Sicardy B., French R.G., Hubbard W.B., Barucci A., Bouchet P., Brahic A., Gehrels J.-A., Gehrels T., Grenier I., Lebertre T., Lecacheux J., Maillard J.P., McLaren R.A., Perrier C., Vilas F., Waterworth M.D. **288**, 985

Astrometric analysis of Europa-Io occultations observed in 1991
Descamps P. **291**, 664

Planets and satellites: general 07.16.1

Application of asymptotic expressions for computing the polarized radiation in optically thick planetary atmospheres
Wauben W.M.F., de Haan J.F., Hovenier J.W. **281**, 258

On the conversion of orbital elements from 1950.0 to J 2000
Lieske J.H. **281**, 281

Recalibration of the Voyager PRA antenna for polarization sense measurement
Wang L., Carr T.D. **281**, 945

Titius-Bode laws in the solar system. I. Scale invariance explains everything
Graner F., Dubrulle B. **282**, 262

Titius-Bode laws in the solar system. II. Build your own law from disk models
Dubrulle B., Graner F. **282**, 269

A method for computing visible and infrared polarized monochromatic radiation in planetary atmospheres
Wauben W.M.F., de Haan J.F., Hovenier J.W. **282**, 277

Numerical expressions for precession formulae and mean elements for the Moon and the planets
Simon J.L., Bretagnon P., Chapront J., Chapront-Touzé M., Francou G., Laskar J. **282**, 663

Analysis of ground-based observations of the satellites of Saturn 1874–1988
Harper D., Taylor D.B. **284**, 619

Magnetohydrodynamic parametric instabilities driven by a standing Alfvén wave in the planetary magnetosphere
Chian A.C.-L., Oliveira L.P.L. **286**, L1

(RN) Disk brightness temperature of the planets at 43 GHz (and 43 GHz flux densities of some continuum sources)
Greve A., Steppe H., Graham D., Schalinski C.J. **286**, 654

Nonlinear excitation of Langmuir and Alfvén waves by auroral whistler waves in the planetary magnetosphere
Chian A.C.-L., Lopes S.R., Alves M.V. **288**, 981

Asteroids as reference stars for high resolution astronomy
Ribak E.N., Rigaut F. **289**, L47

Generation of auroral whistler-mode radiation via nonlinear coupling of Langmuir waves and Alfvén waves
Chian A.C.-L., Lopes S.R., Alves M.V. **290**, L13

Planets and satellites: individual 07.16.2

Deimos

On the dust belts of Mars
Krivov A.V. **291**, 657

Europa

Astrometric analysis of Europa-Io occultations observed in 1991
Descamps P. **291**, 664

Galilean satellites

Mutual phenomena of the Galilean satellites: an analysis of the 1991 observations from VBO
Vasundhara R. **281**, 565

Io

The complete polarization state of Io-related radio storms from Jupiter: a statistical study
Dulk G.A., Leblanc Y., Lecacheux A. **286**, 683

Origin of the O^+ pick-up ions in the heliosphere
Geiss J., Gloeckler G., Mall U. **289**, 933

On Io's excitation and the origin of Jupiter's decametric radiation
Leblanc Y., Dulk G.A., Bagenal F. **290**, 660

Astrometric analysis of Europa-Io occultations observed in 1991
Descamps P. **291**, 664

Jupiter

The complete polarization state of Io-related radio storms from Jupiter: a statistical study
Dulk G.A., Leblanc Y., Lecacheux A. **286**, 683

Phase correction and planetary positions *(Text in French)*
Toulmonde M., Chollet F. **287**, 1014

Origin of the O^+ pick-up ions in the heliosphere
Geiss J., Gloeckler G., Mall U. **289**, 933

On Io's excitation and the origin of Jupiter's decametric radiation
Leblanc Y., Dulk G.A., Bagenal F. **290**, 660

The influence of the troposphere on the oscillations of giant planets
Mosser B., Gudkova T., Guillot T. **291**, 1019

Mars

Millimeter-wavelength observations of minor planets
Altenhoff W.J., Johnston K.J., Stumpff P., Webster W.J. **287**, 641

Phase correction and planetary positions *(Text in French)*
Toulmonde M., Chollet F. **287**, 1014

On the dust belts of Mars
Krivov A.V. **291**, 657

Neptune

Neptune's upper stratosphere, 1983–1990: ground-based stellar occultation observations. III. Temperature profiles
Roques F., Sicardy B., French R.G., Hubbard W.B., Barucci A., Bouchet P., Brahic A., Gehrels J.-A., Gehrels T., Grenier I., Lebertre T., Lecacheux J., Maillard J.P., McLaren R.A., Perrier C., Vilas F., Waterworth M.D. **288**, 985

Broad-band spectroscopic detection of the CO J = 3–2 tropospheric absorption in the atmosphere of Neptune
Naylor D.A., Davis G.R., Griffin M.J., Clark T.A., Gautier D., Marten A. **291**, L51

Phobos

On the dust belts of Mars
Krivov A.V. **291**, 657

Satellites of Saturn

Analysis of ground-based observations of the satellites of Saturn 1874–1988
Harper D., Taylor D.B. **284**, 619

Satellites of Uranus

A method to define a reference system for the reduction of astrometric positions of natural satellites
Veiga C.H., Vieira Martins R. **292**, 356 (*107, 551*)

Positions of Uranian satellites
Veiga C.H., Vieira Martins R. **292**, 357 (*107, 559*)

Saturn

The influence of the troposphere on the oscillations of giant planets
Mosser B., Gudkova T., Guillot T. **291**, 1019

43 Ariadne

Pole, albedo and shape of the minor planets 624 Hektor and 43 Ariadne: two tests for comparing four different pole determination methods
Detal A., Hainaut O., Pospieszalska-Surdej A., Schils P., Schober H.J., Surdej J. **281**, 269

51 Nemausa

(RN) Polarimetric observations of 51 Nemausa during its 1991 apparition
Broglia P., Manara A. **281**, 576

624 Hektor

Pole, albedo and shape of the minor planets 624 Hektor and 43 Ariadne: two tests for comparing four different pole determination methods
Detal A., Hainaut O., Pospieszalska-Surdej A., Schils P., Schober H.J., Surdej J. **281**, 269

2060 Chiron

Spin axis orientation of 2060 Chiron from dust coma modeling
Fulle M. **282**, 980

Plasmas 02.16.1

Enhancement of the electron runaway flux with kinetic Alfvén waves
de Assis A.S., Leubner C. **281**, 588

A positron-cyclotron maser mechanism for the core emission of radio pulsars
Zhu Y., Mao D., Wang D., Wu X. **282**, 467

Ion-dynamical effects in the Stark broadening of H I and He II lines and the implications for high resolution spectroscopy
Schöning T. **282**, 994

Magneto-atmospheric waves subject to Newtonian cooling
Bünte M., Bogdan T.J. **283**, 642

Observations by Ulysses of a pure electron event and its associated type III radio emission of 15 December 1990
Mangeney A., Pick M., Hoang S., Chaizy P., Anderson K., Lanzerotti L.J., Lin R.P., Sarris E.T., Forsyth R., Phillips J.L., Enome S. **283**, 982

Time-evolution of axisymmetric magnetic fields in galaxies
Camenzind M., Lesch H. **284**, 411

The role of electric currents in saturated conduction. I. General theory
Bandiera R., Chen Y. **284**, 629

Exact solutions for helical MHD equilibria of astrophysical jets
Villata M., Ferrari A. **284**, 663

The directivity and polarization of radio emission at the second harmonic of plasma frequency from coronal magnetic loops
Ledenev V.G. **285**, 1019

Magnetohydrodynamic parametric instabilities driven by a standing Alfvén wave in the planetary magnetosphere
Chian A.C.-L., Oliveira L.P.L. **286**, L1

Erratum Refractive interstellar scintillations and low frequency variability: a detailed analysis using measured source structures
Spangler S.R., Eastman W.A., Gregorini L., Mantovani F., Padrielli L. **286**, 349

Relativistic type III solar radio bursts
Poquérusse M. **286**, 611

A stellar-interstellar counterflow configuration with transversal plasma compressibility
Scherer K., Fahr H.J., Ratkiewicz R. **287**, 219

Parametrized Stark profiles of hydrogen lines in hot stellar plasmas
Clausset F., Stehlé C., Artru M.-C. **287**, 666

A two-fluid model of the solar wind termination shock modified by shock-generated cosmic rays including energy losses
Chalov S.V., Fahr H.J. **288**, 973

Nonlinear excitation of Langmuir and Alfvén waves by auroral whistler waves in the planetary magnetosphere
Chian A.C.-L., Lopes S.R., Alves M.V. **288**, 981

Interplanetary type III radio bursts that approach the plasma frequency: Ulysses observations
Hoang S., Dulk G.A., Leblanc Y. **289**, 957

Generation of auroral whistler-mode radiation via nonlinear coupling of Langmuir waves and Alfvén waves
Chian A.C.-L., Lopes S.R., Alves M.V. **290**, L13

Magnetic reconnection theory for coronal loop interaction
Li X-Q., Zhang Z., Smartt R.N. **290**, 963

On shock wave impact ionization of dust particles
Hornung K., Kissel J. **291**, 324

Cosmic ray hydrodynamics at shock fronts
Duffy P., Drury L.O'C., Völk H. **291**, 613

Magnetic drift driven instability for cosmic-ray acceleration: oblique propagation
Pajot-El Abed P., Melikidze G., Tagger M. **291**, 687

On the origin of noise storm continuum depressions
Zaitsev V.V., Aurass H., Krüger A., Mann G. **291**, 990

Atomic data from the IRON Project. V. Effective collision strengths for transitions in the ground configuration of oxygen-like ions
Butler K., Zeippen C.J. **292**, 357 (*108, 1*)

Theoretical correlations between prominence plasma parameters and the emitted radiation
Heinzel P., Gouttebroze P., Vial J.-C. **292**, 656

Stark profiles of He^+
Stehlé C. **292**, 699

Polarization 02.16.2

Raman scattered emission lines in symbiotic stars: a spectropolarimetric survey
Schmid H.M., Schild H. **281**, 145

Application of asymptotic expressions for computing the polarized radiation in optically thick planetary atmospheres
Wauben W.M.F., de Haan J.F., Hovenier J.W. **281**, 258

(RN) Polarimetric observations of 51 Nemausa during its 1991 apparition
Broglia P., Manara A. **281**, 576

High-frequency radio continuum observations of radio galaxies with low and intermediate luminosity. II. Sources with sizes 4' to 5'
Mack K.-H., Gregorini L., Parma P., Klein U. **281**, 639 (*103, 157*)

Recalibration of the Voyager PRA antenna for polarization sense measurement
Wang L., Carr T.D. **281**, 945

A method for computing visible and infrared polarized monochromatic radiation in planetary atmospheres
Wauben W.M.F., de Haan J.F., Hovenier J.W. **282**, 277

Spectral lines unaffected by instrumental polarization. II. Selected lines of astrophysical interest
Vela Villahoz E., Sánchez Almeida J., Wittmann A.D. **282**, 350 (*103, 293*)

The magnetic field in the halo of M 82. Polarized radio emission at λλ6.2 and 3.6 cm
Reuter H.-P., Klein U., Lesch H., Wielebinski R., Kronberg P.P. **282**, 724

SHARP images of the pre-main sequence star V 536 Aquilae: a highly polarized binary
Ageorges N., Ménard F., Monin J.-L., Eckart A. **283**, L5

UBVRI polarimetry of AM Herculis-type binaries. V. The asynchronous (?) polar BY Camelopardalis (H0538+608)
Piirola V., Coyne G.V., Takalo S.J.L., Larsson S., Vilhu O. **283**, 163

A high-frequency radio continuum investigation of giant radio galaxies. I. Observations of six objects at 2.8 cm wavelength
Klein U., Mack K.-H., Strom R., Wielebinski R., Achatz U. **283**, 729

Investigating the magnetic field structure around star formation cores
Greaves J.S., Murray A.G., Holland W.S. **284**, L19

Synchrotron emission from bent shocked relativistic jets. II. Shock waves in helical jets
Gómez J.L., Alberdi A., Marcaide J.M. **284**, 51

A long period model for the magnetic star γ Equulei
Leroy J.L., Bagnulo S., Landolfi M., Landi Degl'Innocenti E. **284**, 174

Simulation of polarization maps. I. Protostellar envelopes
Fischer O., Henning T., Yorke H.W. **284**, 187

49 Camelopardalis: an uncommon magnetic star
Leroy J.L., Landstreet J.D., Bagnulo S. **284**, 491

Intense blazar activity in the photopolarimetric light curve of OJ 287
Takalo L.O., Sillanpää A., Nilsson K., Kidger M., de Diego J.A. **284**, 700 (*104, 115*)

Synchrotron radiation from the jet of 3C 273. III. The speed and direction of the jet
Conway R.G., Davis R.J. **284**, 724

The intrinsic magnetic field orientation in NGC 4631
Golla G., Hummel E. **284**, 777

Resonance line polarization for arbitrary magnetic fields in optically thick media. III. A generalization of the $\bar{Y}\varepsilon$-law
Landi Degl'Innocenti E., Bommier V. **284**, 865

Parametric determination of the inclination, velocity and density structure of circumstellar discs from spectropolarimetric profiles of scattered lines
Wood K., Brown J.C. **285**, 220

ZEBRA – Zeeman Broadening Analysis of magnetic white dwarfs. I. Maximum entropy reconstruction of Hα profiles
Donati J.-F., Achilleos N., Matthews J.M., Wesemael F. **285**, 285

Hanle effect of magnetic canopies in the solar chromosphere
Faurobert-Scholl M. **285**, 655

Photometry and polarimetry of pre-main sequence stars
Hutchinson M.G., Albinson J.S., Barrett P., Davies J.K., Evans A., Goldsmith M.J., Maddison R.C. **285**, 883

Hot spot 3C 20 west: an optical synchrotron source
Hiltner P.R., Meisenheimer K., Röser H.-J., Laing R.A., Perley R.A. **286**, 25

Possible detection of a stellar flare-generated particle beam in polarized light
Saar S.H., Martens P.C.H., Huovelin J., Linnaluoto S. **286**, 194

New contribution functions for Zeeman split spectral lines
Solanki S.K., Bruls J.H.M.J. **286**, 269

Submillimetre polarimetric mapping of DR 21 and NGC 7538-IRS 11: tracing the circumstellar magnetic field
Minchin N.R., Murray A.G. **286**, 579

On the strength of solar intra-network fields
Keller C.U., Deubner F.-L., Egger U., Fleck B., Povel H.P. **286**, 626

The complete polarization state of Io-related radio storms from Jupiter: a statistical study
Dulk G.A., Leblanc Y., Lecacheux A. **286**, 683

Helical magnetic field structure in M 31?
Urbanik M., Otmianowska-Mazur K., Beck R. **287**, 410

Erratum The polarized spectrum of hydrogen in the presence of electric and magnetic fields
Casini R., Landi Degl'Innocenti E. **287**, 692

On the nature of pulsar radio-emission
Xilouris K.M., Kramer M., Jessner A., Wielebinski R. **288**, L17

Coordinated observations of the red dwarf flare star EV Lacertae in 1991
Alekseev I.Y., Gershberg R.E., Ilyin I.V., Shakhovskaya N.I., Shakhovskoy N.M., Avgoloupis S., Mavridis L.N., Seiradakis J.H., Kidger M.R., Panferova I.P., Pustil'nik L.A. **288**, 502

Multiple scattering of polarized radiation in circumstellar dust shells
Voshchinnikov N.V., Karjukin V.V. **288**, 883

The calculation of continuum polarization due to the Rayleigh scattering phase matrix in multi-scattering axisymmetric envelopes
Hillier D.J. **289**, 492

Inversion of Thomson scattered spectropolarimetric line profiles to yield the velocity structure of rotating or expanding circumstellar discs
Brown J.C., Wood K. **290**, 634

Effect of electron thermal motions on Thomson scattered line profiles from hot circumstellar envelopes
Wood K., Brown J.C. **291**, 202

Properties of the first-order moments of the polarization profiles of hydrogen lines
Casini R., Landi Degl'Innocenti E. **291**, 668

Synchrotron emission from bent shocked relativistic jets. III. Aberration of light and time delay effects
Gómez J.L., Alberdi A., Marcaide J.M., Marscher A.P., Travis J.P. **292**, 33

Gaseous cocoons around compact steep spectrum sources
Mantovani F., Junor W., Fanti R., Padrielli L., Saikia D.J. **292**, 59

The influence of free electrons on the evolution of circular polarization in OH masers
Field D., Gray M.D. **292**, 271

Multifrequency observations of the radio continuum emission from NGC 253. I. Magnetic fields and rotation measures in the bar and halo
Beck R., Carilli C.L., Holdaway M.A., Klein U. **292**, 409

Magnetic beaming and the origin of 100% circular polarization in OH masers
Gray M.D., Field D. **292**, 693

Radiation mechanisms: non-thermal 02.18.5

Infranight infrared spectral variability in OJ 287
Kidger M.R., Takalo L.O., de Diego J.A. **282**, 369

A positron-cyclotron maser mechanism for the core emission of radio pulsars
Zhu Y., Mao D., Wang D., Wu X. **282**, 467

VLA observations of Cyg OB2 No. 5: detection of a weak radio companion and new observations and models for the main component
Miralles M.P., Rodríguez L.F., Tapia M., Roth M., Persi P., Ferrari-Toniolo M., Curiel S. **282**, 547

Radiation from a relativistic rotating magnetic dipole: magnetic synchrotron effect
Belinsky V., De Paolis F., Lee H.W., Ruffini R. **283**, 1018

(**RN**) Estimates of the Compton backscattering feature at ~150 keV in the Crab Nebula pulsar
Bednarek W., Cremonesi O., Treves A. **284**, 85

Synchrotron radiation from the jet of 3C 273. III. The speed and direction of the jet
Conway R.G., Davis R.J. **284**, 724

Relic radio galaxies: evolution of synchrotron spectrum
Komissarov S.S., Gubanov A.G. **285**, 27

Spectra of 45 pulsars
Malofeev V.M., Gil J.A., Jessner A., Malov I.F., Seiradakis J.H., Sieber W., Wielebinski R. **285**, 201

Computation of cosmic-ray acceleration by Itô's stochastic differential equations
Krülls W.M., Achterberg A. **286**, 314

Relativistic type III solar radio bursts
Poquérusse M. **286**, 611

VLA data constraints on the Galactic-Centre annihilation line source 1E 1740.7–2942
Zheleznyakov V.V., Belyanin A.A. **287**, 782

On the gamma-ray emission from Markarian 421
Cheng K.S., Ding W.K.Y. **288**, 97

High sensitivity dynamic spectral search for flare star radio bursts
Abada-Simon M., Lecacheux A., Louarn P., Dulk G.A., Belkora L., Bookbinder J.A., Rosolen C. **288**, 219

Inversion of bremsstrahlung spectra emitted by solar plasma
Piana M. **288**, 949

Interplanetary type III radio bursts that approach the plasma frequency: Ulysses observations
Hoang S., Dulk G.A., Leblanc Y. **289**, 957

Generation of auroral whistler-mode radiation via nonlinear coupling of Langmuir waves and Alfvén waves
Chian A.C.-L., Lopes S.R., Alves M.V. **290**, L13

The variable source responsible for the photometric behaviour of OJ 287 in the IR-optical-UV region during the 1980's
Hagen-Thorn V.A., Yakoleva V.A., Takalo L.O., Sillanpää A. **290**, 1

On the origin of extragalactic γ-ray bursters
Roland J., Frossati G., Teyssier R. **290**, 364

The radio-gamma time delay of the Crab pulsar
Masnou J.L., Agrinier B., Barouch E., Comte R., Costa E., Christy J.C., Cusumano G., Gerardi G., Lemoine D., Mandrou P., Massaro E., Matt G., Mineo T., Niel M., Olive J.F., Parlier B., Sacco B., Salvati M., Scarsi L. **290**, 503

Radiation mechanisms: thermal 02.18.6

X-ray irradiation of white dwarf atmospheres: the soft X-ray spectrum of AM Herculis
van Teeseling A., Heise J., Paerels F. **281**, 119

Spectral coefficients of emission and absorption due to ion-atom radiation collisions in the solar atmosphere
Mihajlov A.A., Dimitrijević M.S., Ignjatović Lj., Djurić Z. **281**, 637 (***103**, 57*)

Millimeter-wavelength observations of minor planets
Altenhoff W.J., Johnston K.J., Stumpff P., Webster W.J. **287**, 641

(**RN**) The influence of ion-atom radiative collisions on the continuous optical spectra in helium-rich DB white-dwarf atmospheres
Mihajlov A.A., Dimitrijević M.S., Ignjatović L.M. **287**, 1026

Coordinated observations of the red dwarf flare star EV Lacertae in 1991
Alekseev I.Y., Gershberg R.E., Ilyin I.V., Shakhovskaya N.I., Shakhovskoy N.M., Avgoloupis S., Mavridis L.N., Seiradakis J.H., Kidger M.R., Panferova I.P., Pustil'nik L.A. **288**, 502

Inversion of bremsstrahlung spectra emitted by solar plasma
Piana M. **288**, 949

Model atmospheres and radiation of magnetic neutron stars: anisotropic thermal emission
Pavlov G.G., Shibanov Y.A., Ventura J., Zavlin V.E. **289**, 837

Two-fluid models for stationary dust-driven winds. I. Momentum and energy balance
Krüger D., Gauger A., Sedlmayr E. **290**, 573

The variable soft X-ray excess of Mkn 766
Molendi S., Maccacaro T. **291**, 420

Radiative transfer 02.18.7

X-ray irradiation of white dwarf atmospheres: the soft X-ray spectrum of AM Herculis
van Teeseling A., Heise J., Paerels F. **281**, 119

Application of asymptotic expressions for computing the polarized radiation in optically thick planetary atmospheres
Wauben W.M.F., de Haan J.F., Hovenier J.W. **281**, 258

NLTE model stellar atmospheres with line blanketing near the series limits
Hubeny I., Hummer D.G., Lanz T. **282**, 151

A method for computing visible and infrared polarized monochromatic radiation in planetary atmospheres
Wauben W.M.F., de Haan J.F., Hovenier J.W. **282**, 277

The transfer of radiation in galactic nuclei. Dusty hot spots in the starburst galaxy M 82
Krügel E., Siebenmorgen R. **282**, 407

Chromospheric fine structure: black & white mottles
Heinzel P., Schmieder B. **282**, 939

On the sensitivity of Stokes profiles to physical quantities
Ruiz Cobo B., del Toro Iniesta J.C. **283**, 129

Simulation of polarization maps. I. Protostellar envelopes
Fischer O., Henning T., Yorke H.W. **284**, 187

Three-dimensional radiative transfer on a massively parallel computer
Väth H.M. **284**, 319

Synthetic line profiles for supernovae of type II
Best M., Wehrse R. **284**, 507

Carbon monoxide line emission from photon dominated regions
Köster B., Störzer H., Stutzki J., Sternberg A. **284**, 545

Resonance line polarization for arbitrary magnetic fields in optically thick media. III. A generalization of the Ÿε-law
Landi Degl'Innocenti E., Bommier V. **284**, 865

Two-dimensional radiative transfer with partial frequency redistribution. I. General method
Auer L.H., Paletou F. **285**, 675

An operator splitting method for atmospheres with shocks
Buchholz B., Hauschildt P.H., Rammacher W., Ulmschneider P. **285**, 987

On the nickel abundance in hot hydrogen-rich white dwarfs
Werner K., Dreizler S. **286**, L31

Resolvent method: exact solutions of half-space transport problems by elementary means
Ivanov V.V. **286**, 328

Effects of Compton scattering in atmospheres of hot white dwarfs
Madej J. **286**, 515

Spherically symmetric model atmospheres using approximate lambda operators. I. First results for static NLTE atmospheres
Kubát J. **287**, 179

An Eulerian approach for the computation of oscillation mode visibility
Gouttebroze P., Toutain T. **287**, 535

Erratum The polarized spectrum of hydrogen in the presence of electric and magnetic fields
Casini R., Landi Degl'Innocenti E. **287**, 692

Multiple scattering of polarized radiation in circumstellar dust shells
Voshchinnikov N.V., Karjukin V.V. **288**, 883

The optical thickness of stellar coronae in EUV lines
Schrijver C.J., van den Oord G.H.J., Mewe R. **289**, L23

EUV energy distributions of accretion disks in active galactic nuclei
Störzer H., Hauschildt P.H. **289**, 45

Herculis X-1: coronal winds producing the tilted shape of the accretion disk
Schandl S., Meyer F. **289**, 149

Observations of interplanetary Lyman-α with the Galileo Ultraviolet Spectrometer: multiple scattering effects at solar maximum
Ajello J.M., Pryor W.R., Barth C.A., Hord C.W., Stewart A.I.F., Simmons K.E., Hall D.T. **289**, 283

The calculation of continuum polarization due to the Rayleigh scattering phase matrix in multi-scattering axisymmetric envelopes
Hillier D.J. **289**, 492

Multiple resonance line scattering and the "momentum problem" in Wolf-Rayet star winds
Springmann U. **289**, 505

Silicate dust discs as sources of the AGN IR-emission
Stenholm L. **290**, 393

An accelerated lambda iteration method for multilevel radiative transfer. III. Noncoherent electron scattering
Rybicki G.B., Hummer D.G. **290**, 553

Circumstellar dust shells around long-period variables. II. Theoretical lightcurves of C-stars
Winters J.M., Fleischer A.J., Gauger A., Sedlmayr E. **290**, 623

Pumping of Class II methanol masers. I. The 2_0–3_{-1}E transition
Sobolev A.M., Deguchi S. **291**, 569

Properties of the first-order moments of the polarization profiles of hydrogen lines
Casini R., Landi Degl'Innocenti E. **291**, 668

SiC grains and evolution of carbon stars
Lorenz-Martins S., Lefèvre J. **291**, 831

Radiation-hydrodynamic waves in an optically grey atmosphere. II. Analysis of wave properties and effects of thermal conductivity in a homogeneous model
Dzhalilov N.S., Zhugzhda Y.D., Staude J. **291**, 1001

Multidimensional radiative transfer with multilevel atoms. I. ALI method with preconditioning of the rate equations
Auer L., Fabiani Bendicho P., Trujillo Bueno J. **292**, 599

Radio continuum: galaxies 13.18.1

The asymmetries in radio-source structures. I. A comparison of two classical models
Ryś S. **281**, 15

The X-ray AGN content of the Molonglo 408 MHz Survey: bulk properties of previously optically identified sources
Brinkmann W., Siebert J., Boller T. **281**, 355

Structures of small-size radio galaxies in clusters
Feretti L., Giovannini G. **281**, 375

Further observational evidence that MG J0414+0534 is a gravitational mirage
Angonin-Willaime M.-C., Vanderriest C., Hammer F., Magain P. **281**, 388

High-frequency radio continuum observations of radio galaxies with low and intermediate luminosity. II. Sources with sizes 4' to 5'
Mack K.-H., Gregorini L., Parma P., Klein U. **281**, 639 (***103, 157***)

(RN) 1404+286: a non-ideal calibrator for VLBI observations
Zhang F.J., Båâth L.B., Spencer R.E. **281**, 649

Cold dust emission from the spiral galaxy NGC 3627
Sievers A.W., Reuter H.-P., Haslam C.G.T., Kreysa E., Lemke R. **281**, 681

Radio-far-infrared relation in Markarian galaxies
Marx M., Krügel E., Klein U., Wielebinski R. **281**, 718

Star-formation histories and the mass-normalized FIR/radio correlation in late-type galaxies
Xu C., Lisenfeld U., Völk H.J., Wunderlich E. **282**, 19

The magnetic field in the halo of M 82. Polarized radio emission at λλ6.2 and 3.6 cm
Reuter H.-P., Klein U., Lesch H., Wielebinski R., Kronberg P.P. **282**, 724

Brightness temperatures and viewing angles for extragalactic radio sources: a test of unification schemes for active galactic nuclei
Teräsranta H., Valtaoja E. **283**, 51

Percolation and synchrotron emission. III. Interaction between galaxies in two dimensions
Zaninetti L. **283**, 417

A high-frequency radio continuum investigation of giant radio galaxies. I. Observations of six objects at 2.8 cm wavelength
Klein U., Mack K.-H., Strom R., Wielebinski R., Achatz U. **283**, 729

Synchrotron radiation from the jet of 3C 273. III. The speed and direction of the jet
Conway R.G., Davis R.J. **284**, 724

The intrinsic magnetic field orientation in NGC 4631
Golla G., Hummel E. **284**, 777

Cool-FIR/radio correlation for late-type galaxies – The case for Supernova progenitors
Xu C., Lisenfeld U., Völk H.J. **285**, 19

Relic radio galaxies: evolution of synchrotron spectrum
Komissarov S.S., Gubanov A.G. **285**, 27

Observations of sources from the DRAO galactic plane survey: the SNR G104.7+2.8 and five sources near $l = 105°$, $b = 0°$
Green D.A., Joncas G. **285**, 358 (***104**, 481)*

Optical astrometry of Benchmark radio sources. II. Positions of 29 compact extragalactic radio sources with respect to the International Reference Stars catalogue
Costa E., Loyola P. **285**, 359 (***104**, 503)*

The quasar 3C 395 revisited: new VLBI observations and numerical simulations
Lara L., Alberdi A., Marcaide J.M., Muxlow T.W.B. **285**, 393

Spectral properties of X-ray loud extragalactic radio sources
Brinkmann W., Siebert J. **285**, 812

Hot spot 3C 20 west: an optical synchrotron source
Hiltner P.R., Meisenheimer K., Röser H.-J., Laing R.A., Perley R.A. **286**, 25

Erratum Refractive interstellar scintillations and low frequency variability: a detailed analysis using measured source structures
Spangler S.R., Eastman W.A., Gregorini L., Mantovani F., Padrielli L. **286**, 349

Can shock models explain radio outbursts of AGN at millimeter and centimeter wavelengths?
Lainela M. **286**, 408

The spectrum of Sgr A* and its variability
Duschl W.J., Lesch H. **286**, 431

Are there two engines at the center of 3C 286?
Zhang F.J., Spencer R.E., Schilizzi R.T., Fanti C., Bååth L.B., Su B.M. **287**, 32

Helical magnetic field structure in M 31?
Urbanik M., Otmianowska-Mazur K., Beck R. **287**, 410

X-ray spectra of a complete sample of extragalactic core-dominated radio sources
Brunner H., Lamer G., Worrall D.M., Staubert R. **287**, 436

On the predictive power of the minimum energy condition. II. Fractional calorimeter behaviour in the diffuse high energy gamma emission of spiral galaxies
Pohl M. **287**, 453

Optical spectra and redshifts of 1 Jy, S4 and S5 radio source identifications. V
Stickel M., Kühr H. **287**, 1035 (***105**, 67)*

High resolution radio observations of intermediate redshift quasars and radio galaxies
Bogers W.J., Hes R., Barthel P.D., Zensus J.A. **287**, 1035 (***105**, 91)*

Images of 25 extragalactic radio sources observed with MERLIN at 18 cm
Akujor C.E., Lüdke E., Browne I.W.A., Leahy J.P., Garrington S.T., Jackson N., Thomasson P. **287**, 1038 (***105**, 247)*

Radio observations of the Coma cluster of galaxies and its immediate vicinity. I. Radio data and optical identifications
Kim K.-T., Kronberg P.P., Dewdney P.E., Landecker T.L. **287**, 1040 (***105**, 385)*

Radio observations of the Coma cluster of galaxies and its immediate vicinity. II. A master list of radio sources
Kim K.-T. **287**, 1040 (***105**, 403)*

A giant emission line arc in the intermediate redshift radio galaxy PKS 2250–41
Tadhunter C., Shaw M., Clark N., Morganti R. **288**, L21

Dust at high z
Chini R., Krügel E. **288**, L33

Radio observations of the Coma cluster of galaxies and its immediate vicinity. III. Statistical analyses and source counts
Kim K.-T., Kronberg P.P., Dewdney P.E., Landecker T.L. **288**, 122

Dumbbell galaxies and multiple nuclei in rich clusters: radio data
Gregorini L., de Ruiter H.R., Parma P., Sadler E.M., Vettolani G., Ekers R.D. **288**, 1033 (***106**, 1)*

Three-year monitoring of a sample of flat-spectrum radio sources at 327 MHz
Ghosh T., Gopal-Krishna, Rao A.P. **288**, 1033 (***106**, 29)*

Sub-milliarcsecond structure of quasar cores and characteristic linear sizes of shocks inferred from radio continuum flux density variations
Valtaoja E., Teräsranta H. **289**, 35

Multifrequency observations of ROSAT selected radio sources
Neumann M., Reich W., Fürst E., Brinkmann W., Reich P., Siebert J., Wielebinski R., Trümper J. **289**, 665 (***106**, 303)*

Correlated radio and optical variations in a sample of active galactic nuclei
Tornikoski M., Valtaoja E., Teräsranta H., Smith A.G., Nair A.D., Clements S.D., Leacock R.J. **289**, 673

The LMC HII region N4A and its unusual molecular cloud
Heydari-Malayeri M., Lecavelier des Etangs A. **291**, 960

Structure and age of the radiogalaxy 3C 435A ($z = 0.471$) with the integral field spectrograph TIGER
Rocca-Volmerange B., Adam G., Ferruit P., Bacon R. **292**, 20

Gaseous cocoons around compact steep spectrum sources
Mantovani F., Junor W., Fanti R., Padrielli L., Saikia D.J. **292**, 59

Samples of ultra-steep spectrum radio sources
Röttgering H.J.A., Lacy M., Miley G.K., Chambers K.C., Saunders R. **292**, 359 (***108**, 79)*

Multifrequency observations of the radio continuum emission from NGC 253. I. Magnetic fields and rotation measures in the bar and halo
Beck R., Carilli C.L., Holdaway M.A., Klein U. **292**, 409

Erratum Further observational evidence that MG J0414+0534 is a gravitational mirage
Angonin-Willaime M.-C., Vanderriest C., Hammer F., Magain P. **292**, 722

Radio continuum: general 13.18.2

Enhancement of the electron runaway flux with kinetic Alfvén waves
de Assis A.S., Leubner C. **281**, 588

An update of the optical identification status of the S4 radio source catalogue
Stickel M., Kühr H. **282**, 351 (***103**, 349)*

An updated list of radio flux density calibrators
Ott M., Witzel A., Quirrenbach A., Krichbaum T.P., Standke K.J., Schalinski C.J., Hummel C.A. **284**, 331

(RN) Disk brightness temperature of the planets at 43 GHz (and 43 GHz flux densities of some continuum sources)
Greve A., Steppe H., Graham D., Schalinski C.J. **286**, 654

One-year modulation in the flux density time series of low frequency variables
Bondi M., Padrielli L., Gregorini L., Mantovani F., Shapirovskaya N., Spangler S.R. **287**, 390

The optical identification status of the 1 Jy radio source catalogue
Stickel M., Meisenheimer K., Kühr H. **287**, 1037 (***105**, 211)*

A 3.9 GHz survey for declination –1° to 0°
Larionov M.G., Parijskij Y.N., Zhuravlev V.I., Sidorenkov V.N., Berlin A.B., Nizhel'skii N.A. **288**, 1035 (***106**, 119)*

Multifrequency observations of ROSAT selected radio sources
Neumann M., Reich W., Fürst E., Brinkmann W., Reich P., Siebert J., Wielebinski R., Trümper J. **289**, 665 (***106**, 303)*

Radio continuum: ISM 13.18.3

Radio and near-infrared images of IRAS 21282+5050: a transitional planetary nebula
Likkel L., Morris M., Kastner J.H., Forveille T. **282**, 190

Infrared images, 1.3 mm continuum and ammonia line observations of IRAS 08076-3556
Persi P., Ferrari-Toniolo M., Marenzi A.R., Anglada G., Chini R., Krügel E., Sepúlveda I. **282**, 233

W 3 – a study of a site of massive star formation. I. Continuum and $C^{18}O$ observations and comparison as mass tracers
Oldham P.G., Griffin M.J., Richardson K.J., Sandell G. **284**, 559

A molecular jet and bow shock in the low mass protostellar binary NGC 1333–IRAS 2
Sandell G., Knee L.B.G., Aspin C., Robson I.E., Russell A.P.G. **285**, L1

Observations of sources from the DRAO galactic plane survey: the SNR G104.7+2.8 and five sources near $l = 105°$, $b = 0°$
Green D.A., Joncas G. **285**, 358 (***104**, 481)*

The impact of a high velocity cloud onto the galactic disk
Kerp J., Lesch H., Mack K.-H. **286**, L13

Near-infrared images of galactic masers. I. Association between infrared sources and masers
Testi L., Felli M., Persi P., Roth M. **288**, 634

G 79.29+0.46: a young stellar-wind shell in Cygnus X
Higgs L.A., Wendker H.J., Landecker T.L. **291**, 295

Dust opacities for protostellar cores
Ossenkopf V., Henning T. **291**, 943

Radio continuum: solar system 13.18.4

Recalibration of the Voyager PRA antenna for polarization sense measurement
Wang L., Carr T.D. **281**, 945

(RN) Disk brightness temperature of the planets at 43 GHz (and 43 GHz flux densities of some continuum sources)
Greve A., Steppe H., Graham D., Schalinski C.J. **286**, 654

The complete polarization state of Io-related radio storms from Jupiter: a statistical study
Dulk G.A., Leblanc Y., Lecacheux A. **286**, 683

Millimeter-wavelength observations of minor planets
Altenhoff W.J., Johnston K.J., Stumpff P., Webster W.J. **287**, 641

On Io's excitation and the origin of Jupiter's decametric radiation
Leblanc Y., Dulk G.A., Bagenal F. **290**, 660

Broad-band spectroscopic detection of the CO J = 3–2 tropospheric absorption in the atmosphere of Neptune
Naylor D.A., Davis G.R., Griffin M.J., Clark T.A., Gautier D., Marten A. **291**, L51

Radio continuum: stars 13.18.5

Radio emission from stars: a survey at 250 GHz
Altenhoff W.J., Thum C., Wendker H.J. **281**, 161

Simultaneous radio and X-ray observations of GX 340+0
Oosterbroek T., Lewin W.H.G., van Paradijs J., van der Klis M., Penninx W., Dotani T. **281**, 803

The exciting source of the Herbig-Haro 111 jet complex: VLA detection of a one-sided radio jet
Rodríguez L.F., Reipurth B. **281**, 882

The radio/infrared counterpart of the hard X-ray transient in Aquila: a possible source of repeated soft gamma-ray bursts
Mirabel I.F., Duc P.A., Rodríguez L.F., Teyssier R., Paul J., Claret A., Aurière M., Golombek D., Martí J. **282**, L17

Multifrequency study of PSR 1822–09
Gil J.A., Jessner A., Kijak J., Kramer M., Malofeev V.M., Malov I., Seiradakis J.H., Sieber W., Wielebinski R. **282**, 45

(RN) A search for cold dust around post-T Tauri candidates
Gahm G.F., Zinnecker H., Pallavicini R., Pasquini L. **282**, 123

VLA observations of Cyg OB2 No. 5: detection of a weak radio companion and new observations and models for the main component
Miralles M.P., Rodríguez L.F., Tapia M., Roth M., Persi P., Ferrari-Toniolo M., Curiel S. **282**, 547

Variability of quiescent and flaring radio emission in RS CVn and Algol-type binary systems
Lefèvre E., Klein K.-L., Lestrade J.-F. **283**, 483

Radio emission from magnetic chemically peculiar stars: results of the 1992 VLA survey
Leone F., Trigilio C., Umana G. **283**, 908

Rotational modulation and flares on RS Canum Venaticorum and BY Draconis stars. XVIII. Coordinated VLA, ROSAT, and IUE observations of RS CVn binaries
Fox D.C., Linsky J.L., Veale A., Dempsey R.C., Brown A., Neff J.E., Pagano I., Rodonò M., Bromage G.E., Kürster M., Schmitt J.H.M.M. **284**, 91

(RN) A 21-hour period in the quiescent radio emission of Cygnus X-3
Peracaula M., Paredes J.M., Martí J., Rius A., Estalella R. **285**, 547

A study of dust shells around high latitude supergiants
van der Veen W.E.C.J., Waters L.B.F.M., Trams N.R., Matthews H.E. **285**, 551

The soft X-ray/microwave ratio of solar and stellar flares and coronae
Benz A.O., Güdel M. **285**, 621

Unusual flares at 360 and 609 MHz in the RS Canum Venaticorum-system II Pegasi observed with the WSRT: coherent emission from II Pegasi
van den Oord G.H.J., de Bruyn A.G. **286**, 181

Statistics of PSR 1133+16 micropulse emission determined at widely spaced frequencies
Smirnova T.V., Tul'bashev S.A., Boriakoff V. **286**, 807

Spatially resolved X-ray and radio observations of Castor A+B+C
Schmitt J.H.M.M., Güdel M., Predehl P. **287**, 843

Optical positions of radio stars observed with the Repsold Meridian Circle at Cerro Calan, National Observatory
Carrasco G., Loyola P. **287**, 1041 (*105, 429*)

High sensitivity dynamic spectral search for flare star radio bursts
Abada-Simon M., Lecacheux A., Louarn P., Dulk G.A., Belkora L., Bookbinder J.A., Rosolen C. **288**, 219

Photometric and Hα observations of LSI +61°303: detection of a ~26 day V and JHK band modulation
Paredes J.M., Marziani P., Martí J., Fabregat J., Coe M.J., Everall C., Figueras F., Jordi C., Norton A.J., Prince T., Reglero V., Roche P., Torra J., Unger S.J., Zamanov R. **288**, 519

Near-infrared images of galactic masers. I. Association between infrared sources and masers
Testi L., Felli M., Persi P., Roth M. **288**, 634

Optical positions of 20 radio stars from astrolabe observations
Hui H., Dongming L., Rui W., Cuixian C. **288**, 1034 (*106, 103*)

A model of the source LS I +61°303
Lipunov V.M., Nazin S.N. **289**, 822

Radio and infrared emission from a [WC]-type planetary nebula in the LMC
Zijlstra A.A., van Hoof P.A.M., Chapman J.M., Loup C. **290**, 228

The radio-gamma time delay of the Crab pulsar
Masnou J.L., Agrinier B., Barouch E., Comte R., Costa E., Christy J.C., Cusumano G., Gerardi G., Lemoine D., Mandrou P., Massaro E., Matt G., Mineo T., Niel M., Olive J.F., Parlier B., Sacco B., Salvati M., Scarsi L. **290**, 503

Catalogue-based of optical and radio positions
Andrei A.H. **290**, 1020 (*107, 51*)

G 79.29+0.46: a young stellar-wind shell in Cygnus X
Higgs L.A., Wendker H.J., Landecker T.L. **291**, 295

Cold dust around southern Herbig Ae/Be stars
Henning T., Launhardt R., Steinacker J., Thamm E. **291**, 546

Multi-frequency variations of the Wolf–Rayet system HD 193793. II. Observations of the 1991–92 radio maximum
Williams P.M., van der Hucht K.A., Spoelstra T.A.T. **291**, 805

(RN) Interferometer observations of RS Canum Venaticorum binaries
Gunn A.G., Spencer R.E., Abdul Aziz H., Doyle J.G., Davis R.J., Pavelin P.E. **291**, 847

A submillimeter protostar near LkHα 198
Sandell G., Weintraub D.A. **292**, L1

Radio lines: galaxies 13.19.1

(RN) The extent of CO in the early-type galaxy NGC 4472
Huchtmeier W.K., Bregman J.N., Hogg D.E., Roberts M.S. **281**, 327

Sensitive limits on the molecular gas content of cluster cooling flows
McNamara B.R., Jaffe W. **281**, 673

CO in paired galaxies: star formation induced by gas flow
Combes F., Prugniel P., Rampazzo R., Sulentic J.W. **281**, 725

CO versus HI in the Tully-Fisher relation for a sample of 32 galaxies
Schöniger F., Sofue Y. **283**, 21

Deep CO observations of dominant cluster galaxies with reported cooling flows
Braine J., Dupraz C. **283**, 407

CO and CI maps of the starburst galaxy M 82
White G.J., Ellison B., Claude S., Dent W.R.F., Matheson D.N. **284**, L23

Dense gas in nearby galaxies. VII. The active nucleus of NGC 4945
Henkel C., Whiteoak J.B., Mauersberger R. **284**, 17

Molecules in the starburst galaxy Henize 2–10
Baas F., Israel F.P., Koornneef J. **284**, 403

The CO distribution in three peculiar galaxies of the A 1367 cluster
Boselli A., Gavazzi G., Combes F., Lequeux J., Casoli F. **285**, 69

The extended HI halo in NGC 4449
Bajaja E., Huchtmeier W.K., Klein U. **285**, 385

Atomic hydrogen in the NGC 4631 group of galaxies
Rand R.J. **285**, 833

First detection of CO ($J = 0 \rightarrow 1$) absorption at cosmological distances ($z = 0.247$)
Wiklind T., Combes F. **286**, L9

21 cm observations of galaxies in the NW region of the Pisces-Perseus-Supercluster near the Galactic Plane
Seeberger R., Huchtmeier W.K., Weinberger R. **286**, 17

Excitation and kinematics of the central molecular clouds of NGC 1808
Aalto S., Booth R.S., Black J.H., Koribalski B., Wielebinski R. **286**, 365

Distribution and motions of HI in the Sa galaxies NGC 1169 and NGC 3898
van Driel W., van Woerden H. **286**, 395

CO emission in NGC 4631: evidence for a mild starburst
Golla G., Wielebinski R. **286**, 733

Gas response at the resonances in the grand design spiral NGC 4321
García-Burillo S., Sempere M.J., Combes F. **287**, 419

(RN) Further support for the presence of water in IRAS 10214+4724
Casoli F., Gerin M., Encrenaz P.J., Combes F. **287**, 716

A search for millimeterwave CO emission in damped Lyman-α systems
Wiklind T., Combes F. **288**, L41

HI deficiency in the Coma I cloud of galaxies
García-Barreto J.A., Downes D., Huchtmeier W.K. **288**, 705

The Australia Telescope Survey of 21-cm absorption in the Magellanic System. II. The cool atomic gas in the LMC
Dickey J.M., Mebold U., Marx M., Amy S., Haynes R.F., Wilson W. **289**, 357

Asymmetries in disk galaxies. How often? How strong?
Richter O.-G., Sancisi R. **290**, L9

A search for spiral galaxies with extended HI disks
Broeils A.H., van Woerden H. **290**, 1021 (***107**, 129)*

Interstellar molecules in the Large Magellanic Cloud
Johansson L.E.B., Olofsson H., Hjalmarson Å., Gredel R., Black J.H. **291**, 89

New HI observations for possible group member galaxies
Garcia A.M., Bottinelli L., Garnier R., Gouguenheim L., Paturel G. **292**, 352 (***107**, 265)*

Results of the ESO-SEST Key Programme: CO in the Magellanic Clouds. IV. Physical properties of molecular clouds in the Small Magellanic Cloud
Lequeux J., Le Bourlot J., Pineau des Forêts G., Roueff E., Boulanger F., Rubio M. **292**, 371

Radio lines: ISM 13.19.3

Detection of the λ 609 μm line of neutral atomic carbon in the Ring nebula
Bachiller R., Huggins P.J., Cox P., Forveille T. **281**, L93

The HI gas kinetic temperature of high galactic latitude cirrus clouds
Stark R., Dickey J.M., Burton W.B., Wennmacher A. **281**, 199

An ammonia study of the Orion streamer
Cesaroni R., Wilson T.L. **281**, 209

The molecular surroundings of W3(OH)
Wink J.E., Duvert G., Guilloteau S., Güsten R., Walmsley C.M., Wilson T.L. **281**, 505

Observations of methanol masers at 95 GHz
Kalenskii S.V., Liljeström T., Val'tts I.E., Vasil'kov V.I., Slysh V.I., Urpo S. **281**, 639 (***103**, 129)*

Very Long Baseline Interferometry of 1720 MHz masers in W3(OH)
Masheder M.R.W., Field D., Gray M.D., Migenes V., Cohen R.J., Booth R.S. **281**, 871

Plateau de Bure observations of mm-wave molecular absorption from ^{13}CO, HCO^+, and HCN
Lucas R., Liszt H. **282**, L5

On the question of dark matter and cold H_2
Wilson T.L., Mauersberger R. **282**, L41

Atomic carbon in interstellar clouds
Flower D.R., Le Bourlot J., Pineau des Forêts G., Roueff E. **282**, 225

Infrared images, 1.3 mm continuum and ammonia line observations of IRAS 08076-3556
Persi P., Ferrari-Toniolo M., Marenzi A.R., Anglada G., Chini R., Krügel E., Sepúlveda I. **282**, 233

Physical and chemical structure of the IC 63 nebula. I. Millimeter and far-infrared observations
Jansen D.J., van Dishoeck E.F., Black J.H. **282**, 605

CO and *C*I observations of shock-excited gas in IC 443C
White G.J. **283**, L25

Physical and chemical variations within the W 3 star-forming region. I. SO_2, CH_3OH and H_2CO
Helmich F.P., Jansen D.J., de Graauw T., Groesbeck T.D., van Dishoeck E.F. **283**, 626

IRAS sources beyond the solar circle. IV. Maps of far-outer Galaxy molecular clouds
Brand J., Wouterloot J.G.A. **283**, 715 (***103**, 503)*

The Arcetri catalogue of H_2O maser sources update
Brand J., Cesaroni R., Caselli P., Catarzi M., Codella C., Comoretto G., Curioni G.P., Curioni P., Di Franco S., Felli M., Giovanardi C., Olmi L., Palagi F., Palla F., Panella D., Pareschi G., Rossi E., Speroni N., Tofani G. **283**, 716 (***103**, 541)*

Water masers embedded in ultracompact HII regions: the W 75N cloud core
Hunter T.R., Taylor G.B., Felli M., Tofani G. **284**, 215

HII regions and IRAS PSC sources: the reliability of the association
Codella C., Felli M., Natale V. **284**, 233

Carbon monoxide line emission from photon dominated regions
Köster B., Störzer H., Stutzki J., Sternberg A. **284**, 545

W 3 – a study of a site of massive star formation. I. Continuum and $C^{18}O$ observations and comparison as mass tracers
Oldham P.G., Griffin M.J., Richardson K.J., Sandell G. **284**, 559

Discovery of a giant molecular cloud near the Galactic centre
Albinson J.S., Evans A., Krautter J., Weight A. **284**, 971

A molecular jet and bow shock in the low mass protostellar binary NGC 1333–IRAS 2
Sandell G., Knee L.B.G., Aspin C., Robson I.E., Russell A.P.G. **285**, L1

Millimetre observations of southern translucent clouds
Gredel R., van Dishoeck E.F., Black J.H. **285**, 300

Detection of [CI] 492 GHz emission from a high-latitude translucent cloud
Stark R., van Dishoeck E.F. **286**, L43

The magnetic field in the dense gas bordering W3(OH)
Güsten R., Fiebig D., Uchida K.I. **286**, L51

Neutral hydrogen observations of elliptical galaxies
Huchtmeier W.K. **286**, 389

DR 21(OH), a cluster in the making. I. Observations in carbon monosulphide and methanol
Richardson K.J., Sandell G., Cunningham C.T., Davies S.R. **286**, 555

Critical density for magnetic decoupling: preliminary observations
Massi M., Lizano S. **287**, 581

(RN) Further support for the presence of water in IRAS 10214+4724
Casoli F., Gerin M., Encrenaz P.J., Combes F. **287**, 716

Analysis of a cold cloud fragment
Krügel E., Chini R. **287**, 947

Multi-wavelength study of NGC 281 A
Henning T., Martin K., Reimann H.-G., Launhardt R., Leisawitz D., Zinnecker H. **288**, 282

A CO and CS study of three low luminosity PMS candidates in Chamaeleon II
Olmi L., Felli M., Prusti T. **288**, 591

Studies of dense molecular cores in regions of massive star formation. CS $J = 2-1$ and HCN $J = 1-0$ observations of 11 northern cores
Zinchenko I., Forsström V., Lapinov A., Mattila K. **288**, 601

Hot ammonia towards compact H II regions
Cesaroni R., Churchwell E., Hofner P., Walmsley C.M., Kurtz S. **288**, 903

A search for OH emission from IRAS sources at high galactic latitudes
Slysh V.I., Dzura A.M., Val'tts I.E., Gerard E. **288**, 1034 (***106**, 87*)

SO and H_2S in low density molecular clouds
Tieftrunk A., Pineau des Forêts G., Schilke P., Walmsley C.M. **289**, 579

The interstellar medium in the Ara OB1 field
Rizzo J.R., Bajaja E. **289**, 922

Galaxies with a low gas content in the Coma I cloud of galaxies
Gerin M., Casoli F. **290**, 49

Molecular line observations of a comet-shaped cloud (LBN 437) in the Lacerta OB1 association
Olano C.A., Walmsley C.M., Wilson T.L. **290**, 235

Characteristics of ‚spiral arm' clouds, from CS absorption line observations
Greaves J.S., Williams P.G. **290**, 259

Interstellar molecules in the Large Magellanic Cloud
Johansson L.E.B., Olofsson H., Hjalmarson Å., Gredel R., Black J.H. **291**, 89

C I emission from the outflow and PDR in S 140
Minchin N.R., White G.J., Stutzki J., Krause D. **291**, 250

The occurrence of H_2O masers in H II regions
Codella C., Felli M., Natale V., Palagi F., Palla F. **291**, 261

Pumping of Class II methanol masers. I. The $2_0-3_{-1}E$ transition
Sobolev A.M., Deguchi S. **291**, 569

Study of L 1340: a star-forming cloud in Cassiopeia
Kun M., Obayashi A., Sato F., Yonekura Y., Fukui Y., Balázs L.G., Ábrahám P., Szabados L., Kelemen J. **292**, 249

Optical and 21-cm observations of high-velocity gas towards subdwarfs in the halo and early-type stars in the disk
Centurión M., Vladilo G., de Boer K.S., Herbstmeier U., Schwarz U.J. **292**, 261

A large-scale survey of OH in the galactic centre
Boyce P.J., Cohen R.J. **292**, 357 (***107**, 563*)

Radio lines: solar system 13.19.4

The rotational lines of methanol in comets Austin 1990 V and Levy 1990 XX
Bockelée-Morvan D., Crovisier J., Colom P., Despois D. **287**, 647

Broad-band spectroscopic detection of the CO J = 3–2 tropospheric absorption in the atmosphere of Neptune
Naylor D.A., Davis G.R., Griffin M.J., Clark T.A., Gautier D., Marten A. **291**, L51

Radio lines: stars 13.19.5

A search for SiO, OH, CO and HCN radio emission from silicate-carbon stars
Little-Marenin I.R., Sahai R., Wannier P.G., Benson P.J., Gaylard M., Omont A. **281**, 451

86 GHz SiO, $v = 1$, $J = 2 \rightarrow 1$ survey of southern IRAS point sources. II. Detection of 74 new maser sources
Haikala L.K., Nyman L.-Å., Forsström V. **281**, 638 (***103**, 107*)

A systematic study of IRAS selected proto-planetary nebula candidates. II. OH and CO observations
Hu J.Y., te Lintel Hekkert P., Slijkhuis S., Baas F., Sahai R., Wood P.R. **282**, 350 (***103**, 301*)

A submillimeter recombination line maser in MWC 349
Thum C., Matthews H.E., Martín-Pintado J., Serabyn E., Planesas P., Bachiller R. **283**, 582

The Arcetri catalogue of H_2O maser sources update
Brand J., Cesaroni R., Caselli P., Catarzi M., Codella C., Comoretto G., Curioni G.P., Curioni P., Di Franco S., Felli M., Giovanardi C., Olmi L., Palagi F., Palla F., Panella D., Pareschi G., Rossi E., Speroni N., Tofani G. **283**, 716 (***103**, 541*)

Molecular observations of O- and C-rich circumstellar envelopes
Bujarrabal V., Fuente A., Omont A. **285**, 247

CO depletion in the protoplanetary disk of β Pictoris
Savoldini M., Galletta G. **285**, 467

Numerical calculations of SiO maser emission. I. Intensity and variability
Bujarrabal V. **285**, 953

Numerical calculations of SiO maser emission. II. Angular extent
Bujarrabal V. **285**, 971

Images of the GG Tauri rotating ring
Dutrey A., Guilloteau S., Simon M. **286**, 149

Short time scale monitoring of SiO sources
Pijpers F.P., Pardo J.R., Bujarrabal V. **286**, 501

New radio recombination maser features and CO observations in MWC 349
Martín-Pintado J., Neri R., Thum C., Planesas P., Bachiller R. **286**, 890

The radial distribution of HC_3N molecules in IRC+10216
Audinos P., Kahane C., Lucas R. **287**, L5

A deep VLA search for OH (1612 MHz) maser sources in the galactic plane
Blommaert J.A.D.L., Van Langevelde H.J., Michiels W.F.P. **287**, 479

Detection of H 21α maser emission at 662 GHz in MWC 349
Thum C., Matthews H.E., Harris A.I., Tacconi L.J., Schuster K.F., Martín-Pintado J. **288**, L25

The C/O abundance ratio in the detached circumstellar envelopes around carbon stars
Bujarrabal V., Cernicharo J. **288**, 551

Circumstellar CO around bright oxygen-rich semi-regulars
Kahane C., Jura M. **290**, 183

Images of low excitation HC_3N emission from IRC+10°216
Wootten A., Nguyen-Q-Rieu, Truong-Bach **290**, 198

A revised model for circumstellar molecular emission
Groenewegen M.A.T. **290**, 531

The mass loss rates of OH/IR 32.8–0.3 and OH/IR 44.8–2.3
Groenewegen M.A.T. **290**, 544

Stellar OH masers toward globular clusters
Frail D.A., Beasley A.J. **290**, 796

A Keplerian disk around DM Tau?
Guilloteau S., Dutrey A. **291**, L23

Reference systems 05.18.1

On the conversion of orbital elements from 1950.0 to J 2000
Lieske J.H. **281**, 281

The second Quito astrolabe catalogue
Kolesnik Y.B., Davila H. **283**, 714 (***103**, 427*)

Construction of the Second Quito Astrolabe Catalogue
Kolesnik Y.B. **283**, 997

Proper motion study of the globular cluster M 3
Tucholke H.-J., Scholz R.-D., Brosche P. **284**, 701 (***104**, 161*)

A new *UBV* and proper motion survey in the anticentre direction at intermediate galactic latitude: kinematics of the Galaxy's stellar populations
Ojha D.K., Bienaymé O., Robin A.C., Mohan V. **284**, 810

Correction to the luni-solar precession from Very Long Baseline Interferometry
Walter H.G., Ma C. **284**, 1000

Optical astrometry of Benchmark radio sources. II. Positions of 29 compact extragalactic radio sources with respect to the International Reference Stars catalogue
Costa E., Loyola P. **285**, 359 (***104**, 503*)

Relativistic theory for picosecond time transfer in the vicinity of the Earth
Petit G., Wolf P. **286**, 971

Determination of the extragalactic-planetary frame tie from joint analysis of radio interferometric and lunar laser ranging measurements
Folkner W.M., Charlot P., Finger M.H., Williams J.G., Sovers O.J., Newhall X.X., Standish Jr. E.M. **287**, 279

Optical positions of radio stars observed with the Repsold Meridian Circle at Cerro Calan, National Observatory
Carrasco G., Loyola P. **287**, 1041 (***105**, 429*)

Second astrolabe catalogue of Santiago
Noël F. **289**, 999 (***106**, 441*)

A multicolor survey of absolute proper motions: galactic structure and kinematics in the direction of the galactic center at intermediate latitude
Ojha D.K., Bienaymé O., Robin A.C., Mohan V. **290**, 771

Catalogue-based of optical and radio positions
Andrei A.H. **290**, 1020 (***107**, 51*)

Relativity 02.18.8

Hydrodynamical simulations of relativistic jets
Martí M^{a}J., Müller E., Ibáñez M^{a}J. **281**, L9

Multidimensional relativistic hydrodynamics: characteristic fields and modern high-resolution shock-capturing schemes
Font J.A., Ibáñez J.M., Marquina A., Martí J.M. **282**, 304

Special relativistic jet collimation by inertial confinement
Eulderink F., Mellema G. **284**, 654

Radial-velocity curves of eccentric orbits in general relativity
Hadrava P., Bao G., Østgaard E. **284**, 693

Relativistic type III solar radio bursts
Poquérusse M. **286**, 611

Relativistic theory for picosecond time transfer in the vicinity of the Earth
Petit G., Wolf P. **286**, 971

On the dynamics of the relativistic restricted three-body problem
Maindl T.I., Dvorak R. **290**, 335

High precision rotating neutron star models. I. Analysis of neutron star properties
Salgado M., Bonazzola S., Gourgoulhon E., Haensel P. **291**, 155

On the competition of forces in the Kerr field
Semerák O. **291**, 679

Microlensing of optically thin clouds in active galactic nuclei
Jaroszyński M., Marck J.-A. **291**, 731

High precision rotating neutron star models. II. Large sample of neutron star properties
Salgado M., Bonazzola S., Gourgoulhon E., Haensel P. **292**, 365 (***108**, 455*)

Scattering 02.19.2

Raman scattered emission lines in symbiotic stars: a spectropolarimetric survey
Schmid H.M., Schild H. **281**, 145

SHARP images of the pre-main sequence star V 536 Aquilae: a highly polarized binary
Ageorges N., Ménard F., Monin J.-L., Eckart A. **283**, L5

Hanle effect of magnetic canopies in the solar chromosphere
Faurobert-Scholl M. **285**, 655

Effects of Compton scattering in atmospheres of hot white dwarfs
Madej J. **286**, 515

One-year modulation in the flux density time series of low frequency variables
Bondi M., Padrielli L., Gregorini L., Mantovani F., Shapirovskaya N., Spangler S.R. **287**, 390

Strong intraday variability in the southern blazar PKS 0537–441 at 1.42 GHz
Romero G.E., Combi J.A., Colomb F.R. **288**, 731

A case study: the time evolution of dust scattered X-ray halos from gamma-ray bursters
Klose S. **289**, L1

The optical thickness of stellar coronae in EUV lines
Schrijver C.J., van den Oord G.H.J., Mewe R. **289**, L23

Multiple resonance line scattering and the "momentum problem" in Wolf-Rayet star winds
Springmann U. **289**, 505

An accelerated lambda iteration method for multilevel radiative transfer. III. Noncoherent electron scattering
Rybicki G.B., Hummer D.G. **290**, 553

Shock waves 02.19.1

Hydrodynamical simulations of relativistic jets
Martí M^{a}J., Müller E., Ibáñez M^{a}J. **281**, L9

SN 1987A: emergence of the soft X-ray source
Beuermann K., Brandt S., Pietsch W. **281**, L45

The origin of the Gould Belt by the impact of a high velocity cloud on the galactic disk
Comerón F., Torra J. **281**, 35

Evidence for enhanced MHD turbulence outside sharp-rimmed supernova remnants
Achterberg A., Blandford R.D., Reynolds S.P. **281**, 220

Multidimensional relativistic hydrodynamics: characteristic fields and modern high-resolution shock-capturing schemes
Font J.A., Ibáñez J.M., Marquina A., Martí J.M. **282**, 304

CO and CI observations of shock-excited gas in IC 443C
White G.J. **283**, L25

Efficiency of the second-order Fermi acceleration at parallel shock waves
Ostrowski M. **283**, 344

Synchrotron emission from bent shocked relativistic jets. II. Shock waves in helical jets
Gómez J.L., Alberdi A., Marcaide J.M. **284**, 51

An X-ray study of IC 443 and the discovery of a new supernova remnant by ROSAT
Asaoka I., Aschenbach B. **284**, 573

Propagation of acoustic waves in a stratified atmosphere. I
Kalkofen W., Rossi P., Bodo G., Massaglia S. **284**, 976

The shock strength in super- and hypergiant atmospheres derived from microturbulence data
Nieuwenhuijzen H., de Jager C., Cuntz M. **285**, 595

Particle acceleration at superluminal quasi-perpendicular shocks. Application to SN 1978K and SN 1987A
Achterberg A., Ball L. **285**, 687

An operator splitting method for atmospheres with shocks
Buchholz B., Hauschildt P.H., Rammacher W., Ulmschneider P. **285**, 987

Computation of cosmic-ray acceleration by Itô's stochastic differential equations
Krülls W.M., Achterberg A. **286**, 314

The shock wave propagation effects in BL Herculis. I. The Hα profile
Gillet D., Burki G., Chatel A., Duquennoy A., Lèbre A. **286**, 508

The evolution of Local Interstellar Medium
Kosarev I.B., Loseva T.V., Nemtchinov I.V., Popel S.I. **287**, 470

A two-fluid model of the solar wind termination shock modified by shock-generated cosmic rays including energy losses
Chalov S.V., Fahr H.J. **288**, 973

An operator splitting method for line radiation with partial redistribution in atmospheres with shocks
Ulmschneider P. **288**, 1021

Strong evidence for a molecular jump shock in the HH 90/91 outflow
Smith M.D. **289**, 256

Fragmentation of shocked interstellar gas layers
Whitworth A.P., Bhattal A.S., Chapman S.J., Disney M.J., Turner J.A. **290**, 421

Radiative shocks in atomic and molecular stellar-like atmospheres. VI. Influence of the Lyman-α flux on the precursor structure
Huguet E., Lafon J.-P.J., Gillet D. **290**, 510

Radiative shocks in atomic and molecular stellar-like atmospheres. VII. Influence of the excited level of the hydrogen atom: the wake structure
Huguet E., Lafon J.-P.J., Gillet D. **290**, 518

The collimation of jets and bipolar outflows in young stellar objects: inertial confinement
Frank A., Noriega-Crespo A. **290**, 643

The shock wave propagation effects in BL Herculis. II. Nonlinear model and theoretical profile of Hα
Fokin A.B., Gillet D. **290**, 875

On shock wave impact ionization of dust particles
Hornung K., Kissel J. **291**, 324

Cosmic ray hydrodynamics at shock fronts
Duffy P., Drury L.O'C., Völk H. **291**, 613

Similarity solutions for synchrotron emission from a supernova blast wave
Ratkiewicz R., Axford W.I., McKenzie J.F. **291**, 935

Synchrotron emission from bent shocked relativistic jets. III. Aberration of light and time delay effects
Gómez J.L., Alberdi A., Marcaide J.M., Marscher A.P., Travis J.P. **292**, 33

Particle acceleration by an interplanetary shock-pair seen at Ulysses at 3.15 AU
Tappin S.J., Roelof E.C., Lanzerotti L.J. **292**, 311

The solar wind termination shock in the presence of cosmic rays
Ziemkiewicz J. **292**, 677

Site testing 03.19.1

Experimental estimation of the spatial-coherence outer scale from a wavefront statistical analysis
Ziad A., Borgnino J., Martin F., Agabi A. **282**, 1021

Optical seeing at La Palma Observatory. II. Intensive site testing campaign at the Nordic Optical Telescope
Vernin J., Muñoz-Tuñón C. **284**, 311

Characteristics of ‚spiral arm' clouds, from CS absorption line observations
Greaves J.S., Williams P.G. **290**, 259

G.S.M.: a Grating Scale Monitor for atmospheric turbulence measurements. I. The instrument and first results of angle of arrival measurements
Martin F., Tokovinin A., Agabi A., Borgnino J., Ziad A. **292**, 360 (***108**, 173*)

Solar system: formation 07.19.1

Titius-Bode laws in the solar system. I. Scale invariance explains everything
Graner F., Dubrulle B. **282**, 262

Titius-Bode laws in the solar system. II. Build your own law from disk models
Dubrulle B., Graner F. **282**, 269

The production of turbulence by gravitational instabilities in self-gravitating differentially rotating disks
Ebert R. **286**, 997

Conditions for condensation and preservation of amorphous ice and crystallinity of astrophysical ices
Kouchi A., Yamamoto T., Kozasa T., Kuroda T., Greenberg J.M. **290**, 1009

Solar system: general 07.19.2

Dynamical evolution of interplanetary dust particles
Marzari F., Vanzani V. **283**, 275

Large-scale chaos in the solar system
Laskar J. **287**, L9

Space vehicles 03.19.2

A preliminary list of stars from Tycho observations
Halbwachs J.L., Bässgen G., Bastian U., Egret D., Høg E., van Leeuwen F., Petersen C., Schwekendiek P., Wicenec A. **281**, L25

Photometric calibration of the International Ultraviolet Explorer (IUE) for high resolution spectra
Cassatella A., Selvelli P.L., Ponz J.D., Gonzalez-Riestra R., Vogel M. **281**, 594

Sidelobes of the SIGMA telescope
Claret A., Lebrun F., Laurent P., Leray J.P. **282**, 1034

Global astrometry of HIPPARCOS double stars within the FAST consortium
Bernstein H.-H. **283**, 293

Observations from the gamma-ray burst experiment onboard the SROSS-C satellite
Kasturirangan K., Marar T.M.K., Padmini V.N., Prasad N.L., Rao U.R., Seetha S. **283**, 435

The gamma-ray burst experiment onboard the SROSS-C satellite
Marar T.M.K., Sharma M.R., Seetha S., Upadhyaya N., Padmini V.N., Umapathy C.N., Prasad N.L., Murthy N.S.R., Sreenivasaiah K.V., Kasturirangan K., Rao U.R. **283**, 698

Procedures for the interactive analysis of point sources from the ROSAT XRT/PSPC All-Sky Survey
Belloni T., Hasinger G., Izzo C. **283**, 1037

The main problem of geosynchronous satellite theory around an equilibrium position
Oberti P. **284**, 281

Observations of gamma-ray bursts by COMPTEL
Hanlon L.O., Bennett K., Collmar W., Connors A., Diehl R., van Dijk R., Greiner J., den Herder J.W., Hermsen W., Kippen R.M., Kuiper L., McConnell M., Ryan J., Schönfelder V., Steinle H., Strong A., Varendorff M., Williams O.R., Winkler C. **285**, 161

Solar radiation pressure perturbations for Earth satellites. II. An approximate method to model penumbra transitions and their long-term orbital effects on LAGEOS
Vokrouhlický D., Farinella P., Mignard F. **285**, 333

Relativistic theory for picosecond time transfer in the vicinity of the Earth
Petit G., Wolf P. **286**, 971

Solar radiation pressure perturbations for Earth satellites. III. Global atmospheric phenomena and the albedo effect
Vokrouhlický D., Farinella P., Mignard F. **290**, 324

Stars: abundances 08.01.1

Evidence for sudden moderate mixing events in early M giants
Wallerstein G., Morell O. **281**, L37

Lithium abundance in a turnoff star of the old globular cluster NGC 6397
Molaro P., Pasquini L. **281**, L77

Non-LTE spectral analyses of Wolf-Rayet stars: the nitrogen spectrum of the WN6 prototype HD 192163 (WR136)
Hamann W.-R., Wessolowski U., Koesterke L. **281**, 184

A search for SiO, OH, CO and HCN radio emission from silicate-carbon stars
Little-Marenin I.R., Sahai R., Wannier P.G., Benson P.J., Gaylard M., Omont A. **281**, 451

The chemical composition of the s-Cepheids. I. α Ursae Minoris (Polaris) and HR 7308 (V 473 Lyrae): unique Cepheids of the Galaxy
Andrievsky S.M., Kovtyukh V.V., Usenko I.A. **281**, 465

The triple-mode variable AC Andromedae
Kovács G., Buchler J.R. **281**, 749

The nature of the F str λ4077 stars. III. Spectroscopy of the barium dwarfs and other CP stars
North P., Berthet S., Lanz T. **281**, 775

(RN) The helium-to-hydrogen ratio of the UV-bright star Barnard 29 of Messier 13
Adelman S.J., Aikman G.C.L., Hayes D.S., Philip A.G.D., Sweigart A.V. **282**, 134

The nature of the F str λ4077 stars. V. Spectroscopic data
North P., Berthet S., Lanz T. **282**, 351 (***103, 321***)

The evolution of a 20 $M_{\odot}$ rotating star: abundance anomalies in OBN stars in the LMC
Eryurt D., Kırbıyık H., Kızıloğlu N., Civelek R., Weiss A. **282**, 485

Pre-main sequence lithium burning. I. Weak T Tauri stars
Martín E.L., Rebolo R., Magazzù A., Pavlenko Y.V. **282**, 503

Pre-main sequence lithium burning. II. Pleiades low mass stars
García López R.J., Rebolo R., Martín E.L. **282**, 518

Metal abundances of Magellanic Cloud clusters
Jasniewicz G., Thévenin F. **282**, 717

Clues for non-standard mixing on the red giant branch from $^{12}C/^{13}C$ and $^{12}C/^{14}N$ ratios in evolved stars
Charbonnel C. **282**, 811

Chemical abundances in early B-type stars. V. Metal abundances and LTE/NLTE comparison
Kilian J. **282**, 867

On the information content of stellar spectra
Hafner M., Wehrse R. **282**, 874

Fe I oscillator strengths for lines with excitation energies between 3 and 7 eV
Bard A., Kock M. **282**, 1014

Lithium and beryllium depletion by rotation-induced mixing in the Sun and in galactic cluster stars
Charbonnel C., Vauclair S., Maeder A., Meynet G., Schaller G. **283**, 155

Detection of calcium abundance stratification in Ap stars
Babel J. **283**, 189

V 348 Sagittarii: analysis of the [WC 12] stellar spectrum
Leuenhagen U., Hamann W.-R. **283**, 567

Lithium in RS Canum Venaticorum binaries and related chromospherically active stars. III. Northern RS CVn systems
Randich S., Giampapa M.S., Pallavicini R. **283**, 893

Elemental abundances in the old open clusters NGC 2243 and Melotte 66
Gratton R.G., Contarini G. **283**, 911

Abundance determination in the CP star 21 Canum Venaticorum by means of spectrum synthesis
Zverko J., Zboril M., Žižňovský J. **283**, 932

A spectroscopic analysis of barium stars
Začs L. **283**, 937

On the neon abundance in PG 1159-type central stars of planetary nebulae
Werner K., Rauch T. **284**, L5

The chemical composition at a galactocentric distance of 13 kpc
Rolleston W.R.J., Dufton P.L., Fitzsimmons A. **284**, 72

Evolution of initially mixed massive main sequence stars
Weiss A. **284**, 138

The galactic distribution of chemical elements as derived from B-stars in open clusters. I. NGC 6231: stellar parameters and chemical abundances
Kilian J., Montenbruck O., Nissen P.E. **284**, 437

Spectral analysis of the hottest known helium-rich white dwarf: KPD 0005+5106
Werner K., Heber U., Fleming T. **284**, 907

Molecular observations of O- and C-rich circumstellar envelopes
Bujarrabal V., Fuente A., Omont A. **285**, 247

Photometric and spectroscopic studies of cool stars discovered in EXOSAT X-ray images. II. Lithium abundances
Tagliaferri G., Cutispoto G., Pallavicini R., Randich S., Pasquini L. **285**, 272

Evolutionary sequences of stellar models with new radiative opacities. III. Z = 0.0004 and Z = 0.05
Fagotto F., Bressan A., Bertelli G., Chiosi C. **285**, 356 (***104**, 365)*

Chemical composition and atmospheric parameters of metal-poor halo stars
Nissen P.E., Gustafsson B., Edvardsson B., Gilmore G. **285**, 440

Low-mass stars: pre-main sequence evolution and nucleosynthesis
Forestini M. **285**, 473

High-resolution spectroscopy of two young stars between the Magellanic Clouds
Hambly N.C., Dufton P.L., Keenan F.P., Rolleston W.R.J., Howarth I.D., Irwin M.J. **285**, 716

CNO isotopes in red giants: theory versus observations
El Eid M.F. **285**, 915

Stellar atmospheric parameters for F–G–K stars from low-resolution data: method and application to a sample of proper motion stars
Cuisinier F., Buser R., Acker A., Cayrel R., Jasniewicz G., Fresneau A. **285**, 943

Chemical abundances of symbiotic nebulae. II
Costa R.D.D., de Freitas Pacheco J.A. **285**, 998

On the nickel abundance in hot hydrogen-rich white dwarfs
Werner K., Dreizler S. **286**, L31

A NLTE study of neutral boron in solar-type stars
Kiselman D. **286**, 169

(RN) The chemical compositions of the open clusters Be 94 and NGC 457
Dufton P.L., Fitzsimmons A., Rolleston W.R.J. **286**, 449

A "cool" PG 1159 star discovered by the Hamburg Schmidt Survey: NLTE analysis of HS 0704+6153
Dreizler S., Werner K., Jordan S., Hagen H. **286**, 463

Spectral analysis of the planetary nebula K 1-27 and its very hot hydrogen-deficient central star
Rauch T., Köppen J., Werner K. **286**, 543

Turbulent diffusive mixing in early B-type main sequence stars
Denissenkov P.A. **287**, 113

G 191-B2B: accurate abundances for nitrogen, silicon, and iron from GHRS observations
Vidal-Madjar A., Allard N.F., Koester D., Lemoine M., Ferlet R., Bertin P., Lallement R., Vauclair G. **287**, 175

Lithium abundances of nearby solar-like stars
Pasquini L., Liu Q., Pallavicini R. **287**, 191

Investigation of the II-90 giant in globular cluster M 13
Klochkova V.G., Mishenina T.V., Panchuk V.E. **287**, 881

Abundances of neutron-capture elements in metal-poor stars
Gratton R.G., Sneden C. **287**, 927

Hydrodynamic atmosphere models for hot luminous stars
Schaerer D., Schmutz W. **288**, 231

The C/O abundance ratio in the detached circumstellar envelopes around carbon stars
Bujarrabal V., Cernicharo J. **288**, 551

Rotation and lithium depletion in late-type binaries
Zahn J.-P. **288**, 829

The non-LTE formation of Li I lines in cool stars
Carlsson M., Rutten R.J., Bruls J.H.M.J., Shchukina N.G. **288**, 860

High resolution infrared spectra of silicon monoxide and silicon isotopic abundances in cool luminous stars
Tsuji T., Ohnaka K., Hinkle K.H., Ridgway S.T. **289**, 469

The galactic abundance gradients traced by B-type stars
Kaufer A., Szeifert T., Krenzin R., Baschek B., Wolf B. **289**, 740

Radiative acceleration in stars due to photoionization
Alecian G. **289**, 885

Chemical composition of the metal-poor carbon star HD 187216
Kipper T., Jørgensen U.G. **290**, 148

Boron in the extreme Population II star HD 140283 and the production of light elements in the Early Galaxy
Edvardsson B., Gustafsson B., Johansson S.G., Kiselman D., Lambert D.L., Nissen P.E., Gilmore G. **290**, 176

Lithium in old binary stars
Spite M., Pasquini L., Spite F. **290**, 217

Ultraviolet Fe III lines in the spectra of high galactic latitude early-type stars
Kendall T.R., Conlon E.S., Dufton P.L., Keenan F.P. **290**, 563

Carbon abundances in F and G dwarfs
Andersson H., Edvardsson B. **290**, 590

Towards an understanding of very massive stars. A new evolutionary scenario relating O stars, LBVs and Wolf-Rayet stars
Langer N., Hamann W.-R., Lennon M., Najarro F., Pauldrach A.W.A., Puls J. **290**, 819

Analysis of ROSAT pointed observations of 15 hot DA white dwarfs
Jordan S., Wolff B., Koester D., Napiwotzki R. **290**, 834

Helium chemistry of ONC supergiants
Smith K.C., Howarth I.D. **290**, 868

Abundances of four very metal-poor stars of the BPS survey
Primas F., Molaro P., Castelli F. **290**, 885

Abundance analysis of the hot post-AGB star Barnard 29
Conlon E.S., Dufton P.L., Keenan F.P. **290**, 897

Photometric and Coravel observations of stars in the open cluster IC 2714
Clariá J.J., Mermilliod J.-C., Piatti A.E., Minniti D. **290**, 1020 (***107**, 39)*

A case study of the quadruple system ξ Ursae Majoris: its activity and lithium depletion
Cayrel de Strobel G., Cayrel R., Friel E., Zahn J.-P., Bentolila C. **291**, 505

Elemental abundances in normal late-B and HgMn stars from co-added IUE spectra. III. Copper and zinc
Smith K.C. **291**, 521

The galactic distribution of chemical elements as derived from B-stars in open clusters. II. NGC 6611, S 285, and S 289
Kilian-Montenbruck J., Gehren T., Nissen P.E. **291**, 757

(RN) Examination of the wind accretion scenario for barium stars
Boffin H.M.J., Zaès L. **291**, 811

Doppler imaging of the Ap star 17 Comae Berenices
Rice J.B., Wehlau W.H. **291**, 825

Optical observations of the hot post-asymptotic giant branch star, HD 177566
Kendall T.R., Brown P.J.F., Conlon E.S., Dufton P.L., Keenan F.P. **291**, 851

Element abundances of classical novae
Andreä J., Drechsel H., Starrfield S. **291**, 869

Spectroscopic analyses of metal-poor stars. I. Basic data and stellar parameters
Axer M., Fuhrmann K., Gehren T. **291**, 895

Stratification of helium in the photospheres of the helium-weak stars HD 28843 and HD 49333
Farthmann M., Dreizler S., Heber U., Hunger K. **291**, 919

Analysis of BD+33°2642: a newly detected planetary nebula in the galactic halo and its central star
Napiwotzki R., Heber U., Köppen J. **292**, 239

Erratum The nature of the F str λ4077 stars. III. Spectroscopy of the barium dwarfs and other CP stars
North P., Berthet S., Lanz T. **292**, 350

Elemental abundance studies of CP stars: The silicon star HD 43819 and the CP star HD 147550
Lopez-Garcia Z., Adelman S.J. **292**, 353 (***107**, 353)*

Chemical composition of selected double-mode Cepheids and the P_1/P_0–[Fe/H] relation
Andrievsky S.M., Kovtyukh V.V., Usenko I.A., Klochkova V.G., Galazutdinov G.A. **292**, 364 (***108**, 433)*

A new approach to calibrating the Strömgren photometric system in terms of metal-to-hydrogen ratio
Malyuto V. **292**, 364 (***108**, 441)*

Spectroscopy of the young cluster Blanco 1
Panagi P.M., O'Dell M.A., Collier Cameron A., Robinson R.D. **292**, 439

Observations and analyses of the S VI λ 1975, λ 1993 Å lines in the *IUE* ultraviolet spectra of WN stars
Nugis T., Willis A.J. **292**, 616

Stars: activity 08.01.2

Rotational-modulation mapping of the active atmosphere of the RS Canum Venaticorum binary HD 106225
Strassmeier K.G. **281**, 395

(RN) Optical variability of SAO 91772: a serendipitous X-ray source
Rodonò M., Cutispoto G., Messina S. **281**, 756

Chromospheric activity in G and K giants and their rotation-activity relation
Strassmeier K.G., Handler G., Paunzen E., Rauth M. **281**, 855

Multisite continuous spectroscopy. III. Photometric analysis and spot modelling of the light curves of HR 1099 before and after the 1989 optical flares
Zhai D.S., Foing B.H., Cutispoto G., Zhang R.X., Catala C., Char S., Zhang X.B., Jankov S. **282**, 168

Time-series photometric spot modeling. II. Fifteen years of photometry of the bright RS CVn binary HR 7275
Strassmeier K.G., Hall D.S., Henry G.W. **282**, 535

Chromospheric activity in Population II binaries
Pasquini L., Lindgren H. **283**, 179

Variability of quiescent and flaring radio emission in RS CVn and Algol-type binary systems
Lefèvre E., Klein K.-L., Lestrade J.-F. **283**, 483

(RN) Ultraviolet flare activity on the eclipsing binary SZ Piscium
Doyle J.G., Mitrou C.K., Mathioudakis M., Antonopoulou E. **283**, 522

Chromospheric activity in G and K giants: the spectroscopic data base
Strassmeier K.G. **283**, 714 (***103**, 413)*

A long-duration X-ray flare on the RS Canum Venaticorum binary AR Lacertae observed with ROSAT
Ottmann R., Schmitt J.H.M.M. **283**, 871

Lithium in RS Canum Venaticorum binaries and related chromospherically active stars. III. Northern RS CVn systems
Randich S., Giampapa M.S., Pallavicini R. **283**, 893

The nonlinear limitation of nonaxisymmetric mean field dynamos by the large scale Lorentz force
Barker D.M., Moss D. **283**, 1009

Hα survey of late-type active binaries
Frasca A., Catalano S. **284**, 883

The EUV spectrum of AU Microscopii: temperature and density diagnostic from EUVE Spectrometers observations
Monsignori Fossi B.C., Landini M. **284**, 900

A Doppler image of the weak T Tauri star V 410 Tau
Strassmeier K.G., Welty A.D., Rice J.B. **285**, L17

Lower chromospheric activity in low activity M dwarfs
Doyle J.G., Houdebine E.R., Mathioudakis M., Panagi P.M. **285**, 233

Photometric and spectroscopic studies of cool stars discovered in EXOSAT X-ray images. II. Lithium abundances
Tagliaferri G., Cutispoto G., Pallavicini R., Randich S., Pasquini L. **285**, 272

High-velocity evaporation during a flare on AT Microscopii
Gunn A.G., Doyle J.G., Mathioudakis M., Houdebine E.R., Avgoloupis S. **285**, 489

The Wilson–Bappu effect and other Ca II H and K line parameters relationships in chromospherically active binaries
Montes D., Fernández-Figueroa M.J., De Castro E., Cornide M. **285**, 609

The soft X-ray/microwave ratio of solar and stellar flares and coronae
Benz A.O., Güdel M. **285**, 621

Possible detection of a stellar flare-generated particle beam in polarized light
Saar S.H., Martens P.C.H., Huovelin J., Linnaluoto S. **286**, 194

A spectroscopic and photometric study of the giant star HD 101841: a very short-period binary system
De Medeiros J.R., Duquennoy A., Lèbre A., Burki G. **286**, 481

Near simultaneous *BV* photometry and Hα spectroscopy of the RS Canum Venaticorum binary DM Ursae Majoris
Mohin S., Raveendran A.V. **286**, 824

A strong Hα flare on HK Lacertae
Catalano S., Frasca A. **287**, 575

Luminosity variations and orbital period changes in RT Lacertae
Keskin V., İbanoğlu C., Akan M.C., Evren S., Tunca Z. **287**, 817

High sensitivity dynamic spectral search for flare star radio bursts
Abada-Simon M., Lecacheux A., Louarn P., Dulk G.A., Belkora L., Bookbinder J.A., Rosolen C. **288**, 219

Coordinated observations of the red dwarf flare star EV Lacertae in 1991
Alekseev I.Y., Gershberg R.E., Ilyin I.V., Shakhovskaya N.I., Shakhovskoy N.M., Avgoloupis S., Mavridis L.N., Seiradakis J.H., Kidger M.R., Panferova I.P., Pustil'nik L.A. **288**, 502

Surface imaging of late-type contact binaries I: AE Phoenicis and YY Eridani
Maceroni C., Vilhu O., van 't Veer F., Van Hamme W. **288**, 529

Variability of luminous blue variables. I. Intermediate-band photometry
Spoon H.W.W., de Koter A., Sterken C., Lamers H.J.G.L.M., Stahl O. **288**, 1035 (***106, 141***)

Observation and modelling of main sequence star chromospheres. I. Modelling of the hydrogen spectrum in dMe stars
Houdebine E.R., Doyle J.G. **289**, 169

Observation and modelling of main sequence star chromospheres. II. Modelling of the AU Microscopii (dM2.5e) hydrogen spectrum
Houdebine E.R., Doyle J.G. **289**, 185

Doppler imaging with a CLEAN-like approach. II. A photospheric image of AB Doradus (= HD 36705)
Kürster M., Schmitt J.H.M.M., Cutispoto G. **289**, 899

The age-mass relation for chromospherically active binaries. I. The evolutionary status
Barrado D., Fernández-Figueroa M.J., Montesinos B., De Castro E. **290**, 137

Fourier analysis of spotted star light curves as a tool to detect stellar differential rotation. II. Spots' evolution and binarity
Lanza A.F., Rodonò M., Zappalà R.A. **290**, 861

Long-term spectroscopic monitoring of P Cygni-type stars. II. Spectroscopic variations of P Cygni during 1990–1992
Stahl O., Wolf B., Gäng T., Kaufer A., Szeifert T., Zhao F. **290**, 1019 (***107, 1***)

The active close binary system ER Vulpeculae
Oláh K., Budding E., Kim H.-I., Etzel P.B. **291**, 110

Surface inhomogeneities on SZ Piscium
Doyle J.G., Mitrou C.K., Mathioudakis M., Avgoloupis S., Mavridis L.N., Varvoglis P.P., Graos F., Antonopoulou E. **291**, 135

Evidence for ellipsoidal variations of the Be star binary HD 50123
Sterken C., Vogt N., Mennickent R. **291**, 473

A case study of the quadruple system ξ Ursae Majoris: its activity and lithium depletion
Cayrel de Strobel G., Cayrel R., Friel E., Zahn J.-P., Bentolila C. **291**, 505

Detection of EUV emission from the low activity dwarf HD 4628: evidence for a cool corona
Mathioudakis M., Drake J.J., Vedder P.W., Schmitt J.H.M.M., Bowyer S. **291**, 517

(RN) Interferometer observations of RS Canum Venaticorum binaries
Gunn A.G., Spencer R.E., Abdul Aziz H., Doyle J.G., Davis R.J., Pavelin P.E. **291**, 847

Spectrum variability of ET Andromedae: Si and He surface mapping
Piskunov N., Ryabchikova T.A., Kuschnig R., Weiss W.W. **291**, 910

Basic system parameters and a more general spot solution of the SV Camelopardalis light curve
Patkós L., Hempelmann A. **292**, 119

Applicability of the Rossby number in activity-rotation relations for dwarfs and giants
Stępień K. **292**, 191

A Ca II and Mg II luminosity/emission-width data base
Lastennet E., Freire Ferrero R. **292**, 368 (***108, 611***)

Multi-site continuous spectroscopy. II. Spectrophotometry and energy budget of exceptional white-light flares on HR 1099 from the MUSICOS 89 campaign
Foing B.H., Char S., Ayres T., Catala C., Neff J.E., Zhai D.S., Catalano S., Cutispoto G., Jankov S., Rodono M., Simon T., Akan C., Aslanov A., Avellar P., Baudrand J., Beust H., Cao H., Chatzichristou H., Cuby J.G., Czarny J., de la Reza R., Dreux M., Felenbok P., Ferlet R., Frasca A., Floquet M., Ghosh K., Guo Z., Guérin J., Hao J.X., Houdebine E.R., Huang L., Hubert A.M., Hubert H., Huovelin J., Hron J., İbanoğlu C., Jiang S.Y., Keskin V., Lagrange-Henri A.M., Lecontel J.M., Li Q., Mavridis L., Nolthenius R., Petrov P., Savanov I., Scherbakov A., Tuominen I., Vidal-Madjar A., Zhang R., Zhang X. **292**, 543

Stars: AGB and post-AGB 08.16.4

Resolution of a fossil dust shell around U Hydrae using maximum entropy image reconstruction
Waters L.B.F.M., Loup C., Kester D.J.M., Bontekoe T.R., de Jong T. **281**, L1

Discovery of near-infrared hydrogen line emission in the peculiar F8 hypergiant IRC+10420
Oudmaijer R.D., Geballe T.R., Waters L.B.F.M., Sahu K.C. **281**, L33

Spectral line identification of the ultraviolet spectrum of the peculiar post-AGB star HD 101584 (F0Iape)
Bakker E.J. **281**, 640 (***103, 189***)

(RN) A search for variability in the IRAS-LRS spectra of long period variables
Hron J., Aringer B. **281**, 139

A search for SiO, OH, CO and HCN radio emission from silicate-carbon stars
Little-Marenin I.R., Sahai R., Wannier P.G., Benson P.J., Gaylard M., Omont A. **281**, 451

PG 2120+062: an apparently normal O-star at high galactic latitude
Moehler S., Heber U., Dreizler S. **282**, L29

The circumstellar envelope of S Scuti
Groenewegen M.A.T., de Jong T. **282**, 115

Synthetic AGB evolution. II. The predicted abundances of planetary nebulae in the LMC
Groenewegen M.A.T., de Jong T. **282**, 127

(RN) The helium-to-hydrogen ratio of the UV-bright star Barnard 29 of Messier 13
Adelman S.J., Aikman G.C.L., Hayes D.S., Philip A.G.D., Sweigart A.V. **282**, 134

Radio and near-infrared images of IRAS 21282+5050: a transitional planetary nebula
Likkel L., Morris M., Kastner J.H., Forveille T. **282**, 190

A systematic study of IRAS selected proto-planetary nebula candidates. II. OH and CO observations
Hu J.Y., te Lintel Hekkert P., Slijkhuis S., Baas F., Sahai R., Wood P.R. **282**, 350 (***103, 301***)

Clues for non-standard mixing on the red giant branch from $^{12}C/^{13}C$ and $^{12}C/^{14}N$ ratios in evolved stars
Charbonnel C. **282**, 811

Near infrared speckle interferometry and water maser observations of carbon stars with an oxygen-rich circumstellar environment
Engels D., Leinert C. **282**, 858

Synthetic AGB evolution. III. The influence of different mass-loss laws
Groenewegen M.A.T., de Jong T. **283**, 463

On the neon abundance in PG 1159-type central stars of planetary nebulae
Werner K., Rauch T. **284**, L5

On the pre-decline and decline phases of FG Sagittae, the post-AGB star and central star of the planetary nebula PK 60–7°1
van Genderen A.M. **284**, 465

Mass loss and the evolution of planetary nebula nuclei
Górny S.K., Tylenda R., Szczerba R. **284**, 949

Nebular emission lines in IRAS 10215–5916
García-Lario P., Manchado A., Parthasarathy M., Pottasch S.R. **285**, 179

Molecular observations of O- and C-rich circumstellar envelopes
Bujarrabal V., Fuente A., Omont A. **285**, 247

More H_2O masers in J-type carbon stars
Engels D. **285**, 497

A study of dust shells around high latitude supergiants
van der Veen W.E.C.J., Waters L.B.F.M., Trams N.R., Matthews H.E. **285**, 551

Numerical calculations of SiO maser emission. I. Intensity and variability
Bujarrabal V. **285**, 953

Numerical calculations of SiO maser emission. II. Angular extent
Bujarrabal V. **285**, 971

Numerical methods for AGB evolution
Wagenhuber J., Weiss A. **286**, 121

Short time scale monitoring of SiO sources
Pijpers F.P., Pardo J.R., Bujarrabal V. **286**, 501

Calculations of the outflow velocity of envelopes of cool giants
Habing H.J., Tignon J., Tielens A.G.G.M. **286**, 523

An OH maser towards the globular cluster NGC 6171
Feast M.W., Whitelock P.A. **287**, L29

The 3 μm spectra of candidate carbon stars
Groenewegen M.A.T., de Jong T., Geballe T.R. **287**, 163

A deep VLA search for OH (1612 MHz) maser sources in the galactic plane
Blommaert J.A.D.L., Van Langevelde H.J., Michiels W.F.P. **287**, 479

The OH/IR-planetary nebula connection: space distribution and kinematics
Ortiz R., Maciel W.J. **287**, 552

Multiwavelength observations of RV Tauri stars. II. U Monocerotis
Shenton M., Evans A., Cardelli J.A., Marang F., van Wyk F., Weight A. **287**, 852

Multiwavelength observations of RV Tauri stars. III. R Scuti
Shenton M., Monier R., Evans A., Carter B., Lloyd Evans T., Marang F., Parker Q.A., Rawlings J.M.C., Scott A.D., van Wyk F. **287**, 866

"Fossil" symbiotic novae
Lewis B.M. **288**, L5

Theoretical spectra of circumstellar dust shells around carbon-rich asymptotic giant branch stars
Winters J.M., Dominik C., Sedlmayr E. **288**, 255

The C/O abundance ratio in the detached circumstellar envelopes around carbon stars
Bujarrabal V., Cernicharo J. **288**, 551

Synthetic AGB evolution. IV. Long-period variables in the LMC
Groenewegen M.A.T., de Jong T. **288**, 782

(RN) Confrontation of theoretical tracks for post-AGB stars with observations of planetary nebulae
Tylenda R., Stasińska G. **288**, 897

An extensive study of planetary nebulae in the Galactic bulge. V. Monte-Carlo simulations of an observed sample
Stasińska G., Tylenda R. **289**, 225

Confrontation between power spectra of Mira stars and theoretical models
Barthès D., Tuchman Y. **289**, 429

Semiregular variables of types SRa and SRb. New *JHKL'M*-photometry for 200 stars
Kerschbaum F., Hron J. **289**, 998 (***106**, 397*)

A catalogue He II 4686 line intensities in Galactic planetary nebulae
Tylenda R., Stasińska G., Acker A., Stenholm B. **289**, 1001 (***106**, 559*)

Circumstellar CO around bright oxygen-rich semi-regulars
Kahane C., Jura M. **290**, 183

More (on) red giants with unusual dust shells
Groenewegen M.A.T. **290**, 207

Radio and infrared emission from a [WC]-type planetary nebula in the LMC
Zijlstra A.A., van Hoof P.A.M., Chapman J.M., Loup C. **290**, 228

Radiative shocks in atomic and molecular stellar-like atmospheres. VI. Influence of the Lyman-α flux on the precursor structure
Huguet E., Lafon J.-P.J., Gillet D. **290**, 510

Radiative shocks in atomic and molecular stellar-like atmospheres. VII. Influence of the excited level of the hydrogen atom: the wake structure
Huguet E., Lafon J.-P.J., Gillet D. **290**, 518

A revised model for circumstellar molecular emission
Groenewegen M.A.T. **290**, 531

The mass loss rates of OH/IR 32.8–0.3 and OH/IR 44.8–2.3
Groenewegen M.A.T. **290**, 544

Two-fluid models for stationary dust-driven winds. I. Momentum and energy balance
Krüger D., Gauger A., Sedlmayr E. **290**, 573

Stellar OH masers toward globular clusters
Frail D.A., Beasley A.J. **290**, 796

Termination of AGB-evolution by hydrogen recombination
Wagenhuber J., Weiss A. **290**, 807

Abundance analysis of the hot post-AGB star Barnard 29
Conlon E.S., Dufton P.L., Keenan F.P. **290**, 897

The gasdynamic evolution of spherical planetary nebulae. Radiation-gasdynamics of PNe III
Mellema G. **290**, 915

Adaptive optics imaging of the Frosty Leo nebula
Beuzit J.-L., Thébault P., Perrin G., Rouan D. **291**, L1

Narrow emission line O VI planetary nebulae nuclei
Stanghellini L., Kaler J.B., Shaw R.A. **291**, 604

Optical observations of the hot post-asymptotic giant branch star, HD 177566
Kendall T.R., Brown P.J.F., Conlon E.S., Dufton P.L., Keenan F.P. **291**, 851

Multiwavelength observations of RV Tauri stars. IV. SX Centauri
Shenton M., Evans A., Albinson J.S., Barrett P., Davies J.K., Goldsmith M.J., Hutchinson M.G., Laney D., Maddison R.C. **292**, 102

Nonlinear pulsations of the RV Tauri stars
Fokin A.B. **292**, 133

Analysis of BD+33°2642: a newly detected planetary nebula in the galactic halo and its central star
Napiwotzki R., Heber U., Köppen J. **292**, 239

Circumstellar dust envelopes of oxygen-rich AGB stars
Hashimoto O. **292**, 355 (*107, 445*)

Infrared properties of OH/IR stars. I. Near-infrared observation and some physical parameters of OH/IR stars
Xiong G.Z., Chen P.S., Gao H. **292**, 369 (*108, 661*)

Stars: atmospheres 08.01.3

Atmospheric models of flare stars: the quiescent state of AD Leonis
Mauas P.J.D., Falchi A. **281**, 129

Non-LTE spectral analyses of Wolf-Rayet stars: the nitrogen spectrum of the WN6 prototype HD 192163 (WR136)
Hamann W.-R., Wessolowski U., Koesterke L. **281**, 184

Rotational-modulation mapping of the active atmosphere of the RS Canum Venaticorum binary HD 106225
Strassmeier K.G. **281**, 395

Model atmospheres for Vega
Castelli F., Kurucz R.L. **281**, 817

Spectroscopic analysis of hot binaries. I. The components of DH Cephei
Sturm E., Simon K.P. **282**, 93

NLTE model stellar atmospheres with line blanketing near the series limits
Hubeny I., Hummer D.G., Lanz T. **282**, 151

The Ca II triplet lines in cool stars
Mallik S.V. **282**, 350 (*103, 279*)

Stratification in WR envelopes as seen in He II lines
Niedzielski A. **282**, 529

Time-series photometric spot modeling. II. Fifteen years of photometry of the bright RS CVn binary HR 7275
Strassmeier K.G., Hall D.S., Henry G.W. **282**, 535

Chemical abundances in early B-type stars. V. Metal abundances and LTE/NLTE comparison
Kilian J. **282**, 867

The reliability of H^- free-free absorption coefficients
John T.L. **282**, 890

Stellar effective temperatures and angular diameters determined by the infrared flux method (IRFM): revisions using improved Kurucz LTE stellar atmospheres
Blackwell D.E., Lynas-Gray A.E. **282**, 899

(RN) The behavior of some red and infrared helium lines
Jaschek M., Andrillat Y., Houziaux L., Jaschek C. **282**, 911

Detection of calcium abundance stratification in Ap stars
Babel J. **283**, 189

Radiation-driven winds of hot luminous stars. XII. A first step towards detailed UV-line diagnostics of O-stars
Pauldrach A.W.A., Kudritzki R.P., Puls J., Butler K., Hunsinger J. **283**, 525

V 348 Sagittarii: analysis of the [WC 12] stellar spectrum
Leuenhagen U., Hamann W.-R. **283**, 567

High-resolution optical spectroscopy of the hot R CrB star V 348 Sagittarii
Leuenhagen U., Heber U., Jeffery C.S. **283**, 714 (*103, 445*)

Abundance determination in the CP star 21 Canum Venaticorum by means of spectrum synthesis
Zverko J., Zboril M., Žižňovský J. **283**, 932

A spectroscopic analysis of barium stars
Začs L. **283**, 937

Effects of TiO in stellar atmospheres
Jørgensen U.G. **284**, 179

Three-dimensional radiative transfer on a massively parallel computer
Väth H.M. **284**, 319

Synthetic line profiles for supernovae of type II
Best M., Wehrse R. **284**, 507

Spectral analysis of the hottest known helium-rich white dwarf: KPD 0005+5106
Werner K., Heber U., Fleming T. **284**, 907

ZEBRA – Zeeman Broadening Analysis of magnetic white dwarfs. I. Maximum entropy reconstruction of Hα profiles
Donati J.-F., Achilleos N., Matthews J.M., Wesemael F. **285**, 285

Chemical composition and atmospheric parameters of metal-poor halo stars
Nissen P.E., Gustafsson B., Edvardsson B., Gilmore G. **285**, 440

The shock strength in super- and hypergiant atmospheres derived from microturbulence data
Nieuwenhuijzen H., de Jager C., Cuntz M. **285**, 595

The Balmer line problem of hot stars and the impact of ion-dynamical effects on the Stark broadening of H I and He II lines
Napiwotzki R., Rauch T. **285**, 603

Stellar atmospheric parameters for F–G–K stars from low-resolution data: method and application to a sample of proper motion stars
Cuisinier F., Buser R., Acker A., Cayrel R., Jasniewicz G., Fresneau A. **285**, 943

An operator splitting method for atmospheres with shocks
Buchholz B., Hauschildt P.H., Rammacher W., Ulmschneider P. **285**, 987

HE 1045–0908: a new magnetic DA white dwarf with a distinctive Zeeman line splitting pattern
Reimers D., Jordan S., Köhler T., Wisotzki L. **285**, 995

Incorporating the atmosphere in stellar structure models: the solar case
Morel P., van 't Veer C., Provost J., Berthomieu G., Castelli F., Cayrel R., Goupil M.J., Lebreton Y. **286**, 91

A NLTE study of neutral boron in solar-type stars
Kiselman D. **286**, 169

A "cool" PG 1159 star discovered by the Hamburg Schmidt Survey: NLTE analysis of HS 0704+6153
Dreizler S., Werner K., Jordan S., Hagen H. **286**, 463

Effects of Compton scattering in atmospheres of hot white dwarfs
Madej J. **286**, 515

Spectral analysis of the planetary nebula K 1-27 and its very hot hydrogen-deficient central star
Rauch T., Köppen J., Werner K. **286**, 543

The δ Scuti instability strip: effects of opacity enhancement and wave reflections
Li Y., Stix M. **286**, 815

Spherically symmetric model atmospheres using approximate lambda operators. I. First results for static NLTE atmospheres
Kubát J. **287**, 179

Parametrized Stark profiles of hydrogen lines in hot stellar plasmas
Clausset F., Stehlé C., Artru M.-C. **287**, 666

Improved bolometric corrections for WR stars from cluster membership and evolutionary models
Smith L.F., Meynet G., Mermilliod J.-C. **287**, 835

(RN) The influence of ion-atom radiative collisions on the continuous optical spectra in helium-rich DB white-dwarf atmospheres
Mihajlov A.A., Dimitrijević M.S., Ignjatović L.M. **287**, 1026

Hydrodynamic atmosphere models for hot luminous stars
Schaerer D., Schmutz W. **288**, 231

ROSAT soft X-ray observations of the supergiant X-ray binary Vela X-1
Haberl F. **288**, 791

The soft component in the X-ray spectrum of 4U 1700–37
Haberl F., Aoki T., Mavromatakis F. **288**, 796

On the propagation of linear 3-D hydrodynamic waves in plane non-isothermal atmospheres
Schmitz F., Fleck B. **288**, 1035 (*106, 129*)

Influence of the atmosphere model on the stellar effective temperature derived through the infrared flux method
Mégessier C. **289**, 202

On the strategy of future observations and modeling of the β Lyrae system
Hubeny I., Harmanec P., Shore S.N. **289**, 411

High resolution infrared spectra of silicon monoxide and silicon isotopic abundances in cool luminous stars
Tsuji T., Ohnaka K., Hinkle K.H., Ridgway S.T. **289**, 469

The detectability of cool polar caps on late type stars
Piskunov N., Wehlau W.H. **289**, 868

Identification of the 1600 A feature in Lambda Bootis stars
Holweger H., Koester D., Allard N.F. **290**, L21

Forbidden lines in Herbig Ae/Be stars: the [O I] (1F) 6300.31 Å and 6363.79 Å lines. I. Observations and qualitative analysis
Böhm T., Catala C. **290**, 167

Radiative shocks in atomic and molecular stellar-like atmospheres. VI. Influence of the Lyman-α flux on the precursor structure
Huguet E., Lafon J.-P.J., Gillet D. **290**, 510

Radiative shocks in atomic and molecular stellar-like atmospheres. VII. Influence of the excited level of the hydrogen atom: the wake structure
Huguet E., Lafon J.-P.J., Gillet D. **290**, 518

An accelerated lambda iteration method for multilevel radiative transfer. III. Noncoherent electron scattering
Rybicki G.B., Hummer D.G. **290**, 553

Helium chemistry of ONC supergiants
Smith K.C., Howarth I.D. **290**, 868

Nonadiabatic observables in β Cephei models
Cugier H., Dziembowski W.A., Pamyatnykh A.A. **291**, 143

Pulsation of the yellow hypergiant ρ Cassiopeiae in 1970
Lobel A., de Jager C., Nieuwenhuijzen H., Smolinski J., Gesicki K. **291**, 226

Elemental abundances in normal late-B and HgMn stars from co-added IUE spectra. III. Copper and zinc
Smith K.C. **291**, 521

Search for the remnants of the 1977–1986 outburst in the quiescent phase of CH Cygni
Jurdana R., Kotnik-Karuza D. **292**, 366 (*108, 533*)

Spectroscopic analysis of hot binaries. II. The components of Y Cygni
Simon K.P., Sturm E., Fiedler A. **292**, 507

Multidimensional radiative transfer with multilevel atoms. I. ALI method with preconditioning of the rate equations
Auer L., Fabiani Bendicho P., Trujillo Bueno J. **292**, 599

Stark profiles of He^+
Stehlé C. **292**, 699

(Stars:) binaries: eclipsing 08.02.2

Long-term luminosity variations and period changes in V 471 Tauri
İbanoğlu C., Keskin V., Akan M.C., Evren S., Tunca Z. **281**, 811

Direct determination of stellar and orbital parameters of the spectroscopic binary TZ CrA
Corporon P., Lagrange A.M., Bouvier J. **282**, L21

Studies of early-type variable stars. VIII. The massive binary system CC Cassiopeiae
Hill G., Hilditch R.W., Aikman G.C.L., Khalesseh B. **282**, 455

VLA observations of Cyg OB2 No. 5: detection of a weak radio companion and new observations and models for the main component
Miralles M.P., Rodríguez L.F., Tapia M., Roth M., Persi P., Ferrari-Toniolo M., Curiel S. **282**, 547

On the orbital period changes in contact binaries
Kalimeris A., Rovithis-Livaniou H., Rovithis P. **282**, 775

Studies of early-type variable stars. XI. Absolute parameters of the Algol system RZ Cassiopeiae
Maxted P.F.L., Hill G., Hilditch R.W. **282**, 821

The optical and near infrared variability of η Carinae: a binary luminous blue variable?
van Genderen A.M., de Groot M.J.H., Thé P.S. **283**, 89

High speed photometry of PG 1012–029
Ashoka B.N., Seetha S., Marar T.M.K., Kasturirangan K., Rao U.R., Bhattacharyya J.C. **283**, 455

(RN) Ultraviolet flare activity on the eclipsing binary SZ Piscium
Doyle J.G., Mitrou C.K., Mathioudakis M., Antonopoulou E. **283**, 522

Observation of Hercules X-1 with the ROSAT wide field camera
Rochester G.K., Barnes J., Sidher S., Sumner T.J., Bewick A., Corrigan R., Quenby J.J. **283**, 884

New photometric and spectroscopic results for IU Aurigae – an early-type eclipsing binary in a multiple system
Drechsel H., Haas S., Lorenz R., Mayer P. **284**, 853

Investigation of the semidetached eclipsing binary RZ Draconis
Kreiner J.M., Pajdosz G., Tremko J., Zola S. **285**, 459

Rediscussion of photometric data and an accretion disk model for the 96-day binary UU Cancri
Zola S., Hall D.S., Henry G.W. **285**, 531

Studies of early-type variable stars. XII. Spectroscopic orbit and absolute parameters of AT Pegasi
Maxted P.F.L., Hill G., Hilditch R.W. **285**, 535

The pulsations of yellow semi-regular variables. II. The F supergiant in the high-latitude binary BL Telescopii
Zsoldos E. **286**, 870

Apsidal motion in the eclipsing binary CO Lacertae
Wolf M. **286**, 875

The variable light curve of the eclipsing symbiotic star AR Pavonis
Bruch A., Niehues M., Jones A.F. **287**, 829

The V 505 Sagittarii system: new *B*, *V* photoelectric observations and light curve analysis
Rovithis-Livaniou H., Rovithis P. **287**, 1034 (***105, 47***)

Empirical masses and radii for the luminous binary Sk−67°105 in the LMC
Haefner R., Simon K.P., Fiedler A. **288**, L9

SZ Cam – early-type eclipsing binary with a third body
Mayer P., Lorenz R., Chochol D., Irsmambetova T.R. **288**, L13

1H 1752+081: a new eclipsing probable AM Herculis-type binary
Barwig H., Ritter H., Bärnbantner O. **288**, 204

Optical spectra of ζ Aurigae binary systems. VI. The chromosphere of 22 Vulpeculae
Schröder K.-P., Griffin R.E.M., Hünsch M. **288**, 273

ROSAT soft X-ray observations of the supergiant X-ray binary Vela X-1
Haberl F. **288**, 791

The soft component in the X-ray spectrum of 4U 1700−37
Haberl F., Aoki T., Mavromatakis F. **288**, 796

High resolution spectroscopy of symbiotic stars. I. SY Muscae: orbital elements, M giant radius, distance
Schmutz W., Schild H., Mürset U., Schmid H.M. **288**, 819

Photoelectric light curve study of the DK Cygni system
Awadalla N.S. **289**, 137

Fast eclipse mapping
Spruit H.C. **289**, 441

Erratum Direct determination of stellar and orbital parameters of the spectroscopic binary TY CrA
Corporon P., Lagrange A.M., Bouvier J. **289**, 660

The corona of the G-type giant HR 2554: discovery of co-existing, very different temperature regimes
Schröder K.-P., Hünsch M. **289**, 893

The active close binary system ER Vulpeculae
Oláh K., Budding E., Kim H.-I., Etzel P.B. **291**, 110

Absolute dimensions of AB Crucis: a semi-detached O-type eclipsing binary
Lorenz R., Mayer P., Drechsel H. **291**, 185

The expanding envelope of ζ Aurigae
Kirsch T., Baade R. **291**, 535

Radii and masses for β Aurigae
Nordström B., Johansen K.T. **291**, 777

AG Persei: absolute dimensions and membership of Perseus OB2
Giménez A., Clausen J.V. **291**, 795

Basic system parameters and a more general spot solution of the SV Camelopardalis light curve
Patkós L., Hempelmann A. **292**, 119

The hot contact binary XZ Leonis
Niarchos P.G., Hoffmann M., Duerbeck H.W. **292**, 494

(Stars:) binaries: general 08.02.3

Investigation of the Praesepe cluster. II. Three triple systems: KW 365, 367 and 495
Mermilliod J.-C., Duquennoy A., Mayor M. **283**, 515

(RN) Do star forming regions have different binary fractions?
Durisen R.H., Sterzik M.F. **286**, 84

A spectroscopic and photometric study of the giant star HD 101841: a very short-period binary system
De Medeiros J.R., Duquennoy A., Lèbre A., Burki G. **286**, 481

New binary young stars in the Taurus and Ophiuchus star-forming regions
Richichi A., Leinert C., Jameson R., Zinnecker H. **287**, 145

PAH emission in XX Ophiuchi
Evans A. **288**, L37

Is ESO Hα 279 a pre-main sequence binary?
Aspin C., Reipurth B., Lehmann T. **288**, 165

The binary nature of an observed dark Galactic object
Dominik M., Hirshfeld A.C. **289**, L31

A case study of the quadruple system ξ Ursae Majoris: its activity and lithium depletion
Cayrel de Strobel G., Cayrel R., Friel E., Zahn J.-P., Bentolila C. **291**, 505

Detection of a photometric period in the non-eclipsing binary HR 8800. Towards a better description of the system
Sareyan J.P., Chauville J., Van't Veer F., Alvarez M., Gonzalez-Bedolla S., Valera F. **291**, 815

Dynamics of nearby multiple stars. The α Centauri system
Anosova J., Orlov V.V., Pavlova N.A. **292**, 115

(Stars:) binaries (including multiple): close 08.02.1

Luminosity dependence of the hardness of the 13-80 keV X-ray spectra of low-mass X-ray binaries
van Paradijs J., van der Klis M. **281**, L17

Observational constraints on the inter-binary stellar flare hypothesis for the gamma-ray bursts
Rao A.R., Vahia M.N. **281**, L21

Radio, infrared and X-ray activity of Cygnus X-3
Kitamoto S., Miyamoto S., Waltman E.B, Fiedler R.L., Johnston K.J., Ghigo F.D. **281**, L85

Type IIb supernova 1993J in M 81: the explosion of a $\sim 4 M_{\odot}$ star in a close binary system
Utrobin V. **281**, L89

Spectroscopic detection of the spin pulse in GK Persei
Reinsch K. **281**, 108

Evolutionary status of U Sagittae
Sarna M.J., De Greve J.-P. **281**, 433

RT Leonis Minoris: a spotted W Ursae Majoris system
Niarchos P.G., Hoffmann M., Duerbeck H.W. **281**, 637 (***103, 39***)

Evolutionary sequences for massive close binary stars with Magellanic Cloud metallicities with Rogers-Iglesias opacities
de Loore C., Vanbeveren D. **281**, 637 (***103, 67***)

(RN) Optical variability of SAO 91772: a serendipitous X-ray source
Rodonò M., Cutispoto G., Messina S. **281**, 756

The nature of the F str λ4077 stars. III. Spectroscopy of the barium dwarfs and other CP stars
North P., Berthet S., Lanz T. **281**, 775

Simultaneous radio and X-ray observations of GX 340+0
Oosterbroek T., Lewin W.H.G., van Paradijs J., van der Klis M., Penninx W., Dotani T. **281**, 803

Nonlinear instability of colliding winds in a double star system
Dgani R., Soker N. **282**, 54

Binary radiopulsars with optical companion
Lipunov V.M., Nazin S.N., Osminkin E.Y., Prokhorov M.E. **282**, 61

Photometry of the Wolf-Rayet binary HD 211853 in the Vilnius photometric system
Annuk K. **282**, 137

Multisite continuous spectroscopy. III. Photometric analysis and spot modelling of the light curves of HR 1099 before and after the 1989 optical flares
Zhai D.S., Foing B.H., Cutispoto G., Zhang R.X., Catala C., Char S., Zhang X.B., Jankov S. **282**, 168

The nature of the F str λ4077 stars. V. Spectroscopic data
North P., Berthet S., Lanz T. **282**, 351 (***103, 321***)

Spin-phase resolved optical spectroscopy of AE Aquarii
Reinsch K., Beuermann K. **282**, 493

On the orbital period changes in contact binaries
Kalimeris A., Rovithis-Livaniou H., Rovithis P. **282**, 775

Radii and masses for the young star AR Aurigae
Nordström B., Johansen K.T. **282**, 787

Studies of early-type variable stars. XI. Absolute parameters of the Algol system RZ Cassiopeiae
Maxted P.F.L., Hill G., Hilditch R.W. **282**, 821

New optical positions of the globular cluster X-ray sources NGC 6712: S/X 1850-086 and M 15: AC 211/X 2127+119
Geffert M., Aurière M., Requième Y., Mazurier J.-M. **282**, 989

OB-type binaries: models versus observations
Figueiredo J., De Greve J.P., Hilditch R.W. **283**, 144

UBVRI polarimetry of AM Herculis-type binaries. V. The asynchronous (?) polar BY Camelopardalis (H0538+608)
Piirola V., Coyne G.V., Takalo S.J.L., Larsson S., Vilhu O. **283**, 163

ROSAT soft X-ray observations of the Be/X-ray binary X Persei
Haberl F. **283**, 175

Spectral eclipse mapping of the accretion disk in the nova-like variable UX Ursae Majoris
Rutten R.G.M., Dhillon V.S., Horne K., Kuulkers E. **283**, 441

A comparison of the power spectra of Z and atoll sources, pulsars and black hole candidates
van der Klis M. **283**, 469

Variability of quiescent and flaring radio emission in RS CVn and Algol-type binary systems
Lefèvre E., Klein K.-L., Lestrade J.-F. **283**, 483

A long-duration X-ray flare on the RS Canum Venaticorum binary AR Lacertae observed with ROSAT
Ottmann R., Schmitt J.H.M.M. **283**, 871

The crust screen model for the magnetic field of binary X-ray sources
Zhang C.-M., Wu X.-J., Yang G.-C. **283**, 889

Lithium in RS Canum Venaticorum binaries and related chromospherically active stars. III. Northern RS CVn systems
Randich S., Giampapa M.S., Pallavicini R. **283**, 893

Rotational modulation and flares on RS Canum Venaticorum and BY Draconis stars. XVIII. Coordinated VLA, ROSAT, and IUE observations of RS CVn binaries
Fox D.C., Linsky J.L., Veale A., Dempsey R.C., Brown A., Neff J.E., Pagano I., Rodonò M., Bromage G.E., Kürster M., Schmitt J.H.M.M. **284**, 91

On the binary nature of Pleione
Luthardt R., Menchenkova E.V. **284**, 118

On the modulated light in the intermediate polar FO Aquarii/ H 2215–086
de Martino D., Buckley D.A.H., Mouchet M., Mukai K. **284**, 125

Energy-dependent effects of scattering atmospheres on X-ray pulsar pulse profiles
Sturner S.J., Dermer C.D. **284**, 161

Discovery of a luminous galactic supersoft X-ray source in the ROSAT all-sky survey
Motch C., Hasinger G., Pietsch W. **284**, 827

Hα survey of late-type active binaries
Frasca A., Catalano S. **284**, 883

PSR 1718–19 and destructive tidal circularization
Verbunt F. **285**, L21

Passage through resonance of a dynamic tide in a rapidly evolving star
Ruymaekers E., Smeyers P. **285**, 357 (***104, 401***)

Soft and hard X-ray observations of 4U 1626–67
Mavromatakis F. **285**, 503

Near-simultaneous ROSAT and Ginga observations of the 1991 X-ray transient in Musca
Greiner J., Hasinger G., Molendi S., Ebisawa K. **285**, 509

The Wilson–Bappu effect and other Ca II H and K line parameters relationships in chromospherically active binaries
Montes D., Fernández-Figueroa M.J., De Castro E., Cornide M. **285**, 609

Structure and stability of the X-ray corona of Algol
Ottmann R. **286**, L27

Images of the GG Tauri rotating ring
Dutrey A., Guilloteau S., Simon M. **286**, 149

Unusual flares at 360 and 609 MHz in the RS Canum Venaticorum-system II Pegasi observed with the WSRT: coherent emission from II Pegasi
van den Oord G.H.J., de Bruyn A.G. **286**, 181

Further observations of the central star of LoTr 5
Jasniewicz G., Acker A., Mauron N., Duquennoy A., Cuypers J. **286**, 211

On the nature of the outburst stage in the symbiotic binary AX Persei
Skopal A. **286**, 453

A magnetic explanation for the rapid burster
Kuijpers J., Kuperus M. **286**, 491

New binary stars discovered by lunar occultations
Richichi A., Calamai G., Leinert C. **286**, 829

On the possible source of GRB 930131
Rao A.R., Vahia M.N. **287**, L34

(RN) A study of a high resolution IUE spectrum of AM Canum Venaticorum
Solheim J.-E., Sion E.M. **287**, 503

Photometric and spectroscopic observations of the 53 Persei type stars: ζ Cassiopeiae
Sadsaoud H., Le Contel J.M., Chapellier E., Le Contel D., Gonzalez-Bedolla S. **287**, 509

Ultraviolet variations in the spectrum of the visible central star of Abell 35
Jasniewicz G., Lapierre G., Monier R. **287**, 591

HST observations of the core of globular cluster NGC 6397
Burgarella D., Paresce F., Meylan G., King I.R., Greenfield P., Baxter D., Jedrzejewski R., Nota A., Albrecht R., Barbieri C., Blades J.C., Boksenberg A., Crane P., Deharveng J.M., Disney M.J., Jakobsen P., Kamperman T.M., Macchetto F., Mackay C.D., Weigelt G. **287**, 769

e^+–e^- annihilation lines from accretion discs around Kerr black holes
Hameury J.-M., Marck J.-A., Pelat D. **287**, 795

New models of Wolf-Rayet stars and comparison with data in galaxies
Maeder A., Meynet G. **287**, 803

Evolutionary sequences for massive close binaries with galactic abundances with Rogers-Iglesias opacities
de Loore C., Vanbeveren D. **287**, 1033 (***105, 21***)

Monte-Carlo simulations of binary stellar evolution in young open clusters
Pols O.R., Marinus M. **288**, 475

Surface imaging of late-type contact binaries I: AE Phoenicis and YY Eridani
Maceroni C., Vilhu O., van 't Veer F., Van Hamme W. **288**, 529

Super-soft X-ray sources in the fields of the Magellanic Clouds
Kahabka P., Pietsch W., Hasinger G. **288**, 538

Roche tomography: imaging the stars in interacting binaries
Rutten R.G.M., Dhillon V.S. **288**, 773

Rotation and lithium depletion in late-type binaries
Zahn J.-P. **288**, 829

Optical identification of the supersoft X-ray source 1E 0035.4–7230 in the Small Magellanic Cloud
Orio M., Della Valle M., Massone G., Ögelman H. **289**, L11

On the strategy of future observations and modeling of the β Lyrae system
Hubeny I., Harmanec P., Shore S.N. **289**, 411

Multiwaveband study of a major X-ray outburst from the Be/X-ray transient system A 1118–616
Coe M.J., Roche P., Everall C., Fishman G.J., Hagedon K.S., Finger M., Wilson R.B., Buckley D.A.H., Shrader C., Fabregat J., Polcaro V.F., Giovannelli F., Villada M. **289**, 784

Spectral and correlated timing behaviour of GX 5–1
Kuulkers E., van der Klis M., Oosterbroek T., Asai K., Dotani T., van Paradijs J., Lewin W.H.G. **289**, 795

A model of the source LS I +61°303
Lipunov V.M., Nazin S.N. **289**, 822

Spectroscopic evidence for photo-ionization wakes in Vela X-1 and 4U 1700–37
Kaper L., Hammerschlag-Hensberge G., Zuiderwijk E.J. **289**, 846

Period variations of the late type contact binaries YY Eri and AE Phe: how to use light curves outside minimum
Maceroni C., van 't Veer F. **289**, 871

UBV photometry of the contact binary AB Andromedae
Demircan O., Derman E., Akalin A., Selam S., Müyessoroğlu Z. **289**, 998 (***106, 373***)

Three-dimensional hydrodynamic Bondi-Hoyle accretion. III. Mach 0.6, 1.4 and 10; $\gamma = 5/3$
Ruffert M. **289**, 1000 (***106, 505***)

Case A evolution of massive close binaries: formation of contact systems and possible reversal of the supernova order
Pols O.R. **290**, 119

The evolution of the mass gainer in massive close binaries
Vanbeveren D., de Loore C. **290**, 129

Absolute visual magnitudes of low-mass X-ray binaries
van Paradijs J., McClintock J.E. **290**, 133

The age-mass relation for chromospherically active binaries. I. The evolutionary status
Barrado D., Fernández-Figueroa M.J., Montesinos B., De Castro E. **290**, 137

A search for near-infrared variability in LSI+61°303
Hunt L.K., Massi M., Zhekov S.A. **290**, 428

RX J0531.5–4624: a new ROSAT-discovered AM Herculis binary in the ‚period gap'
Reinsch K., Burwitz V., Beuermann K., Schwope A.D., Thomas H.-C. **291**, L27

The binary pulsar PSRJ 2145–0750: a system originating from a low or intermediate mass X-ray binary with a donor star on the asymptotic giant branch?
van den Heuvel E.P.J. **291**, L39

Surface inhomogeneities on SZ Piscium
Doyle J.G., Mitrou C.K., Mathioudakis M., Avgoloupis S., Mavridis L.N., Varvoglis P.P., Graos F., Antonopoulou E. **291**, 135

Discovery of the new intermediate polar RX J0558.0+5353
Haberl F., Thorstensen J.R., Motch C., Schwarzenberg-Czerny A., Pakull M., Shambrook A., Pietsch W. **291**, 171

An orbital period study of the contact system AB Andromedae
Kalimeris A., Rovithis-Livaniou H., Rovithis P., Oprescu G., Dumitrescu A., Suran M.D. **291**, 765

Origin and evolution of semi-detached binaries: β Lyrae and SV Centauri
De Greve J.P., Linnell A.P. **291**, 786

The X-ray heating and evolution of LMXB's
Vilhu O., Ergma E., Fedorova A. **291**, 842

(RN) Interferometer observations of RS Canum Venaticorum binaries
Gunn A.G., Spencer R.E., Abdul Aziz H., Doyle J.G., Davis R.J., Pavelin P.E. **291**, 847

Nonlinear pulsations of the RV Tauri stars
Fokin A.B. **292**, 133

High time resolution observations of Cygnus X-3 with EXOSAT
Berger M., van der Klis M. **292**, 175

Erratum The nature of the F str λ4077 stars. III. Spectroscopy of the barium dwarfs and other CP stars
North P., Berthet S., Lanz T. **292**, 350

Massive close binary evolution in the Galaxy and in the Magellanic Clouds
de Loore C., Vanbeveren D. **292**, 463

The hot contact binary XZ Leonis
Niarchos P.G., Hoffmann M., Duerbeck H.W. **292**, 494

(Stars:) binaries: spectroscopic 08.02.4

Spectroscopic detection of the spin pulse in GK Persei
Reinsch K. **281**, 108

Disentangling of composite spectra
Simon K.P., Sturm E. **281**, 286

Direct determination of stellar and orbital parameters of the spectroscopic binary TZ CrA
Corporon P., Lagrange A.M., Bouvier J. **282**, L21

Spectroscopic analysis of hot binaries. I. The components of DH Cephei
Sturm E., Simon K.P. **282**, 93

Spin-phase resolved optical spectroscopy of AE Aquarii
Reinsch K., Beuermann K. **282**, 493

Time-series photometric spot modeling. II. Fifteen years of photometry of the bright RS CVn binary HR 7275
Strassmeier K.G., Hall D.S., Henry G.W. **282**, 535

Radii and masses for the young star AR Aurigae
Nordström B., Johansen K.T. **282**, 787

(RN) The mass-ratio distribution of the spectroscopic binaries in the Pleiades
Goldberg D., Mazeh T. **282**, 801

Duplicity in the solar neighbourhood. VII. Spectroscopic orbits of three K-dwarf stars
Tokovinin A.A., Duquennoy A., Halbwachs J.-L., Mayor M. **282**, 831

Chromospheric activity in Population II binaries
Pasquini L., Lindgren H. **283**, 179

Investigation of the Praesepe cluster. II. Three triple systems: KW 365, 367 and 495
Mermilliod J.-C., Duquennoy A., Mayor M. **283**, 515

New spectroscopic orbital elements of the B-type binary HR 7551
Raja T. **284**, 82

High-dispersion Hα spectroscopy of ε Aurigae
Cha G., Tan H., Xu J., Li Y. **284**, 874

Near simultaneous *BV* photometry and Hα spectroscopy of the RS Canum Venaticorum binary DM Ursae Majoris
Mohin S., Raveendran A.V. **286**, 824

New binary stars discovered by lunar occultations
Richichi A., Calamai G., Leinert C. **286**, 829

A strong Hα flare on HK Lacertae
Catalano S., Frasca A. **287**, 575

Spatially resolved X-ray and radio observations of Castor A+B+C
Schmitt J.H.M.M., Güdel M., Predehl P. **287**, 843

Cepheids and binarity. I. Spectroscopic orbits of three binary Magellanic Cepheids: HV 883, HV 837, HV 11157 *(Text in French)*
Imbert M. **287**, 1033 (***105**, 1)*

The orbit of the spectroscopic binary ϱ Aurigae
Horn J., Koubský P., Hadrava P., Juza K., Křiž S., Škoda P., Štefl S. **287**, 1036 (***105**, 119)*

Empirical masses and radii for the luminous binary Sk–67°105 in the LMC
Haefner R., Simon K.P., Fiedler A. **288**, L9

Optical spectra of ζ Aurigae binary systems. VI. The chromosphere of 22 Vulpeculae
Schröder K.-P., Griffin R.E.M., Hünsch M. **288**, 273

The apparent distribution of red giant spectroscopic binaries in open clusters
Raboud D., Mermilliod J.-C. **289**, 121

Erratum Direct determination of stellar and orbital parameters of the spectroscopic binary TY CrA
Corporon P., Lagrange A.M., Bouvier J. **289**, 660

The W Ursae Majoris system ER Ori: a multiple star
Goecking K.-D., Duerbeck H.W., Plewa T., Kaluzny J., Schertl D., Weigelt G., Flin P. **289**, 827

The corona of the G-type giant HR 2554: discovery of co-existing, very different temperature regimes
Schröder K.-P., Hünsch M. **289**, 893

Contribution to the study of composite spectra. VI. HD 66068–9 *(Text in French)*
Carquillat J.M., Ginestet N., Duquennoy A., Pédoussaut A. **289**, 1002 (***106**, 597)*

Lithium in old binary stars
Spite M., Pasquini L., Spite F. **290**, 217

RX J0531.5–4624: a new ROSAT-discovered AM Herculis binary in the ‚period gap'
Reinsch K., Burwitz V., Beuermann K., Schwope A.D., Thomas H.-C. **291**, L27

Evidence for ellipsoidal variations of the Be star binary HD 50123
Sterken C., Vogt N., Mennickent R. **291**, 473

Radii and masses for β Aurigae
Nordström B., Johansen K.T. **291**, 777

Multi-frequency variations of the Wolf–Rayet system HD 193793. II. Observations of the 1991–92 radio maximum
Williams P.M., van der Hucht K.A., Spoelstra T.A.T. **291**, 805

(RN) Examination of the wind accretion scenario for barium stars
Boffin H.M.J., Zacs L. **291**, 811

Detection of a photometric period in the non-eclipsing binary HR 8800. Towards a better description of the system
Sareyan J.P., Chauville J., Van't Veer F., Alvarez M., Gonzalez-Bedolla S., Valera F. **291**, 815

Correlated long-term light, colour and spectral variations of the Be star ϰ Draconis
Juza K., Harmanec P., Božić H., Pavlovski K., Žižňovský J., Tarasov A.E., Horn J., Koubský P. **292**, 354 (***107**, 403)*

Spectral classifications in the near-infrared of stars with composite spectra. I. The study of MK standards
Ginestet N., Carquillat J.M., Jaschek M., Jaschek C. **292**, 362 (***108**, 359)*

Spectroscopic analysis of hot binaries. II. The components of Y Cygni
Simon K.P., Sturm E., Fiedler A. **292**, 507

Multi-site continuous spectroscopy. II. Spectrophotometry and energy budget of exceptional white-light flares on HR 1099 from the MUSICOS 89 campaign
Foing B.H., Char S., Ayres T., Catala C., Neff J.E., Zhai D.S., Catalano S., Cutispoto G., Jankov S., Rodono M., Simon T., Akan C., Aslanov A., Avellar P., Baudrand J., Beust H., Cao H., Chatzichristou H., Cuby J.G., Czarny J., de la Reza R., Dreux M., Felenbok P., Ferlet R., Frasca A., Floquet M., Ghosh K., Guo Z., Guérin J., Hao J.X., Houdebine E.R., Huang L., Hubert A.M., Hubert H., Huovelin J., Hron J., İbanoğlu C., Jiang S.Y., Keskin V., Lagrange-Henri A.M., Lecontel J.M., Li Q., Mavridis L., Nolthenius R., Petrov P., Savanov I., Scherbakov A., Tuominen I., Vidal-Madjar A., Zhang R., Zhang X. **292**, 543

(Stars:) binaries: symbiotic 08.02.5

Raman scattered emission lines in symbiotic stars: a spectropolarimetric survey
Schmid H.M., Schild H. **281**, 145

An atlas of high resolution line profiles of symbiotic stars. II. Echelle spectroscopy of northern sky objects
Ivison R.J., Bode M.F., Meaburn J. **282**, 349 (***103, 201***)

Temperatures and luminosities of symbiotic novae
Mürset U., Nussbaumer H. **282**, 586

A model for the X-ray spectrum of the symbiotic nova RR Telescopii
Jordan S., Mürset U., Werner K. **283**, 475

High velocity and rapidly variable emission features in the spectra of RS Ophiuchi and CH Cygni
Iijima T., Strafella F., Sabbadin F., Bianchini A. **283**, 919

The hot wind in the symbiotic nova AG Pegasi
Vogel M., Nussbaumer H. **284**, 145

S 32 and UKS-Ce1: two barium-rich symbiotic stars
Schmid H.M. **284**, 156

V 417 Centauri: a yellow symbiotic system in a resolved nebula
Van Winckel H., Schwarz H.E., Duerbeck H.W., Fuhrmann B. **285**, 241

Chemical abundances of symbiotic nebulae. II
Costa R.D.D., de Freitas Pacheco J.A. **285**, 998

On the nature of the outburst stage in the symbiotic binary AX Persei
Skopal A. **286**, 453

The ultraviolet spectra of the symbiotic stars MWC 960, FN Sgr, SS 29 and Draco C-1
Munari U., Buson L.M. **287**, 87

New HST observations of the core of R Aquarii. I. Imaging
Paresce F., Hack W. **287**, 154

The long-period symbiotic binary CH Cygni. III. Emission line profiles from the rotating accretion disk
Leedjärv L., Mikolajewski M., Tomov T. **287**, 543

The variable light curve of the eclipsing symbiotic star AR Pavonis
Bruch A., Niehues M., Jones A.F. **287**, 829

1978–1993 *UBVR–JHKLMN* photometry of the very slow nova and symbiotic Mira HM Sagittae. I. The data
Yudin B., Munari U., Taranova O., Dalmeri I. **287**, 1037 (***105, 169***)

"Fossil" symbiotic novae
Lewis B.M. **288**, L5

High resolution spectroscopy of symbiotic stars. I. SY Muscae: orbital elements, M giant radius, distance
Schmutz W., Schild H., Mürset U., Schmid H.M. **288**, 819

Extragalactic symbiotic systems. I. IUE observations of LMC 1, N 67, SMC 3, and S 154
Vogel M., Morgan D.H. **288**, 842

Observations of suspected symbiotic stars
Cieslinski D., Elizalde F., Steiner J.E. **289**, 664 (***106, 243***)

Spectral classification of symbiotic stars in the near infrared
Huang C.C., Friedjung M., Zhou Z.X. **289**, 998 (***106, 413***)

Search for the remnants of the 1977–1986 outburst in the quiescent phase of CH Cygni
Jurdana R., Kotnik-Karuza D. **292**, 366 (***108, 533***)

Pt 1: a Halo symbiotic binary not related to the globular cluster NGC 6401
Munari U., Lattanzi M.G., Bragaglia A. **292**, 501

Three periodicities in a 98-year light curve of the symbiotic star Z Andromedae
Formiggini L., Leibowitz E.M. **292**, 534

(Stars:) binaries: visual 08.02.6

(RN) A search for cold dust around post-T Tauri candidates
Gahm G.F., Zinnecker H., Pallavicini R., Pasquini L. **282**, 123

SHARP images of the pre-main sequence star V 536 Aquilae: a highly polarized binary
Ageorges N., Ménard F., Monin J.-L., Eckart A. **283**, L5

Discussion relating to the discovery of 2700 double stars *(Text in French)*
Couteau P. **283**, 289

Global astrometry of HIPPARCOS double stars within the FAST consortium
Bernstein H.-H. **283**, 293

Speckle imaging of T Tauri stars in the L and M near-IR bands
Tessier E., Bouvier J., Lacombe F. **283**, 827

New binary stars discovered by lunar occultations
Richichi A., Calamai G., Leinert C. **286**, 829

The spatial distribution of excited H_2 in T Tauri: a molecular outflow in a young binary system
van Langevelde H.J., van Dishoeck E.F., van der Werf P.P., Blake G.A. **287**, L25

Spatially resolved X-ray and radio observations of Castor A+B+C
Schmitt J.H.M.M., Güdel M., Predehl P. **287**, 843

Micrometer measurements of visual double stars made at Pic du Midi Observatory
Docobo J.A., Ling J.F. **287**, 1039 (***105, 337***)

Binary star speckle measurements during 1989–1993 from the SAO 6 m and 1 m telescopes in Zelenchuk
Balega I.I., Balega Y.Y., Belkin I.N., Maximov A.F., Orlov V.G., Pluzhnik E.A., Shkhagosheva Z.U., Vasyuk V.A. **287**, 1042 (***105, 503***)

Orbital elements of twelve binary stars *(Text in French)*
Baize P. **289**, 665 (***106, 267***)

The W Ursae Majoris system ER Ori: a multiple star
Goecking K.-D., Duerbeck H.W., Plewa T., Kaluzny J., Schertl D., Weigelt G., Flin P. **289**, 827

Measurements of double stars made at Nice Observatory, New Double Stars (24th series) discovered at Nice with the 50 cm refractor *(Text in French)*
Couteau P., Gili R. **289**, 998 (***106, 377***)

A trial-and-error approach to the determination of the orbital parameters of visual binaries
Pourbaix D. **290**, 682

Two faint companions to the nearby low-mass star LHS 1070
Leinert C., Weitzel N., Richichi A., Eckart A., Tacconi-Garman L.E. **291**, L47

Speckle masking observations of the young binary Z Canis Majoris
Barth W., Weigelt G., Zinnecker H. **291**, 500

Photographic observations of visual double stars
Jasinta D.M.D., Soegiartini E. **292**, 351 (***107, 235***)

Detecting red stellar companions to hot subdwarfs with CCD imaging
Thejll P., Theissen A., Jimenez R. **292**, 457

(Stars:) blue stragglers 08.02.7

HST observations of the core of globular cluster NGC 6397
Burgarella D., Paresce F., Meylan G., King I.R., Greenfield P., Baxter D., Jedrzejewski R., Nota A., Albrecht R., Barbieri C., Blades J.C., Boksenberg A., Crane P., Deharveng J.M., Disney M.J., Jakobsen P., Kamperman T.M., Macchetto F., Mackay C.D., Weigelt G. **287**, 769

Monte-Carlo simulations of binary stellar evolution in young open clusters
Pols O.R., Marinus M. **288**, 475

CCD photometry of distant open clusters. I. Berkeley 22, Berkeley 29 and Berkeley 54
Kaluzny J. **292**, 359 (***108, 151***)

Stars: carbon 08.03.1

A search for SiO, OH, CO and HCN radio emission from silicate-carbon stars
Little-Marenin I.R., Sahai R., Wannier P.G., Benson P.J., Gaylard M., Omont A. **281**, 451

The circumstellar envelope of S Scuti
Groenewegen M.A.T., de Jong T. **282**, 115

Near infrared speckle interferometry and water maser observations of carbon stars with an oxygen-rich circumstellar environment
Engels D., Leinert C. **282**, 858

Amorphous carbon and silicon carbide grain mixtures in the envelopes of carbon stars
Blanco A., Borghesi A., Fonti S., Orofino V. **283**, 561

S 32 and UKS-Ce1: two barium-rich symbiotic stars
Schmid H.M. **284**, 156

Laboratory simulation of microdiamonds present in space
Colangeli L., Mennella V., Stephens J.R., Bussoletti E. **284**, 583

More H_2O masers in J-type carbon stars
Engels D. **285**, 497

Angular diameters of the carbon stars UU Aurigae, Y Canum Venaticorum, and TX Piscium from optical long-baseline interferometry
Quirrenbach A., Mozurkewich D., Hummel C.A., Buscher D.F., Armstrong J.T. **285**, 541

The radial distribution of HC_3N molecules in IRC+10216
Audinos P., Kahane C., Lucas R. **287**, L5

The 3 μm spectra of candidate carbon stars
Groenewegen M.A.T., de Jong T., Geballe T.R. **287**, 163

Theoretical spectra of circumstellar dust shells around carbon-rich asymptotic giant branch stars
Winters J.M., Dominik C., Sedlmayr E. **288**, 255

The C/O abundance ratio in the detached circumstellar envelopes around carbon stars
Bujarrabal V., Cernicharo J. **288**, 551

A new chemical model of the circumstellar envelope surrounding IRC +10216
Millar T.J., Herbst E. **288**, 561

Chemical composition of the metal-poor carbon star HD 187216
Kipper T., Jørgensen U.G. **290**, 148

More (on) red giants with unusual dust shells
Groenewegen M.A.T. **290**, 207

Two-fluid models for stationary dust-driven winds. I. Momentum and energy balance
Krüger D., Gauger A., Sedlmayr E. **290**, 573

Circumstellar dust shells around long-period variables. II. Theoretical lightcurves of C-stars
Winters J.M., Fleischer A.J., Gauger A., Sedlmayr E. **290**, 623

SiC grains and evolution of carbon stars
Lorenz-Martins S., Lefèvre J. **291**, 831

Stars: chemically peculiar 08.03.2

Photometric variations of Ap stars
Manfroid J., Renson P. **281**, 73

uvby photometry of the magnetic chemically peculiar stars 63 Andromedae, HD 192913, HR 8240, and 108 Aquarii
Adelman S.J., Knox Jr J.R. **281**, 636 (***103, 1***)

The nature of the F str λ4077 stars. III. Spectroscopy of the barium dwarfs and other CP stars
North P., Berthet S., Lanz T. **281**, 775

The nature of the F str λ4077 stars. V. Spectroscopic data
North P., Berthet S., Lanz T. **282**, 351 (***103, 321***)

Radii and masses for the young star AR Aurigae
Nordström B., Johansen K.T. **282**, 787

Detection of calcium abundance stratification in Ap stars
Babel J. **283**, 189

High-resolution optical spectroscopy of the hot R CrB star V 348 Sagittarii
Leuenhagen U., Heber U., Jeffery C.S. **283**, 714 (***103, 445***)

Radio emission from magnetic chemically peculiar stars: results of the 1992 VLA survey
Leone F., Trigilio C., Umana G. **283**, 908

Abundance determination in the CP star 21 Canum Venaticorum by means of spectrum synthesis
Zverko J., Zboril M., Žižňovský J. **283**, 932

A spectroscopic analysis of barium stars
Začs L. **283**, 937

S 32 and UKS-Ce1: two barium-rich symbiotic stars
Schmid H.M. **284**, 156

A long period model for the magnetic star γ Equulei
Leroy J.L., Bagnulo S., Landolfi M., Landi Degl'Innocenti E. **284**, 174

49 Camelopardalis: an uncommon magnetic star
Leroy J.L., Landstreet J.D., Bagnulo S. **284**, 491

Reliable photometric reductions to the standard *UBV* (or *uvby*) system and accurate *UBV* magnitudes of bright standard stars from the northern part of the international Be program
Harmanec P., Horn J., Juza K. **284**, 700 (***104, 121***)

A search for rapid radial velocity variations in α Circini
Hatzes A.P., Kürster M. **285**, 454

Period of the Si-star in NGC 2169
Renson P. **285**, 912

Incidence of X-ray sources among magnetic chemically peculiar stars
Leone F. **286**, 486

Lifetimes and oscillator strengths for Y III
Maniak S.T., Curtis L.J., Theodosiou C.E., Hellborg R., Johansson S.G., Martinson I., Irving R.E., Beideck D.J. **286**, 978

Catalogue of CP stars with references to short time scale variability
Malanushenko V.P., Polosukchina N.S., Weiss W.W. **287**, 1036 (***105, 125***)

HD 37151: a new "slowly pulsating B star"
North P., Paltani S. **288**, 155

Variation of oxygen lines in magnetic Ap stars
Gonzalez J.-F., Artru M.-C. **289**, 209

uvby photometry of the chemically peculiar stars α Andromedae, HD 184905, HR 8216, and HR 8434
Adelman S.J., Brown B.H., Caliskan H., Reese D.F., Adelman C.J. **289**, 666 (***106**, 333)*

Radiative acceleration in stars due to photoionization
Alecian G. **289**, 885

Identification of the 1600 A feature in Lambda Bootis stars
Holweger H., Koester D., Allard N.F. **290**, L21

Energy implications of Li production in X-ray transients
Martín E.L., Spruit H.C., van Paradijs J. **291**, L43

Elemental abundances in normal late-B and HgMn stars from co-added IUE spectra. III. Copper and zinc
Smith K.C. **291**, 521

(RN) Examination of the wind accretion scenario for barium stars
Boffin H.M.J., Zaès L. **291**, 811

Doppler imaging of the Ap star 17 Comae Berenices
Rice J.B., Wehlau W.H. **291**, 825

Spectrum variability of ET Andromedae: Si and He surface mapping
Piskunov N., Ryabchikova T.A., Kuschnig R., Weiss W.W. **291**, 910

Stratification of helium in the photospheres of the helium-weak stars HD 28843 and HD 49333
Farthmann M., Dreizler S., Heber U., Hunger K. **291**, 919

Erratum The nature of the F str λ4077 stars. III. Spectroscopy of the barium dwarfs and other CP stars
North P., Berthet S., Lanz T. **292**, 350

Elemental abundance studies of CP stars: The silicon star HD 43819 and the CP star HD 147550
Lopez-Garcia Z., Adelman S.J. **292**, 353 (***107**, 353)*

Spectropolarimetry of magnetic stars. III. Measurement uncertainties
Mathys G. **292**, 367 (***108**, 547)*

The light variations of some CP2 SrCrEu stars
Catalano F.A., Leone F. **292**, 368 (***108**, 595)*

Stars: chromospheres 08.03.3

Atmospheric models of flare stars: the quiescent state of AD Leonis
Mauas P.J.D., Falchi A. **281**, 129

Rotational-modulation mapping of the active atmosphere of the RS Canum Venaticorum binary HD 106225
Strassmeier K.G. **281**, 395

Chromospheric activity in G and K giants and their rotation-activity relation
Strassmeier K.G., Handler G., Paunzen E., Rauth M. **281**, 855

New "flip-flop" of FK Comae Berenices
Jetsu L., Tuominen I., Grankin K.N., Mel'nikov S.Y., Shevchenko V.S. **282**, L9

Chromospheric activity in Population II binaries
Pasquini L., Lindgren H. **283**, 179

Chromospheric activity in G and K giants: the spectroscopic data base
Strassmeier K.G. **283**, 714 (***103**, 413)*

Hα survey of late-type active binaries
Frasca A., Catalano S. **284**, 883

Lower chromospheric activity in low activity M dwarfs
Doyle J.G., Houdebine E.R., Mathioudakis M., Panagi P.M. **285**, 233

The Wilson–Bappu effect and other Ca II H and K line parameters relationships in chromospherically active binaries
Montes D., Fernández-Figueroa M.J., De Castro E., Cornide M. **285**, 609

β^1 Monocerotis: oscillations and chromospheric structure
Marañón Di Leo C., Colombo E., Ringuelet A.E. **286**, 160

Further observations of the central star of LoTr 5
Jasniewicz G., Acker A., Mauron N., Duquennoy A., Cuypers J. **286**, 211

Near simultaneous *BV* photometry and Hα spectroscopy of the RS Canum Venaticorum binary DM Ursae Majoris
Mohin S., Raveendran A.V. **286**, 824

Lithium abundances of nearby solar-like stars
Pasquini L., Liu Q., Pallavicini R. **287**, 191

Ultraviolet variations in the spectrum of the visible central star of Abell 35
Jasniewicz G., Lapierre G., Monier R. **287**, 591

Luminosity variations and orbital period changes in RT Lacertae
Keskin V., İbanoğlu C., Akan M.C., Evren S., Tunca Z. **287**, 817

Multiwavelength observations of RV Tauri stars. II. U Monocerotis
Shenton M., Evans A., Cardelli J.A., Marang F., van Wyk F., Weight A. **287**, 852

Multiwavelength observations of RV Tauri stars. III. R Scuti
Shenton M., Monier R., Evans A., Carter B., Lloyd Evans T., Marang F., Parker Q.A., Rawlings J.M.C., Scott A.D., van Wyk F. **287**, 866

Optical spectra of ζ Aurigae binary systems. VI. The chromosphere of 22 Vulpeculae
Schröder K.-P., Griffin R.E.M., Hünsch M. **288**, 273

An operator splitting method for line radiation with partial redistribution in atmospheres with shocks
Ulmschneider P. **288**, 1021

Observation and modelling of main sequence star chromospheres. I. Modelling of the hydrogen spectrum in dMe stars
Houdebine E.R., Doyle J.G. **289**, 169

Observation and modelling of main sequence star chromospheres. II. Modelling of the AU Microscopii (dM2.5e) hydrogen spectrum
Houdebine E.R., Doyle J.G. **289**, 185

The corona of the G-type giant HR 2554: discovery of co-existing, very different temperature regimes
Schröder K.-P., Hünsch M. **289**, 893

HST-GHRS observations of β Pictoris: additional evidence for infalling comets
Vidal-Madjar A., Lagrange-Henri A.M., Feldman P.D., Beust H., Lissauer J.J., Deleuil M., Ferlet R., Gry C., Hobbs L.M., McGrath M.A., McPhate J.B., Moos H.W. **290**, 245

Applicability of the Rossby number in activity-rotation relations for dwarfs and giants
Stępień K. **292**, 191

A Ca II and Mg II luminosity/emission-width data base
Lastennet E., Freire Ferrero R. **292**, 368 (***108**, 611)*

Spectroscopy of the young cluster Blanco 1
Panagi P.M., O'Dell M.A., Collier Cameron A., Robinson R.D. **292**, 439

(Stars:) circumstellar matter 08.03.4

Resolution of a fossil dust shell around U Hydrae using maximum entropy image reconstruction
Waters L.B.F.M., Loup C., Kester D.J.M., Bontekoe T.R., de Jong T. **281**, L1

Scattered near-IR CO emission bands in GGD27-IRS. Observing the circumstellar environment of heavily obscured young PMS stars
Aspin C. **281**, L29

Discovery of near-infrared hydrogen line emission in the peculiar F8 hypergiant IRC+10420
Oudmaijer R.D., Geballe T.R., Waters L.B.F.M., Sahu K.C. **281**, L33

Evidence for violent ejection of nebulae from massive stars
Hutsemékers D. **281**, L81

(RN) A search for variability in the IRAS-LRS spectra of long period variables
Hron J., Aringer B. **281**, 139

Raman scattered emission lines in symbiotic stars: a spectropolarimetric survey
Schmid H.M., Schild H. **281**, 145

A search for SiO, OH, CO and HCN radio emission from silicate-carbon stars
Little-Marenin I.R., Sahai R., Wannier P.G., Benson P.J., Gaylard M., Omont A. **281**, 451

(RN) Small non-spherical grains in envelopes of M giants
Il'in V.B. **281**, 486

86 GHz SiO, $v = 1$, $J = 2 \rightarrow 1$ survey of southern IRAS point sources. II. Detection of 74 new maser sources
Haikala L.K., Nyman L.-Å., Forsström V. **281**, 638 (***103, 107***)

A study of the luminous blue variable candidate He 3–519 and its surrounding nebula
Smith L.J., Crowther P.A., Prinja R.K. **281**, 833

Imaging the shell of Nova Cygni 1992 with HST
Paresce F. **282**, L13

Direct determination of stellar and orbital parameters of the spectroscopic binary TZ CrA
Corporon P., Lagrange A.M., Bouvier J. **282**, L21

The circumstellar envelope of S Scuti
Groenewegen M.A.T., de Jong T. **282**, 115

(RN) A search for cold dust around post-T Tauri candidates
Gahm G.F., Zinnecker H., Pallavicini R., Pasquini L. **282**, 123

Rapid line-profile variability of Hα and Hβ in the A-type shell star HD 163296
Pogodin M.A. **282**, 141

Radio and near-infrared images of IRAS 21282+5050: a transitional planetary nebula
Likkel L., Morris M., Kastner J.H., Forveille T. **282**, 190

A systematic study of IRAS selected proto-planetary nebula candidates. II. OH and CO observations
Hu J.Y., te Lintel Hekkert P., Slijkhuis S., Baas F., Sahai R., Wood P.R. **282**, 350 (***103, 301***)

Long-slit spectroscopic study of the bipolar reflection nebula M 1-92: detection of compact Herbig–Haro condensations in the lobes
Solf J. **282**, 567

The effects of stellar rotation on the absorption spectra of comets orbiting β Pictoris
Beust H., Lissauer J.J. **282**, 804

The optical and near infrared variability of η Carinae: a binary luminous blue variable?
van Genderen A.M., de Groot M.J.H., Thé P.S. **283**, 89

ROSAT soft X-ray observations of the Be/X-ray binary X Persei
Haberl F. **283**, 175

Amorphous carbon and silicon carbide grain mixtures in the envelopes of carbon stars
Blanco A., Borghesi A., Fonti S., Orofino V. **283**, 561

A submillimeter recombination line maser in MWC 349
Thum C., Matthews H.E., Martín-Pintado J., Serabyn E., Planesas P., Bachiller R. **283**, 582

Radio emission from magnetic chemically peculiar stars: results of the 1992 VLA survey
Leone F., Trigilio C., Umana G. **283**, 908

Simulation of polarization maps. I. Protostellar envelopes
Fischer O., Henning T., Yorke H.W. **284**, 187

Long-term periodic variability in UV absorption lines of the Be star γ Cassiopeiae: on the relation with V/R variations in the Hβ line
Telting J.H., Kaper L. **284**, 515

High-dispersion Hα spectroscopy of ε Aurigae
Cha G., Tan H., Xu J., Li Y. **284**, 874

Stationary boundary layers of accretion α disks: profiles and emission properties
Lioure A., Le Contel O. **285**, 185

Parametric determination of the inclination, velocity and density structure of circumstellar discs from spectropolarimetric profiles of scattered lines
Wood K., Brown J.C. **285**, 220

Vega: smaller dust grains in a larger shell
van der Bliek N.S., Prusti T., Waters L.B.F.M. **285**, 229

V 417 Centauri: a yellow symbiotic system in a resolved nebula
Van Winckel H., Schwarz H.E., Duerbeck H.W., Fuhrmann B. **285**, 241

Molecular observations of O- and C-rich circumstellar envelopes
Bujarrabal V., Fuente A., Omont A. **285**, 247

CO depletion in the protoplanetary disk of β Pictoris
Savoldini M., Galletta G. **285**, 467

A study of dust shells around high latitude supergiants
van der Veen W.E.C.J., Waters L.B.F.M., Trams N.R., Matthews H.E. **285**, 551

Photometry and polarimetry of pre-main sequence stars
Hutchinson M.G., Albinson J.S., Barrett P., Davies J.K., Evans A., Goldsmith M.J., Maddison R.C. **285**, 883

Numerical calculations of SiO maser emission. I. Intensity and variability
Bujarrabal V. **285**, 953

Numerical calculations of SiO maser emission. II. Angular extent
Bujarrabal V. **285**, 971

The dust heating mechanism in the coal model
Guillois O., Nenner I., Papoular R., Reynaud C. **285**, 1003

Images of the GG Tauri rotating ring
Dutrey A., Guilloteau S., Simon M. **286**, 149

Short time scale monitoring of SiO sources
Pijpers F.P., Pardo J.R., Bujarrabal V. **286**, 501

Calculations of the outflow velocity of envelopes of cool giants
Habing H.J., Tignon J., Tielens A.G.G.M. **286**, 523

New radio recombination maser features and CO observations in MWC 349
Martín-Pintado J., Neri R., Thum C., Planesas P., Bachiller R. **286**, 890

The radial distribution of HC_3N molecules in IRC+10216
Audinos P., Kahane C., Lucas R. **287**, L5

The 3 μm spectra of candidate carbon stars
Groenewegen M.A.T., de Jong T., Geballe T.R. **287**, 163

Profile variations of the Hα emission line in the Herbig B3e star HD 200775
Beskrovnaya N.G., Pogodin M.A., Shcherbakov A.G., Tarasov A.E. **287**, 564

Multiwavelength observations of RV Tauri stars. II. U Monocerotis
Shenton M., Evans A., Cardelli J.A., Marang F., van Wyk F., Weight A. **287**, 852

Multiwavelength observations of RV Tauri stars. III. R Scuti
Shenton M., Monier R., Evans A., Carter B., Lloyd Evans T., Marang F., Parker Q.A., Rawlings J.M.C., Scott A.D., van Wyk F. **287**, 866

"Fossil" symbiotic novae
Lewis B.M. **288**, L5

Detection of H 21α maser emission at 662 GHz in MWC 349
Thum C., Matthews H.E., Harris A.I., Tacconi L.J., Schuster K.F., Martín-Pintado J. **288**, L25

PAH emission in XX Ophiuchi
Evans A. **288**, L37

Is ESO Hα 279 a pre-main sequence binary?
Aspin C., Reipurth B., Lehmann T. **288**, 165

Theoretical spectra of circumstellar dust shells around carbon-rich asymptotic giant branch stars
Winters J.M., Dominik C., Sedlmayr E. **288**, 255

The C/O abundance ratio in the detached circumstellar envelopes around carbon stars
Bujarrabal V., Cernicharo J. **288**, 551

Observational evidence for a prograde one-armed density structure in the equatorial disc of a Be star
Telting J.H., Heemskerk M.H.M., Henrichs H.F., Savonije G.J. **288**, 558

A new chemical model of the circumstellar envelope surrounding IRC +10216
Millar T.J., Herbst E. **288**, 561

Near-IR imaging photometry of the J–K>4 sources in the Lk Hα 101 infrared cluster
Aspin C., Barsony M. **288**, 849

Multiple scattering of polarized radiation in circumstellar dust shells
Voshchinnikov N.V., Karjukin V.V. **288**, 883

Dust in protostellar cores and stellar disks
Krügel E., Siebenmorgen R. **288**, 929

Line formation in Be star envelopes. I. Inhomogeneous density distributions
Hummel W. **289**, 458

The calculation of continuum polarization due to the Rayleigh scattering phase matrix in multi-scattering axisymmetric envelopes
Hillier D.J. **289**, 492

PAH distribution in BD+30 3639
Bernard J.P., Giard M., Normand P., Tiphène D. **289**, 524

Erratum Direct determination of stellar and orbital parameters of the spectroscopic binary TY CrA
Corporon P., Lagrange A.M., Bouvier J. **289**, 660

Near-IR imaging photometry of NGC 1333. I. The embedded PMS stellar population
Aspin C., Sandell G., Russell A.P.G. **289**, 663 (***106**, 165)*

Fe II-line emission from Be stars
Tarafdar S.P., Apparao K.M.V. **290**, 159

Circumstellar CO around bright oxygen-rich semi-regulars
Kahane C., Jura M. **290**, 183

Images of low excitation HC_3N emission from IRC+10°216
Wootten A., Nguyen-Q-Rieu, Truong-Bach **290**, 198

More (on) red giants with unusual dust shells
Groenewegen M.A.T. **290**, 207

Radio and infrared emission from a [WC]-type planetary nebula in the LMC
Zijlstra A.A., van Hoof P.A.M., Chapman J.M., Loup C. **290**, 228

A revised model for circumstellar molecular emission
Groenewegen M.A.T. **290**, 531

The mass loss rates of OH/IR 32.8–0.3 and OH/IR 44.8–2.3
Groenewegen M.A.T. **290**, 544

Two-fluid models for stationary dust-driven winds. I. Momentum and energy balance
Krüger D., Gauger A., Sedlmayr E. **290**, 573

Near-IR excess of Be stars
Dougherty S.M., Waters L.B.F.M., Burki G., Coté J., Cramer N., van Kerkwijk M.H., Taylor A.R. **290**, 609

Circumstellar dust shells around long-period variables. II. Theoretical lightcurves of C-stars
Winters J.M., Fleischer A.J., Gauger A., Sedlmayr E. **290**, 623

Inversion of Thomson scattered spectropolarimetric line profiles to yield the velocity structure of rotating or expanding circumstellar discs
Brown J.C., Wood K. **290**, 634

A dusty nebula around the luminous blue variable candidate HD 168625
Hutsemékers D., Van Drom E., Gosset E., Melnick J. **290**, 906

Conditions for condensation and preservation of amorphous ice and crystallinity of astrophysical ices
Kouchi A., Yamamoto T., Kozasa T., Kuroda T., Greenberg J.M. **290**, 1009

Adaptive optics imaging of the Frosty Leo nebula
Beuzit J.-L., Thébault P., Perrin G., Rouan D. **291**, L1

A Keplerian disk around DM Tau?
Guilloteau S., Dutrey A. **291**, L23

Effect of electron thermal motions on Thomson scattered line profiles from hot circumstellar envelopes
Wood K., Brown J.C. **291**, 202

Cold dust around southern Herbig Ae/Be stars
Henning T., Launhardt R., Steinacker J., Thamm E. **291**, 546

(RN) Examination of the wind accretion scenario for barium stars
Boffin H.M.J., Zacs L. **291**, 811

SiC grains and evolution of carbon stars
Lorenz-Martins S., Lefèvre J. **291**, 831

A submillimeter protostar near LkHα 198
Sandell G., Weintraub D.A. **292**, L1

Thermal infrared imaging of GGD 27-IRS. The active pre-main sequence star revealed
Aspin C., Puxley P.J., Blanco P.R., Piña R.K., Pickup D.A., Paterson M.J., Sylvester J., Laird D.C., Bridger A., Daly P.N., Griffin J.L. **292**, L9

Multiwavelength observations of RV Tauri stars. IV. SX Centauri
Shenton M., Evans A., Albinson J.S., Barrett P., Davies J.K., Goldsmith M.J., Hutchinson M.G., Laney D., Maddison R.C. **292**, 102

The β Pictoris phenomenon among young stars. I. The case of the Herbig Ae star UX Orionis
Grinin V.P., Thé P.S., de Winter D., Giampapa M., Rostopchina A.N., Tambovtseva L.V., van den Ancker M.E. **292**, 165

Line profiles and intensity maps from an axi-symmetric radiative wind model for Be stars
Stee P., de Araújo F.X. **292**, 221

Circumstellar dust envelopes of oxygen-rich AGB stars
Hashimoto O. **292**, 355 (*107, 445*)

Extended mid-infrared emission around Herbig Ae/Be stars
Prusti T., Natta A., Palla F. **292**, 593

Steps toward interstellar silicate mineralogy. I. Laboratory results of a silicate glass of mean cosmic composition
Jäger C., Mutschke H., Begemann B., Dorschner J., Henning T. **292**, 641

Stars: coronae 08.03.5

Rotational modulation and flares on RS Canum Venaticorum and BY Draconis stars. XVIII. Coordinated VLA, ROSAT, and IUE observations of RS CVn binaries
Fox D.C., Linsky J.L., Veale A., Dempsey R.C., Brown A., Neff J.E., Pagano I., Rodonò M., Bromage G.E., Kürster M., Schmitt J.H.M.M. **284**, 91

The EUV spectrum of AU Microscopii: temperature and density diagnostic from EUVE Spectrometers observations
Monsignori Fossi B.C., Landini M. **284**, 900

The soft X-ray/microwave ratio of solar and stellar flares and coronae
Benz A.O., Güdel M. **285**, 621

Structure and stability of the X-ray corona of Algol
Ottmann R. **286**, L27

Unusual flares at 360 and 609 MHz in the RS Canum Venaticorum-system II Pegasi observed with the WSRT: coherent emission from II Pegasi
van den Oord G.H.J., de Bruyn A.G. **286**, 181

Spatially resolved X-ray and radio observations of Castor A+B+C
Schmitt J.H.M.M., Güdel M., Predehl P. **287**, 843

Accretion disk evaporation by a coronal siphon flow
Meyer F., Meyer-Hofmeister E. **288**, 175

The optical thickness of stellar coronae in EUV lines
Schrijver C.J., van den Oord G.H.J., Mewe R. **289**, L23

The corona of the G-type giant HR 2554: discovery of co-existing, very different temperature regimes
Schröder K.-P., Hünsch M. **289**, 893

Detection of EUV emission from the low activity dwarf HD 4628: evidence for a cool corona
Mathioudakis M., Drake J.J., Vedder P.W., Schmitt J.H.M.M., Bowyer S. **291**, 517

X-ray emission from Herbig Ae/Be stars: a ROSAT survey
Zinnecker H., Preibisch T. **292**, 152

Applicability of the Rossby number in activity-rotation relations for dwarfs and giants
Stępień K. **292**, 191

Stars: distances 08.04.1

Theoretical light curve for a classical nova: nova Cygni 1978
Kato M. **281**, L49

Extinction-distances to planetary nebulae
Martin W. **281**, 526

Erratum Study of nova shells. I. V 1229 Aquilae (1970): nebular expansion parallax and luminosity
Della Valle M., Duerbeck H.W. **281**, 967

H_α interferometric, optical and near IR photometric studies of star forming regions. II. The NGC 7380E/Sh2-142/NGC 7380 complex
Chavarría-K. C., Moreno-Corral M.A., Hernández-Toledo H., Terranegra L., de Lara E. **283**, 963

A revision to the absolute magnitudes of RR Lyrae stars from the Baade-Wesselink method
Fernley J. **284**, L16

The Wilson–Bappu effect and other Ca II H and K line parameters relationships in chromospherically active binaries
Montes D., Fernández-Figueroa M.J., De Castro E., Cornide M. **285**, 609

Pulsational parallaxes and calibration of the cosmic distance scale by Cepheid variable stars
Di Benedetto G.P. **285**, 819

Maximum likelihood estimation of the mean parallax and the kinematic parameters of moving clusters
Zhao J.L., Chen L. **287**, 68

High resolution spectroscopy of symbiotic stars. I. SY Muscae: orbital elements, M giant radius, distance
Schmutz W., Schild H., Mürset U., Schmid H.M. **288**, 819

Absolute visual magnitudes of low-mass X-ray binaries
van Paradijs J., McClintock J.E. **290**, 133

Distances and luminosities for RR Lyrae stars in M 5 and M 92 from a Baade-Wesselink analysis
Storm J., Carney B.W., Latham D.W. **290**, 443

A Baade-Wesselink analysis of the RR Lyrae star V9 in 47 Tucanae
Storm J., Nordström B., Carney B.W., Andersen J. **291**, 121

Numerical simulations for the study of the methods for stellar kinematics and luminosity calibration
Jaschek C., Valbousquet A., Luri X. **291**, 439

Spectroscopy of the young cluster Blanco 1
Panagi P.M., O'Dell M.A., Collier Cameron A., Robinson R.D. **292**, 439

Stars: early-type 08.05.1

PG 2120+062: an apparently normal O-star at high galactic latitude
Moehler S., Heber U., Dreizler S. **282**, L29

Spectroscopic analysis of hot binaries. I. The components of DH Cephei
Sturm E., Simon K.P. **282**, 93

The interior structure and evolution of blue straggler stars in open clusters
Schönberner D., Napiwotzki R. **282**, 106

NLTE model stellar atmospheres with line blanketing near the series limits
Hubeny I., Hummer D.G., Lanz T. **282**, 151

Studies of early-type variable stars. VIII. The massive binary system CC Cassiopeiae
Hill G., Hilditch R.W., Aikman G.C.L., Khalesseh B. **282**, 455

Chemical abundances in early B-type stars. V. Metal abundances and LTE/NLTE comparison
Kilian J. **282**, 867

(RN) The behavior of some red and infrared helium lines
Jaschek M., Andrillat Y., Houziaux L., Jaschek C. **282**, 911

OB-type binaries: models versus observations
Figueiredo J., De Greve J.P., Hilditch R.W. **283**, 144

Infrared line emission in 10 Lacertae
Murdoch K.A., Drew J.E., Anderson L.S. **284**, L27

The chemical composition at a galactocentric distance of 13 kpc
Rolleston W.R.J., Dufton P.L., Fitzsimmons A. **284**, 72

Evolution of initially mixed massive main sequence stars
Weiss A. **284**, 138

The galactic distribution of chemical elements as derived from B-stars in open clusters. I. NGC 6231: stellar parameters and chemical abundances
Kilian J., Montenbruck O., Nissen P.E. **284**, 437

New photometric and spectroscopic results for IU Aurigae – an early-type eclipsing binary in a multiple system
Drechsel H., Haas S., Lorenz R., Mayer P. **284**, 853

The extent of variability in the stellar wind of the O 7.5 giant ξ Persei
Henrichs H.F., Kaper L., Nichols J.S. **285**, 565

The nature of the brightest galactic center He I emission line star
Najarro F., Hillier D.J., Kudritzki R.P., Krabbe A., Genzel R., Lutz D., Drapatz S., Geballe T.R. **285**, 573

The Balmer line problem of hot stars and the impact of ion-dynamical effects on the Stark broadening of H I and He II lines
Napiwotzki R., Rauch T. **285**, 603

High-resolution spectroscopy of two young stars between the Magellanic Clouds
Hambly N.C., Dufton P.L., Keenan F.P., Rolleston W.R.J., Howarth I.D., Irwin M.J. **285**, 716

Multiperiodicity and pulsation characteristics of β Cephei
Aerts C., Mathias P., Gillet D., Waelkens C. **286**, 109

Erratum A new calibration of Geneva photometry in terms of T_e, log g and mass for B stars
North P., Nicolet B. **286**, 348

(RN) The chemical compositions of the open clusters Be 94 and NGC 457
Dufton P.L., Fitzsimmons A., Rolleston W.R.J. **286**, 449

On the characteristics and origin of the expansion of the local system of young objects
Comerón F., Torra J., Gómez A.E. **286**, 789

Further decomposition of a "very massive" star
Heydari-Malayeri M., Beuzit J.-L. **287**, L17

Turbulent diffusive mixing in early B-type main sequence stars
Denissenkov P.A. **287**, 113

Photometric and spectroscopic observations of the 53 Persei type stars: ζ Cassiopeiae
Sadsaoud H., Le Contel J.M., Chapellier E., Le Contel D., Gonzalez-Bedolla S. **287**, 509

Spectroscopic observations of AB-supergiants in M 31 and M 33
Herrero A., Lennon D.J., Vilchez J.M., Kudritzki R.P., Humphreys R.H. **287**, 885

High-dispersion microfiche atlas of OB stars for the first 10 years of IUE
Bohlin R.C., Henrichs H.F., Nichols J.S. **287**, 1039 (***105***, *305)*

A photometric study of β Cephei stars. II. Determination of the degrees l of pulsation modes
Heynderickx D., Waelkens C., Smeyers P. **287**, 1042 (***105***, *447)*

Empirical masses and radii for the luminous binary Sk−67°105 in the LMC
Haefner R., Simon K.P., Fiedler A. **288**, L9

HD 37151: a new "slowly pulsating B star"
North P., Paltani S. **288**, 155

Hydrodynamic atmosphere models for hot luminous stars
Schaerer D., Schmutz W. **288**, 231

A new frequency analysis of photometric observations of the β Cephei star IL Velorum
Heynderickx D., Haug U. **288**, 1034 (***106***, *79)*

Variability of luminous blue variables. I. Intermediate-band photometry
Spoon H.W.W., de Koter A., Sterken C., Lamers H.J.G.L.M., Stahl O. **288**, 1035 (***106***, *141)*

(RN) Determining hot star wind terminal velocities from low-resolution IUE data
Prinja R.K. **289**, 221

The galactic abundance gradients traced by B-type stars
Kaufer A., Szeifert T., Krenzin R., Baschek B., Wolf B. **289**, 740

Identification of the 1600 A feature in Lambda Bootis stars
Holweger H., Koester D., Allard N.F. **290**, L21

A long-term X-ray variability study of the O-type stars σ Orionis and ζ Orionis
Berghöfer T.W., Schmitt J.H.M.M. **290**, 435

NGC 2024–IRS 2: an outburst in its near-infrared line and continuum emission
Nisini B., Smith H.A., Fischer J., Geballe T.R. **290**, 463

An accelerated lambda iteration method for multilevel radiative transfer. III. Noncoherent electron scattering
Rybicki G.B., Hummer D.G. **290**, 553

Ultraviolet Fe III lines in the spectra of high galactic latitude early-type stars
Kendall T.R., Conlon E.S., Dufton P.L., Keenan F.P. **290**, 563

Helium chemistry of ONC supergiants
Smith K.C., Howarth I.D. **290**, 868

Nonadiabatic observables in β Cephei models
Cugier H., Dziembowski W.A., Pamyatnykh A.A. **291**, 143

Absolute dimensions of AB Crucis: a semi-detached O-type eclipsing binary
Lorenz R., Mayer P., Drechsel H. **291**, 185

Effect of electron thermal motions on Thomson scattered line profiles from hot circumstellar envelopes
Wood K., Brown J.C. **291**, 202

C I emission from the outflow and PDR in S 140
Minchin N.R., White G.J., Stutzki J., Krause D. **291**, 250

G 79.29+0.46: a young stellar-wind shell in Cygnus X
Higgs L.A., Wendker H.J., Landecker T.L. **291**, 295

Elemental abundances in normal late-B and HgMn stars from co-added IUE spectra. III. Copper and zinc
Smith K.C. **291**, 521

The galactic distribution of chemical elements as derived from B-stars in open clusters. II. NGC 6611, S 285, and S 289
Kilian-Montenbruck J., Gehren T., Nissen P.E. **291**, 757

Optical observations of the hot post-asymptotic giant branch star, HD 177566
Kendall T.R., Brown P.J.F., Conlon E.S., Dufton P.L., Keenan F.P. **291**, 851

Are late B-type stars intrinsic X-ray emitters?
Berghöfer T.W., Schmitt J.H.M.M. **292**, L5

Stars: emission-line, Be 08.05.2

Evidence for violent ejection of nebulae from massive stars
Hutsemékers D. **281**, L81

Optical/ultraviolet excess in stochastic winds of T Tauri stars
Mitskevich A.S. **281**, 471

A study of Be stars in the wavelength region around Paschen 7
Andrillat Y., Jaschek M., Jaschek C. **281**, 639 (***103**, 135*)

Rapid line-profile variability of Hα and Hβ in the A-type shell star HD 163296
Pogodin M.A. **282**, 141

Maximum-entropy maps of the Be shell star ζ Tauri from optical long-baseline interferometry
Quirrenbach A., Buscher D.F., Mozurkewich D., Hummel C.A., Armstrong J.T. **283**, L13

ROSAT soft X-ray observations of the Be/X-ray binary X Persei
Haberl F. **283**, 175

A submillimeter recombination line maser in MWC 349
Thum C., Matthews H.E., Martín-Pintado J., Serabyn E., Planesas P., Bachiller R. **283**, 582

High-resolution optical spectroscopy of the hot R CrB star V 348 Sagittarii
Leuenhagen U., Heber U., Jeffery C.S. **283**, 714 (***103**, 445*)

Infrared line emission in 10 Lacertae
Murdoch K.A., Drew J.E., Anderson L.S. **284**, L27

On the binary nature of Pleione
Luthardt R., Menchenkova E.V. **284**, 118

Long-term periodic variability in UV absorption lines of the Be star γ Cassiopeiae: on the relation with V/R variations in the Hβ line
Telting J.H., Kaper L. **284**, 515

Reliable photometric reductions to the standard *UBV* (or *uvby*) system and accurate *UBV* magnitudes of bright standard stars from the northern part of the international Be program
Harmanec P., Horn J., Juza K. **284**, 700 (***104**, 121*)

Nebular emission lines in IRAS 10215–5916
García-Lario P., Manchado A., Parthasarathy M., Pottasch S.R. **285**, 179

A new catalogue of members and candidate members of the Herbig Ae/Be (HAEBE) stellar group
Thé P.S., de Winter D., Pérez M.R. **285**, 355 (***104**, 315*)

uvbyβ photometry of Orion population stars and related objects associated with six star forming regions
Terranegra L., Chavarría-K.C., Diaz S., González-Patiño D. **285**, 359 (***104**, 557*)

The nature of the brightest galactic center HeI emission line star
Najarro F., Hillier D.J., Kudritzki R.P., Krabbe A., Genzel R., Lutz D., Drapatz S., Geballe T.R. **285**, 573

Jet flows and disk winds from T Tauri stars: the case of CW Tau
Hirth G.A., Mundt R., Solf J. **285**, 929

β^1 Monocerotis: oscillations and chromospheric structure
Marañón Di Leo C., Colombo E., Ringuelet A.E. **286**, 160

The ultraviolet spectra of the symbiotic stars MWC 960, FN Sgr, SS 29 and Draco C-1
Munari U., Buson L.M. **287**, 87

Profile variations of the Hα emission line in the Herbig B3e star HD 200775
Beskrovnaya N.G., Pogodin M.A., Shcherbakov A.G., Tarasov A.E. **287**, 564

Detection of "moving bumps" for the Be star η Centauri
Leister N.V., Janot-Pacheco E., Hubert A.M., Floquet M., Hubert H., Briot D. **287**, 789

1978–1993 *UBVR–JHKLMN* photometry of the very slow nova and symbiotic Mira HM Sagittae. I. The data
Yudin B., Munari U., Taranova O., Dalmeri I. **287**, 1037 (***105**, 169*)

Detection of H 21α maser emission at 662 GHz in MWC 349
Thum C., Matthews H.E., Harris A.I., Tacconi L.J., Schuster K.F., Martín-Pintado J. **288**, L25

Photometric and Hα observations of LSI +61°303: detection of a ~26 day V and JHK band modulation
Paredes J.M., Marziani P., Martí J., Fabregat J., Coe M.J., Everall C., Figueras F., Jordi C., Norton A.J., Prince T., Reglero V., Roche P., Torra J., Unger S.J., Zamanov R. **288**, 519

Observational evidence for a prograde one-armed density structure in the equatorial disc of a Be star
Telting J.H., Heemskerk M.H.M., Henrichs H.F., Savonije G.J. **288**, 558

Variability of luminous blue variables. I. Intermediate-band photometry
Spoon H.W.W., de Koter A., Sterken C., Lamers H.J.G.L.M., Stahl O. **288**, 1035 (***106**, 141*)

On the strategy of future observations and modeling of the β Lyrae system
Hubeny I., Harmanec P., Shore S.N. **289**, 411

Line formation in Be star envelopes. I. Inhomogeneous density distributions
Hummel W. **289**, 458

Observations of suspected symbiotic stars
Cieslinski D., Elizalde F., Steiner J.E. **289**, 664 (***106**, 243*)

Multiwaveband study of a major X-ray outburst from the Be/X-ray transient system A 1118–616
Coe M.J., Roche P., Everall C., Fishman G.J., Hagedon K.S., Finger M., Wilson R.B., Buckley D.A.H., Shrader C., Fabregat J., Polcaro V.F., Giovannelli F., Villada M. **289**, 784

On the rotation properties of Be stars and their envelopes
Mennickent R.E., Vogt N., Barrera L.H., Covarrubias R., Ramírez A. **289**, 999 (***106**, 427*)

Fe II-line emission from Be stars
Tarafdar S.P., Apparao K.M.V. **290**, 159

Forbidden lines in Herbig Ae/Be stars: the [O I] (1F) 6300.31 Å and 6363.79 Å lines. I. Observations and qualitative analysis
Böhm T., Catala C. **290**, 167

NGC 2024–IRS 2: an outburst in its near-infrared line and continuum emission
Nisini B., Smith H.A., Fischer J., Geballe T.R. **290**, 463

Optical outflows in the vicinity of the southern Herbig Ae/Be star vdB 65b
Ray T.P., Eislöffel J. **290**, 605

Near-IR excess of Be stars
Dougherty S.M., Waters L.B.F.M., Burki G., Coté J., Cramer N., van Kerkwijk M.H., Taylor A.R. **290**, 609

An optical time-resolved spectroscopic study of SS Cygni. I. Quiescence
Martínez-Pais I.G., Giovannelli F., Rossi C., Gaudenzi S. **291**, 455

Evidence for ellipsoidal variations of the Be star binary HD 50123
Sterken C., Vogt N., Mennickent R. **291**, 473

Cold dust around southern Herbig Ae/Be stars
Henning T., Launhardt R., Steinacker J., Thamm E. **291**, 546

(RN) The spin period and orbital period relation for Be star/white dwarf binary systems
Apparao K.M.V. **291**, 775

X-ray emission from Herbig Ae/Be stars: a ROSAT survey
Zinnecker H., Preibisch T. **292**, 152

The β Pictoris phenomenon among young stars. I. The case of the Herbig Ae star UX Orionis
Grinin V.P., Thé P.S., de Winter D., Giampapa M., Rostopchina A.N., Tambovtseva L.V., van den Ancker M.E. **292**, 165

Fourier-transform spectroscopy and near-infrared variability of η Carinae
Altamore A., Maillard J.-P., Viotti R. **292**, 208

Line profiles and intensity maps from an axi-symmetric radiative wind model for Be stars
Stee P., de Araújo F.X. **292**, 221

Correlated long-term light, colour and spectral variations of the Be star κ Draconis
Juza K., Harmanec P., Božić H., Pavlovski K., Žižňovský J., Tarasov A.E., Horn J., Koubský P. **292**, 354 (***107**, 403)*

CCD spectrophotometry of CVs. I. 4600–9000 Å low resolution atlas for 31 faint systems
Zwitter T., Munari U. **292**, 355 (***107**, 503)*

Long-term photometry of Be stars. I. Fading events and variations on time scales of years
Mennickent R.E., Vogt N., Sterken C. **292**, 361 (***108**, 237)*

Pt 1: a Halo symbiotic binary not related to the globular cluster NGC 6401
Munari U., Lattanzi M.G., Bragaglia A. **292**, 501

Stars: evolution 08.05.3

Evidence for sudden moderate mixing events in early M giants
Wallerstein G., Morell O. **281**, L37

Type IIb supernova 1993J in M 81: the explosion of a $\sim 4 M_\odot$ star in a close binary system
Utrobin V. **281**, L89

Evolutionary status of U Sagittae
Sarna M.J., De Greve J.-P. **281**, 433

Evolutionary sequences for massive close binary stars with Magellanic Cloud metallicities with Rogers-Iglesias opacities
de Loore C., Vanbeveren D. **281**, 637 (***103**, 67)*

Grids of massive stars with high mass loss rates. V. From 12 to 120 $M_\odot$ at $Z = 0.001$, 0.004, 0.008, 0.020 and 0.040
Meynet G., Maeder A., Schaller G., Schaerer D., Charbonnel C. **281**, 638 (***103**, 97)*

Absolute fluxes for Supernova 1987A. III. Days 158–314
Hanuschik R.W., Kimeswenger S., Gochermann J., Poetzel R., Schnur G.F.O., Werger M. **281**, 737

The triple-mode variable AC Andromedae
Kovács G., Buchler J.R. **281**, 749

The nature of the F str λ4077 stars. III. Spectroscopy of the barium dwarfs and other CP stars
North P., Berthet S., Lanz T. **281**, 775

Seismological properties of intermediate-mass stars
Audard N., Provost J. **282**, 73

The luminosity function of massive white dwarfs
Díaz-Pinto A., García-Berro E., Hernanz M., Isern J., Mochkovitch R. **282**, 86

The interior structure and evolution of blue straggler stars in open clusters
Schönberner D., Napiwotzki R. **282**, 106

The circumstellar envelope of S Scuti
Groenewegen M.A.T., de Jong T. **282**, 115

Synthetic AGB evolution. II. The predicted abundances of planetary nebulae in the LMC
Groenewegen M.A.T., de Jong T. **282**, 127

The nature of the F str λ4077 stars. V. Spectroscopic data
North P., Berthet S., Lanz T. **282**, 351 (***103**, 321)*

Five old open clusters: NGC 2682, NGC 2243, Berkeley 39, NGC 188 and NGC 6791
Carraro G., Chiosi C., Bressan A., Bertelli G. **282**, 352 (***103**, 375)*

The evolution of a 20 $M_\odot$ rotating star: abundance anomalies in OBN stars in the LMC
Eryurt D., Kırbıyık H., Kızıloğlu N., Civelek R., Weiss A. **282**, 485

Pre-main sequence lithium burning. I. Weak T Tauri stars
Martín E.L., Rebolo R., Magazzù A., Pavlenko Y.V. **282**, 503

Is there a connection between thermal pulses and PNe halos: on the way to an answer
Frank A., van der Veen W.E.C.J., Balick B. **282**, 554

(RN) H and He burning phases in galactic clusters: the role of the original chemical composition
Cassisi S., Castellani V., Straniero O. **282**, 753

New radiative opacities: their influence on stellar models
Cassisi S., Castellani V., Salaris M., Straniero O. **282**, 760

Theoretical hot horizontal branch stars
Castellani M., Castellani V., Pulone L., Tornambé A. **282**, 771

Radii and masses for the young star AR Aurigae
Nordström B., Johansen K.T. **282**, 787

Clues for non-standard mixing on the red giant branch from $^{12}C/^{13}C$ and $^{12}C/^{14}N$ ratios in evolved stars
Charbonnel C. **282**, 811

Semi-convection and overshooting in intermediate-mass and massive stars
Mowlavi N., Forestini M. **282**, 843

The P–L relation for RR Lyrae-like stars with $0.8^d < P < 3^d$
Sandage A., Diethelm R., Tammann G.A. **283**, 111

OB-type binaries: models versus observations
Figueiredo J., De Greve J.P., Hilditch R.W. **283**, 144

Synthetic AGB evolution. III. The influence of different mass-loss laws
Groenewegen M.A.T., de Jong T. **283**, 463

Variability of quiescent and flaring radio emission in RS CVn and Algol-type binary systems
Lefèvre E., Klein K.-L., Lestrade J.-F. **283**, 483

A spectroscopic analysis of barium stars
Začs L. **283**, 937

On the neon abundance in PG 1159-type central stars of planetary nebulae
Werner K., Rauch T. **284**, L5

Evolution of initially mixed massive main sequence stars
Weiss A. **284**, 138

A study of the color-magnitude diagrams and luminosity functions of the two LMC clusters NGC 2134 and NGC 2249 with the new radiative opacities
Vallenari A., Aparicio A., Fagotto F., Chiosi C. **284**, 424

Metallicity effects in star-forming regions
Cerviño M., Mas-Hesse J.M. **284**, 749

Spectral analysis of the hottest known helium-rich white dwarf: KPD 0005+5106
Werner K., Heber U., Fleming T. **284**, 907

Mass loss and the evolution of planetary nebula nuclei
Górny S.K., Tylenda R., Szczerba R. **284**, 949

Evolutionary sequences of stellar models with new radiative opacities. III. $Z = 0.0004$ and $Z = 0.05$
Fagotto F., Bressan A., Bertelli G., Chiosi C. **285**, 356 (***104***, *365)*

Low-mass stars: pre-main sequence evolution and nucleosynthesis
Forestini M. **285**, 473

A study of dust shells around high latitude supergiants
van der Veen W.E.C.J., Waters L.B.F.M., Trams N.R., Matthews H.E. **285**, 551

The shock strength in super- and hypergiant atmospheres derived from microturbulence data
Nieuwenhuijzen H., de Jager C., Cuntz M. **285**, 595

(RN) Red giant branches as a probe of stellar convective cores
Castellani V., Villani D. **285**, 880

CNO isotopes in red giants: theory versus observations
El Eid M.F. **285**, 915

Incorporating the atmosphere in stellar structure models: the solar case
Morel P., van 't Veer C., Provost J., Berthomieu G., Castelli F., Cayrel R., Goupil M.J., Lebreton Y. **286**, 91

Numerical methods for AGB evolution
Wagenhuber J., Weiss A. **286**, 121

A "cool" PG 1159 star discovered by the Hamburg Schmidt Survey: NLTE analysis of HS 0704+6153
Dreizler S., Werner K., Jordan S., Hagen H. **286**, 463

Spectral analysis of the planetary nebula K 1-27 and its very hot hydrogen-deficient central star
Rauch T., Köppen J., Werner K. **286**, 543

The δ Scuti instability strip: effects of opacity enhancement and wave reflections
Li Y., Stix M. **286**, 815

Turbulent diffusive mixing in early B-type main sequence stars
Denissenkov P.A. **287**, 113

Erratum Do molecular clouds contain accreting black holes?
Campana S., Pardi M.C. **287**, 348

New models of Wolf-Rayet stars and comparison with data in galaxies
Maeder A., Meynet G. **287**, 803

Improved bolometric corrections for WR stars from cluster membership and evolutionary models
Smith L.F., Meynet G., Mermilliod J.-C. **287**, 835

Evolutionary sequences for massive close binaries with galactic abundances with Rogers-Iglesias opacities
de Loore C., Vanbeveren D. **287**, 1033 (***105***, *21)*

Evolutionary sequences of stellar models with new radiative opacities. IV. $Z = 0.004$ and $Z = 0.008$
Fagotto F., Bressan A., Bertelli G., Chiosi C. **287**, 1033 (***105***, *29)*

Evolutionary sequences of stellar models with very high metallicity. V. $Z = 0.1$
Fagotto F., Bressan A., Bertelli G., Chiosi C. **287**, 1034 (***105***, *39)*

Monte-Carlo simulations of binary stellar evolution in young open clusters
Pols O.R., Marinus M. **288**, 475

Synthetic AGB evolution. IV. Long-period variables in the LMC
Groenewegen M.A.T., de Jong T. **288**, 782

Rotation and lithium depletion in late-type binaries
Zahn J.-P. **288**, 829

(RN) Horizontal-branch models and the second-parameter phenomenon: the case of NGC 288 and NGC 362
Catelan M., de Freitas Pacheco J.A. **289**, 394

Red supergiant variables in the Large Magellanic Cloud: their evolution and pulsations
Li Y., Gong Z.G. **289**, 449

Theoretical isochrones from models with new radiative opacities
Bertelli G., Bressan A., Chiosi C., Fagotto F., Nasi E. **289**, 665 (***106***, *275)*

UBV photoelectric photometry of red giants in NGC 6939
Mermilliod J.-C., Huestamendia G., del Rio G. **289**, 999 (***106***, *419)*

Core overshooting and the enigma of NGC 1866
Brocato E., Castellani V., Piersimoni A.M. **290**, 59

The stellar population of the globular cluster M3. I. Photographic photometry of 10000 stars
Buonanno R., Corsi C.E., Buzzoni A., Cacciari C., Ferraro F.R., Fusi Pecci F. **290**, 69

Case A evolution of massive close binaries: formation of contact systems and possible reversal of the supernova order
Pols O.R. **290**, 119

The evolution of the mass gainer in massive close binaries
Vanbeveren D., de Loore C. **290**, 129

The age-mass relation for chromospherically active binaries. I. The evolutionary status
Barrado D., Fernández-Figueroa M.J., Montesinos B., De Castro E. **290**, 137

Termination of AGB-evolution by hydrogen recombination
Wagenhuber J., Weiss A. **290**, 807

Towards an understanding of very massive stars. A new evolutionary scenario relating O stars, LBVs and Wolf-Rayet stars
Langer N., Hamann W.-R., Lennon M., Najarro F., Pauldrach A.W.A., Puls J. **290**, 819

Helium chemistry of ONC supergiants
Smith K.C., Howarth I.D. **290**, 868

Abundance analysis of the hot post-AGB star Barnard 29
Conlon E.S., Dufton P.L., Keenan F.P. **290**, 897

Location of PN central stars on the HR diagram
Cazetta J.O., Maciel W.J. **290**, 936

The binary pulsar PSRJ 2145–0750: a system originating from a low or intermediate mass X-ray binary with a donor star on the asymptotic giant branch?
van den Heuvel E.P.J. **291**, L39

High precision rotating neutron star models. I. Analysis of neutron star properties
Salgado M., Bonazzola S., Gourgoulhon E., Haensel P. **291**, 155

The origin of extended interstellar shells around Wolf–Rayet stars having bright optical ring nebulae
Nichols J.S., Fesen R.A. **291**, 283

A case study of the quadruple system ξ Ursae Majoris: its activity and lithium depletion
Cayrel de Strobel G., Cayrel R., Friel E., Zahn J.-P., Bentolila C. **291**, 505

Radii and masses for β Aurigae
Nordström B., Johansen K.T. **291**, 777

Origin and evolution of semi-detached binaries: β Lyrae and SV Centauri
De Greve J.P., Linnell A.P. **291**, 786

AG Persei: absolute dimensions and membership of Perseus OB2
Giménez A., Clausen J.V. **291**, 795

The X-ray heating and evolution of LMXB's
Vilhu O., Ergma E., Fedorova A. **291**, 842

Multiwavelength observations of RV Tauri stars. IV. SX Centauri
Shenton M., Evans A., Albinson J.S., Barrett P., Davies J.K., Goldsmith M.J., Hutchinson M.G., Laney D., Maddison R.C. **292**, 102

Erratum The nature of the F str λ4077 stars. III. Spectroscopy of the barium dwarfs and other CP stars
North P., Berthet S., Lanz T. **292**, 350

Infrared properties of OH/IR stars. I. Near-infrared observation and some physical parameters of OH/IR stars
Xiong G.Z., Chen P.S., Gao H. **292**, 369 (***108, 661***)

Massive close binary evolution in the Galaxy and in the Magellanic Clouds
de Loore C., Vanbeveren D. **292**, 463

Stars: flare 08.06.1

Observational constraints on the inter-binary stellar flare hypothesis for the gamma-ray bursts
Rao A.R., Vahia M.N. **281**, L21

Atmospheric models of flare stars: the quiescent state of AD Leonis
Mauas P.J.D., Falchi A. **281**, 129

Variability of quiescent and flaring radio emission in RS CVn and Algol-type binary systems
Lefèvre E., Klein K.-L., Lestrade J.-F. **283**, 483

(RN) Ultraviolet flare activity on the eclipsing binary SZ Piscium
Doyle J.G., Mitrou C.K., Mathioudakis M., Antonopoulou E. **283**, 522

A long-duration X-ray flare on the RS Canum Venaticorum binary AR Lacertae observed with ROSAT
Ottmann R., Schmitt J.H.M.M. **283**, 871

Rotational modulation and flares on RS Canum Venaticorum and BY Draconis stars. XVIII. Coordinated VLA, ROSAT, and IUE observations of RS CVn binaries
Fox D.C., Linsky J.L., Veale A., Dempsey R.C., Brown A., Neff J.E., Pagano I., Rodonò M., Bromage G.E., Kürster M., Schmitt J.H.M.M. **284**, 91

(RN) An optical flare on YZ Canis Minoris
Gunn A.G., Doyle J.G., Mathioudakis M., Avgoloupis S. **285**, 157

High-velocity evaporation during a flare on AT Microscopii
Gunn A.G., Doyle J.G., Mathioudakis M., Houdebine E.R., Avgoloupis S. **285**, 489

The soft X-ray/microwave ratio of solar and stellar flares and coronae
Benz A.O., Güdel M. **285**, 621

Non-linear properties of the dynamics of bursts and flares in the solar and stellar coronae
Isliker H., Benz A.O. **285**, 663

Unusual flares at 360 and 609 MHz in the RS Canum Venaticorum-system II Pegasi observed with the WSRT: coherent emission from II Pegasi
van den Oord G.H.J., de Bruyn A.G. **286**, 181

Possible detection of a stellar flare-generated particle beam in polarized light
Saar S.H., Martens P.C.H., Huovelin J., Linnaluoto S. **286**, 194

On the possible source of GRB 930131
Rao A.R., Vahia M.N. **287**, L34

A strong Hα flare on HK Lacertae
Catalano S., Frasca A. **287**, 575

High sensitivity dynamic spectral search for flare star radio bursts
Abada-Simon M., Lecacheux A., Louarn P., Dulk G.A., Belkora L., Bookbinder J.A., Rosolen C. **288**, 219

Coordinated observations of the red dwarf flare star EV Lacertae in 1991
Alekseev I.Y., Gershberg R.E., Ilyin I.V., Shakhovskaya N.I., Shakhovskoy N.M., Avgoloupis S., Mavridis L.N., Seiradakis J.H., Kidger M.R., Panferova I.P., Pustil'nik L.A. **288**, 502

(RN) Optical study of LMXBs with high temporal resolution: evidence for non-thermal flares from MXB 1735–44
Beskin G., Neizvestny S., Plokhotnichenko V., Popova M., Zhuravkov A., Benvenuto O.G., Feinstein C., Méndez M. **289**, 141

A search for near-infrared variability in LSI+61°303
Hunt L.K., Massi M., Zhekov S.A. **290**, 428

Surface inhomogeneities on SZ Piscium
Doyle J.G., Mitrou C.K., Mathioudakis M., Avgoloupis S., Mavridis L.N., Varvoglis P.P., Graos F., Antonopoulou E. **291**, 135

(RN) Interferometer observations of RS Canum Venaticorum binaries
Gunn A.G., Spencer R.E., Abdul Aziz H., Doyle J.G., Davis R.J., Pavelin P.E. **291**, 847

Multi-site continuous spectroscopy. II. Spectrophotometry and energy budget of exceptional white-light flares on HR 1099 from the MUSICOS 89 campaign
Foing B.H., Char S., Ayres T., Catala C., Neff J.E., Zhai D.S., Catalano S., Cutispoto G., Jankov S., Rodono M., Simon T., Akan C., Aslanov A., Avellar P., Baudrand J., Beust H., Cao H., Chatzichristou H., Cuby J.G., Czarny J., de la Reza R., Dreux M., Felenbok P., Ferlet R., Frasca A., Floquet M., Ghosh K., Guo Z., Guérin J., Hao J.X., Houdebine E.R., Huang L., Hubert A.M., Hubert H., Huovelin J., Hron J., İbanoğlu C., Jiang S.Y., Keskin V., Lagrange-Henri A.M., Lecontel J.M., Li Q., Mavridis L., Nolthenius R., Petrov P., Savanov I., Scherbakov A., Tuominen I., Vidal-Madjar A., Zhang R., Zhang X. **292**, 543

Stars: formation 08.06.2

The origin of the Gould Belt by the impact of a high velocity cloud on the galactic disk
Comerón F., Torra J. **281**, 35

The exciting source of the Herbig-Haro 111 jet complex: VLA detection of a one-sided radio jet
Rodríguez L.F., Reipurth B. **281**, 882

PG 2120+062: an apparently normal O-star at high galactic latitude
Moehler S., Heber U., Dreizler S. **282**, L29

Star-formation histories and the mass-normalized FIR/radio correlation in late-type galaxies
Xu C., Lisenfeld U., Völk H.J., Wunderlich E. **282**, 19

The luminosity function of massive white dwarfs
Díaz-Pinto A., García-Berro E., Hernanz M., Isern J., Mochkovitch R. **282**, 86

Infrared images, 1.3 mm continuum and ammonia line observations of IRAS 08076-3556
Persi P., Ferrari-Toniolo M., Marenzi A.R., Anglada G., Chini R., Krügel E., Sepúlveda I. **282**, 233

The young stellar population associated with the H II region NGC 3576
Persi P., Roth M., Tapia M., Ferrari-Toniolo M., Marenzi A.R. **282**, 474

Deep CO observations of dominant cluster galaxies with reported cooling flows
Braine J., Dupraz C. **283**, 407

Percolation and synchrotron emission. III. Interaction between galaxies in two dimensions
Zaninetti L. **283**, 417

Large-scale self-regulation in star-forming systems
Cammerer M., Shchekinov Y. **283**, 845

Successive hierarchical fragmentation of centrally condensed protostellar cores
Di G. Sigalotti L. **283**, 858

H_α interferometric, optical and near IR photometric studies of star forming regions. II. The NGC 7380E/Sh2-142/NGC 7380 complex
Chavarría-K. C., Moreno-Corral M.A., Hernández-Toledo H., Terranegra L., de Lara E. **283**, 963

Herbig–Haro objects associated with extremely young sources in L 1527 and L 1448
Eiroa C., Miranda L.F., Anglada G., Estalella R., Torrelles J.M. **283**, 973

Investigating the magnetic field structure around star formation cores
Greaves J.S., Murray A.G., Holland W.S. **284**, L19

Water masers embedded in ultracompact H II regions: the W 75N cloud core
Hunter T.R., Taylor G.B., Felli M., Tofani G. **284**, 215

H II regions and IRAS PSC sources: the reliability of the association
Codella C., Felli M., Natale V. **284**, 233

Active star formation regions at the edge of the LMC Bar: NGC 1850 and NGC 1858
Vallenari A., Aparicio A., Fagotto F., Chiosi C., Ortolani S., Meylan G. **284**, 447

Cool-FIR/radio correlation for late-type galaxies – The case for Supernova progenitors
Xu C., Lisenfeld U., Völk H.J. **285**, 19

Global properties of dwarf galaxies. II. Colours and luminosities
Melisse J.P.M., Israel F.P. **285**, 51

Is dark matter in spiral galaxies cold gas? II. Fractal models and star non-formation
Pfenniger D., Combes F. **285**, 94

Young stars associated with the Vela Molecular Ridge. I. VMR clouds C and D, Collinder 197 and Vela R2
Pettersson B., Reipurth B. **285**, 354 (***104**, 233*)

A new catalogue of members and candidate members of the Herbig Ae/Be (HAEBE) stellar group
Thé P.S., de Winter D., Pérez M.R. **285**, 355 (***104**, 315*)

Star formation and merging in compact groups of galaxies
Moles M., del Olmo A., Perea J., Masegosa J., Márquez I., Costa V. **285**, 404

Star formation in merging galaxies
Fritze-v. Alvensleben U., Gerhard O.E. **285**, 751

The star formation history of NGC 7252
Fritze-v. Alvensleben U., Gerhard O.E. **285**, 775

The galaxy population in the cluster Cl 1409+524 (3C 295)
Thimm G.J., Röser H.-J., Hippelein H., Meisenheimer K. **285**, 785

Instabilities of protostellar cores. The influence of adaptive grids on instabilities of first protostellar cores
Kürschner R. **285**, 897

Far-UV observations of the whirlpool galaxy M 51
Bersier D., Blecha A., Golay M., Martinet L. **286**, 37

Star formation by infall of high velocity clouds on the galactic disk
Lépine J.R.D., Duvert G. **286**, 60

(RN) Do star forming regions have different binary fractions?
Durisen R.H., Sterzik M.F. **286**, 84

The production of turbulence by gravitational instabilities in self-gravitating differentially rotating disks
Ebert R. **286**, 997

H_2O activity in M 82 and in other members of the M 81 group
Baudry A., Brouillet N., Henkel C. **287**, 20

Stochastic self-propagating star formation with anisotropic probability distribution
Jungwiert B., Palouš J. **287**, 55

On a possible origin of the initial mass function of stars
Richtler T. **287**, 517

The warm and the cold neutral phase in the local interstellar medium at $|b| \geq 10°$ and at low velocities
Pöppel W.G.L., Marronetti P., Benaglia P. **287**, 601

Analysis of a cold cloud fragment
Krügel E., Chini R. **287**, 947

Numerical simulation of three-dimensional self-gravitating flow
Shebalin J.V. **288**, 150

Is ESO Hα 279 a pre-main sequence binary?
Aspin C., Reipurth B., Lehmann T. **288**, 165

Multi-wavelength study of NGC 281 A
Henning T., Martin K., Reimann H.-G., Launhardt R., Leisawitz D., Zinnecker H. **288**, 282

The massive star content of the blue dwarf galaxy IZw 36 from Faint Object Camera observations
Deharveng J.-M., Albrecht R., Barbieri C., Blades J.C., Boksenberg A., Crane P., Disney M.J., Jakobsen P., Kamperman T.M., King I.R., Macchetto F., Mackay C.D., Paresce F., Weigelt G., Baxter D., Greenfield P., Jedrzejewski R., Nota A., Sparks W.B. **288**, 413

Studies of dense molecular cores in regions of massive star formation. CS $J = 2-1$ and HCN $J = 1-0$ observations of 11 northern cores
Zinchenko I., Forsström V., Lapinov A., Mattila K. **288**, 601

Near-infrared images of galactic masers. I. Association between infrared sources and masers
Testi L., Felli M., Persi P., Roth M. **288**, 634

Near-IR imaging photometry of the J–K>4 sources in the Lk Hα 101 infrared cluster
Aspin C., Barsony M. **288**, 849

An infrared counter-flow in the HH 111 jet complex
Gredel R., Reipurth B. **289**, L19

(RN) Near-infrared observations of new young stellar objects from the IRAS Point Source Catalog
Carballo R., Sahu M. **289**, 131

Near-IR imaging photometry of NGC 1333. I. The embedded PMS stellar population
Aspin C., Sandell G., Russell A.P.G. **289**, 663 (***106, 165***)

Ultraviolet observations of galaxies with the FAUST experiment
Deharveng J.-M., Sasseen T.P., Buat V., Bowyer S., Lampton M., Wu X. **289**, 715

Molecular line observations of a comet-shaped cloud (LBN 437) in the Lacerta OB1 association
Olano C.A., Walmsley C.M., Wilson T.L. **290**, 235

Fragmentation of shocked interstellar gas layers
Whitworth A.P., Bhattal A.S., Chapman S.J., Disney M.J., Turner J.A. **290**, 421

(RN) S 269-IRS 2: a massive young stellar object powering Herbig-Haro emission
Eiroa C., Casali M.M., Miranda L.F., Ortiz E. **290**, 599

The occurrence of H_2O masers in H II regions
Codella C., Felli M., Natale V., Palagi F., Palla F. **291**, 261

H_2O masers from low and intermediate luminosity young stellar objects: H_2O masers and YSOs
Persi P., Palagi F., Felli M. **291**, 577

Dust opacities for protostellar cores
Ossenkopf V., Henning T. **291**, 943

A submillimeter protostar near LkHα 198
Sandell G., Weintraub D.A. **292**, L1

Thermal infrared imaging of GGD 27-IRS. The active pre-main sequence star revealed
Aspin C., Puxley P.J., Blanco P.R., Piña R.K., Pickup D.A., Paterson M.J., Sylvester J., Laird D.C., Bridger A., Daly P.N., Griffin J.L. **292**, L9

Stars: fundamental parameters (classification, colors, luminosities, masses, radii, temperatures, etc.) 08.06.3

Non-LTE spectral analyses of Wolf-Rayet stars: the nitrogen spectrum of the WN6 prototype HD 192163 (WR136)
Hamann W.-R., Wessolowski U., Koesterke L. **281**, 184

The nature of the F str λ4077 stars. III. Spectroscopy of the barium dwarfs and other CP stars
North P., Berthet S., Lanz T. **281**, 775

The dwarf nova CZ Orionis in outburst
Spogli C., Claudi R.U. **281**, 808

A study of the luminous blue variable candidate He 3–519 and its surrounding nebula
Smith L.J., Crowther P.A., Prinja R.K. **281**, 833

Direct determination of stellar and orbital parameters of the spectroscopic binary TZ CrA
Corporon P., Lagrange A.M., Bouvier J. **282**, L21

Spectroscopic analysis of hot binaries. I. The components of DH Cephei
Sturm E., Simon K.P. **282**, 93

The interior structure and evolution of blue straggler stars in open clusters
Schönberner D., Napiwotzki R. **282**, 106

The nature of the F str λ4077 stars. V. Spectroscopic data
North P., Berthet S., Lanz T. **282**, 351 (***103, 321***)

Studies of early-type variable stars. VIII. The massive binary system CC Cassiopeiae
Hill G., Hilditch R.W., Aikman G.C.L., Khalesseh B. **282**, 455

Temperatures and luminosities of symbiotic novae
Mürset U., Nussbaumer H. **282**, 586

A semi-empirical absolute flux calibration in the near infrared. Direct stellar diameters vs. IRFM determinations
Alonso A., Arribas S., Martínez-Roger C. **282**, 684

Light curves of type II supernovae. II. The analysis
Patat F., Barbon R., Cappellaro E., Turatto M. **282**, 731

Radii and masses for the young star AR Aurigae
Nordström B., Johansen K.T. **282**, 787

Studies of early-type variable stars. XI. Absolute parameters of the Algol system RZ Cassiopeiae
Maxted P.F.L., Hill G., Hilditch R.W. **282**, 821

Stellar effective temperatures and angular diameters determined by the infrared flux method (IRFM): revisions using improved Kurucz LTE stellar atmospheres
Blackwell D.E., Lynas-Gray A.E. **282**, 899

OB-type binaries: models versus observations
Figueiredo J., De Greve J.P., Hilditch R.W. **283**, 144

Discussion relating to the discovery of 2700 double stars *(Text in French)*
Couteau P. **283**, 289

Radiation-driven winds of hot luminous stars. XII. A first step towards detailed UV-line diagnostics of O-stars
Pauldrach A.W.A., Kudritzki R.P., Puls J., Butler K., Hunsinger J. **283**, 525

A revision to the absolute magnitudes of RR Lyrae stars from the Baade-Wesselink method
Fernley J. **284**, L16

The galactic distribution of chemical elements as derived from B-stars in open clusters. I. NGC 6231: stellar parameters and chemical abundances
Kilian J., Montenbruck O., Nissen P.E. **284**, 437

A catalogue of *UBV* colours of cataclysmic variables (second edition)
Bruch A., Engel A. **284**, 699 (***104**, 79)*

New photometric and spectroscopic results for IU Aurigae – an early-type eclipsing binary in a multiple system
Drechsel H., Haas S., Lorenz R., Mayer P. **284**, 853

A large, complete, volume-limited sample of G-type dwarfs. I. Completion of Strömgren *uvby* photometry
Olsen E.H. **285**, 358 (***104**, 429)*

Chemical composition and atmospheric parameters of metal-poor halo stars
Nissen P.E., Gustafsson B., Edvardsson B., Gilmore G. **285**, 440

Investigation of the semidetached eclipsing binary RZ Draconis
Kreiner J.M., Pajdosz G., Tremko J., Zola S. **285**, 459

Studies of early-type variable stars. XII. Spectroscopic orbit and absolute parameters of AT Pegasi
Maxted P.F.L., Hill G., Hilditch R.W. **285**, 535

Angular diameters of the carbon stars UU Aurigae, Y Canum Venaticorum, and TX Piscium from optical long-baseline interferometry
Quirrenbach A., Mozurkewich D., Hummel C.A., Buscher D.F., Armstrong J.T. **285**, 541

Balmer lines in cool dwarf stars. II. Effective temperatures and calibration of colour indices
Fuhrmann K., Axer M., Gehren T. **285**, 585

Pulsational parallaxes and calibration of the cosmic distance scale by Cepheid variable stars
Di Benedetto G.P. **285**, 819

Stellar atmospheric parameters for F–G–K stars from low-resolution data: method and application to a sample of proper motion stars
Cuisinier F., Buser R., Acker A., Cayrel R., Jasniewicz G., Fresneau A. **285**, 943

Erratum A new calibration of Geneva photometry in terms of T_e, log g and mass for B stars
North P., Nicolet B. **286**, 348

A "cool" PG 1159 star discovered by the Hamburg Schmidt Survey: NLTE analysis of HS 0704+6153
Dreizler S., Werner K., Jordan S., Hagen H. **286**, 463

A spectroscopic and photometric study of the giant star HD 101841: a very short-period binary system
De Medeiros J.R., Duquennoy A., Lèbre A., Burki G. **286**, 481

Spectral analysis of the planetary nebula K 1-27 and its very hot hydrogen-deficient central star
Rauch T., Köppen J., Werner K. **286**, 543

Further decomposition of a "very massive" star
Heydari-Malayeri M., Beuzit J.-L. **287**, L17

The OH/IR-planetary nebula connection: space distribution and kinematics
Ortiz R., Maciel W.J. **287**, 552

Improved bolometric corrections for WR stars from cluster membership and evolutionary models
Smith L.F., Meynet G., Mermilliod J.-C. **287**, 835

On the spectra and photometry of M-giant stars
Fluks M.A., Plez B., Thé P.S., de Winter D., Westerlund B.E., Steenman H.C. **287**, 1039 (***105**, 311)*

A photometric study of β Cephei stars. II. Determination of the degrees l of pulsation modes
Heynderickx D., Waelkens C., Smeyers P. **287**, 1042 (***105**, 447)*

Empirical masses and radii for the luminous binary Sk–67°105 in the LMC
Haefner R., Simon K.P., Fiedler A. **288**, L9

HD 37151: a new "slowly pulsating B star"
North P., Paltani S. **288**, 155

Hydrodynamic atmosphere models for hot luminous stars
Schaerer D., Schmutz W. **288**, 231

High resolution spectroscopy of symbiotic stars. I. SY Muscae: orbital elements, M giant radius, distance
Schmutz W., Schild H., Mürset U., Schmid H.M. **288**, 819

The Orion OB 1 association. I. Stellar content
Brown A.G.A., de Geus E.J., de Zeeuw P.T. **289**, 101

Influence of the atmosphere model on the stellar effective temperature derived through the infrared flux method
Mégessier C. **289**, 202

Confrontation between power spectra of Mira stars and theoretical models
Barthès D., Tuchman Y. **289**, 429

High resolution infrared spectra of silicon monoxide and silicon isotopic abundances in cool luminous stars
Tsuji T., Ohnaka K., Hinkle K.H., Ridgway S.T. **289**, 469

Erratum Direct determination of stellar and orbital parameters of the spectroscopic binary TY CrA
Corporon P., Lagrange A.M., Bouvier J. **289**, 660

Strömgren photometry of F- and G-type stars brighter than V = 9.6. I. *uvby* photometry
Olsen E.H. **289**, 664 (***106**, 257)*

Theoretical isochrones from models with new radiative opacities
Bertelli G., Bressan A., Chiosi C., Fagotto F., Nasi E. **289**, 665 (***106**, 275)*

The W Ursae Majoris system ER Ori: a multiple star
Goecking K.-D., Duerbeck H.W., Plewa T., Kaluzny J., Schertl D., Weigelt G., Flin P. **289**, 827

Spectral classification of symbiotic stars in the near infrared
Huang C.C., Friedjung M., Zhou Z.X. **289**, 998 (***106**, 413)*

A catalogue He II 4686 line intensities in Galactic planetary nebulae
Tylenda R., Stasińska G., Acker A., Stenholm B. **289**, 1001 (***106**, 559)*

Distances and luminosities for RR Lyrae stars in M 5 and M 92 from a Baade-Wesselink analysis
Storm J., Carney B.W., Latham D.W. **290**, 443

The active close binary system ER Vulpeculae
Oláh K., Budding E., Kim H.-I., Etzel P.B. **291**, 110

A Baade-Wesselink analysis of the RR Lyrae star V9 in 47 Tucanae
Storm J., Nordström B., Carney B.W., Andersen J. **291**, 121

Nonadiabatic observables in β Cephei models
Cugier H., Dziembowski W.A., Pamyatnykh A.A. **291**, 143

Absolute dimensions of AB Crucis: a semi-detached O-type eclipsing binary
Lorenz R., Mayer P., Drechsel H. **291**, 185

Radii and masses for β Aurigae
Nordström B., Johansen K.T. **291**, 777

Origin and evolution of semi-detached binaries: β Lyrae and SV Centauri
De Greve J.P., Linnell A.P. **291**, 786

AG Persei: absolute dimensions and membership of Perseus OB2
Giménez A., Clausen J.V. **291**, 795

Spectroscopic analyses of metal-poor stars. I. Basic data and stellar parameters
Axer M., Fuhrmann K., Gehren T. **291**, 895

Basic system parameters and a more general spot solution of the SV Camelopardalis light curve
Patkós L., Hempelmann A. **292**, 119

Erratum The nature of the F str λ4077 stars. III. Spectroscopy of the barium dwarfs and other CP stars
North P., Berthet S., Lanz T. **292**, 350

Broad band *JHK* infrared photometry of an extended sample of late-type dwarfs and subdwarfs
Alonso A., Arribas S., Martínez-Roger C. **292**, 353 (***107, 365***)

The Spacelab-1 Very Wide Field Survey of UV-excess objects. IV. The performance of the instrument in combination with optical photometry as a means of identifying stars with peculiar properties
Tobin W., Viton M., Sivan J.-P. **292**, 353 (***107, 385***)

Spectral classifications in the near-infrared of stars with composite spectra. I. The study of MK standards
Ginestet N., Carquillat J.M., Jaschek M., Jaschek C. **292**, 362 (***108, 359***)

TiO bands as a function of stellar parameters
Milone A., Barbuy B. **292**, 365 (***108, 449***)

Infrared properties of OH/IR stars. I. Near-infrared observation and some physical parameters of OH/IR stars
Xiong G.Z., Chen P.S., Gao H. **292**, 369 (***108, 661***)

Low resolution IUE spectra of Wolf-Rayet stars
Niedzielski A., Rochowicz K. **292**, 370 (***108, 669***)

Spectroscopic analysis of hot binaries. II. The components of Y Cygni
Simon K.P., Sturm E., Fiedler A. **292**, 507

Stars: general 08.07.1

AURELIE: the high resolution spectrometer of the Haute-Provence Observatory
Gillet D., Burnage R., Kohler D., Lacroix D., Adrianzyk G., Baietto J.C., Berger J.P., Goillandeau M., Guillaume C., Joly C., Meunier J.P., Rimbaud G., Vin A. **292**, 360 (***108, 181***)

(Stars:) Hertzsprung-Russell (HR) diagram 08.08.1

Grids of massive stars with high mass loss rates. V. From 12 to 120 $M_{\odot}$ at $Z = 0.001$, 0.004, 0.008, 0.020 and 0.040
Meynet G., Maeder A., Schaller G., Schaerer D., Charbonnel C. **281**, 638 (***103, 97***)

(**RN**) H and He burning phases in galactic clusters: the role of the original chemical composition
Cassisi S., Castellani V., Straniero O. **282**, 753

The globular cluster NGC 6540
Bica E., Ortolani S., Barbuy B. **283**, 67

Mass loss and the evolution of planetary nebula nuclei
Górny S.K., Tylenda R., Szczerba R. **284**, 949

Evolutionary sequences of stellar models with new radiative opacities. III. $Z = 0.0004$ and $Z = 0.05$
Fagotto F., Bressan A., Bertelli G., Chiosi C. **285**, 356 (***104, 365***)

The shock strength in super- and hypergiant atmospheres derived from microturbulence data
Nieuwenhuijzen H., de Jager C., Cuntz M. **285**, 595

NGC 6522: an intermediate metallicity globular cluster projected on the Baade Window
Barbuy B., Ortolani S., Bica E. **285**, 871

The globular cluster NGC 6652
Ortolani S., Bica E., Barbuy B. **286**, 444

New models of Wolf-Rayet stars and comparison with data in galaxies
Maeder A., Meynet G. **287**, 803

A photometric study of β Cephei stars. II. Determination of the degrees l of pulsation modes
Heynderickx D., Waelkens C., Smeyers P. **287**, 1042 (***105, 447***)

Monte-Carlo simulations of binary stellar evolution in young open clusters
Pols O.R., Marinus M. **288**, 475

The Orion OB 1 association. I. Stellar content
Brown A.G.A., de Geus E.J., de Zeeuw P.T. **289**, 101

CCD *BV* photometry of the intermediate age open cluster NGC 1245
Carraro G., Patat F. **289**, 397

The metal-rich globular cluster NGC 6356
Bica E., Ortolani S., Barbuy B. **289**, 663 (***106, 161***)

Theoretical isochrones from models with new radiative opacities
Bertelli G., Bressan A., Chiosi C., Fagotto F., Nasi E. **289**, 665 (***106, 275***)

Deep photometry in the core of the open cluster NGC 5606
Vázquez R.A., Baume G., Feinstein A., Prado P. **289**, 666 (***106, 339***)

The use of the $(B-I)$ color index and applications of the $(B-I)$ versus $(B-V)$ relationship. I. Open clusters
Natali F., Natali G., Pompei E., Pedichini F. **289**, 756

UBV photoelectric photometry of red giants in NGC 6939
Mermilliod J.-C., Huestamendia G., del Rio G. **289**, 999 (***106, 419***)

Deep CCD *BV* photometry of the poorly studied open cluster NGC 4815
Carraro G., Ortolani S. **289**, 1001 (***106, 573***)

The stellar population of the globular cluster M3. I. Photographic photometry of 10000 stars
Buonanno R., Corsi C.E., Buzzoni A., Cacciari C., Ferraro F.R., Fusi Pecci F. **290**, 69

Photometric and Coravel observations of stars in the open cluster IC 2714
Clariá J.J., Mermilliod J.-C., Piatti A.E., Minniti D. **290**, 1020 (***107, 39***)

Pismis 3: an unstudied old open cluster
Carraro G., Ortolani S. **291**, 106

CCD photometry of distant open clusters. I. Berkeley 22, Berkeley 29 and Berkeley 54
Kaluzny J. **292**, 359 (***108, 151***)

Photometry of the young cluster NGC 330 in the Small Magellanic Cloud
Vallenari A., Ortolani S., Chiosi C. **292**, 367 (***108, 571***)

The low galactic latitude metal-rich globular cluster NGC 6440
Ortolani S., Barbuy B., Bica E. **292**, 369 (***108, 653***)

Stars: horizontal-branch 08.08.2

Theoretical hot horizontal branch stars
Castellani M., Castellani V., Pulone L., Tornambé A. **282**, 771

The $P-L$ relation for RR Lyrae-like stars with $0.8^d < P < 3^d$
Sandage A., Diethelm R., Tammann G.A. **283**, 111

Hot stars near the position of X0512−401 in the globular cluster NGC 1851
Aurière M., Bonnet-Bidaud J.M., Koch-Miramond L. **284**, 457

On the Oosterhoff–Arp–Sandage period-shift effect and its evolutionary interpretation
Catelan M. **285**, 469

(RN) Horizontal-branch models and the second-parameter phenomenon: the case of NGC 288 and NGC 362
Catelan M., de Freitas Pacheco J.A. **289**, 394

Distances and luminosities for RR Lyrae stars in M 5 and M 92 from a Baade-Wesselink analysis
Storm J., Carney B.W., Latham D.W. **290**, 443

A Baade-Wesselink analysis of the RR Lyrae star V9 in 47 Tucanae
Storm J., Nordström B., Carney B.W., Andersen J. **291**, 121

Stars: imaging 08.09.1

Rotational-modulation mapping of the active atmosphere of the RS Canum Venaticorum binary HD 106225
Strassmeier K.G. **281**, 395

Multisite continuous spectroscopy. III. Photometric analysis and spot modelling of the light curves of HR 1099 before and after the 1989 optical flares
Zhai D.S., Foing B.H., Cutispoto G., Zhang R.X., Catala C., Char S., Zhang X.B., Jankov S. **282**, 168

Maximum-entropy maps of the Be shell star ζ Tauri from optical long-baseline interferometry
Quirrenbach A., Buscher D.F., Mozurkewich D., Hummel C.A., Armstrong J.T. **283**, L13

Spectral eclipse mapping of the accretion disk in the nova-like variable UX Ursae Majoris
Rutten R.G.M., Dhillon V.S., Horne K., Kuulkers E. **283**, 441

Locating the emission line regions in polars: Doppler imaging of VV Puppis
Diaz M.P., Steiner J.E. **283**, 508

Speckle imaging of T Tauri stars in the L and M near-IR bands
Tessier E., Bouvier J., Lacombe F. **283**, 827

A Doppler image of the weak T Tauri star V 410 Tau
Strassmeier K.G., Welty A.D., Rice J.B. **285**, L17

Doppler imaging of the T Tauri star V 410 Tau
Joncour I., Bertout C., Ménard F. **285**, L25

The production of turbulence by gravitational instabilities in self-gravitating differentially rotating disks
Ebert R. **286**, 997

Surface imaging of late-type contact binaries I: AE Phoenicis and YY Eridani
Maceroni C., Vilhu O., van 't Veer F., Van Hamme W. **288**, 529

Roche tomography: imaging the stars in interacting binaries
Rutten R.G.M., Dhillon V.S. **288**, 773

Fast eclipse mapping
Spruit H.C. **289**, 441

The detectability of cool polar caps on late type stars
Piskunov N., Wehlau W.H. **289**, 868

Doppler imaging with a CLEAN-like approach. II. A photospheric image of AB Doradus (= HD 36705)
Kürster M., Schmitt J.H.M.M., Cutispoto G. **289**, 899

Photometric and spectroscopic observations of the spotted T Tauri star V 410 Tauri
Petrov P.P., Shcherbakov V.A., Berdyugina S.V., Shevchenko V.S., Grankin K.N., Melnikov S.Y. **290**, 1019 (***107***, *9*)

Adaptive optics imaging of the Frosty Leo nebula
Beuzit J.-L., Thébault P., Perrin G., Rouan D. **291**, L1

Doppler imaging of the T Tauri star HDE 283572
Joncour I., Bertout C., Bouvier J. **291**, L19

The active close binary system ER Vulpeculae
Oláh K., Budding E., Kim H.-I., Etzel P.B. **291**, 110

Doppler imaging of the Ap star 17 Comae Berenices
Rice J.B., Wehlau W.H. **291**, 825

Spectrum variability of ET Andromedae: Si and He surface mapping
Piskunov N., Ryabchikova T.A., Kuschnig R., Weiss W.W. **291**, 910

Multi-site continuous spectroscopy. II. Spectrophotometry and energy budget of exceptional white-light flares on HR 1099 from the MUSICOS 89 campaign
Foing B.H., Char S., Ayres T., Catala C., Neff J.E., Zhai D.S., Catalano S., Cutispoto G., Jankov S., Rodono M., Simon T., Akan C., Aslanov A., Avellar P., Baudrand J., Beust H., Cao H., Chatzichristou H., Cuby J.G., Czarny J., de la Reza R., Dreux M., Felenbok P., Ferlet R., Frasca A., Floquet M., Ghosh K., Guo Z., Guérin J., Hao J.X., Houdebine E.R., Huang L., Hubert A.M., Hubert H., Huovelin J., Hron J., İbanoğlu C., Jiang S.Y., Keskin V., Lagrange-Henri A.M., Lecontel J.M., Li Q., Mavridis L., Nolthenius R., Petrov P., Savanov I., Scherbakov A., Tuominen I., Vidal-Madjar A., Zhang R., Zhang X. **292**, 543

Stars: individual:... 08.09.2

A 1118–616

Multiwaveband study of a major X-ray outburst from the Be/X-ray transient system A 1118–616
Coe M.J., Roche P., Everall C., Fishman G.J., Hagedon K.S., Finger M., Wilson R.B., Buckley D.A.H., Shrader C., Fabregat J., Polcaro V.F., Giovannelli F., Villada M. **289**, 784

AB And

UBV photometry of the contact binary AB Andromedae
Demircan O., Derman E., Akalin A., Selam S., Müyessoroğlu Z. **289**, 998 (***106***, *373*)

An orbital period study of the contact system AB Andromedae
Kalimeris A., Rovithis-Livaniou H., Rovithis P., Oprescu G., Dumitrescu A., Suran M.D. **291**, 765

AB Cru

Absolute dimensions of AB Crucis: a semi-detached O-type eclipsing binary
Lorenz R., Mayer P., Drechsel H. **291**, 185

AB Dor

Doppler imaging with a CLEAN-like approach. II. A photospheric image of AB Doradus (= HD 36705)
Kürster M., Schmitt J.H.M.M., Cutispoto G. **289**, 899

AC And

The triple-mode variable AC Andromedae
Kovács G., Buchler J.R. **281**, 749

AD Leo

Atmospheric models of flare stars: the quiescent state of AD Leonis
Mauas P.J.D., Falchi A. **281**, 129

AE Aqr

Spin-phase resolved optical spectroscopy of AE Aquarii
Reinsch K., Beuermann K. **282**, 493

AE Phe

Surface imaging of late-type contact binaries I: AE Phoenicis and YY Eridani
Maceroni C., Vilhu O., van 't Veer F., Van Hamme W. **288**, 529

Period variations of the late type contact binaries YY Eri and AE Phe: how to use light curves outside minimum
Maceroni C., van 't Veer F. **289**, 871

AG Car

A study of the luminous blue variable candidate He 3–519 and its surrounding nebula
Smith L.J., Crowther P.A., Prinja R.K. **281**, 833

AG Peg

Temperatures and luminosities of symbiotic novae
Mürset U., Nussbaumer H. **282**, 586

The hot wind in the symbiotic nova AG Pegasi
Vogel M., Nussbaumer H. **284**, 145

AG Per

AG Persei: absolute dimensions and membership of Perseus OB2
Giménez A., Clausen J.V. **291**, 795

AM CVn

(RN) A study of a high resolution IUE spectrum of AM Canum Venaticorum
Solheim J.-E., Sion E.M. **287**, 503

AM Her

X-ray irradiation of white dwarf atmospheres: the soft X-ray spectrum of AM Herculis
van Teeseling A., Heise J., Paerels F. **281**, 119

Aql X-1

ROSAT observations of soft X-ray transients in quiescence
Verbunt F., Belloni T., Johnston H.M., van der Klis M., Lewin W.H.G. **285**, 903

AR Aur

Radii and masses for the young star AR Aurigae
Nordström B., Johansen K.T. **282**, 787

AR Lac

A long-duration X-ray flare on the RS Canum Venaticorum binary AR Lacertae observed with ROSAT
Ottmann R., Schmitt J.H.M.M. **283**, 871

AR Pav

The variable light curve of the eclipsing symbiotic star AR Pavonis
Bruch A., Niehues M., Jones A.F. **287**, 829

AT Mic

High-velocity evaporation during a flare on AT Microscopii
Gunn A.G., Doyle J.G., Mathioudakis M., Houdebine E.R., Avgoloupis S. **285**, 489

AT Peg

Studies of early-type variable stars. XII. Spectroscopic orbit and absolute parameters of AT Pegasi
Maxted P.F.L., Hill G., Hilditch R.W. **285**, 535

AU Mic

The EUV spectrum of AU Microscopii: temperature and density diagnostic from EUVE Spectrometers observations
Monsignori Fossi B.C., Landini M. **284**, 900

Observation and modelling of main sequence star chromospheres. II. Modelling of the AU Microscopii (dM2.5e) hydrogen spectrum
Houdebine E.R., Doyle J.G. **289**, 185

AX Per

On the nature of the outburst stage in the symbiotic binary AX Persei
Skopal A. **286**, 453

Barnard 29 (M 13)

(RN) The helium-to-hydrogen ratio of the UV-bright star Barnard 29 of Messier 13
Adelman S.J., Aikman G.C.L., Hayes D.S., Philip A.G.D., Sweigart A.V. **282**, 134

Abundance analysis of the hot post-AGB star Barnard 29
Conlon E.S., Dufton P.L., Keenan F.P. **290**, 897

BD+19°5116

A trial-and-error approach to the determination of the orbital parameters of visual binaries
Pourbaix D. **290**, 682

BD+26°730

Possible detection of a stellar flare-generated particle beam in polarized light
Saar S.H., Martens P.C.H., Huovelin J., Linnaluoto S. **286**, 194

BD+33°2642

Analysis of BD+33°2642: a newly detected planetary nebula in the galactic halo and its central star
Napiwotzki R., Heber U., Köppen J. **292**, 239

BI CMi

The δ Scuti star BI Canis Minoris (≡ HD 66853): pulsational behaviour and a critical discussion of physical parameter determination
Mantegazza L., Poretti E. **281**, 66

BL Her

The shock wave propagation effects in BL Herculis. I. The Hα profile
Gillet D., Burki G., Chatel A., Duquennoy A., Lèbre A. **286**, 508

The shock wave propagation effects in BL Herculis. II. Nonlinear model and theoretical profile of Hα
Fokin A.B., Gillet D. **290**, 875

BL Tel

The pulsations of yellow semi-regular variables. II. The F supergiant in the high-latitude binary BL Telescopii
Zsoldos E. **286**, 870

BM Gem

Near infrared speckle interferometry and water maser observations of carbon stars with an oxygen-rich circumstellar environment
Engels D., Leinert C. **282**, 858

BN Cnc

Time-resolved photometry of BN and BU Cancri, two δ Scuti stars in the Praesepe cluster. Fourth photometry campaign of the STEPHI network
Belmonte J.A., Michel E., Álvarez M., Jiang S.Y., Chevreton M., Auvergne M., Liu Y.Y., Goupil M.J., Baglin A., Roca Cortés T., Mangeney A., Dolez N., Valtier J.C., Massacrier G., Sareyan J.P., Schmider F.X., Vidal I. **283**, 121

BP Tau

Polar accretion and light variability on T Tauri stars
Gullbring E. **287**, 131

BQ Ser

Chemical composition of selected double-mode Cepheids and the P_1/P_0–[Fe/H] relation
Andrievsky S.M., Kovtyukh V.V., Usenko I.A., Klochkova V.G., Galazutdinov G.A. **292**, 364 (***108**, 433)*

BU Cnc

Time-resolved photometry of BN and BU Cancri, two δ Scuti stars in the Praesepe cluster. Fourth photometry campaign of the STEPHI network
Belmonte J.A., Michel E., Álvarez M., Jiang S.Y., Chevreton M., Auvergne M., Liu Y.Y., Goupil M.J., Baglin A., Roca Cortés T., Mangeney A., Dolez N., Valtier J.C., Massacrier G., Sareyan J.P., Schmider F.X., Vidal I. **283**, 121

BY Cam

UBVRI polarimetry of AM Herculis-type binaries. V. The asynchronous (?) polar BY Camelopardalis (H0538+608)
Piirola V., Coyne G.V., Takalo S.J.L., Larsson S., Vilhu O. **283**, 163

CC Cas

Studies of early-type variable stars. VIII. The massive binary system CC Cassiopeiae
Hill G., Hilditch R.W., Aikman G.C.L., Khalesseh B. **282**, 455

CH Cyg

High velocity and rapidly variable emission features in the spectra of RS Ophiuchi and CH Cygni
Iijima T., Strafella F., Sabbadin F., Bianchini A. **283**, 919

The long-period symbiotic binary CH Cygni. III. Emission line profiles from the rotating accretion disk
Leedjärv L., Mikolajewski M., Tomov T. **287**, 543

Search for the remnants of the 1977–1986 outburst in the quiescent phase of CH Cygni
Jurdana R., Kotnik-Karuza D. **292**, 366 (***108**, 533)*

CO Lac

Apsidal motion in the eclipsing binary CO Lacertae
Wolf M. **286**, 875

CW Tau

Jet flows and disk winds from T Tauri stars: the case of CW Tau
Hirth G.A., Mundt R., Solf J. **285**, 929

Cyg OB2 No. 5

VLA observations of Cyg OB2 No. 5: detection of a weak radio companion and new observations and models for the main component
Miralles M.P., Rodríguez L.F., Tapia M., Roth M., Persi P., Ferrari-Toniolo M., Curiel S. **282**, 547

Cyg X-3

Radio, infrared and X-ray activity of Cygnus X-3
Kitamoto S., Miyamoto S., Waltman E.B, Fiedler R.L., Johnston K.J., Ghigo F.D. **281**, L85

Binary radiopulsars with optical companion
Lipunov V.M., Nazin S.N., Osminkin E.Y., Prokhorov M.E. **282**, 61

(RN) A 21-hour period in the quiescent radio emission of Cygnus X-3
Peracaula M., Paredes J.M., Martí J., Rius A., Estalella R. **285**, 547

High time resolution observations of Cygnus X-3 with EXOSAT
Berger M., van der Klis M. **292**, 175

CZ Ori

The dwarf nova CZ Orionis in outburst
Spogli C., Claudi R.U. **281**, 808

DF Tau

Stationary boundary layers of accretion α disks: profiles and emission properties
Lioure A., Le Contel O. **285**, 185

DH Cep

Spectroscopic analysis of hot binaries. I. The components of DH Cephei
Sturm E., Simon K.P. **282**, 93

DK Cyg

Photoelectric light curve study of the DK Cygni system
Awadalla N.S. **289**, 137

DL Cas

Fundamental parameters of Cepheids. II. Radial velocity data
Bersier D., Burki G., Mayor M., Duquennoy A. **292**, 358 (*108, 25*)

DM Tau

A Keplerian disk around DM Tau?
Guilloteau S., Dutrey A. **291**, L23

DM UMa

Near simultaneous *BV* photometry and Hα spectroscopy of the RS Canum Venaticorum binary DM Ursae Majoris
Mohin S., Raveendran A.V. **286**, 824

DN Tau

Ambiguities of parametrized dust disk models for young stellar objects
Thamm E., Steinacker J., Henning T. **287**, 493

Draco C-1

The ultraviolet spectra of the symbiotic stars MWC 960, FN Sgr, SS 29 and Draco C-1
Munari U., Buson L.M. **287**, 87

DW UMa

Roche tomography: imaging the stars in interacting binaries
Rutten R.G.M., Dhillon V.S. **288**, 773

EP Cnc = HD 73819

EP Cancri: a nonradially pulsating δ Scuti star in the Praesepe cluster
Breger M., Martin B., Garrido R., Jiang S.Y., Li Zhi-ping, Hube D.P., Stich J., Ostermann W., Paparo M. **281**, 90

ER Ori

The W Ursae Majoris system ER Ori: a multiple star
Goecking K.-D., Duerbeck H.W., Plewa T., Kaluzny J., Schertl D., Weigelt G., Flin P. **289**, 827

ER Vul

The active close binary system ER Vulpeculae
Oláh K., Budding E., Kim H.-I., Etzel P.B. **291**, 110

ESO Hα 279

Is ESO Hα 279 a pre-main sequence binary?
Aspin C., Reipurth B., Lehmann T. **288**, 165

ET And

Spectrum variability of ET Andromedae: Si and He surface mapping
Piskunov N., Ryabchikova T.A., Kuschnig R., Weiss W.W. **291**, 910

EU And

Near infrared speckle interferometry and water maser observations of carbon stars with an oxygen-rich circumstellar environment
Engels D., Leinert C. **282**, 858

EV Lac

Coordinated observations of the red dwarf flare star EV Lacertae in 1991
Alekseev I.Y., Gershberg R.E., Ilyin I.V., Shakhovskaya N.I., Shakhovskoy N.M., Avgoloupis S., Mavridis L.N., Seiradakis J.H., Kidger M.R., Panferova I.P., Pustil'nik L.A. **288**, 502

EW Sct

Chemical composition of selected double-mode Cepheids and the P_1/P_0–[Fe/H] relation
Andrievsky S.M., Kovtyukh V.V., Usenko I.A., Klochkova V.G., Galazutdinov G.A. **292**, 364 (*108, 433*)

EXO 2030+375

Soft X-ray observations of EXO 2030+375
Mavromatakis F. **285**, 209

FG Sge

On the pre-decline and decline phases of FG Sagittae, the post-AGB star and central star of the planetary nebula PK 60–7°1
van Genderen A.M. **284**, 465

FK Com

Collected photometry of FK Comae Berenices
Jetsu L., Tuominen I., Antov A., Bopp B.W., Chugainov P.F., Grankin K.N., Linnaluoto S., Melnikov S.Y., Nations H.L., Panov K.P., Shevchenko V.S. **281**, 639 (*103, 183*)

New "flip-flop" of FK Comae Berenices
Jetsu L., Tuominen I., Grankin K.N., Mel'nikov S.Y., Shevchenko V.S. **282**, L9

FN Sgr

The ultraviolet spectra of the symbiotic stars MWC 960, FN Sgr, SS 29 and Draco C-1
Munari U., Buson L.M. **287**, 87

FO Aqr

On the modulated light in the intermediate polar FO Aquarii/ H 2215–086
de Martino D., Buckley D.A.H., Mouchet M., Mukai K. **284**, 125

FU Ori

Ambiguities of parametrized dust disk models for young stellar objects
Thamm E., Steinacker J., Henning T. **287**, 493

G 117–B 15A

FOS observations of G 117–B 15A and the blue edge of the ZZ Ceti instability strip
Koester D., Allard N.F., Vauclair G. **291**, L9

G 191-B2B

G 191-B2B: accurate abundances for nitrogen, silicon, and iron from GHRS observations
Vidal-Madjar A., Allard N.F., Koester D., Lemoine M., Ferlet R., Bertin P., Lallement R., Vauclair G. **287**, 175

GG Tau

Images of the GG Tauri rotating ring
Dutrey A., Guilloteau S., Simon M. **286**, 149

GK Per

Spectroscopic detection of the spin pulse in GK Persei
Reinsch K. **281**, 108

Gr 9 in NGC 2169

Period of the Si-star in NGC 2169
Renson P. **285**, 912

GRO JO422+32

HEXE observations of black hole X-ray transients
Döbereiner S., Maisack M., Englhauser J., Pietsch W., Reppin C., Trümper J., Kendziorra E., Kretschmar P., Kunz M., Staubert R., Efremov V., Kaniovsky A., Kusnetzov A., Sunyaev R. **287**, 105

GRS 1915+105

The radio/infrared counterpart of the hard X-ray transient in Aquila: a possible source of repeated soft gamma-ray bursts
Mirabel I.F., Duc P.A., Rodríguez L.F., Teyssier R., Paul J., Claret A., Aurière M., Golombek D., Martí J. **282**, L17

Grw +70°8247

Line broadening in the presence of strong magnetic fields
Friedrich S., Östreicher R., Ruder H., Zeller G. **282**, 179

GS 2000+25

ROSAT observations of soft X-ray transients in quiescence
Verbunt F., Belloni T., Johnston H.M., van der Klis M., Lewin W.H.G. **285**, 903

HEXE observations of black hole X-ray transients
Döbereiner S., Maisack M., Englhauser J., Pietsch W., Reppin C., Trümper J., Kendziorra E., Kretschmar P., Kunz M., Staubert R., Efremov V., Kaniovsky A., Kusnetzov A., Sunyaev R. **287**, 105

GS 2023+338

ROSAT observations of soft X-ray transients in quiescence
Verbunt F., Belloni T., Johnston H.M., van der Klis M., Lewin W.H.G. **285**, 903

HEXE observations of black hole X-ray transients
Döbereiner S., Maisack M., Englhauser J., Pietsch W., Reppin C., Trümper J., Kendziorra E., Kretschmar P., Kunz M., Staubert R., Efremov V., Kaniovsky A., Kusnetzov A., Sunyaev R. **287**, 105

GX 5–1

Spectral and correlated timing behaviour of GX 5–1
Kuulkers E., van der Klis M., Oosterbroek T., Asai K., Dotani T., van Paradijs J., Lewin W.H.G. **289**, 795

GX 340+0

Simultaneous radio and X-ray observations of GX 340+0
Oosterbroek T., Lewin W.H.G., van Paradijs J., van der Klis M., Penninx W., Dotani T. **281**, 803

H 1705–25

ROSAT observations of soft X-ray transients in quiescence
Verbunt F., Belloni T., Johnston H.M., van der Klis M., Lewin W.H.G. **285**, 903

HD 4628

Detection of EUV emission from the low activity dwarf HD 4628: evidence for a cool corona
Mathioudakis M., Drake J.J., Vedder P.W., Schmitt J.H.M.M., Bowyer S. **291**, 517

HD 21389

A survey of diffuse interstellar bands (3800–8680 Å)
Jenniskens P., Désert F.-X. **288**, 1033 (***106, 39***)

HD 23439B

Duplicity in the solar neighbourhood. VII. Spectroscopic orbits of three K-dwarf stars
Tokovinin A.A., Duquennoy A., Halbwachs J.-L., Mayor M. **282**, 831

HD 28843

Stratification of helium in the photospheres of the helium-weak stars HD 28843 and HD 49333
Farthmann M., Dreizler S., Heber U., Hunger K. **291**, 919

HD 30614

A survey of diffuse interstellar bands (3800–8680 Å)
Jenniskens P., Désert F.-X. **288**, 1033 (***106, 39***)

HD 37017

Incidence of X-ray sources among magnetic chemically peculiar stars
Leone F. **286**, 486

HD 37151

HD 37151: a new "slowly pulsating B star"
North P., Paltani S. **288**, 155

HD 43819

Elemental abundance studies of CP stars: The silicon star HD 43819 and the CP star HD 147550
Lopez-Garcia Z., Adelman S.J. **292**, 353 (***107, 353***)

HD 49333

Stratification of helium in the photospheres of the helium-weak stars HD 28843 and HD 49333
Farthmann M., Dreizler S., Heber U., Hunger K. **291**, 919

HD 50123

Evidence for ellipsoidal variations of the Be star binary HD 50123
Sterken C., Vogt N., Mennickent R. **291**, 473

HD 66068/9

Contribution to the study of composite spectra. VI. HD 66068–9 *(Text in French)*
Carquillat J.M., Ginestet N., Duquennoy A., Pédoussaut A. **289**, 1002 (***106, 597***)

HD 66853

The δ Scuti star BI Canis Minoris (≡ HD 66853): pulsational behaviour and a critical discussion of physical parameter determination
Mantegazza L., Poretti E. **281**, 66

HD 77581

Spectroscopic evidence for photo-ionization wakes in Vela X-1 and 4U 1700–37
Kaper L., Hammerschlag-Hensberge G., Zuiderwijk E.J. **289**, 846

HD 96548

WR 40: coherence or chaos?
Matthews J.M., Moffat A.F.J. **283**, 493

HD 97048

Extended mid-infrared emission around Herbig Ae/Be stars
Prusti T., Natta A., Palla F. **292**, 593

HD 97300

Extended mid-infrared emission around Herbig Ae/Be stars
Prusti T., Natta A., Palla F. **292**, 593

HD 101584

Spectral line identification of the ultraviolet spectrum of the peculiar post-AGB star HD 101584 (F0Iape)
Bakker E.J. **281**, 640 (***103, 189***)

HD 101841

A spectroscopic and photometric study of the giant star HD 101841: a very short-period binary system
De Medeiros J.R., Duquennoy A., Lèbre A., Burki G. **286**, 481

HD 105513

Geneva seven-colour photometry and frequency analysis of the δ Scuti star HD 105513
Heynderickx D. **283**, 835

HD 106225

Rotational-modulation mapping of the active atmosphere of the RS Canum Venaticorum binary HD 106225
Strassmeier K.G. **281**, 395

On the possible source of GRB 930131
Rao A.R., Vahia M.N. **287**, L34

HD 106384

Simultaneous intensive photometry and high resolution spectroscopy of δ Scuti stars. I. Mode typing of HD 106384≡FG Virginis
Mantegazza L., Poretti E., Bossi M. **287**, 95

HD 140283

Boron in the extreme Population II star HD 140283 and the production of light elements in the Early Galaxy
Edvardsson B., Gustafsson B., Johansson S.G., Kiselman D., Lambert D.L., Nissen P.E., Gilmore G. **290**, 176

HD 142994

The variable λBootis star HD 142994
Weiss W.W., Paunzen E., Kuschnig R., Schneider H. **281**, 797

HD 147550

Elemental abundance studies of CP stars: The silicon star HD 43819 and the CP star HD 147550
Lopez-Garcia Z., Adelman S.J. **292**, 353 (***107, 353***)

HD 153919

Spectroscopic evidence for photo-ionization wakes in Vela X-1 and 4U 1700–37
Kaper L., Hammerschlag-Hensberge G., Zuiderwijk E.J. **289**, 846

HD 163296

Rapid line-profile variability of Hα and Hβ in the A-type shell star HD 163296
Pogodin M.A. **282**, 141

HD 168607

A dusty nebula around the luminous blue variable candidate HD 168625
Hutsemékers D., Van Drom E., Gosset E., Melnick J. **290**, 906

HD 168625

A dusty nebula around the luminous blue variable candidate HD 168625
Hutsemékers D., Van Drom E., Gosset E., Melnick J. **290**, 906

HD 176386

Extended mid-infrared emission around Herbig Ae/Be stars
Prusti T., Natta A., Palla F. **292**, 593

HD 177566

Ultraviolet Fe III lines in the spectra of high galactic latitude early-type stars
Kendall T.R., Conlon E.S., Dufton P.L., Keenan F.P. **290**, 563

Optical observations of the hot post-asymptotic giant branch star, HD 177566
Kendall T.R., Brown P.J.F., Conlon E.S., Dufton P.L., Keenan F.P. **291**, 851

HD 183143

A survey of diffuse interstellar bands (3800–8680 Å)
Jenniskens P., Désert F.-X. **288**, 1033 (***106, 39***)

HD 184905

uvby photometry of the chemically peculiar stars α Andromedae, HD 184905, HR 8216, and HR 8434
Adelman S.J., Brown B.H., Caliskan H., Reese D.F., Adelman C.J. **289**, 666 (***106, 333***)

HD 187216

Chemical composition of the metal-poor carbon star HD 187216
Kipper T., Jørgensen U.G. **290**, 148

HD 190603

A survey of diffuse interstellar bands (3800–8680 Å)
Jenniskens P., Désert F.-X. **288**, 1033 (***106, 39***)

HD 192163

Non-LTE spectral analyses of Wolf-Rayet stars: the nitrogen spectrum of the WN6 prototype HD 192163 (WR136)
Hamann W.-R., Wessolowski U., Koesterke L. **281**, 184

HD 192913

uvby photometry of the magnetic chemically peculiar stars 63 Andromedae, HD 192913, HR 8240, and 108 Aquarii
Adelman S.J., Knox Jr J.R. **281**, 636 (***103, 1***)

HD 193793

Multi-frequency variations of the Wolf–Rayet system HD 193793. II. Observations of the 1991–92 radio maximum
Williams P.M., van der Hucht K.A., Spoelstra T.A.T. **291**, 805

HD 200775

Profile variations of the Hα emission line in the Herbig B3e star HD 200775
Beskrovnaya N.G., Pogodin M.A., Shcherbakov A.G., Tarasov A.E. **287**, 564

HD 211853

Photometry of the Wolf-Rayet binary HD 211853 in the Vilnius photometric system
Annuk K. **282**, 137

HD 217580

Duplicity in the solar neighbourhood. VII. Spectroscopic orbits of three K-dwarf stars
Tokovinin A.A., Duquennoy A., Halbwachs J.-L., Mayor M. **282**, 831

HD 237287

Duplicity in the solar neighbourhood. VII. Spectroscopic orbits of three K-dwarf stars
Tokovinin A.A., Duquennoy A., Halbwachs J.-L., Mayor M. **282**, 831

HDE 283572

Doppler imaging of the T Tauri star HDE 283572
Joncour I., Bertout C., Bouvier J. **291**, L19

He 3–519

A study of the luminous blue variable candidate He 3–519 and its surrounding nebula
Smith L.J., Crowther P.A., Prinja R.K. **281**, 833

HE 1045–0908

HE 1045–0908: a new magnetic DA white dwarf with a distinctive Zeeman line splitting pattern
Reimers D., Jordan S., Köhler T., Wisotzki L. **285**, 995

Hen 1379

Image reconstruction by the wavelet transform applied to aperture synthesis
Starck J.-L., Bijaoui A., Lopez B., Perrier C. **283**, 349

Her X-1

Observation of Hercules X-1 with the ROSAT wide field camera
Rochester G.K., Barnes J., Sidher S., Sumner T.J., Bewick A., Corrigan R., Quenby J.J. **283**, 884

Instability in a braking disk: Herculis X-1 in the inactive state
Meyer F., Meyer-Hofmeister E. **287**, 559

Herculis X-1: coronal winds producing the tilted shape of the accretion disk
Schandl S., Meyer F. **289**, 149

HK Lac

A strong Hα flare on HK Lacertae
Catalano S., Frasca A. **287**, 575

HM Sag

1978–1993 *UBVR–JHKLMN* photometry of the very slow nova and symbiotic Mira HM Sagittae. I. The data
Yudin B., Munari U., Taranova O., Dalmeri I. **287**, 1037 (***105, 169***)

HR 1099

Multisite continuous spectroscopy. III. Photometric analysis and spot modelling of the light curves of HR 1099 before and after the 1989 optical flares
Zhai D.S., Foing B.H., Cutispoto G., Zhang R.X., Catala C., Char S., Zhang X.B., Jankov S. **282**, 168

Multi-site continuous spectroscopy. II. Spectrophotometry and energy budget of exceptional white-light flares on HR 1099 from the MUSICOS 89 campaign
Foing B.H., Char S., Ayres T., Catala C., Neff J.E., Zhai D.S., Catalano S., Cutispoto G., Jankov S., Rodono M., Simon T., Akan C., Aslanov A., Avellar P., Baudrand J., Beust H., Cao H., Chatzichristou H., Cuby J.G., Czarny J., de la Reza R., Dreux M., Felenbok P., Ferlet R., Frasca A., Floquet M., Ghosh K., Guo Z., Guérin J., Hao J.X., Houdebine E.R., Huang L., Hubert A.M., Hubert H., Huovelin J., Hron J., İbanoğlu C., Jiang S.Y., Keskin V., Lagrange-Henri A.M., Lecontel J.M., Li Q., Mavridis L., Nolthenius R., Petrov P., Savanov I., Scherbakov A., Tuominen I., Vidal-Madjar A., Zhang R., Zhang X. **292**, 543

HR 2554

The corona of the G-type giant HR 2554: discovery of co-existing, very different temperature regimes
Schröder K.-P., Hünsch M. **289**, 893

HR 2825

Line formation in Be star envelopes. I. Inhomogeneous density distributions
Hummel W. **289**, 458

HR 7275

Time-series photometric spot modeling. II. Fifteen years of photometry of the bright RS CVn binary HR 7275
Strassmeier K.G., Hall D.S., Henry G.W. **282**, 535

HR 7308

The chemical composition of the s-Cepheids. I. α Ursae Minoris (Polaris) and HR 7308 (V 473 Lyrae): unique Cepheids of the Galaxy
Andrievsky S.M., Kovtyukh V.V., Usenko I.A. **281**, 465

HR 7551

New spectroscopic orbital elements of the B-type binary HR 7551
Raja T. **284**, 82

HR 8216

uvby photometry of the chemically peculiar stars α Andromedae, HD 184905, HR 8216, and HR 8434
Adelman S.J., Brown B.H., Caliskan H., Reese D.F., Adelman C.J. **289**, 666 (***106**, 333*)

HR 8240

uvby photometry of the magnetic chemically peculiar stars 63 Andromedae, HD 192913, HR 8240, and 108 Aquarii
Adelman S.J., Knox Jr J.R. **281**, 636 (***103**, 1*)

HR 8434

uvby photometry of the chemically peculiar stars α Andromedae, HD 184905, HR 8216, and HR 8434
Adelman S.J., Brown B.H., Caliskan H., Reese D.F., Adelman C.J. **289**, 666 (***106**, 333*)

HR 8800

Detection of a photometric period in the non-eclipsing binary HR 8800. Towards a better description of the system
Sareyan J.P., Chauville J., Van't Veer F., Alvarez M., Gonzalez-Bedolla S., Valera F. **291**, 815

HS 0704+6153

A "cool" PG 1159 star discovered by the Hamburg Schmidt Survey: NLTE analysis of HS 0704+6153
Dreizler S., Werner K., Jordan S., Hagen H. **286**, 463

HV 837 (SMC)

Cepheids and binarity. I. Spectroscopic orbits of three binary Magellanic Cepheids: HV 883, HV 837, HV 11157 *(Text in French)*
Imbert M. **287**, 1033 (***105**, 1*)

HV 883 (LMC)

Cepheids and binarity. I. Spectroscopic orbits of three binary Magellanic Cepheids: HV 883, HV 837, HV 11157 *(Text in French)*
Imbert M. **287**, 1033 (***105**, 1*)

HV 11157 (SMC)

Cepheids and binarity. I. Spectroscopic orbits of three binary Magellanic Cepheids: HV 883, HV 837, HV 11157 *(Text in French)*
Imbert M. **287**, 1033 (***105**, 1*)

HV Tau

A Herbig-Haro flow in HV Tauri
Magazzù A., Martín E.L. **287**, 571

IDS 17121S3453

A trial-and-error approach to the determination of the orbital parameters of visual binaries
Pourbaix D. **290**, 682

II Peg

Unusual flares at 360 and 609 MHz in the RS Canum Venaticorum-system II Pegasi observed with the WSRT: coherent emission from II Pegasi
van den Oord G.H.J., de Bruyn A.G. **286**, 181

IL Vel

A new frequency analysis of photometric observations of the β Cephei star IL Velorum
Heynderickx D., Haug U. **288**, 1034 (***106**, 79*)

IRAS 10215–5916

Nebular emission lines in IRAS 10215–5916
García-Lario P., Manchado A., Parthasarathy M., Pottasch S.R. **285**, 179

IRC+10216

The radial distribution of HC_3N molecules in IRC+10216
Audinos P., Kahane C., Lucas R. **287**, L5

Theoretical spectra of circumstellar dust shells around carbon-rich asymptotic giant branch stars
Winters J.M., Dominik C., Sedlmayr E. **288**, 255

A new chemical model of the circumstellar envelope surrounding IRC+10216
Millar T.J., Herbst E. **288**, 561

Images of low excitation HC_3N emission from IRC+10°216
Wootten A., Nguyen-Q-Rieu, Truong-Bach **290**, 198

IRC+10420

Discovery of near-infrared hydrogen line emission in the peculiar F8 hypergiant IRC+10420
Oudmaijer R.D., Geballe T.R., Waters L.B.F.M., Sahu K.C. **281**, L33

IU Aur

New photometric and spectroscopic results for IU Aurigae – an early-type eclipsing binary in a multiple system
Drechsel H., Haas S., Lorenz R., Mayer P. **284**, 853

KK Vel

Mode identification with the moment method in four multiperiodic β Cephei stars: KK Velorum, ν Eri, β CMa, and V 348 Normae
Aerts C., Waelkens C., De Pauw M. **286**, 136

KPD 0005+5106

Spectral analysis of the hottest known helium-rich white dwarf: KPD 0005+5106
Werner K., Heber U., Fleming T. **284**, 907

KY Cep

On the nature of KY Cephei
Hudec R., Dědoch A. **282**, 452

LHS 1070

Two faint companions to the nearby low-mass star LHS 1070
Leinert C., Weitzel N., Richichi A., Eckart A., Tacconi-Garman L.E. **291**, L47

LkHα 198

A submillimeter protostar near LkHα 198
Sandell G., Weintraub D.A. **292**, L1

LSI +61°303

Photometric and Hα observations of LSI +61°303: detection of a ~26 day V and JHK band modulation
Paredes J.M., Marziani P., Martí J., Fabregat J., Coe M.J., Everall C., Figueras F., Jordi C., Norton A.J., Prince T., Reglero V., Roche P., Torra J., Unger S.J., Zamanov R. **288**, 519

A model of the source LS I +61°303
Lipunov V.M., Nazin S.N. **289**, 822

A search for near-infrared variability in LSI+61°303
Hunt L.K., Massi M., Zhekov S.A. **290**, 428

M 13-II-90

Investigation of the II-90 giant in globular cluster M 13
Klochkova V.G., Mishenina T.V., Panchuk V.E. **287**, 881

Melnick 42

Radiation-driven winds of hot luminous stars. XII. A first step towards detailed UV-line diagnostics of O-stars
Pauldrach A.W.A., Kudritzki R.P., Puls J., Butler K., Hunsinger J. **283**, 525

Mrk 509C

Detecting red stellar companions to hot subdwarfs with CCD imaging
Thejll P., Theissen A., Jimenez R. **292**, 457

MWC 349

A submillimeter recombination line maser in MWC 349
Thum C., Matthews H.E., Martín-Pintado J., Serabyn E., Planesas P., Bachiller R. **283**, 582

New radio recombination maser features and CO observations in MWC 349
Martín-Pintado J., Neri R., Thum C., Planesas P., Bachiller R. **286**, 890

Detection of H 21α maser emission at 662 GHz in MWC 349
Thum C., Matthews H.E., Harris A.I., Tacconi L.J., Schuster K.F., Martín-Pintado J. **288**, L25

MWC 960

The ultraviolet spectra of the symbiotic stars MWC 960, FN Sgr, SS 29 and Draco C-1
Munari U., Buson L.M. **287**, 87

MXB 1730-335

A magnetic explanation for the rapid burster
Kuijpers J., Kuperus M. **286**, 491

MXB 1735–44

(RN) Optical study of LMXBs with high temporal resolution: evidence for non-thermal flares from MXB 1735–44
Beskin G., Neizvestny S., Plokhotnichenko V., Popova M., Zhuravkov A., Benvenuto O.G., Feinstein C., Méndez M. **289**, 141

NGC 206–231 (M 31)

Ultraviolet and optical spectroscopy of a B supergiant star in M 31
Bianchi L., Lamers H.J.G.L.M., Hutchings J.B., Massey P., Kudritzki R., Herrero A., Lennon D.J. **292**, 213

NGC 2024–IRS 2

NGC 2024–IRS 2: an outburst in its near-infrared line and continuum emission
Nisini B., Smith H.A., Fischer J., Geballe T.R. **290**, 463

Nova Aql 1993

UBV-JHKLM photometry of Nova Aquilae 1993. The first 220 days
Munari U., Yudin B.F., Kolotilov E.A., Shenavrin V.I., Sostero G., Lepardo A. **284**, L9

Nova Cyg 1978

Theoretical light curve for a classical nova: nova Cygni 1978
Kato M. **281**, L49

Nova Cyg 1992

Imaging the shell of Nova Cygni 1992 with HST
Paresce F. **282**, L13

Nova Oph 1993

The optical and radio counterpart of the X-ray Nova Ophiuchi 1993
Della Valle M., Mirabel I.F., Rodriguez L.F. **290**, 803

Novae Muscae

e^+–e^- annihilation lines from accretion discs around Kerr black holes
Hameury J.-M., Marck J.-A., Pelat D. **287**, 795

OH 26.5+0.6

Image reconstruction by the wavelet transform applied to aperture synthesis
Starck J.-L., Bijaoui A., Lopez B., Perrier C. **283**, 349

OH/IR 32.8–0.3

The mass loss rates of OH/IR 32.8–0.3 and OH/IR 44.8–2.3
Groenewegen M.A.T. **290**, 544

OH/IR 44.8–2.3

The mass loss rates of OH/IR 32.8–0.3 and OH/IR 44.8–2.3
Groenewegen M.A.T. **290**, 544

P Cyg

Long-term spectroscopic monitoring of P Cygni-type stars. II. Spectroscopic variations of P Cygni during 1990–1992
Stahl O., Wolf B., Gäng T., Kaufer A., Szeifert T., Zhao F. **290**, 1019 (***107, 1***)

How did the spectrum of P Cygni look in 1985? Spectral atlas with complete line identifications in the wavelength range from 3550 to 4800 Å
Markova N. **292**, 367 (***108, 561***)

PG 0822+645

Detecting red stellar companions to hot subdwarfs with CCD imaging
Thejll P., Theissen A., Jimenez R. **292**, 457

PG 1012–029

High speed photometry of PG 1012–029
Ashoka B.N., Seetha S., Marar T.M.K., Kasturirangan K., Rao U.R., Bhattacharyya J.C. **283**, 455

PG 2120+062

PG 2120+062: an apparently normal O-star at high galactic latitude
Moehler S., Heber U., Dreizler S. **282**, L29

Procyon

Three-dimensional hydrodynamic models of solar granulation and their application to a spectral analysis problem
Atroshchenko I.N., Gadun A.S. **291**, 635

Pt 1

Pt 1: a Halo symbiotic binary not related to the globular cluster NGC 6401
Munari U., Lattanzi M.G., Bragaglia A. **292**, 501

PU Vul

The development of the symbiotic nova PU Vulpeculae in the years 1984–1992
Klein A., Bruch A., Luthardt R. **284**, 700 (***104, 99***)

R Aqr

New HST observations of the core of R Aquarii. I. Imaging
Paresce F., Hack W. **287**, 154

R Sct

Multiwavelength observations of RV Tauri stars. III. R Scuti
Shenton M., Monier R., Evans A., Carter B., Lloyd Evans T., Marang F., Parker Q.A., Rawlings J.M.C., Scott A.D., van Wyk F. **287**, 866

RR Tel

Temperatures and luminosities of symbiotic novae
Mürset U., Nussbaumer H. **282**, 586

A model for the X-ray spectrum of the symbiotic nova RR Telescopii
Jordan S., Mürset U., Werner K. **283**, 475

The identification of krypton, xenon, and other elements of rows 4, 5, and 6 of the periodic table in the planetary nebula NGC 7027
Péquignot D., Baluteau J.-P. **283**, 593

Erratum The identification of krypton, xenon, and other elements of rows 4, 5, and 6 of the periodic table in the planetary nebula NGC 7027
Péquignot D., Baluteau J.-P. **289**, 659

RS Oph

The identification of krypton, xenon, and other elements of rows 4, 5, and 6 of the periodic table in the planetary nebula NGC 7027
Péquignot D., Baluteau J.-P. **283**, 593

High velocity and rapidly variable emission features in the spectra of RS Ophiuchi and CH Cygni
Iijima T., Strafella F., Sabbadin F., Bianchini A. **283**, 919

Erratum The identification of krypton, xenon, and other elements of rows 4, 5, and 6 of the periodic table in the planetary nebula NGC 7027
Péquignot D., Baluteau J.-P. **289**, 659

RT Lac

Luminosity variations and orbital period changes in RT Lacertae
Keskin V., İbanoğlu C., Akan M.C., Evren S., Tunca Z. **287**, 817

RT LMi

RT Leonis Minoris: a spotted W Ursae Majoris system
Niarchos P.G., Hoffmann M., Duerbeck H.W. **281**, 637 (***103, 39***)

RX J0439.8-6908 (LMC)

Another supersoft X-ray source in the LMC
Greiner J., Hasinger G., Thomas H.-C. **281**, L61

RX J0531.5–4624

RX J0531.5–4624: a new ROSAT-discovered AM Herculis binary in the ‚period gap'
Reinsch K., Burwitz V., Beuermann K., Schwope A.D., Thomas H.-C. **291**, L27

RX J0558.0+5353

Discovery of the new intermediate polar RX J0558.0+5353
Haberl F., Thorstensen J.R., Motch C., Schwarzenberg-Czerny A., Pakull M., Shambrook A., Pietsch W. **291**, 171

RX J0925.7–4758

Discovery of a luminous galactic supersoft X-ray source in the ROSAT all-sky survey
Motch C., Hasinger G., Pietsch W. **284**, 827

RX J1940.1–1025

On the newly discovered 3.4 hour modulated X-ray source (RX J1940.1–1025) near NGC 6814
Staubert R., König M., Friedrich S., Lamer G., Sood R.K., James S.D., Sharma D.P. **288**, 513

RZ Cas

Studies of early-type variable stars. XI. Absolute parameters of the Algol system RZ Cassiopeiae
Maxted P.F.L., Hill G., Hilditch R.W. **282**, 821

RZ Dra

Investigation of the semidetached eclipsing binary RZ Draconis
Kreiner J.M., Pajdosz G., Tremko J., Zola S. **285**, 459

S 32

S 32 and UKS-Ce1: two barium-rich symbiotic stars
Schmid H.M. **284**, 156

S CMi

Confrontation between power spectra of Mira stars and theoretical models
Barthès D., Tuchman Y. **289**, 429

S Sct

The circumstellar envelope of S Scuti
Groenewegen M.A.T., de Jong T. **282**, 115

SAO 75669

(RN) SAO 75669: a late-type giant behind the molecular cloud MBM 12
Bhatt H.C., Sagar R., Subramaniam A., Gorti U., Chandrasekhar T., Ashok N.M., Ragland S. **289**, 946

SAO 91772

(RN) Optical variability of SAO 91772: a serendipitous X-ray source
Rodonò M., Cutispoto G., Messina S. **281**, 756

SGR 1806–20

The lognormal properties of the soft gamma-ray repeater SGR 1806–20 and the Vela pulsar
Hurley K.J., McBreen B., Rabbette M., Steel S. **288**, L49

Sirius

GHRS observations of Sirius-A. I. Interstellar clouds toward Sirius and Local Cloud ionization
Lallement R., Bertin P., Ferlet R., Vidal-Madjar A., Bertaux J.L. **286**, 898

Sk–66°41 (LMC)

Further decomposition of a "very massive" star
Heydari-Malayeri M., Beuzit J.-L. **287**, L17

Sk–67°105

Empirical masses and radii for the luminous binary Sk–67°105 in the LMC
Haefner R., Simon K.P., Fiedler A. **288**, L9

SS 29

The ultraviolet spectra of the symbiotic stars MWC 960, FN Sgr, SS 29 and Draco C-1
Munari U., Buson L.M. **287**, 87

SS Cyg

An optical time-resolved spectroscopic study of SS Cygni. I. Quiescence
Martínez-Pais I.G., Giovannelli F., Rossi C., Gaudenzi S. **291**, 455

SSV 13 (in NGC 1333)

(RN) Near-IR monitoring of the pre-main sequence star SSV 13: October 1990 to December 1993
Aspin C., Sandell G. **288**, 803

SV Cam

Basic system parameters and a more general spot solution of the SV Camelopardalis light curve
Patkós L., Hempelmann A. **292**, 119

SV Cen

Origin and evolution of semi-detached binaries: β Lyrae and SV Centauri
De Greve J.P., Linnell A.P. **291**, 786

SX Cen

Multiwavelength observations of RV Tauri stars. IV. SX Centauri
Shenton M., Evans A., Albinson J.S., Barrett P., Davies J.K., Goldsmith M.J., Hutchinson M.G., Laney D., Maddison R.C. **292**, 102

SY Mus

High resolution spectroscopy of symbiotic stars. I. SY Muscae: orbital elements, M giant radius, distance
Schmutz W., Schild H., Mürset U., Schmid H.M. **288**, 819

SZ Cam

SZ Cam – early-type eclipsing binary with a third body
Mayer P., Lorenz R., Chochol D., Irsmambetova T.R. **288**, L13

SZ Psc

(RN) Ultraviolet flare activity on the eclipsing binary SZ Piscium
Doyle J.G., Mitrou C.K., Mathioudakis M., Antonopoulou E. **283**, 522

Surface inhomogeneities on SZ Piscium
Doyle J.G., Mitrou C.K., Mathioudakis M., Avgoloupis S., Mavridis L.N., Varvoglis P.P., Graos F., Antonopoulou E. **291**, 135

T Tau

The spatial distribution of excited H_2 in T Tauri: a molecular outflow in a young binary system
van Langevelde H.J., van Dishoeck E.F., van der Werf P.P., Blake G.A. **287**, L25

TV Col

Periodicities in the optical brightness variations of the intermediate polar TV Columbae
Augusteijn T., Heemskerk M.H.M., Zwarthoed G.A.A., van Paradijs J. **292**, 351 (***107**, 219*)

TX Psc

Angular diameters of the carbon stars UU Aurigae, Y Canum Venaticorum, and TX Piscium from optical long-baseline interferometry
Quirrenbach A., Mozurkewich D., Hummel C.A., Buscher D.F., Armstrong J.T. **285**, 541

TY CrA

Direct determination of stellar and orbital parameters of the spectroscopic binary TZ CrA
Corporon P., Lagrange A.M., Bouvier J. **282**, L21

Erratum Direct determination of stellar and orbital parameters of the spectroscopic binary TY CrA
Corporon P., Lagrange A.M., Bouvier J. **289**, 660

U Hya

Resolution of a fossil dust shell around U Hydrae using maximum entropy image reconstruction
Waters L.B.F.M., Loup C., Kester D.J.M., Bontekoe T.R., de Jong T. **281**, L1

U Mon

Multiwavelength observations of RV Tauri stars. II. U Monocerotis
Shenton M., Evans A., Cardelli J.A., Marang F., van Wyk F., Weight A. **287**, 852

U Sge

Evolutionary status of U Sagittae
Sarna M.J., De Greve J.-P. **281**, 433

UKS-Ce1

S 32 and UKS-Ce1: two barium-rich symbiotic stars
Schmid H.M. **284**, 156

UU Aur

Angular diameters of the carbon stars UU Aurigae, Y Canum Venaticorum, and TX Piscium from optical long-baseline interferometry
Quirrenbach A., Mozurkewich D., Hummel C.A., Buscher D.F., Armstrong J.T. **285**, 541

UU Cnc

Rediscussion of photometric data and an accretion disk model for the 96-day binary UU Cancri
Zola S., Hall D.S., Henry G.W. **285**, 531

UX Ori

The β Pictoris phenomenon among young stars. I. The case of the Herbig Ae star UX Orionis
Grinin V.P., Thé P.S., de Winter D., Giampapa M., Rostopchina A.N., Tambovtseva L.V., van den Ancker M.E. **292**, 165

UX UMa

Spectral eclipse mapping of the accretion disk in the nova-like variable UX Ursae Majoris
Rutten R.G.M., Dhillon V.S., Horne K., Kuulkers E. **283**, 441

V 348 Nor

Mode identification with the moment method in four multiperiodic β Cephei stars: KK Velorum, ν Eri, β CMa, and V 348 Normae
Aerts C., Waelkens C., De Pauw M. **286**, 136

V 348 Sgr

V 348 Sagittarii: analysis of the [WC 12] stellar spectrum
Leuenhagen U., Hamann W.-R. **283**, 567

High-resolution optical spectroscopy of the hot R CrB star V 348 Sagittarii
Leuenhagen U., Heber U., Jeffery C.S. **283**, 714 (***103**, 445*)

V 350 Cep

Long-slit spectroscopy and direct imaging of the PMS objects GGD 33 and V 350 Cephei in NGC 7129
Miranda L.F., Eiroa C., Fernández M., Gómez de Castro A.I. **281**, 864

V 376 Cas

A submillimeter protostar near LkHα 198
Sandell G., Weintraub D.A. **292**, L1

V 410 Tau

A Doppler image of the weak T Tauri star V 410 Tau
Strassmeier K.G., Welty A.D., Rice J.B. **285**, L17

Doppler imaging of the T Tauri star V 410 Tau
Joncour I., Bertout C., Ménard F. **285**, L25
Photometric and spectroscopic observations of the spotted T Tauri star V 410 Tauri
Petrov P.P., Shcherbakov V.A., Berdyugina S.V., Shevchenko V.S., Grankin K.N., Melnikov S.Y. **290**, 1019 (***107, 9***)

V 417 Cen

V 417 Centauri: a yellow symbiotic system in a resolved nebula
Van Winckel H., Schwarz H.E., Duerbeck H.W., Fuhrmann B. **285**, 241

V 453 Cyg

Disentangling of composite spectra
Simon K.P., Sturm E. **281**, 286

V 471 Tau

Long-term luminosity variations and period changes in V 471 Tauri
İbanoğlu C., Keskin V., Akan M.C., Evren S., Tunca Z. **281**, 811

V 505 Sgr

The V 505 Sagittarii system: new *B*, *V* photoelectric observations and light curve analysis
Rovithis-Livaniou H., Rovithis P. **287**, 1034 (***105, 47***)

V 536 Aql

SHARP images of the pre-main sequence star V 536 Aquilae: a highly polarized binary
Ageorges N., Ménard F., Monin J.-L., Eckart A. **283**, L5

V 720 Oph

An OH maser towards the globular cluster NGC 6171
Feast M.W., Whitelock P.A. **287**, L29
Stellar OH masers toward globular clusters
Frail D.A., Beasley A.J. **290**, 796

V 778 Cyg

Near infrared speckle interferometry and water maser observations of carbon stars with an oxygen-rich circumstellar environment
Engels D., Leinert C. **282**, 858

V 841 Oph

Spectroscopic observations of the Mt. Stromlo MACHO candidate
Della Valle M. **287**, L31

V 1229 Aql

Erratum Study of nova shells. I. V 1229 Aquilae (1970): nebular expansion parallax and luminosity
Della Valle M., Duerbeck H.W. **281**, 967

V 1318 Cyg

The remarkable pre-main sequence object V 1318 Cygni
Aspin C., Sandell G., Weintraub D.A. **282**, L25

vdBH 65b

Optical outflows in the vicinity of the southern Herbig Ae/Be star vdB 65b
Ray T.P., Eislöffel J. **290**, 605

Vela X-1

ROSAT soft X-ray observations of the supergiant X-ray binary Vela X-1
Haberl F. **288**, 791

VV Pup

Locating the emission line regions in polars: Doppler imaging of VV Puppis
Diaz M.P., Steiner J.E. **283**, 508

VW Hyi

Accretion disk evaporation by a coronal siphon flow
Meyer F., Meyer-Hofmeister E. **288**, 175
Systematics of dwarf nova outbursts: a parameter study in the framework of the disk-instability model
Ludwig K., Meyer-Hofmeister E., Ritter H. **290**, 473

VX Pup

Chemical composition of selected double-mode Cepheids and the P_1/P_0–[Fe/H] relation
Andrievsky S.M., Kovtyukh V.V., Usenko I.A., Klochkova V.G., Galazutdinov G.A. **292**, 364 (***108, 433***)

VY Aqr

Time resolved spectroscopy of the dwarf nova VY Aquarii in superoutburst and quiescence
Augusteijn T. **292**, 481

W Sgr

Fundamental parameters of Cepheids. II. Radial velocity data
Bersier D., Burki G., Mayor M., Duquennoy A. **292**, 358 (***108, 25***)

WR 40

WR 40: coherence or chaos?
Matthews J.M., Moffat A.F.J. **283**, 493

WX Ari

(RN) WX Arietis: a low-inclination SW Sextantis star
Hellier C., Ringwald F.A., Robinson E.L. **289**, 148

WX Cet

A spectroscopic and photometric study of the long cycle dwarf nova WX Ceti in quiescence
Mennickent R. **285**, 979

X Per

ROSAT soft X-ray observations of the Be/X-ray binary X Persei
Haberl F. **283**, 175

XX Oph

PAH emission in XX Ophiuchi
Evans A. **288**, L37

XZ Leo

The hot contact binary XZ Leonis
Niarchos P.G., Hoffmann M., Duerbeck H.W. **292**, 494

Y CVn

Angular diameters of the carbon stars UU Aurigae, Y Canum Venaticorum, and TX Piscium from optical long-baseline interferometry
Quirrenbach A., Mozurkewich D., Hummel C.A., Buscher D.F., Armstrong J.T. **285**, 541

Y Cyg

Spectroscopic analysis of hot binaries. II. The components of Y Cygni
Simon K.P., Sturm E., Fiedler A. **292**, 507

YY Eri

Surface imaging of late-type contact binaries I: AE Phoenicis and YY Eridani
Maceroni C., Vilhu O., van 't Veer F., Van Hamme W. **288**, 529

Period variations of the late type contact binaries YY Eri and AE Phe: how to use light curves outside minimum
Maceroni C., van 't Veer F. **289**, 871

YZ CMi

(RN) An optical flare on YZ Canis Minoris
Gunn A.G., Doyle J.G., Mathioudakis M., Avgoloupis S. **285**, 157

Z And

Three periodicities in a 98-year light curve of the symbiotic star Z Andromedae
Formiggini L., Leibowitz E.M. **292**, 534

α And

uvby photometry of the chemically peculiar stars α Andromedae, HD 184905, HR 8216, and HR 8434
Adelman S.J., Brown B.H., Caliskan H., Reese D.F., Adelman C.J. **289**, 666 (***106**, 333*)

α Cen

Dynamics of nearby multiple stars. The α Centauri system
Anosova J., Orlov V.V., Pavlova N.A. **292**, 115

α Cir

A search for rapid radial velocity variations in α Circini
Hatzes A.P., Kürster M. **285**, 454

α Gem

Measurement of the atmospheric limit to narrow-angle interferometric astrometry using the Mark III stellar interferometer
Colavita M.M. **283**, 1027

Spatially resolved X-ray and radio observations of Castor A+B+C
Schmitt J.H.M.M., Güdel M., Predehl P. **287**, 843

α Lup

A spectroscopic analysis of the β Cephei star α Lupi
Mathias P., Aerts C., De Pauw M., Gillet D., Waelkens C. **283**, 813

α Lyr

Model atmospheres for Vega
Castelli F., Kurucz R.L. **281**, 817

Vega: smaller dust grains in a larger shell
van der Bliek N.S., Prusti T., Waters L.B.F.M. **285**, 229

α Scl

Photometric variations of Ap stars
Manfroid J., Renson P. **281**, 73

α Sco

An optical interferometer with wavelength dispersion
Bedding T.R., Robertson J.G., Marson R.G. **290**, 340

α UMi

The chemical composition of the s-Cepheids. I. α Ursae Minoris (Polaris) and HR 7308 (V 473 Lyrae): unique Cepheids of the Galaxy
Andrievsky S.M., Kovtyukh V.V., Usenko I.A. **281**, 465

β 738

A trial-and-error approach to the determination of the orbital parameters of visual binaries
Pourbaix D. **290**, 682

β Aur

Radii and masses for β Aurigae
Nordström B., Johansen K.T. **291**, 777

β Cas

The long-term behaviour of the photometric variability of β Cassiopeiae
Riboni E., Poretti E., Galli G. **292**, 358 (***108**, 55*)

β Cep

Multiperiodicity and pulsation characteristics of β Cephei
Aerts C., Mathias P., Gillet D., Waelkens C. **286**, 109

β CMa

Mode identification with the moment method in four multiperiodic β Cephei stars: KK Velorum, ν Eri, β CMa, and V 348 Normae
Aerts C., Waelkens C., De Pauw M. **286**, 136

β Gem

High-resolution spectroscopy of cool K and M stars through the telluric water vapor absorption band near 9360 Å. I. Methodology and first results
Widemann T., Bertaux J.L., Querci M., Querci F. **282**, 879

β Gru

An optical interferometer with wavelength dispersion
Bedding T.R., Robertson J.G., Marson R.G. **290**, 340

β Lyr

On the strategy of future observations and modeling of the β Lyrae system
Hubeny I., Harmanec P., Shore S.N. **289**, 411

Origin and evolution of semi-detached binaries: β Lyrae and SV Centauri
De Greve J.P., Linnell A.P. **291**, 786

β Per (Algol)

Structure and stability of the X-ray corona of Algol
Ottmann R. **286**, L27

β Pic

The effects of stellar rotation on the absorption spectra of comets orbiting β Pictoris
Beust H., Lissauer J.J. **282**, 804

CO depletion in the protoplanetary disk of β Pictoris
Savoldini M., Galletta G. **285**, 467

HST-GHRS observations of β Pictoris: additional evidence for infalling comets
Vidal-Madjar A., Lagrange-Henri A.M., Feldman P.D., Beust H., Lissauer J.J., Deleuil M., Ferlet R., Gry C., Hobbs L.M., McGrath M.A., McPhate J.B., Moos H.W. **290**, 245

The β Pictoris phenomenon among young stars. I. The case of the Herbig Ae star UX Orionis
Grinin V.P., Thé P.S., de Winter D., Giampapa M., Rostopchina A.N., Tambovtseva L.V., van den Ancker M.E. **292**, 165

β^1 Mon

β^1 Monocerotis: oscillations and chromospheric structure
Marañón Di Leo C., Colombo E., Ringuelet A.E. **286**, 160

Observational evidence for a prograde one-armed density structure in the equatorial disc of a Be star
Telting J.H., Heemskerk M.H.M., Henrichs H.F., Savonije G.J. **288**, 558

γ Cas

Long-term periodic variability in UV absorption lines of the Be star γ Cassiopeiae: on the relation with V/R variations in the Hβ line
Telting J.H., Kaper L. **284**, 515

γ Equ

A long period model for the magnetic star γ Equulei
Leroy J.L., Bagnulo S., Landolfi M., Landi Degl'Innocenti E. **284**, 174

ε Aur

High-dispersion Hα spectroscopy of ε Aurigae
Cha G., Tan H., Xu J., Li Y. **284**, 874

ζ Aur

The expanding envelope of ζ Aurigae
Kirsch T., Baade R. **291**, 535

ζ Cas

Photometric and spectroscopic observations of the 53 Persei type stars: ζ Cassiopeiae
Sadsaoud H., Le Contel J.M., Chapellier E., Le Contel D., Gonzalez-Bedolla S. **287**, 509

ζ Ori

A long-term X-ray variability study of the O-type stars σ Orionis and ζ Orionis
Berghöfer T.W., Schmitt J.H.M.M. **290**, 435

ζ Pup

Radiation-driven winds of hot luminous stars. XII. A first step towards detailed UV-line diagnostics of O-stars
Pauldrach A.W.A., Kudritzki R.P., Puls J., Butler K., Hunsinger J. **283**, 525

Hydrodynamic atmosphere models for hot luminous stars
Schaerer D., Schmutz W. **288**, 231

ζ Tau

Maximum-entropy maps of the Be shell star ζ Tauri from optical long-baseline interferometry
Quirrenbach A., Buscher D.F., Mozurkewich D., Hummel C.A., Armstrong J.T. **283**, L13

η Car

The optical and near infrared variability of η Carinae: a binary luminous blue variable?
van Genderen A.M., de Groot M.J.H., Thé P.S. **283**, 89

Fourier-transform spectroscopy and near-infrared variability of η Carinae
Altamore A., Maillard J.-P., Viotti R. **292**, 208

η Cen

Detection of "moving bumps" for the Be star η Centauri
Leister N.V., Janot-Pacheco E., Hubert A.M., Floquet M., Hubert H., Briot D. **287**, 789

κ Dra

Correlated long-term light, colour and spectral variations of the Be star κ Draconis
Juza K., Harmanec P., Božić H., Pavlovski K., Žižňovský J., Tarasov A.E., Horn J., Koubský P. **292**, 354 (***107, 403***)

ν Eri

Mode identification with the moment method in four multiperiodic β Cephei stars: KK Velorum, ν Eri, β CMa, and V 348 Normae
Aerts C., Waelkens C., De Pauw M. **286**, 136

ξ Per

The extent of variability in the stellar wind of the O 7.5 giant ξ Persei
Henrichs H.F., Kaper L., Nichols J.S. **285**, 565

ξ UMa

A case study of the quadruple system ξ Ursae Majoris: its activity and lithium depletion
Cayrel de Strobel G., Cayrel R., Friel E., Zahn J.-P., Bentolila C. **291**, 505

ϱ Aur

The orbit of the spectroscopic binary ϱ Aurigae
Horn J., Koubský P., Hadrava P., Juza K., Křiž S., Škoda P., Štefl S. **287**, 1036 (*105, 119*)

ϱ Cas

Pulsation of the yellow hypergiant ϱ Cassiopeiae in 1970
Lobel A., de Jager C., Nieuwenhuijzen H., Smolinski J., Gesicki K. **291**, 226

σ Ori

A long-term X-ray variability study of the O-type stars σ Orionis and ζ Orionis
Berghöfer T.W., Schmitt J.H.M.M. **290**, 435

σ Sgr

An optical interferometer with wavelength dispersion
Bedding T.R., Robertson J.G., Marson R.G. **290**, 340

τ Sco

Infrared line emission in 10 Lacertae
Murdoch K.A., Drew J.E., Anderson L.S. **284**, L27

χ Cyg

Confrontation between power spectra of Mira stars and theoretical models
Barthès D., Tuchman Y. **289**, 429

1E 0035.4–7230

Optical identification of the supersoft X-ray source 1E 0035.4–7230 in the Small Magellanic Cloud
Orio M., Della Valle M., Massone G., Ögelman H. **289**, L11

1E 0056.8–7154

The spectra and luminosity of super-soft X-ray sources
Heise J., van Teeseling A., Kahabka P. **288**, L45

1E 1740–29

e^+–e^- annihilation lines from accretion discs around Kerr black holes
Hameury J.-M., Marck J.-A., Pelat D. **287**, 795

1E 1740.7–2942

VLA data constraints on the Galactic-Centre annihilation line source 1E 1740.7–2942
Zheleznyakov V.V., Belyanin A.A. **287**, 782

1H 1752+081

1H 1752+081: a new eclipsing probable AM Herculis-type binary
Barwig H., Ritter H., Bärnbantner O. **288**, 204

2CG 195+04 (Geminga)

Is Geminga a runaway member of the Orion association?
Smith V.V., Cunha K., Plez B. **281**, L41

4U 1626–67

Soft and hard X-ray observations of 4U 1626–67
Mavromatakis F. **285**, 503

4U 1700–37

The soft component in the X-ray spectrum of 4U 1700–37
Haberl F., Aoki T., Mavromatakis F. **288**, 796

4U 1700-377

Thermal comptonisation in 4U 1700-377
Maisack M., Kendziorra E., Pan H.C., Skinner G.K., Pietsch W., Reppin C., Efremov V., Sunyaev R. **283**, 841

10 Lac

Infrared line emission in 10 Lacertae
Murdoch K.A., Drew J.E., Anderson L.S. **284**, L27

12 Lac

A spectroscopic analysis of the β Cephei star 12 Lacertae
Mathias P., Aerts C., Gillet D., Waelkens C. **289**, 875

Stability of the multimode pulsation in the β Cephei-type variable 12 (DD) Lacertae
Pigulski A. **292**, 183

17 Com

Doppler imaging of the Ap star 17 Comae Berenices
Rice J.B., Wehlau W.H. **291**, 825

21 CVn

Abundance determination in the CP star 21 Canum Venaticorum by means of spectrum synthesis
Zverko J., Zboril M., Žižňovský J. **283**, 932

22 Vul

Optical spectra of ζ Aurigae binary systems. VI. The chromosphere of 22 Vulpeculae
Schröder K.-P., Griffin R.E.M., Hünsch M. **288**, 273

28 Tau (Pleione)

On the binary nature of Pleione
Luthardt R., Menchenkova E.V. **284**, 118

44 Tau

The ultraviolet variations of the δ Scuti stars 44 Tauri and 71 Tauri
Monier R., Kreidl T.J. **284**, 210

49 Cam

49 Camelopardalis: an uncommon magnetic star
Leroy J.L., Landstreet J.D., Bagnulo S. **284**, 491

63 And

uvby photometry of the magnetic chemically peculiar stars 63 Andromedae, HD 192913, HR 8240, and 108 Aquarii
Adelman S.J., Knox Jr J.R. **281**, 636 (***103**, 1)*

63 Her

Multi-period pulsation of the δ Scuti star 63 Herculis
Breger M., Ostermann W.M., Jiang S.Y., Li Z.-P., Akan M.C., Evren S., İbanoğlu C., Keskin V., Tunca Z. **289**, 162

71 Tau

The ultraviolet variations of the δ Scuti stars 44 Tauri and 71 Tauri
Monier R., Kreidl T.J. **284**, 210

108 Aqr

uvby photometry of the magnetic chemically peculiar stars 63 Andromedae, HD 192913, HR 8240, and 108 Aquarii
Adelman S.J., Knox Jr J.R. **281**, 636 (***103**, 1)*

Stars: interiors 08.09.3

Three-dimensional simulation of penetrative convection-penetration above a convection zone
Singh H.P., Roxburgh I.W., Chan K.L. **281**, L73

The equation of state in the chemical picture: a grand canonical approach. I. Theory
Luo G. **281**, 460

Grids of massive stars with high mass loss rates. V. From 12 to 120 $M_\odot$ at $Z = 0.001$, 0.004, 0.008, 0.020 and 0.040
Meynet G., Maeder A., Schaller G., Schaerer D., Charbonnel C. **281**, 638 (***103**, 97)*

Seismological properties of intermediate-mass stars
Audard N., Provost J. **282**, 73

The interior structure and evolution of blue straggler stars in open clusters
Schönberner D., Napiwotzki R. **282**, 106

Five old open clusters: NGC 2682, NGC 2243, Berkeley 39, NGC 188 and NGC 6791
Carraro G., Chiosi C., Bressan A., Bertelli G. **282**, 352 (***103**, 375)*

The evolution of a 20 $M_\odot$ rotating star: abundance anomalies in OBN stars in the LMC
Eryurt D., Kırbıyık H., Kızıloğlu N., Civelek R., Weiss A. **282**, 485

New radiative opacities: their influence on stellar models
Cassisi S., Castellani V., Salaris M., Straniero O. **282**, 760

Clues for non-standard mixing on the red giant branch from $^{12}C/^{13}C$ and $^{12}C/^{14}N$ ratios in evolved stars
Charbonnel C. **282**, 811

Semi-convection and overshooting in intermediate-mass and massive stars
Mowlavi N., Forestini M. **282**, 843

Lithium and beryllium depletion by rotation-induced mixing in the Sun and in galactic cluster stars
Charbonnel C., Vauclair S., Maeder A., Meynet G., Schaller G. **283**, 155

Beyond the mean-potential approximation in the calculation of thermonuclear reaction rates in dense stars
Sahrling M. **283**, 1004

Evolution of initially mixed massive main sequence stars
Weiss A. **284**, 138

Can nucleosynthesis determine the mass limit for stellar black hole formation?
Prantzos N. **284**, 477

Enhancement of thermonuclear reaction rates in dense stars
Sahrling M. **284**, 484

The equation of state in the chemical picture: a grand-canonical approach. II. The occupation number of molecules and atoms
Luo G. **284**, 679

The equation of state in the chemical picture: a grand-canonical approach. III. Thermodynamic properties and non-ideal effects
Luo G. **284**, 684

Mixing in ejecta of supernovae. II. Mixing width of 2 D Rayleigh-Taylor instabilities in the helium star models for type Ib/Ic supernovae
Hachisu I., Matsuda T., Nomoto K., Shigeyama T. **285**, 355 (***104**, 341)*

Evolutionary sequences of stellar models with new radiative opacities. III. $Z = 0.0004$ and $Z = 0.05$
Fagotto F., Bressan A., Bertelli G., Chiosi C. **285**, 356 (***104**, 365)*

(RN) Red giant branches as a probe of stellar convective cores
Castellani V., Villani D. **285**, 880

Incorporating the atmosphere in stellar structure models: the solar case
Morel P., van 't Veer C., Provost J., Berthomieu G., Castelli F., Cayrel R., Goupil M.J., Lebreton Y. **286**, 91

Numerical methods for AGB evolution
Wagenhuber J., Weiss A. **286**, 121

The δ Scuti instability strip: effects of opacity enhancement and wave reflections
Li Y., Stix M. **286**, 815

Evolutionary sequences of stellar models with new radiative opacities. IV. $Z = 0.004$ and $Z = 0.008$
Fagotto F., Bressan A., Bertelli G., Chiosi C. **287**, 1033 (***105**, 29)*

Evolutionary sequences of stellar models with very high metallicity. V. $Z = 0.1$
Fagotto F., Bressan A., Bertelli G., Chiosi C. **287**, 1034 (***105**, 39)*

A spherical treatment of slightly distorted rotating stars
Kähler H. **288**, 183

Rotational effects on stellar structure and stability
Kähler H. **288**, 191

Theoretical isochrones from models with new radiative opacities
Bertelli G., Bressan A., Chiosi C., Fagotto F., Nasi E. **289**, 665 (***106**, 275)*

A Newton iteration method for obtaining equilibria of rapidly rotating stars
Aksenov A.G., Blinnikov S.I. **290**, 674

Termination of AGB-evolution by hydrogen recombination
Wagenhuber J., Weiss A. **290**, 807

Λ-quenching as the nonlinearity in stellar-turbulence dynamos
Kitchatinov L.L., Rüdiger G., Küker M. **292**, 125

Stars: kinematics 08.11.1

New radial velocities for classical Cepheids. Local galactic rotation revisited
Pont F., Mayor M., Burki G. **285**, 415

On the characteristics and origin of the expansion of the local system of young objects
Comerón F., Torra J., Gómez A.E. **286**, 789

Kinematics of hot subdwarfs
Colin J., de Boer K.S., Dauphole B., Ducourant C., Dulou M.R., Geffert M., Le Campion J.-F., Moehler S., Odenkirchen M., Schmidt J.H.K., Theissen A. **287**, 38

Maximum likelihood estimation of the mean parallax and the kinematic parameters of moving clusters
Zhao J.L., Chen L. **287**, 68

A stellar-interstellar counterflow configuration with transversal plasma compressibility
Scherer K., Fahr H.J., Ratkiewicz R. **287**, 219

Cross-correlation radial-velocity techniques for rotating F stars
Nordström B., Latham D.W., Morse J.A., Milone A.A.E., Kurucz R.L., Andersen J., Stefanik R.P. **287**, 338

HST observations of the core of globular cluster NGC 6397
Burgarella D., Paresce F., Meylan G., King I.R., Greenfield P., Baxter D., Jedrzejewski R., Nota A., Albrecht R., Barbieri C., Blades J.C., Boksenberg A., Crane P., Deharveng J.M., Disney M.J., Jakobsen P., Kamperman T.M., Macchetto F., Mackay C.D., Weigelt G. **287**, 769

New radial velocities for 96 faint southern Cepheids
Pont F., Burki G., Mayor M. **287**, 1036 (***105, 165)***

A new method for the determination of the population types of field stars
Karaali S. **288**, 1034 (***106, 107)***

High-resolution kinematical mapping of the core of the globular cluster M 15 ≡ NGC 7078
Dubath P., Meylan G. **290**, 104

Neutron star recoils from anisotropic supernovae
Janka H.-T., Müller E. **290**, 496

Numerical simulations for the study of the methods for stellar kinematics and luminosity calibration
Jaschek C., Valbousquet A., Luri X. **291**, 439

The basic solar motion and the median solar motion
Jaschek C., Valbousquet A. **291**, 448

Third bibliographic catalogue of stellar radial velocities *(Text in French)*
Barbier-Brossat M., Petit M., Figon P. **292**, 368 (***108, 603)***

Stars: late-type 08.12.1

Observational constraints on the inter-binary stellar flare hypothesis for the gamma-ray bursts
Rao A.R., Vahia M.N. **281**, L21

Evidence for sudden moderate mixing events in early M giants
Wallerstein G., Morell O. **281**, L37

Non-axisymmetry vs. axisymmetry in dynamo-excited stellar magnetic fields
Rüdiger G., Elstner D. **281**, 46

Atmospheric models of flare stars: the quiescent state of AD Leonis
Mauas P.J.D., Falchi A. **281**, 129

Radio emission from stars: a survey at 250 GHz
Altenhoff W.J., Thum C., Wendker H.J. **281**, 161

(RN) Small non-spherical grains in envelopes of M giants
Il'in V.B. **281**, 486

(RN) Optical variability of SAO 91772: a serendipitous X-ray source
Rodonò M., Cutispoto G., Messina S. **281**, 756

Chromospheric activity in G and K giants and their rotation-activity relation
Strassmeier K.G., Handler G., Paunzen E., Rauth M. **281**, 855

The Ca II triplet lines in cool stars
Mallik S.V. **282**, 350 (***103, 279)***

Pre-main sequence lithium burning. I. Weak T Tauri stars
Martín E.L., Rebolo R., Magazzù A., Pavlenko Y.V. **282**, 503

Pre-main sequence lithium burning. II. Pleiades low mass stars
García López R.J., Rebolo R., Martín E.L. **282**, 518

Time-series photometric spot modeling. II. Fifteen years of photometry of the bright RS CVn binary HR 7275
Strassmeier K.G., Hall D.S., Henry G.W. **282**, 535

Clues for non-standard mixing on the red giant branch from $^{12}C/^{13}C$ and $^{12}C/^{14}N$ ratios in evolved stars
Charbonnel C. **282**, 811

Duplicity in the solar neighbourhood. VII. Spectroscopic orbits of three K-dwarf stars
Tokovinin A.A., Duquennoy A., Halbwachs J.-L., Mayor M. **282**, 831

High-resolution spectroscopy of cool K and M stars through the telluric water vapor absorption band near 9360 Å. I. Methodology and first results
Widemann T., Bertaux J.L., Querci M., Querci F. **282**, 879

Chromospheric activity in Population II binaries
Pasquini L., Lindgren H. **283**, 179

Chromospheric activity in G and K giants: the spectroscopic data base
Strassmeier K.G. **283**, 714 (***103, 413)***

Effects of TiO in stellar atmospheres
Jørgensen U.G. **284**, 179

Hα survey of late-type active binaries
Frasca A., Catalano S. **284**, 883

Molecular observations of O- and C-rich circumstellar envelopes
Bujarrabal V., Fuente A., Omont A. **285**, 247

Photometric and spectroscopic studies of cool stars discovered in EXOSAT X-ray images. II. Lithium abundances
Tagliaferri G., Cutispoto G., Pallavicini R., Randich S., Pasquini L. **285**, 272

A large, complete, volume-limited sample of G-type dwarfs. I. Completion of Strömgren *uvby* photometry
Olsen E.H. **285**, 358 (***104, 429)***

Balmer lines in cool dwarf stars. II. Effective temperatures and calibration of colour indices
Fuhrmann K., Axer M., Gehren T. **285**, 585

The Wilson–Bappu effect and other Ca II H and K line parameters relationships in chromospherically active binaries
Montes D., Fernández-Figueroa M.J., De Castro E., Cornide M. **285**, 609

(RN) Red giant branches as a probe of stellar convective cores
Castellani V., Villani D. **285**, 880

CNO isotopes in red giants: theory versus observations
El Eid M.F. **285**, 915

Numerical calculations of SiO maser emission. I. Intensity and variability
Bujarrabal V. **285**, 953

Numerical calculations of SiO maser emission. II. Angular extent
Bujarrabal V. **285**, 971

Structure and stability of the X-ray corona of Algol
Ottmann R. **286**, L27

Possible detection of a stellar flare-generated particle beam in polarized light
Saar S.H., Martens P.C.H., Huovelin J., Linnaluoto S. **286**, 194

A spectroscopic and photometric study of the giant star HD 101841: a very short-period binary system
De Medeiros J.R., Duquennoy A., Lèbre A., Burki G. **286**, 481

Near simultaneous *BV* photometry and Hα spectroscopy of the RS Canum Venaticorum binary DM Ursae Majoris
Mohin S., Raveendran A.V. **286**, 824

Lithium abundances of nearby solar-like stars
Pasquini L., Liu Q., Pallavicini R. **287**, 191

A strong Hα flare on HK Lacertae
Catalano S., Frasca A. **287**, 575

On the spectra and photometry of M-giant stars
Fluks M.A., Plez B., Thé P.S., de Winter D., Westerlund B.E., Steenman H.C. **287**, 1039 (***105**, 311)*

High sensitivity dynamic spectral search for flare star radio bursts
Abada-Simon M., Lecacheux A., Louarn P., Dulk G.A., Belkora L., Bookbinder J.A., Rosolen C. **288**, 219

The non-LTE formation of Li I lines in cool stars
Carlsson M., Rutten R.J., Bruls J.H.M.J., Shchukina N.G. **288**, 860

Multiple scattering of polarized radiation in circumstellar dust shells
Voshchinnikov N.V., Karjukin V.V. **288**, 883

Observation and modelling of main sequence star chromospheres. I. Modelling of the hydrogen spectrum in dMe stars
Houdebine E.R., Doyle J.G. **289**, 169

Observation and modelling of main sequence star chromospheres. II. Modelling of the AU Microscopii (dM2.5e) hydrogen spectrum
Houdebine E.R., Doyle J.G. **289**, 185

High resolution infrared spectra of silicon monoxide and silicon isotopic abundances in cool luminous stars
Tsuji T., Ohnaka K., Hinkle K.H., Ridgway S.T. **289**, 469

Strömgren photometry of F- and G-type stars brighter than $V = 9.6$. I. *uvby* photometry
Olsen E.H. **289**, 664 (***106**, 257)*

The age-mass relation for chromospherically active binaries. I. The evolutionary status
Barrado D., Fernández-Figueroa M.J., Montesinos B., De Castro E. **290**, 137

Radiative shocks in atomic and molecular stellar-like atmospheres. VI. Influence of the Lyman-α flux on the precursor structure
Huguet E., Lafon J.-P.J., Gillet D. **290**, 510

A revised model for circumstellar molecular emission
Groenewegen M.A.T. **290**, 531

Search for magnetic fields in late-type giants
Hubrig S., Plachinda S.I., Hünsch M., Schröder K.-P. **291**, 890

Basic system parameters and a more general spot solution of the SV Camelopardalis light curve
Patkós L., Hempelmann A. **292**, 119

Applicability of the Rossby number in activity-rotation relations for dwarfs and giants
Stępień K. **292**, 191

Broad band *JHK* infrared photometry of an extended sample of late-type dwarfs and subdwarfs
Alonso A., Arribas S., Martínez-Roger C. **292**, 353 (***107**, 365)*

TiO bands as a function of stellar parameters
Milone A., Barbuy B. **292**, 365 (***108**, 449)*

Multi-site continuous spectroscopy. II. Spectrophotometry and energy budget of exceptional white-light flares on HR 1099 from the MUSICOS 89 campaign
Foing B.H., Char S., Ayres T., Catala C., Neff J.E., Zhai D.S., Catalano S., Cutispoto G., Jankov S., Rodono M., Simon T., Akan C., Aslanov A., Avellar P., Baudrand J., Beust H., Cao H., Chatzichristou H., Cuby J.G., Czarny J., de la Reza R., Dreux M., Felenbok P., Ferlet R., Frasca A., Floquet M., Ghosh K., Guo Z., Guérin J., Hao J.X., Houdebine E.R., Huang L., Hubert A.M., Hubert H., Huovelin J., Hron J., İbanoğlu C., Jiang S.Y., Keskin V., Lagrange-Henri A.M., Lecontel J.M., Li Q., Mavridis L., Nolthenius R., Petrov P., Savanov I., Scherbakov A., Tuominen I., Vidal-Madjar A., Zhang R., Zhang X. **292**, 543

Stars: low-mass, brown dwarfs 08.12.2

A model of stellar evolution of the galactic disc. The IMF at low masses
Haywood M. **282**, 444

Lower chromospheric activity in low activity M dwarfs
Doyle J.G., Houdebine E.R., Mathioudakis M., Panagi P.M. **285**, 233

(RN) Gravitational microlensing by the halo of the Andromeda galaxy
Jetzer P. **286**, 426

The binary nature of an observed dark Galactic object
Dominik M., Hirshfeld A.C. **289**, L31

The use of the $(B-I)$ color index and applications of the $(B-I)$ versus $(B-V)$ relationship. I. Open clusters
Natali F., Natali G., Pompei E., Pedichini F. **289**, 756

Two faint companions to the nearby low-mass star LHS 1070
Leinert C., Weitzel N., Richichi A., Eckart A., Tacconi-Garman L.E. **291**, L47

Stars: luminosity function, mass function 08.12.3

The luminosity function of massive white dwarfs
Díaz-Pinto A., García-Berro E., Hernanz M., Isern J., Mochkovitch R. **282**, 86

A model of stellar evolution of the galactic disc. The IMF at low masses
Haywood M. **282**, 444

Active star formation regions at the edge of the LMC Bar: NGC 1850 and NGC 1858
Vallenari A., Aparicio A., Fagotto F., Chiosi C., Ortolani S., Meylan G. **284**, 447

On a possible origin of the initial mass function of stars
Richtler T. **287**, 517

The massive star content of the blue dwarf galaxy IZw 36 from Faint Object Camera observations
Deharveng J.-M., Albrecht R., Barbieri C., Blades J.C., Boksenberg A., Crane P., Disney M.J., Jakobsen P., Kamperman T.M., King I.R., Macchetto F., Mackay C.D., Paresce F., Weigelt G., Baxter D., Greenfield P., Jedrzejewski R., Nota A., Sparks W.B. **288**, 413

The Orion OB 1 association. I. Stellar content
Brown A.G.A., de Geus E.J., de Zeeuw P.T. **289**, 101

CCD *BV* photometry of the intermediate age open cluster NGC 1245
Carraro G., Patat F. **289**, 397

Deep photometry in the core of the open cluster NGC 5606
Vázquez R.A., Baume G., Feinstein A., Prado P. **289**, 666 (***106, 339***)

Deep CCD *BV* photometry of the poorly studied open cluster NGC 4815
Carraro G., Ortolani S. **289**, 1001 (***106, 573***)

Core overshooting and the enigma of NGC 1866
Brocato E., Castellani V., Piersimoni A.M. **290**, 59

The luminosity function of stars in the intermediate age open cluster NGC 7789
Martinez Roger C., Paez E., Castellani V., Straniero O. **290**, 62

Two faint companions to the nearby low-mass star LHS 1070
Leinert C., Weitzel N., Richichi A., Eckart A., Tacconi-Garman L.E. **291**, L47

Stars: magnetic fields 08.13.1

Luminosity dependence of the hardness of the 13-80 keV X-ray spectra of low-mass X-ray binaries
van Paradijs J., van der Klis M. **281**, L17

Non-axisymmetry vs. axisymmetry in dynamo-excited stellar magnetic fields
Rüdiger G., Elstner D. **281**, 46

Line broadening in the presence of strong magnetic fields
Friedrich S., Östreicher R., Ruder H., Zeller G. **282**, 179

Spectral lines unaffected by instrumental polarization. II. Selected lines of astrophysical interest
Vela Villahoz E., Sánchez Almeida J., Wittmann A.D. **282**, 350 (***103, 293***)

UBVRI polarimetry of AM Herculis-type binaries. V. The asynchronous (?) polar BY Camelopardalis (H0538+608)
Piirola V., Coyne G.V., Takalo S.J.L., Larsson S., Vilhu O. **283**, 163

A comparison of the power spectra of Z and atoll sources, pulsars and black hole candidates
van der Klis M. **283**, 469

The crust screen model for the magnetic field of binary X-ray sources
Zhang C.-M., Wu X.-J., Yang G.-C. **283**, 889

Radio emission from magnetic chemically peculiar stars: results of the 1992 VLA survey
Leone F., Trigilio C., Umana G. **283**, 908

The nonlinear limitation of nonaxisymmetric mean field dynamos by the large scale Lorentz force
Barker D.M., Moss D. **283**, 1009

A long period model for the magnetic star γ Equulei
Leroy J.L., Bagnulo S., Landolfi M., Landi Degl'Innocenti E. **284**, 174

49 Camelopardalis: an uncommon magnetic star
Leroy J.L., Landstreet J.D., Bagnulo S. **284**, 491

ZEBRA – Zeeman Broadening Analysis of magnetic white dwarfs. I. Maximum entropy reconstruction of Hα profiles
Donati J.-F., Achilleos N., Matthews J.M., Wesemael F. **285**, 285

HE 1045–0908: a new magnetic DA white dwarf with a distinctive Zeeman line splitting pattern
Reimers D., Jordan S., Köhler T., Wisotzki L. **285**, 995

Unusual flares at 360 and 609 MHz in the RS Canum Venaticorum-system II Pegasi observed with the WSRT: coherent emission from II Pegasi
van den Oord G.H.J., de Bruyn A.G. **286**, 181

Possible detection of a stellar flare-generated particle beam in polarized light
Saar S.H., Martens P.C.H., Huovelin J., Linnaluoto S. **286**, 194

T Tauri stars as differential rotators
Smith M.D. **287**, 523

Luminosity variations and orbital period changes in RT Lacertae
Keskin V., İbanoğlu C., Akan M.C., Evren S., Tunca Z. **287**, 817

1H 1752+081: a new eclipsing probable AM Herculis-type binary
Barwig H., Ritter H., Bärnbantner O. **288**, 204

Variation of oxygen lines in magnetic Ap stars
Gonzalez J.-F., Artru M.-C. **289**, 209

Model atmospheres and radiation of magnetic neutron stars: anisotropic thermal emission
Pavlov G.G., Shibanov Y.A., Ventura J., Zavlin V.E. **289**, 837

Evidence for cyclotron line features in high energy spectra of A 0535+26 during the March/April 1989 outburst
Kendziorra E., Kretschmar P., Pan H.C., Kunz M., Maisack M., Staubert R., Pietsch W., Trümper J., Efremov V., Sunyaev R. **291**, L31

Doppler imaging of the Ap star 17 Comae Berenices
Rice J.B., Wehlau W.H. **291**, 825

Search for magnetic fields in late-type giants
Hubrig S., Plachinda S.I., Hünsch M., Schröder K.-P. **291**, 890

Λ-quenching as the nonlinearity in stellar-turbulence dynamos
Kitchatinov L.L., Rüdiger G., Küker M. **292**, 125

Spectropolarimetry of magnetic stars. III. Measurement uncertainties
Mathys G. **292**, 367 (***108, 547***)

Stars: mass-loss 08.13.2

Resolution of a fossil dust shell around U Hydrae using maximum entropy image reconstruction
Waters L.B.F.M., Loup C., Kester D.J.M., Bontekoe T.R., de Jong T. **281**, L1

Discovery of near-infrared hydrogen line emission in the peculiar F8 hypergiant IRC+10420
Oudmaijer R.D., Geballe T.R., Waters L.B.F.M., Sahu K.C. **281**, L33

Theoretical light curve for a classical nova: nova Cygni 1978
Kato M. **281**, L49

Detection of the λ 609 μm line of neutral atomic carbon in the Ring nebula
Bachiller R., Huggins P.J., Cox P., Forveille T. **281**, L93

(**RN**) A search for variability in the IRAS-LRS spectra of long period variables
Hron J., Aringer B. **281**, 139

Radio emission from stars: a survey at 250 GHz
Altenhoff W.J., Thum C., Wendker H.J. **281**, 161

Non-LTE spectral analyses of Wolf-Rayet stars: the nitrogen spectrum of the WN6 prototype HD 192163 (WR136)
Hamann W.-R., Wessolowski U., Koesterke L. **281**, 184

Optical/ultraviolet excess in stochastic winds of T Tauri stars
Mitskevich A.S. **281**, 471

(RN) Small non-spherical grains in envelopes of M giants
Il'in V.B. **281**, 486

Grids of massive stars with high mass loss rates. V. From 12 to 120 $M_{\odot}$ at Z = 0.001, 0.004, 0.008, 0.020 and 0.040
Meynet G., Maeder A., Schaller G., Schaerer D., Charbonnel C. **281**, 638 (***103, 97***)

A study of the luminous blue variable candidate He 3–519 and its surrounding nebula
Smith L.J., Crowther P.A., Prinja R.K. **281**, 833

Binary radiopulsars with optical companion
Lipunov V.M., Nazin S.N., Osminkin E.Y., Prokhorov M.E. **282**, 61

The circumstellar envelope of S Scuti
Groenewegen M.A.T., de Jong T. **282**, 115

Rapid line-profile variability of Hα and Hβ in the A-type shell star HD 163296
Pogodin M.A. **282**, 141

Stratification in WR envelopes as seen in He II lines
Niedzielski A. **282**, 529

Is there a connection between thermal pulses and PNe halos: on the way to an answer
Frank A., van der Veen W.E.C.J., Balick B. **282**, 554

Long-slit spectroscopic study of the bipolar reflection nebula M 1-92: detection of compact Herbig–Haro condensations in the lobes
Solf J. **282**, 567

Maximum-entropy maps of the Be shell star ζ Tauri from optical long-baseline interferometry
Quirrenbach A., Buscher D.F., Mozurkewich D., Hummel C.A., Armstrong J.T. **283**, L13

Detection of calcium abundance stratification in Ap stars
Babel J. **283**, 189

Synthetic AGB evolution. III. The influence of different mass-loss laws
Groenewegen M.A.T., de Jong T. **283**, 463

Radiation-driven winds of hot luminous stars. XII. A first step towards detailed UV-line diagnostics of O-stars
Pauldrach A.W.A., Kudritzki R.P., Puls J., Butler K., Hunsinger J. **283**, 525

V 348 Sagittarii: analysis of the [WC 12] stellar spectrum
Leuenhagen U., Hamann W.-R. **283**, 567

Radio emission from magnetic chemically peculiar stars: results of the 1992 VLA survey
Leone F., Trigilio C., Umana G. **283**, 908

High velocity and rapidly variable emission features in the spectra of RS Ophiuchi and CH Cygni
Iijima T., Strafella F., Sabbadin F., Bianchini A. **283**, 919

The hot wind in the symbiotic nova AG Pegasi
Vogel M., Nussbaumer H. **284**, 145

Mass loss and the evolution of planetary nebula nuclei
Górny S.K., Tylenda R., Szczerba R. **284**, 949

Nebular emission lines in IRAS 10215–5916
García-Lario P., Manchado A., Parthasarathy M., Pottasch S.R. **285**, 179

A study of dust shells around high latitude supergiants
van der Veen W.E.C.J., Waters L.B.F.M., Trams N.R., Matthews H.E. **285**, 551

The extent of variability in the stellar wind of the O 7.5 giant ξ Persei
Henrichs H.F., Kaper L., Nichols J.S. **285**, 565

β^1 Monocerotis: oscillations and chromospheric structure
Marañón Di Leo C., Colombo E., Ringuelet A.E. **286**, 160

Short time scale monitoring of SiO sources
Pijpers F.P., Pardo J.R., Bujarrabal V. **286**, 501

Calculations of the outflow velocity of envelopes of cool giants
Habing H.J., Tignon J., Tielens A.G.G.M. **286**, 523

Magnetically driven wind from an accretion disk with low-inclination field lines
Xinwu Cao, Spruit H.C. **287**, 80

The 3 μm spectra of candidate carbon stars
Groenewegen M.A.T., de Jong T., Geballe T.R. **287**, 163

A stellar-interstellar counterflow configuration with transversal plasma compressibility
Scherer K., Fahr H.J., Ratkiewicz R. **287**, 219

Profile variations of the Hα emission line in the Herbig B3e star HD 200775
Beskrovnaya N.G., Pogodin M.A., Shcherbakov A.G., Tarasov A.E. **287**, 564

New models of Wolf-Rayet stars and comparison with data in galaxies
Maeder A., Meynet G. **287**, 803

Multiwavelength observations of RV Tauri stars. II. U Monocerotis
Shenton M., Evans A., Cardelli J.A., Marang F., van Wyk F., Weight A. **287**, 852

Multiwavelength observations of RV Tauri stars. III. R Scuti
Shenton M., Monier R., Evans A., Carter B., Lloyd Evans T., Marang F., Parker Q.A., Rawlings J.M.C., Scott A.D., van Wyk F. **287**, 866

Spectroscopic observations of AB-supergiants in M 31 and M 33
Herrero A., Lennon D.J., Vilchez J.M., Kudritzki R.P., Humphreys R.H. **287**, 885

Nonradial and nonpolytropic astrophysical outflows. III. A criterion for the transition from jets to winds
Sauty C., Tsinganos K. **287**, 893

Evolutionary sequences for massive close binaries with galactic abundances with Rogers-Iglesias opacities
de Loore C., Vanbeveren D. **287**, 1033 (***105, 21***)

Hydrodynamic atmosphere models for hot luminous stars
Schaerer D., Schmutz W. **288**, 231

Theoretical spectra of circumstellar dust shells around carbon-rich asymptotic giant branch stars
Winters J.M., Dominik C., Sedlmayr E. **288**, 255

Super-soft X-ray sources in the fields of the Magellanic Clouds
Kahabka P., Pietsch W., Hasinger G. **288**, 538

The exciting star of the small bubble N 120A in the Large Magellanic Cloud
Laval A., Gry C., Rosado M., Marcelin M., Greve A. **288**, 572

Photoelectric light curve study of the DK Cygni system
Awadalla N.S. **289**, 137

(RN) Determining hot star wind terminal velocities from low-resolution IUE data
Prinja R.K. **289**, 221

Multiple resonance line scattering and the "momentum problem" in Wolf-Rayet star winds
Springmann U. **289**, 505

A model of the source LS I +61°303
Lipunov V.M., Nazin S.N. **289**, 822

Spectroscopic evidence for photo-ionization wakes in Vela X-1 and 4U 1700–37
Kaper L., Hammerschlag-Hensberge G., Zuiderwijk E.J. **289**, 846

Semiregular variables of types SRa and SRb. New *JHKL'M*-photometry for 200 stars
Kerschbaum F., Hron J. **289**, 998 (***106**, 397*)

Circumstellar CO around bright oxygen-rich semi-regulars
Kahane C., Jura M. **290**, 183

More (on) red giants with unusual dust shells
Groenewegen M.A.T. **290**, 207

Two-fluid models for stationary dust-driven winds. I. Momentum and energy balance
Krüger D., Gauger A., Sedlmayr E. **290**, 573

Optical outflows in the vicinity of the southern Herbig Ae/Be star vdB 65b
Ray T.P., Eislöffel J. **290**, 605

Towards an understanding of very massive stars. A new evolutionary scenario relating O stars, LBVs and Wolf-Rayet stars
Langer N., Hamann W.-R., Lennon M., Najarro F., Pauldrach A.W.A., Puls J. **290**, 819

Long-term spectroscopic monitoring of P Cygni-type stars. II. Spectroscopic variations of P Cygni during 1990–1992
Stahl O., Wolf B., Gäng T., Kaufer A., Szeifert T., Zhao F. **290**, 1019 (***107**, 1*)

G 79.29+0.46: a young stellar-wind shell in Cygnus X
Higgs L.A., Wendker H.J., Landecker T.L. **291**, 295

The expanding envelope of ζ Aurigae
Kirsch T., Baade R. **291**, 535

(RN) Examination of the wind accretion scenario for barium stars
Boffin H.M.J., Zaès L. **291**, 811

The relation between microturbulence and mass loss from supergiants
Lamers H.J.G.L.M., Achmad L. **291**, 856

Fourier-transform spectroscopy and near-infrared variability of η Carinae
Altamore A., Maillard J.-P., Viotti R. **292**, 208

Ultraviolet and optical spectroscopy of a B supergiant star in M 31
Bianchi L., Lamers H.J.G.L.M., Hutchings J.B., Massey P., Kudritzki R., Herrero A., Lennon D.J. **292**, 213

Line profiles and intensity maps from an axi-symmetric radiative wind model for Be stars
Stee P., de Araújo F.X. **292**, 221

Circumstellar dust envelopes of oxygen-rich AGB stars
Hashimoto O. **292**, 355 (***107**, 445*)

Long-term photometry of Be stars. I. Fading events and variations on time scales of years
Mennickent R.E., Vogt N., Sterken C. **292**, 361 (***108**, 237*)

How did the spectrum of P Cygni look in 1985? Spectral atlas with complete line identifications in the wavelength range from 3550 to 4800 Å
Markova N. **292**, 367 (***108**, 561*)

Stars: neutron 08.14.1

Luminosity dependence of the hardness of the 13-80 keV X-ray spectra of low-mass X-ray binaries
van Paradijs J., van der Klis M. **281**, L17

Gamma-ray emission from millisecond pulsars
Sturner S.J., Dermer C.D. **281**, L101

A ROSAT observation of the transient X-ray pulsar GRO J1008-57
Petre R., Gehrels N. **282**, L33

Experimental nuclear masses and the ground state of cold dense matter
Haensel P., Pichon B. **283**, 313

A comparison of the power spectra of Z and atoll sources, pulsars and black hole candidates
van der Klis M. **283**, 469

Effect of compressibility on nuclear matter in a neutron star crust
Duorah H.L., Phukon T.C. **283**, 867

The crust screen model for the magnetic field of binary X-ray sources
Zhang C.-M., Wu X.-J., Yang G.-C. **283**, 889

Energy-dependent effects of scattering atmospheres on X-ray pulsar pulse profiles
Sturner S.J., Dermer C.D. **284**, 161

Soft X-ray observations of EXO 2030+375
Mavromatakis F. **285**, 209

Soft and hard X-ray observations of 4U 1626–67
Mavromatakis F. **285**, 503

Spatial distribution of old neutron stars. Semianalytical considerations
Prokhorov M.E., Postnov K.A. **286**, 437

A magnetic explanation for the rapid burster
Kuijpers J., Kuperus M. **286**, 491

Hercules X-1 pulse profile simulation
Panchenko I.E., Postnov K.A. **286**, 497

Model atmospheres and radiation of magnetic neutron stars: anisotropic thermal emission
Pavlov G.G., Shibanov Y.A., Ventura J., Zavlin V.E. **289**, 837

Absolute visual magnitudes of low-mass X-ray binaries
van Paradijs J., McClintock J.E. **290**, 133

Direct URCA processes involving hyperons and cooling of neutron stars
Haensel P., Gnedin O.Y. **290**, 458

Neutron star recoils from anisotropic supernovae
Janka H.-T., Müller E. **290**, 496

Evidence for cyclotron line features in high energy spectra of A 0535+26 during the March/April 1989 outburst
Kendziorra E., Kretschmar P., Pan H.C., Kunz M., Maisack M., Staubert R., Pietsch W., Trümper J., Efremov V., Sunyaev R. **291**, L31

High precision rotating neutron star models. I. Analysis of neutron star properties
Salgado M., Bonazzola S., Gourgoulhon E., Haensel P. **291**, 155

The X-ray heating and evolution of LMXB's
Vilhu O., Ergma E., Fedorova A. **291**, 842

High precision rotating neutron star models. II. Large sample of neutron star properties
Salgado M., Bonazzola S., Gourgoulhon E., Haensel P. **292**, 365 (***108**, 455*)

(Stars:) novae, cataclysmic variables 08.14.2

Faint blue stars in the core of NGC 6397
De Marchi G., Paresce F. **281**, L13

Theoretical light curve for a classical nova: nova Cygni 1978
Kato M. **281**, L49

Spectroscopic detection of the spin pulse in GK Persei
Reinsch K. **281**, 108

X-ray irradiation of white dwarf atmospheres: the soft X-ray spectrum of AM Herculis
van Teeseling A., Heise J., Paerels F. **281**, 119

A statistical study of IUE spectra of dwarf novae. I. Quiescence
Shi-Bing Deng, Zhong-Yong Zhang, Jian-Sheng Chen **281**, 759

The dwarf nova CZ Orionis in outburst
Spogli C., Claudi R.U. **281**, 808

Erratum Study of nova shells. I. V 1229 Aquilae (1970): nebular expansion parallax and luminosity
Della Valle M., Duerbeck H.W. **281**, 967

Imaging the shell of Nova Cygni 1992 with HST
Paresce F. **282**, L13

An atlas of high resolution line profiles of symbiotic stars. II. Echelle spectroscopy of northern sky objects
Ivison R.J., Bode M.F., Meaburn J. **282**, 349 (***103***, *201*)

Spin-phase resolved optical spectroscopy of AE Aquarii
Reinsch K., Beuermann K. **282**, 493

Temperatures and luminosities of symbiotic novae
Mürset U., Nussbaumer H. **282**, 586

Spectral eclipse mapping of the accretion disk in the nova-like variable UX Ursae Majoris
Rutten R.G.M., Dhillon V.S., Horne K., Kuulkers E. **283**, 441

High speed photometry of PG 1012–029
Ashoka B.N., Seetha S., Marar T.M.K., Kasturirangan K., Rao U.R., Bhattacharyya J.C. **283**, 455

A model for the X-ray spectrum of the symbiotic nova RR Telescopii
Jordan S., Mürset U., Werner K. **283**, 475

Locating the emission line regions in polars: Doppler imaging of VV Puppis
Diaz M.P., Steiner J.E. **283**, 508

Turbulent accretion disk dynamos
Torkelsson U., Brandenburg A. **283**, 677

UBV-JHKLM photometry of Nova Aquilae 1993. The first 220 days
Munari U., Yudin B.F., Kolotilov E.A., Shenavrin V.I., Sostero G., Lepardo A. **284**, L9

On the modulated light in the intermediate polar FO Aquarii/ H 2215–086
de Martino D., Buckley D.A.H., Mouchet M., Mukai K. **284**, 125

The hot wind in the symbiotic nova AG Pegasi
Vogel M., Nussbaumer H. **284**, 145

A catalogue of *UBV* colours of cataclysmic variables (second edition)
Bruch A., Engel A. **284**, 699 (***104***, *79*)

The development of the symbiotic nova PU Vulpeculae in the years 1984–1992
Klein A., Bruch A., Luthardt R. **284**, 700 (***104***, *99*)

A spectroscopic and photometric study of the long cycle dwarf nova WX Ceti in quiescence
Mennickent R. **285**, 979

On the nova rate in the Galaxy
Della Valle M., Livio M. **286**, 786

Spectroscopic observations of the Mt. Stromlo MACHO candidate
Della Valle M. **287**, L31

The nova rate in galaxies of different Hubble types
Della Valle M., Rosino L., Bianchini A., Livio M. **287**, 403

(RN) A study of a high resolution IUE spectrum of AM Canum Venaticorum
Solheim J.-E., Sion E.M. **287**, 503

1978–1993 *UBVR–JHKLMN* photometry of the very slow nova and symbiotic Mira HM Sagittae. I. The data
Yudin B., Munari U., Taranova O., Dalmeri I. **287**, 1037 (***105***, *169*)

"Fossil" symbiotic novae
Lewis B.M. **288**, L5

Accretion disk evaporation by a coronal siphon flow
Meyer F., Meyer-Hofmeister E. **288**, 175

1H 1752+081: a new eclipsing probable AM Herculis-type binary
Barwig H., Ritter H., Bärnbantner O. **288**, 204

On the newly discovered 3.4 hour modulated X-ray source (RX J1940.1–1025) near NGC 6814
Staubert R., König M., Friedrich S., Lamer G., Sood R.K., James S.D., Sharma D.P. **288**, 513

Roche tomography: imaging the stars in interacting binaries
Rutten R.G.M., Dhillon V.S. **288**, 773

Hydrodynamic calculations of accretion discs in close binaries. The superhump phenomenon
Heemskerk M.H.M. **288**, 807

(RN) WX Arietis: a low-inclination SW Sextantis star
Hellier C., Ringwald F.A., Robinson E.L. **289**, 148

Optical identification of two soft ROSAT sources in the old open cluster M67
Pasquini L., Belloni T., Abbott T.M.C. **290**, L17

Systematics of dwarf nova outbursts: a parameter study in the framework of the disk-instability model
Ludwig K., Meyer-Hofmeister E., Ritter H. **290**, 473

The optical and radio counterpart of the X-ray Nova Ophiuchi 1993
Della Valle M., Mirabel I.F., Rodriguez L.F. **290**, 803

RX J0531.5–4624: a new ROSAT-discovered AM Herculis binary in the ‚period gap'
Reinsch K., Burwitz V., Beuermann K., Schwope A.D., Thomas H.-C. **291**, L27

Discovery of the new intermediate polar RX J0558.0+5353
Haberl F., Thorstensen J.R., Motch C., Schwarzenberg-Czerny A., Pakull M., Shambrook A., Pietsch W. **291**, 171

An optical time-resolved spectroscopic study of SS Cygni. I. Quiescence
Martínez-Pais I.G., Giovannelli F., Rossi C., Gaudenzi S. **291**, 455

Element abundances of classical novae
Andreä J., Drechsel H., Starrfield S. **291**, 869

The many incarnations of accretion disk dynamos: mixed parities and chaos for large dynamo numbers
Torkelsson U., Brandenburg A. **292**, 341

Periodicities in the optical brightness variations of the intermediate polar TV Columbae
Augusteijn T., Heemskerk M.H.M., Zwarthoed G.A.A., van Paradijs J. **292**, 351 (***107, 219***)

CCD spectrophotometry of CVs. I. 4600–9000 Å low resolution atlas for 31 faint systems
Zwitter T., Munari U. **292**, 355 (***107, 503***)

Time resolved spectroscopy of the dwarf nova VY Aquarii in superoutburst and quiescence
Augusteijn T. **292**, 481

ROSAT X-ray observations of ten cataclysmic variables
van Teeseling A., Verbunt F. **292**, 519

Stars: oscillations (including pulsations) 08.15.1

The δ Scuti star BI Canis Minoris (≡ HD 66853): pulsational behaviour and a critical discussion of physical parameter determination
Mantegazza L., Poretti E. **281**, 66

EP Cancri: a nonradially pulsating δ Scuti star in the Praesepe cluster
Breger M., Martin B., Garrido R., Jiang S.Y., Li Zhi-ping, Hube D.P., Stich J., Ostermann W., Paparo M. **281**, 90

The triple-mode variable AC Andromedae
Kovács G., Buchler J.R. **281**, 749

The variable λBootis star HD 142994
Weiss W.W., Paunzen E., Kuschnig R., Schneider H. **281**, 797

Seismological properties of intermediate-mass stars
Audard N., Provost J. **282**, 73

Resonance effects in fundamental, first overtone and double-mode Cepheids
Antonello E. **282**, 835

Time-resolved photometry of BN and BU Cancri, two δ Scuti stars in the Praesepe cluster. Fourth photometry campaign of the STEPHI network
Belmonte J.A., Michel E., Álvarez M., Jiang S.Y., Chevreton M., Auvergne M., Liu Y.Y., Goupil M.J., Baglin A., Roca Cortés T., Mangeney A., Dolez N., Valtier J.C., Massacrier G., Sareyan J.P., Schmider F.X., Vidal I. **283**, 121

A spectroscopic analysis of the β Cephei star α Lupi
Mathias P., Aerts C., De Pauw M., Gillet D., Waelkens C. **283**, 813

Geneva seven-colour photometry and frequency analysis of the δ Scuti star HD 105513
Heynderickx D. **283**, 835

Fourier coefficients of nonlinear oscillators
Antonello E. **285**, 140

BL Herculis model pulsations. III. Livermore opacities
Buchler J.R., Buchler N.E.G. **285**, 213

Passage through resonance of a dynamic tide in a rapidly evolving star
Ruymaekers E., Smeyers P. **285**, 357 (***104, 401***)

A search for rapid radial velocity variations in α Circini
Hatzes A.P., Kürster M. **285**, 454

The Fourier decomposition of new light curves of Cepheids with $P < 7$ d
Poretti E. **285**, 524

Period of the Si-star in NGC 2169
Renson P. **285**, 912

Multiperiodicity and pulsation characteristics of β Cephei
Aerts C., Mathias P., Gillet D., Waelkens C. **286**, 109

Mode identification with the moment method in four multiperiodic β Cephei stars: KK Velorum, ν Eri, β CMa, and V 348 Normae
Aerts C., Waelkens C., De Pauw M. **286**, 136

β^1 Monocerotis: oscillations and chromospheric structure
Marañón Di Leo C., Colombo E., Ringuelet A.E. **286**, 160

Short time scale monitoring of SiO sources
Pijpers F.P., Pardo J.R., Bujarrabal V. **286**, 501

The shock wave propagation effects in BL Herculis. I. The Hα profile
Gillet D., Burki G., Chatel A., Duquennoy A., Lèbre A. **286**, 508

The δ Scuti instability strip: effects of opacity enhancement and wave reflections
Li Y., Stix M. **286**, 815

The pulsations of yellow semi-regular variables. II. The F supergiant in the high-latitude binary BL Telescopii
Zsoldos E. **286**, 870

Nonlinear, nonradial, isentropic oscillations of stars: Hamiltonian formalism
Van Hoolst T. **286**, 879

Simultaneous intensive photometry and high resolution spectroscopy of δ Scuti stars. I. Mode typing of HD 106384≡FG Virginis
Mantegazza L., Poretti E., Bossi M. **287**, 95

An Eulerian approach for the computation of oscillation mode visibility
Gouttebroze P., Toutain T. **287**, 535

Detection of "moving bumps" for the Be star η Centauri
Leister N.V., Janot-Pacheco E., Hubert A.M., Floquet M., Hubert H., Briot D. **287**, 789

Catalogue of CP stars with references to short time scale variability
Malanushenko V.P., Polosukchina N.S., Weiss W.W. **287**, 1036 (***105, 125***)

The RR Lyrae stars of ω Centauri revisited. I. Catalogue of Fourier decomposition parameters
Petersen J.O. **287**, 1036 (***105, 145***)

A photometric study of β Cephei stars. II. Determination of the degrees l of pulsation modes
Heynderickx D., Waelkens C., Smeyers P. **287**, 1042 (***105, 447***)

HD 37151: a new "slowly pulsating B star"
North P., Paltani S. **288**, 155

A spherical treatment of slightly distorted rotating stars
Kähler H. **288**, 183

Rotational effects on stellar structure and stability
Kähler H. **288**, 191

δ Scuti stars: a new revised list
Rodríguez E., López de Coca P., Rolland A., Garrido R., Costa V. **288**, 1033 (***106, 21***)

A new frequency analysis of photometric observations of the β Cephei star IL Velorum
Heynderickx D., Haug U. **288**, 1034 (***106, 79***)

Multi-period pulsation of the δ Scuti star 63 Herculis
Breger M., Ostermann W.M., Jiang S.Y., Li Z.-P., Akan M.C., Evren S., İbanoğlu C., Keskin V., Tunca Z. **289**, 162

Automatic search for periodic light curves with any kind of shape in unevenly spaced data
Grison P. **289**, 404

Confrontation between power spectra of Mira stars and theoretical models
Barthès D., Tuchman Y. **289**, 429

Red supergiant variables in the Large Magellanic Cloud: their evolution and pulsations
Li Y., Gong Z.G. **289**, 449

Maximum likelihood estimators: an application to the estimation of the precision of helioseismic measurements
Toutain T., Appourchaux T. **289**, 649

A spectroscopic analysis of the β Cephei star 12 Lacertae
Mathias P., Aerts C., Gillet D., Waelkens C. **289**, 875

The second order asymptotic theory for the solar and stellar low degree acoustic mode predictions
Lopes I., Turck-Chièze S. **290**, 845

The shock wave propagation effects in BL Herculis. II. Nonlinear model and theoretical profile of Hα
Fokin A.B., Gillet D. **290**, 875

FOS observations of G 117–B 15A and the blue edge of the ZZ Ceti instability strip
Koester D., Allard N.F., Vauclair G. **291**, L9

Nonadiabatic observables in β Cephei models
Cugier H., Dziembowski W.A., Pamyatnykh A.A. **291**, 143

The stabilizing effect of rotation
Hazlehurst J. **291**, 181

Nonlinear stellar pulsation. II. Radiative models of RR-Lyrae stars
Feuchtinger M.U., Dorfi E.A. **291**, 209

Pulsation of the yellow hypergiant ϱ Cassiopeiae in 1970
Lobel A., de Jager C., Nieuwenhuijzen H., Smolinski J., Gesicki K. **291**, 226

Amplitude equations for nonadiabatic nonradial pulsators
Goupil M.J., Buchler J.R. **291**, 481

Nonlinear properties of double-mode pulsators
Antonello E. **291**, 820

The influence of the troposphere on the oscillations of giant planets
Mosser B., Gudkova T., Guillot T. **291**, 1019

Nonlinear pulsations of the RV Tauri stars
Fokin A.B. **292**, 133

Stability of the multimode pulsation in the β Cephei-type variable 12 (DD) Lacertae
Pigulski A. **292**, 183

Fundamental parameters of Cepheids. I. Photometric data in the Geneva system
Bersier D., Burki G., Burnet M. **292**, 357 (***108, 9***)

Fundamental parameters of Cepheids. II. Radial velocity data
Bersier D., Burki G., Mayor M., Duquennoy A. **292**, 358 (***108, 25***)

The long-term behaviour of the photometric variability of β Cassiopeiae
Riboni E., Poretti E., Galli G. **292**, 358 (***108, 55***)

Application of wavelet analysis in variable star research. I. Properties of the wavelet map of simulated variable star light curves
Szatmáry K., Vinkó J., Gál J. **292**, 363 (***108, 377***)

Fourier analysis of short-period SMC Cepheids: a comparison with Galactic Cepheids
Buchler J.R., Moskalik P. **292**, 450

Coupled-mode equations and amplitude equations for nonadiabatic, nonradial oscillations of stars
Van Hoolst T. **292**, 471

Three periodicities in a 98-year light curve of the symbiotic star Z Andromedae
Formiggini L., Leibowitz E.M. **292**, 534

Stars: peculiar (except chemically peculiar) 08.16.1

Faint blue stars in the core of NGC 6397
De Marchi G., Paresce F. **281**, L13

UV-(2000 Å) imaging of globular clusters. II. The blue straggler stars of M 3
Laget M., Milliard B., Donas J. **282**, 37

(Stars:) planetary systems 08.16.2

The effects of stellar rotation on the absorption spectra of comets orbiting β Pictoris
Beust H., Lissauer J.J. **282**, 804

Vega: smaller dust grains in a larger shell
van der Bliek N.S., Prusti T., Waters L.B.F.M. **285**, 229

HST-GHRS observations of β Pictoris: additional evidence for infalling comets
Vidal-Madjar A., Lagrange-Henri A.M., Feldman P.D., Beust H., Lissauer J.J., Deleuil M., Ferlet R., Gry C., Hobbs L.M., McGrath M.A., McPhate J.B., Moos H.W. **290**, 245

Stars: Population II 08.16.3

Faint blue stars in the core of NGC 6397
De Marchi G., Paresce F. **281**, L13

Lithium abundance in a turnoff star of the old globular cluster NGC 6397
Molaro P., Pasquini L. **281**, L77

(**RN**) The helium-to-hydrogen ratio of the UV-bright star Barnard 29 of Messier 13
Adelman S.J., Aikman G.C.L., Hayes D.S., Philip A.G.D., Sweigart A.V. **282**, 134

The P–L relation for RR Lyrae-like stars with $0.8^d < P < 3^d$
Sandage A., Diethelm R., Tammann G.A. **283**, 111

Chromospheric activity in Population II binaries
Pasquini L., Lindgren H. **283**, 179

V 348 Sagittarii: analysis of the [WC 12] stellar spectrum
Leuenhagen U., Hamann W.-R. **283**, 567

S 32 and UKS-Ce1: two barium-rich symbiotic stars
Schmid H.M. **284**, 156

Hot stars near the position of X0512–401 in the globular cluster NGC 1851
Aurière M., Bonnet-Bidaud J.M., Koch-Miramond L. **284**, 457

Chemical composition and atmospheric parameters of metal-poor halo stars
Nissen P.E., Gustafsson B., Edvardsson B., Gilmore G. **285**, 440

On the Oosterhoff–Arp–Sandage period-shift effect and its evolutionary interpretation
Catelan M. **285**, 469

Kinematics of hot subdwarfs
Colin J., de Boer K.S., Dauphole B., Ducourant C., Dulou M.R., Geffert M., Le Campion J.-F., Moehler S., Odenkirchen M., Schmidt J.H.K., Theissen A. **287**, 38

HST observations of the core of globular cluster NGC 6397
Burgarella D., Paresce F., Meylan G., King I.R., Greenfield P., Baxter D., Jedrzejewski R., Nota A., Albrecht R., Barbieri C., Blades J.C., Boksenberg A., Crane P., Deharveng J.M., Disney M.J., Jakobsen P., Kamperman T.M., Macchetto F., Mackay C.D., Weigelt G. **287**, 769

Investigation of the II-90 giant in globular cluster M 13
Klochkova V.G., Mishenina T.V., Panchuk V.E. **287**, 881

Abundances of neutron-capture elements in metal-poor stars
Gratton R.G., Sneden C. **287**, 927

2.1 μm images of the evolved stellar disk and the morphological classification of spiral galaxies
Block D.L., Bertin G., Stockton A., Grosbøl P., Moorwood A.F.M., Peletier R.F. **288**, 365

(RN) Horizontal-branch models and the second-parameter phenomenon: the case of NGC 288 and NGC 362
Catelan M., de Freitas Pacheco J.A. **289**, 394

Synthetic and observed photometric indices for globular clusters in the Galaxy and M 31
Covino S., Pasinetti Fracassini L.E., Malagnini M.L., Buzzoni A. **289**, 775

Chemical composition of the metal-poor carbon star HD 187216
Kipper T., Jørgensen U.G. **290**, 148

Lithium in old binary stars
Spite M., Pasquini L., Spite F. **290**, 217

Ultraviolet Fe III lines in the spectra of high galactic latitude early-type stars
Kendall T.R., Conlon E.S., Dufton P.L., Keenan F.P. **290**, 563

Abundances of four very metal-poor stars of the BPS survey
Primas F., Molaro P., Castelli F. **290**, 885

Abundance analysis of the hot post-AGB star Barnard 29
Conlon E.S., Dufton P.L., Keenan F.P. **290**, 897

Spectroscopic analyses of metal-poor stars. I. Basic data and stellar parameters
Axer M., Fuhrmann K., Gehren T. **291**, 895

Nonlinear pulsations of the RV Tauri stars
Fokin A.B. **292**, 133

Analysis of BD+33°2642: a newly detected planetary nebula in the galactic halo and its central star
Napiwotzki R., Heber U., Köppen J. **292**, 239

Broad band *JHK* infrared photometry of an extended sample of late-type dwarfs and subdwarfs
Alonso A., Arribas S., Martínez-Roger C. **292**, 353 (***107***, *365*)

uvby–β photometry of high-velocity and metal-poor stars. VII. Ages of halo and thick-disk field stars
Marquez A., Schuster W.J. **292**, 362 (***108***, *341*)

Stars: pre-main sequence 08.16.5

Scattered near-IR CO emission bands in GGD27-IRS. Observing the circumstellar environment of heavily obscured young PMS stars
Aspin C. **281**, L29

Radio emission from stars: a survey at 250 GHz
Altenhoff W.J., Thum C., Wendker H.J. **281**, 161

Optical/ultraviolet excess in stochastic winds of T Tauri stars
Mitskevich A.S. **281**, 471

A new young stellar object in the S 187 complex: photometry and spectroscopy
Zavagno A., Deharveng L., Caplan J. **281**, 491

Long-slit spectroscopy and direct imaging of the PMS objects GGD 33 and V 350 Cephei in NGC 7129
Miranda L.F., Eiroa C., Fernández M., Gómez de Castro A.I. **281**, 864

The exciting source of the Herbig-Haro 111 jet complex: VLA detection of a one-sided radio jet
Rodríguez L.F., Reipurth B. **281**, 882

The remarkable pre-main sequence object V 1318 Cygni
Aspin C., Sandell G., Weintraub D.A. **282**, L25

(RN) A search for cold dust around post-T Tauri candidates
Gahm G.F., Zinnecker H., Pallavicini R., Pasquini L. **282**, 123

Rapid line-profile variability of Hα and Hβ in the A-type shell star HD 163296
Pogodin M.A. **282**, 141

Pre-main sequence lithium burning. I. Weak T Tauri stars
Martín E.L., Rebolo R., Magazzù A., Pavlenko Y.V. **282**, 503

Pre-main sequence lithium burning. II. Pleiades low mass stars
García López R.J., Rebolo R., Martín E.L. **282**, 518

SHARP images of the pre-main sequence star V 536 Aquilae: a highly polarized binary
Ageorges N., Ménard F., Monin J.-L., Eckart A. **283**, L5

Speckle imaging of T Tauri stars in the L and M near-IR bands
Tessier E., Bouvier J., Lacombe F. **283**, 827

Simulation of polarization maps. I. Protostellar envelopes
Fischer O., Henning T., Yorke H.W. **284**, 187

A Doppler image of the weak T Tauri star V 410 Tau
Strassmeier K.G., Welty A.D., Rice J.B. **285**, L17

Doppler imaging of the T Tauri star V 410 Tau
Joncour I., Bertout C., Ménard F. **285**, L25

Stationary boundary layers of accretion α disks: profiles and emission properties
Lioure A., Le Contel O. **285**, 185

Young stars associated with the Vela Molecular Ridge. I. VMR clouds C and D, Collinder 197 and Vela R2
Pettersson B., Reipurth B. **285**, 354 (***104***, *233*)

A new catalogue of members and candidate members of the Herbig Ae/Be (HAEBE) stellar group
Thé P.S., de Winter D., Pérez M.R. **285**, 355 (***104***, *315*)

uvbyβ photometry of Orion population stars and related objects associated with six star forming regions
Terranegra L., Chavarría-K.C., Diaz S., González-Patiño D. **285**, 359 (***104***, *557*)

Low-mass stars: pre-main sequence evolution and nucleosynthesis
Forestini M. **285**, 473

Photometry and polarimetry of pre-main sequence stars
Hutchinson M.G., Albinson J.S., Barrett P., Davies J.K., Evans A., Goldsmith M.J., Maddison R.C. **285**, 883

Jet flows and disk winds from T Tauri stars: the case of CW Tau
Hirth G.A., Mundt R., Solf J. **285**, 929

(RN) Do star forming regions have different binary fractions?
Durisen R.H., Sterzik M.F. **286**, 84

Images of the GG Tauri rotating ring
Dutrey A., Guilloteau S., Simon M. **286**, 149

The spatial distribution of excited H_2 in T Tauri: a molecular outflow in a young binary system
van Langevelde H.J., van Dishoeck E.F., van der Werf P.P., Blake G.A. **287**, L25

Polar accretion and light variability on T Tauri stars
Gullbring E. **287**, 131

New binary young stars in the Taurus and Ophiuchus star-forming regions
Richichi A., Leinert C., Jameson R., Zinnecker H. **287**, 145

Ambiguities of parametrized dust disk models for young stellar objects
Thamm E., Steinacker J., Henning T. **287**, 493

T Tauri stars as differential rotators
Smith M.D. **287**, 523

Profile variations of the Hα emission line in the Herbig B3e star HD 200775
Beskrovnaya N.G., Pogodin M.A., Shcherbakov A.G., Tarasov A.E. **287**, 564

A Herbig-Haro flow in HV Tauri
Magazzù A., Martín E.L. **287**, 571

Nonradial and nonpolytropic astrophysical outflows. III. A criterion for the transition from jets to winds
Sauty C., Tsinganos K. **287**, 893

Is ESO Hα 279 a pre-main sequence binary?
Aspin C., Reipurth B., Lehmann T. **288**, 165

A CO and CS study of three low luminosity PMS candidates in Chamaeleon II
Olmi L., Felli M., Prusti T. **288**, 591

(RN) Near-IR monitoring of the pre-main sequence star SSV 13: October 1990 to December 1993
Aspin C., Sandell G. **288**, 803

Near-IR imaging photometry of the J−K>4 sources in the Lk Hα 101 infrared cluster
Aspin C., Barsony M. **288**, 849

Multiple scattering of polarized radiation in circumstellar dust shells
Voshchinnikov N.V., Karjukin V.V. **288**, 883

Outburst of the illuminating star of the bipolar reflection nebula RNO 138?
Miranda L.F., Eiroa C., Birkle K. **289**, L7

(RN) Near-infrared observations of new young stellar objects from the IRAS Point Source Catalog
Carballo R., Sahu M. **289**, 131

Near-IR imaging photometry of NGC 1333. I. The embedded PMS stellar population
Aspin C., Sandell G., Russell A.P.G. **289**, 663 (***106, 165***)

Forbidden lines in Herbig Ae/Be stars: the [O I] (1F) 6300.31 Å and 6363.79 Å lines. I. Observations and qualitative analysis
Böhm T., Catala C. **290**, 167

Optical outflows in the vicinity of the southern Herbig Ae/Be star vdB 65b
Ray T.P., Eislöffel J. **290**, 605

Photometric and spectroscopic observations of the spotted T Tauri star V 410 Tauri
Petrov P.P., Shcherbakov V.A., Berdyugina S.V., Shevchenko V.S., Grankin K.N., Melnikov S.Y. **290**, 1019 (***107, 9***)

Doppler imaging of the T Tauri star HDE 283572
Joncour I., Bertout C., Bouvier J. **291**, L19

A Keplerian disk around DM Tau?
Guilloteau S., Dutrey A. **291**, L23

Speckle masking observations of the young binary Z Canis Majoris
Barth W., Weigelt G., Zinnecker H. **291**, 500

Cold dust around southern Herbig Ae/Be stars
Henning T., Launhardt R., Steinacker J., Thamm E. **291**, 546

A submillimeter protostar near LkHα 198
Sandell G., Weintraub D.A. **292**, L1

Thermal infrared imaging of GGD 27-IRS. The active pre-main sequence star revealed
Aspin C., Puxley P.J., Blanco P.R., Piña R.K., Pickup D.A., Paterson M.J., Sylvester J., Laird D.C., Bridger A., Daly P.N., Griffin J.L. **292**, L9

X-ray emission from Herbig Ae/Be stars: a ROSAT survey
Zinnecker H., Preibisch T. **292**, 152

The β Pictoris phenomenon among young stars. I. The case of the Herbig Ae star UX Orionis
Grinin V.P., Thé P.S., de Winter D., Giampapa M., Rostopchina A.N., Tambovtseva L.V., van den Ancker M.E. **292**, 165

Study of L 1340: a star-forming cloud in Cassiopeia
Kun M., Obayashi A., Sato F., Yonekura Y., Fukui Y., Balázs L.G., Ábrahám P., Szabados L., Kelemen J. **292**, 249

Optical nebulosities associated with IRAS sources in dense cloud cores
Eiroa C., Torrelles J.M., Miranda L.F., Anglada G., Estalella R. **292**, 359 (***108, 73***)

UBVRI photometry and polarimetry of the stars in S 252 (NGC 2175). I. The observations
Haikala L.K. **292**, 369 (***108, 643***)

Near-infrared spectroscopy and imaging of Herbig-Haro objects
Gredel R. **292**, 580

Extended mid-infrared emission around Herbig Ae/Be stars
Prusti T., Natta A., Palla F. **292**, 593

(Stars:) pulsars: general 08.16.6

Gamma-ray emission from millisecond pulsars
Sturner S.J., Dermer C.D. **281**, L101

Location of the emitting regions in the mode-switching radio pulsar PSR 1926+18
Nowakowski L.A. **281**, 444

Multifrequency study of PSR 1822−09
Gil J.A., Jessner A., Kijak J., Kramer M., Malofeev V.M., Malov I., Seiradakis J.H., Sieber W., Wielebinski R. **282**, 45

Binary radiopulsars with optical companion
Lipunov V.M., Nazin S.N., Osminkin E.Y., Prokhorov M.E. **282**, 61

A positron-cyclotron maser mechanism for the core emission of radio pulsars
Zhu Y., Mao D., Wang D., Wu X. **282**, 467

New optical positions of the globular cluster X-ray sources NGC 6712: S/X 1850-086 and M 15: AC 211/X 2127+119
Geffert M., Aurière M., Requième Y., Mazurier J.-M. **282**, 989

Interaction of a pulsar with interstellar matter
Istomin Y.N. **283**, 85

Radiation from a relativistic rotating magnetic dipole: magnetic synchrotron effect
Belinsky V., De Paolis F., Lee H.W., Ruffini R. **283**, 1018

Multi-wavelength intra-peak phase separations in pulsed emissions from the Crab and the Vela pulsars
Ramanamurthy P.V. **284**, L13

Energy-dependent effects of scattering atmospheres on X-ray pulsar pulse profiles
Sturner S.J., Dermer C.D. **284**, 161

Spectra of 45 pulsars
Malofeev V.M., Gil J.A., Jessner A., Malov I.F., Seiradakis J.H., Sieber W., Wielebinski R. **285**, 201

Evidence for a low-luminosity X-ray pulsar associated with a supernova remnant
Schwentker O. **286**, L47

Observations of pulsar integrated profiles at high frequencies
Izvekova V.A., Jessner A., Kuzmin A.D., Malofeev V.M., Sieber W., Wielebinski R. **287**, 1037 (***105**, 235)*

On the nature of pulsar radio-emission
Xilouris K.M., Kramer M., Jessner A., Wielebinski R. **288**, L17

SIGMA/GRANAT observations of the bright nearby millisecond pulsar PSR J0437–4715
Barret D., Stephen J.B., Olive J.F., Mandrou P., Laurent P., Denis M., Claret A., Cordier B., Churazov E., Gilfanov M., Sunyaev R., Dyachkov A., Khavenson N., Kuleshova N., Kovtunenko V., Sukhanov K. **288**, 472

The X-ray spectrum of EXO 2030+375
Sun X.-J., Li T.-P., Wu M., Cheng L.-X. **289**, 127

A model of the source LS I +61°303
Lipunov V.M., Nazin S.N. **289**, 822

Neutron star recoils from anisotropic supernovae
Janka H.-T., Müller E. **290**, 496

(RN) The γ-ray pulsars and the generation order parameter
Lu T., Wei D.M., Song L.M. **290**, 815

High precision rotating neutron star models. I. Analysis of neutron star properties
Salgado M., Bonazzola S., Gourgoulhon E., Haensel P. **291**, 155

Geometrical analysis of average pulsar profiles using multi-component gaussian fits at several frequencies. I. Method and analysis
Kramer M., Wielebinski R., Jessner A., Gil J.A., Seiradakis J.H. **292**, 356 (***107**, 515)*

Geometrical analysis of average pulsar profiles using multi-component gaussian fits at several frequencies. II. Individual results
Kramer M. **292**, 356 (***107**, 527)*

High precision rotating neutron star models. II. Large sample of neutron star properties
Salgado M., Bonazzola S., Gourgoulhon E., Haensel P. **292**, 365 (***108**, 455)*

(Stars:) pulsars: individual: 08.16.7

A 0535+26

Evidence for cyclotron line features in high energy spectra of A 0535+26 during the March/April 1989 outburst
Kendziorra E., Kretschmar P., Pan H.C., Kunz M., Maisack M., Staubert R., Pietsch W., Trümper J., Efremov V., Sunyaev R. **291**, L31

Crab pulsar

Multi-wavelength intra-peak phase separations in pulsed emissions from the Crab and the Vela pulsars
Ramanamurthy P.V. **284**, L13

(RN) Estimates of the Compton backscattering feature at ~150 keV in the Crab Nebula pulsar
Bednarek W., Cremonesi O., Treves A. **284**, 85

On the temporal behaviour of the Crab pulsar as seen by COMPTEL
Carramiñana A., Bennett K., Buccheri R., Busetta M., Connors A., Hermsen W., Kuiper L., Lichti G.G., Ryan J., Schönfelder V., Strong A. **290**, 487

The radio-gamma time delay of the Crab pulsar
Masnou J.L., Agrinier B., Barouch E., Comte R., Costa E., Christy J.C., Cusumano G., Gerardi G., Lemoine D., Mandrou P., Massaro E., Matt G., Mineo T., Niel M., Olive J.F., Parlier B., Sacco B., Salvati M., Scarsi L. **290**, 503

EXO 2030+375

The X-ray spectrum of EXO 2030+375
Sun X.-J., Li T.-P., Wu M., Cheng L.-X. **289**, 127

GRO J1008-57

A ROSAT observation of the transient X-ray pulsar GRO J1008-57
Petre R., Gehrels N. **282**, L33

GX 1+4

Detection of a very low hard X-ray pulse fraction in the bright state of GX 1+4
Rao A.R., Paul B., Chitnis V.R., Agrawal P.C., Manchanda R.K. **289**, L43

Her X-1

Hercules X-1 pulse profile simulation
Panchenko I.E., Postnov K.A. **286**, 497

PSR 0355+54

On the nature of pulsar radio-emission
Xilouris K.M., Kramer M., Jessner A., Wielebinski R. **288**, L17

PSR 0833–45

EGRET observations of the Vela pulsar, PSR 0833–45
Kanbach G., Arzoumanian Z., Bertsch D.L., Brazier K.T.S., Chiang J., Fichtel C.E., Fierro J.M., Hartman R.C., Hunter S.D., Kniffen D.A., Lin Y.C., Mattox J.R., Mayer-Hasselwander H.A., Michelson P.F., von Montigny C., Nel H.I., Nice D., Nolan P.L., Pinkau K., Rothermel H., Schneid E., Sommer M., Sreekumar P., Taylor J.H., Thompson D.J. **289**, 855

Search for TeV gamma-ray emission from the Vela pulsar
Edwards P.G., Thornton G.J., Patterson J.R., Roberts M.D., Rowell G.P. **291**, 468

PSR 1133+16

Statistics of PSR 1133+16 micropulse emission determined at widely spaced frequencies
Smirnova T.V., Tul'bashev S.A., Boriakoff V. **286**, 807

PSR 1259-63

Binary radiopulsars with optical companion
Lipunov V.M., Nazin S.N., Osminkin E.Y., Prokhorov M.E. **282**, 61

PSR 1509–58

Observations of the pulsar PSR 1509–58 with the SIGMA telescope
Laurent P., Paul J., Claret A., Caraveo P.A., Schmitz-Fraysse M.C., Jourdain E., Roques J.P., Mandrou P., Churazov E., Gilfanov M., Sunyaev R., Finoguenov A., Sitdikov A., Vikhlinin A., Dyachkov A., Khavenson N. **286**, 838

PSR 1718–19

PSR 1718–19 and destructive tidal circularization
Verbunt F. **285**, L21

PSR 1757–24

Interaction of a pulsar with interstellar matter
Istomin Y.N. **283**, 85

PSR 1822-09

Multifrequency study of PSR 1822–09
Gil J.A., Jessner A., Kijak J., Kramer M., Malofeev V.M., Malov I., Seiradakis J.H., Sieber W., Wielebinski R. **282**, 45

PSR 1926+18

Location of the emitting regions in the mode-switching radio pulsar PSR 1926+18
Nowakowski L.A. **281**, 444

PSR 1929+10

Model atmospheres and radiation of magnetic neutron stars: anisotropic thermal emission
Pavlov G.G., Shibanov Y.A., Ventura J., Zavlin V.E. **289**, 837

PSR J0437–47

Model atmospheres and radiation of magnetic neutron stars: anisotropic thermal emission
Pavlov G.G., Shibanov Y.A., Ventura J., Zavlin V.E. **289**, 837

PSR J0437–4715

SIGMA/GRANAT observations of the bright nearby millisecond pulsar PSR J0437–4715
Barret D., Stephen J.B., Olive J.F., Mandrou P., Laurent P., Denis M., Claret A., Cordier B., Churazov E., Gilfanov M., Sunyaev R., Dyachkov A., Khavenson N., Kuleshova N., Kovtunenko V., Sukhanov K. **288**, 472

PSR J2145-0750

The binary pulsar PSRJ 2145–0750: a system originating from a low or intermediate mass X-ray binary with a donor star on the asymptotic giant branch?
van den Heuvel E.P.J. **291**, L39

RX J1838.4–0301

Evidence for a low-luminosity X-ray pulsar associated with a supernova remnant
Schwentker O. **286**, L47

Vela pulsar

Multi-wavelength intra-peak phase separations in pulsed emissions from the Crab and the Vela pulsars
Ramanamurthy P.V. **284**, L13

The lognormal properties of the soft gamma-ray repeater SGR 1806–20 and the Vela pulsar
Hurley K.J., McBreen B., Rabbette M., Steel S. **288**, L49

Stars: rotation 08.18.1

Long-term luminosity variations and period changes in V 471 Tauri
İbanoğlu C., Keskin V., Akan M.C., Evren S., Tunca Z. **281**, 811

The evolution of a 20 $M_{\odot}$ rotating star: abundance anomalies in OBN stars in the LMC
Eryurt D., Kırbıyık H., Kızıloğlu N., Civelek R., Weiss A. **282**, 485

Pre-main sequence lithium burning. I. Weak T Tauri stars
Martín E.L., Rebolo R., Magazzù A., Pavlenko Y.V. **282**, 503

Pre-main sequence lithium burning. II. Pleiades low mass stars
García López R.J., Rebolo R., Martín E.L. **282**, 518

Lithium and beryllium depletion by rotation-induced mixing in the Sun and in galactic cluster stars
Charbonnel C., Vauclair S., Maeder A., Meynet G., Schaller G. **283**, 155

A long period model for the magnetic star γ Equulei
Leroy J.L., Bagnulo S., Landolfi M., Landi Degl'Innocenti E. **284**, 174

49 Camelopardalis: an uncommon magnetic star
Leroy J.L., Landstreet J.D., Bagnulo S. **284**, 491

The Wilson–Bappu effect and other Ca II H and K line parameters relationships in chromospherically active binaries
Montes D., Fernández-Figueroa M.J., De Castro E., Cornide M. **285**, 609

Reynolds stresses and differential rotation in Boussinesq convection in a rotating spherical shell
Rieutord M., Brandenburg A., Mangeney A., Drossart P. **286**, 471

Turbulent diffusive mixing in early B-type main sequence stars
Denissenkov P.A. **287**, 113

The observations of solar microwave bursts at the Siberian solar radio telescope with 56-millisecond resolution
Altyntsev A.T., Grechnev V.V., Kachev L.E., Lesovoi S.V., Mansyrev M.I., Molodyakov S.A., Platonov A.V., Saenko I.I., Smolkov G.Y., Sych R.A., Treskov T.A., Zandanov V.G., Esepkina N.A. **287**, 256

Cross-correlation radial-velocity techniques for rotating F stars
Nordström B., Latham D.W., Morse J.A., Milone A.A.E., Kurucz R.L., Andersen J., Stefanik R.P. **287**, 338

T Tauri stars as differential rotators
Smith M.D. **287**, 523

Rotation of Newtonian boson stars
Abad S., Pacheco A.F., Sañudo J. **287**, 1029

A spherical treatment of slightly distorted rotating stars
Kähler H. **288**, 183

Rotational effects on stellar structure and stability
Kähler H. **288**, 191

Rotation and lithium depletion in late-type binaries
Zahn J.-P. **288**, 829

Variation of oxygen lines in magnetic Ap stars
Gonzalez J.-F., Artru M.-C. **289**, 209

Doppler imaging with a CLEAN-like approach. II. A photospheric image of AB Doradus (= HD 36705)
Kürster M., Schmitt J.H.M.M., Cutispoto G. **289**, 899

On the rotation properties of Be stars and their envelopes
Mennickent R.E., Vogt N., Barrera L.H., Covarrubias R., Ramírez A. **289**, 999 (***106**, 427)*

A Newton iteration method for obtaining equilibria of rapidly rotating stars
Aksenov A.G., Blinnikov S.I. **290**, 674

Fourier analysis of spotted star light curves as a tool to detect stellar differential rotation. II. Spots' evolution and binarity
Lanza A.F., Rodonò M., Zappalà R.A. **290**, 861

High precision rotating neutron star models. I. Analysis of neutron star properties
Salgado M., Bonazzola S., Gourgoulhon E., Haensel P. **291**, 155

The stabilizing effect of rotation
Hazlehurst J. **291**, 181

Λ-quenching as the nonlinearity in stellar-turbulence dynamos
Kitchatinov L.L., Rüdiger G., Küker M. **292**, 125

Stability of the multimode pulsation in the β Cephei-type variable 12 (DD) Lacertae
Pigulski A. **292**, 183

Applicability of the Rossby number in activity-rotation relations for dwarfs and giants
Stępień K. **292**, 191

High precision rotating neutron star models. II. Large sample of neutron star properties
Salgado M., Bonazzola S., Gourgoulhon E., Haensel P. **292**, 365 (***108**, 455)*

Stars: statistics 08.19.1

Variability of microlensing light curves. I. Autocorrelation method and the calculation of the correlated deflection probability
Seitz C., Schneider P. **288**, 1

A new method for the determination of the population types of field stars
Karaali S. **288**, 1034 (***106**, 107)*

Counts and colours of faint stars in 5 fields near the North Galactic Pole
Infante L. **292**, 354 (***107**, 413)*

(Stars:) subdwarfs 08.19.2

Kinematics of hot subdwarfs
Colin J., de Boer K.S., Dauphole B., Ducourant C., Dulou M.R., Geffert M., Le Campion J.-F., Moehler S., Odenkirchen M., Schmidt J.H.K., Theissen A. **287**, 38

Spectroscopic analyses of metal-poor stars. I. Basic data and stellar parameters
Axer M., Fuhrmann K., Gehren T. **291**, 895

Broad band *JHK* infrared photometry of an extended sample of late-type dwarfs and subdwarfs
Alonso A., Arribas S., Martínez-Roger C. **292**, 353 (***107**, 365)*

Detecting red stellar companions to hot subdwarfs with CCD imaging
Thejll P., Theissen A., Jimenez R. **292**, 457

(Stars:) supergiants 08.19.3

Discovery of near-infrared hydrogen line emission in the peculiar F8 hypergiant IRC+10420
Oudmaijer R.D., Geballe T.R., Waters L.B.F.M., Sahu K.C. **281**, L33

Evidence for violent ejection of nebulae from massive stars
Hutsemékers D. **281**, L81

The optical and near infrared variability of η Carinae: a binary luminous blue variable?
van Genderen A.M., de Groot M.J.H., Thé P.S. **283**, 89

High-resolution optical spectroscopy of the hot R CrB star V 348 Sagittarii
Leuenhagen U., Heber U., Jeffery C.S. **283**, 714 (***103**, 445)*

High-dispersion Hα spectroscopy of ε Aurigae
Cha G., Tan H., Xu J., Li Y. **284**, 874

Nebular emission lines in IRAS 10215–5916
García-Lario P., Manchado A., Parthasarathy M., Pottasch S.R. **285**, 179

A study of dust shells around high latitude supergiants
van der Veen W.E.C.J., Waters L.B.F.M., Trams N.R., Matthews H.E. **285**, 551

The nature of the brightest galactic center HeI emission line star
Najarro F., Hillier D.J., Kudritzki R.P., Krabbe A., Genzel R., Lutz D., Drapatz S., Geballe T.R. **285**, 573

The shock strength in super- and hypergiant atmospheres derived from microturbulence data
Nieuwenhuijzen H., de Jager C., Cuntz M. **285**, 595

On the Cepheid variables of nearby galaxies. II. Sextans A and Sextans B
Piotto G., Capaccioli M., Pellegrini C. **287**, 371

Spectroscopic observations of AB-supergiants in M 31 and M 33
Herrero A., Lennon D.J., Vilchez J.M., Kudritzki R.P., Humphreys R.H. **287**, 885

Hydrodynamical 3D Bondi-Hoyle accretion onto the Galactic Center blackhole candidate Sgr A
Ruffert M., Melia F. **288**, L29

ROSAT soft X-ray observations of the supergiant X-ray binary Vela X-1
Haberl F. **288**, 791

The soft component in the X-ray spectrum of 4U 1700–37
Haberl F., Aoki T., Mavromatakis F. **288**, 796

Variability of luminous blue variables. I. Intermediate-band photometry
Spoon H.W.W., de Koter A., Sterken C., Lamers H.J.G.L.M., Stahl O. **288**, 1035 (***106**, 141)*

Red supergiant variables in the Large Magellanic Cloud: their evolution and pulsations
Li Y., Gong Z.G. **289**, 449

High resolution infrared spectra of silicon monoxide and silicon isotopic abundances in cool luminous stars
Tsuji T., Ohnaka K., Hinkle K.H., Ridgway S.T. **289**, 469

Towards an understanding of very massive stars. A new evolutionary scenario relating O stars, LBVs and Wolf-Rayet stars
Langer N., Hamann W.-R., Lennon M., Najarro F., Pauldrach A.W.A., Puls J. **290**, 819

Long-term spectroscopic monitoring of P Cygni-type stars. II. Spectroscopic variations of P Cygni during 1990–1992
Stahl O., Wolf B., Gäng T., Kaufer A., Szeifert T., Zhao F. **290**, 1019 (***107**, 1)*

Pulsation of the yellow hypergiant ρ Cassiopeiae in 1970
Lobel A., de Jager C., Nieuwenhuijzen H., Smolinski J., Gesicki K. **291**, 226

The expanding envelope of ζ Aurigae
Kirsch T., Baade R. **291**, 535

The relation between microturbulence and mass loss from supergiants
Lamers H.J.G.L.M., Achmad L. **291**, 856

Ultraviolet and optical spectroscopy of a B supergiant star in M 31
Bianchi L., Lamers H.J.G.L.M., Hutchings J.B., Massey P., Kudritzki R., Herrero A., Lennon D.J. **292**, 213

(Stars:) supernovae: general 08.19.4

A model for Supernova 1993J
Bartunov O.S., Blinnikov S.I., Pavlyuk N.N., Tsvetkov D.Y. **281**, L53

Type IIb supernova 1993J in M 81: the explosion of a $\sim 4M_{\odot}$ star in a close binary system
Utrobin V. **281**, L89

A comparison of calculated and observed monochromatic type Ia supernova light curves
Müller E., Höflich P. **281**, 51

Absolute fluxes for Supernova 1987A. III. Days 158–314
Hanuschik R.W., Kimeswenger S., Gochermann J., Poetzel R., Schnur G.F.O., Werger M. **281**, 737

Star-formation histories and the mass-normalized FIR/radio correlation in late-type galaxies
Xu C., Lisenfeld U., Völk H.J., Wunderlich E. **282**, 19

Temperatures and luminosities of symbiotic novae
Mürset U., Nussbaumer H. **282**, 586

Light curves of type II supernovae. II. The analysis
Patat F., Barbon R., Cappellaro E., Turatto M. **282**, 731

Gamma-ray spectroscopy of the interstellar medium in the Orion complex
Bykov A., Bloemen H. **283**, L1

COMPTEL observations of ^{44}Ti gamma-ray line emission from Cas A
Iyudin A.F., Diehl R., Bloemen H., Hermsen W., Lichti G.G., Morris D., Ryan J., Schönfelder V., Steinle H., Varendorff M., de Vries C., Winkler C. **284**, L1

Can nucleosynthesis determine the mass limit for stellar black hole formation?
Prantzos N. **284**, 477

Synthetic line profiles for supernovae of type II
Best M., Wehrse R. **284**, 507

Discovery of a luminous galactic supersoft X-ray source in the ROSAT all-sky survey
Motch C., Hasinger G., Pietsch W. **284**, 827

Narrow features in the early spectrum of SN 1993J
Benetti S., Patat F., Turatto M., Contarini G., Gratton R., Cappellaro E. **285**, L13

Cool-FIR/radio correlation for late-type galaxies – The case for Supernova progenitors
Xu C., Lisenfeld U., Völk H.J. **285**, 19

The late evolution of the type II SN 1990E
Benetti S., Cappellaro E., Turatto M., Della Valle M., Mazzali P.A., Gouiffes C. **285**, 147

Mixing in ejecta of supernovae. II. Mixing width of 2 D Rayleigh-Taylor instabilities in the helium star models for type Ib/Ic supernovae
Hachisu I., Matsuda T., Nomoto K., Shigeyama T. **285**, 355 (*104, 341*)

Nucleosynthesis in neutrino-driven winds from protoneutron stars. I. The α-process
Witti J., Janka H.-T., Takahashi K. **286**, 841

Nucleosynthesis in neutrino-driven winds from protoneutron stars. II. The r-process
Takahashi K., Witti J., Janka H.-T. **286**, 857

"Guest stars", sample completeness and the local supernova rate
Strom R.G. **288**, L1

Case A evolution of massive close binaries: formation of contact systems and possible reversal of the supernova order
Pols O.R. **290**, 119

Neutron star recoils from anisotropic supernovae
Janka H.-T., Müller E. **290**, 496

(Stars:) supernovae: individual: 08.19.5

Cas A progenitor

COMPTEL observations of ^{44}Ti gamma-ray line emission from Cas A
Iyudin A.F., Diehl R., Bloemen H., Hermsen W., Lichti G.G., Morris D., Ryan J., Schönfelder V., Steinle H., Varendorff M., de Vries C., Winkler C. **284**, L1

SN 1978K

Particle acceleration at superluminal quasi-perpendicular shocks. Application to SN 1978K and SN 1987A
Achterberg A., Ball L. **285**, 687

SN 1987A

SN 1987A: emergence of the soft X-ray source
Beuermann K., Brandt S., Pietsch W. **281**, L45

Absolute fluxes for Supernova 1987A. III. Days 158–314
Hanuschik R.W., Kimeswenger S., Gochermann J., Poetzel R., Schnur G.F.O., Werger M. **281**, 737

A search for γ-ray lines from the decay of ^{59}Fe in Supernova 1987A
Harris M.J., Leising M.D. **282**, 766

Particle acceleration at superluminal quasi-perpendicular shocks. Application to SN 1978K and SN 1987A
Achterberg A., Ball L. **285**, 687

SN 1990E

The late evolution of the type II SN 1990E
Benetti S., Cappellaro E., Turatto M., Della Valle M., Mazzali P.A., Gouiffes C. **285**, 147

SN 1991T

COMPTEL upper limits on gamma-ray line emission from Supernova 1991T
Lichti G.G., Bennett K., den Herder J.W., Diehl R., Morris D., Ryan J., Schönfelder V., Steinle H., Strong A.W., Winkler C. **292**, 569

SN 1993J

A model for Supernova 1993J
Bartunov O.S., Blinnikov S.I., Pavlyuk N.N., Tsvetkov D.Y. **281**, L53

Type IIb supernova 1993J in M 81: the explosion of a $\sim 4M_{\odot}$ star in a close binary system
Utrobin V. **281**, L89

Narrow features in the early spectrum of SN 1993J
Benetti S., Patat F., Turatto M., Contarini G., Gratton R., Cappellaro E. **285**, L13

Interstellar and intergalactic gas towards SN 1993J in M 81: a study of optical and 21 cm spectra
Vladilo G., Centurión M., de Boer K.S., King D.L., Lipman K., Stegert J.S.W., Unger S.W., Walton N.A. **291**, 425

(Stars: variables:) δ Sct 08.22.2

The δ Scuti star BI Canis Minoris (≡ HD 66853): pulsational behaviour and a critical discussion of physical parameter determination
Mantegazza L., Poretti E. **281**, 66

EP Cancri: a nonradially pulsating δ Scuti star in the Praesepe cluster
Breger M., Martin B., Garrido R., Jiang S.Y., Li Zhi-ping, Hube D.P., Stich J., Ostermann W., Paparo M. **281**, 90

The triple-mode variable AC Andromedae
Kovács G., Buchler J.R. **281**, 749

Time-resolved photometry of BN and BU Cancri, two δ Scuti stars in the Praesepe cluster. Fourth photometry campaign of the STEPHI network
Belmonte J.A., Michel E., Álvarez M., Jiang S.Y., Chevreton M., Auvergne M., Liu Y.Y., Goupil M.J., Baglin A., Roca Cortés T., Mangeney A., Dolez N., Valtier J.C., Massacrier G., Sareyan J.P., Schmider F.X., Vidal I. **283**, 121

Geneva seven-colour photometry and frequency analysis of the δ Scuti star HD 105513
Heynderickx D. **283**, 835

The ultraviolet variations of the δ Scuti stars 44 Tauri and 71 Tauri
Monier R., Kreidl T.J. **284**, 210

The δ Scuti instability strip: effects of opacity enhancement and wave reflections
Li Y., Stix M. **286**, 815

Simultaneous intensive photometry and high resolution spectroscopy of δ Scuti stars. I. Mode typing of HD 106384≡FG Virginis
Mantegazza L., Poretti E., Bossi M. **287**, 95

δ Scuti stars: a new revised list
Rodríguez E., López de Coca P., Rolland A., Garrido R., Costa V. **288**, 1033 (***106, 21***)

Multi-period pulsation of the δ Scuti star 63 Herculis
Breger M., Ostermann W.M., Jiang S.Y., Li Z.-P., Akan M.C., Evren S., İbanoğlu C., Keskin V., Tunca Z. **289**, 162

Amplitude equations for nonadiabatic nonradial pulsators
Goupil M.J., Buchler J.R. **291**, 481

The long-term behaviour of the photometric variability of β Cassiopeiae
Riboni E., Poretti E., Galli G. **292**, 358 (***108, 55***)

(Stars: variables:) Cepheids 08.22.1

The chemical composition of the s-Cepheids. I. α Ursae Minoris (Polaris) and HR 7308 (V 473 Lyrae): unique Cepheids of the Galaxy
Andrievsky S.M., Kovtyukh V.V., Usenko I.A. **281**, 465

Resonance effects in fundamental, first overtone and double-mode Cepheids
Antonello E. **282**, 835

Fourier coefficients of nonlinear oscillators
Antonello E. **285**, 140

BL Herculis model pulsations. III. Livermore opacities
Buchler J.R., Buchler N.E.G. **285**, 213

New radial velocities for classical Cepheids. Local galactic rotation revisited
Pont F., Mayor M., Burki G. **285**, 415

The Fourier decomposition of new light curves of Cepheids with $P < 7$ d
Poretti E. **285**, 524

Pulsational parallaxes and calibration of the cosmic distance scale by Cepheid variable stars
Di Benedetto G.P. **285**, 819

On the Cepheid variables of nearby galaxies. II. Sextans A and Sextans B
Piotto G., Capaccioli M., Pellegrini C. **287**, 371

Cepheids and binarity. I. Spectroscopic orbits of three binary Magellanic Cepheids: HV 883, HV 837, HV 11157 *(Text in French)*
Imbert M. **287**, 1033 (***105, 1***)

New radial velocities for 96 faint southern Cepheids
Pont F., Burki G., Mayor M. **287**, 1036 (***105, 165***)

Nonlinear properties of double-mode pulsators
Antonello E. **291**, 820

Fundamental parameters of Cepheids. I. Photometric data in the Geneva system
Bersier D., Burki G., Burnet M. **292**, 357 (***108, 9***)

Fundamental parameters of Cepheids. II. Radial velocity data
Bersier D., Burki G., Mayor M., Duquennoy A. **292**, 358 (***108, 25***)

Chemical composition of selected double-mode Cepheids and the P_1/P_0–[Fe/H] relation
Andrievsky S.M., Kovtyukh V.V., Usenko I.A., Klochkova V.G., Galazutdinov G.A. **292**, 364 (***108, 433***)

Fourier analysis of short-period SMC Cepheids: a comparison with Galactic Cepheids
Buchler J.R., Moskalik P. **292**, 450

Stars: variables: other 08.22.3

Evidence for violent ejection of nebulae from massive stars
Hutsemékers D. **281**, L81

Photometric variations of Ap stars
Manfroid J., Renson P. **281**, 73

(RN) A search for variability in the IRAS-LRS spectra of long period variables
Hron J., Aringer B. **281**, 139

Radio emission from stars: a survey at 250 GHz
Altenhoff W.J., Thum C., Wendker H.J. **281**, 161

uvby photometry of the magnetic chemically peculiar stars 63 Andromedae, HD 192913, HR 8240, and 108 Aquarii
Adelman S.J., Knox Jr J.R. **281**, 636 (***103, 1***)

Collected photometry of FK Comae Berenices
Jetsu L., Tuominen I., Antov A., Bopp B.W., Chugainov P.F., Grankin K.N., Linnaluoto S., Melnikov S.Y., Nations H.L., Panov K.P., Shevchenko V.S. **281**, 639 (***103, 183)***

The variable λBootis star HD 142994
Weiss W.W., Paunzen E., Kuschnig R., Schneider H. **281**, 797

Long-term luminosity variations and period changes in V 471 Tauri
İbanoğlu C., Keskin V., Akan M.C., Evren S., Tunca Z. **281**, 811

New "flip-flop" of FK Comae Berenices
Jetsu L., Tuominen I., Grankin K.N., Mel'nikov S.Y., Shevchenko V.S. **282**, L9

The radio/infrared counterpart of the hard X-ray transient in Aquila: a possible source of repeated soft gamma-ray bursts
Mirabel I.F., Duc P.A., Rodríguez L.F., Teyssier R., Paul J., Claret A., Aurière M., Golombek D., Martí J. **282**, L17

On the nature of KY Cephei
Hudec R., Dědoch A. **282**, 452

Studies of early-type variable stars. VIII. The massive binary system CC Cassiopeiae
Hill G., Hilditch R.W., Aikman G.C.L., Khalesseh B. **282**, 455

Time-series photometric spot modeling. II. Fifteen years of photometry of the bright RS CVn binary HR 7275
Strassmeier K.G., Hall D.S., Henry G.W. **282**, 535

The optical and near infrared variability of η Carinae: a binary luminous blue variable?
van Genderen A.M., de Groot M.J.H., Thé P.S. **283**, 89

The $P-L$ relation for RR Lyrae-like stars with $0.8^d < P < 3^d$
Sandage A., Diethelm R., Tammann G.A. **283**, 111

Variability of quiescent and flaring radio emission in RS CVn and Algol-type binary systems
Lefèvre E., Klein K.-L., Lestrade J.-F. **283**, 483

WR 40: coherence or chaos?
Matthews J.M., Moffat A.F.J. **283**, 493

A spectroscopic analysis of the β Cephei star α Lupi
Mathias P., Aerts C., De Pauw M., Gillet D., Waelkens C. **283**, 813

A revision to the absolute magnitudes of RR Lyrae stars from the Baade-Wesselink method
Fernley J. **284**, L16

Numerical simulations of convection at the surface of a ZZ Ceti white dwarf
Ludwig H.-G., Jordan S., Steffen M. **284**, 105

On the pre-decline and decline phases of FG Sagittae, the post-AGB star and central star of the planetary nebula PK 60−7°1
van Genderen A.M. **284**, 465

The development of the symbiotic nova PU Vulpeculae in the years 1984–1992
Klein A., Bruch A., Luthardt R. **284**, 700 (***104, 99)***

Fourier coefficients of nonlinear oscillators
Antonello E. **285**, 140

On the Oosterhoff–Arp–Sandage period-shift effect and its evolutionary interpretation
Catelan M. **285**, 469

Photometry and polarimetry of pre-main sequence stars
Hutchinson M.G., Albinson J.S., Barrett P., Davies J.K., Evans A., Goldsmith M.J., Maddison R.C. **285**, 883

Jet flows and disk winds from T Tauri stars: the case of CW Tau
Hirth G.A., Mundt R., Solf J. **285**, 929

Further observations of the central star of LoTr 5
Jasniewicz G., Acker A., Mauron N., Duquennoy A., Cuypers J. **286**, 211

The shock wave propagation effects in BL Herculis. I. The Hα profile
Gillet D., Burki G., Chatel A., Duquennoy A., Lèbre A. **286**, 508

The pulsations of yellow semi-regular variables. II. The F supergiant in the high-latitude binary BL Telescopii
Zsoldos E. **286**, 870

Nonlinear, nonradial, isentropic oscillations of stars: Hamiltonian formalism
Van Hoolst T. **286**, 879

Spectroscopic observations of the Mt. Stromlo MACHO candidate
Della Valle M. **287**, L31

Quasi-periodic oscillations in the shot noise model of X-ray sources
Vikhlinin A., Churazov E., Gilfanov M. **287**, 73

Polar accretion and light variability on T Tauri stars
Gullbring E. **287**, 131

Photometric and spectroscopic observations of the 53 Persei type stars: ζ Cassiopeiae
Sadsaoud H., Le Contel J.M., Chapellier E., Le Contel D., Gonzalez-Bedolla S. **287**, 509

Ultraviolet variations in the spectrum of the visible central star of Abell 35
Jasniewicz G., Lapierre G., Monier R. **287**, 591

Luminosity variations and orbital period changes in RT Lacertae
Keskin V., İbanoğlu C., Akan M.C., Evren S., Tunca Z. **287**, 817

The variable light curve of the eclipsing symbiotic star AR Pavonis
Bruch A., Niehues M., Jones A.F. **287**, 829

Catalogue of CP stars with references to short time scale variability
Malanushenko V.P., Polosukchina N.S., Weiss W.W. **287**, 1036 (***105, 125)***

The RR Lyrae stars of ω Centauri revisited. I. Catalogue of Fourier decomposition parameters
Petersen J.O. **287**, 1036 (***105, 145)***

A photometric study of β Cephei stars. II. Determination of the degrees l of pulsation modes
Heynderickx D., Waelkens C., Smeyers P. **287**, 1042 (***105, 447)***

High sensitivity dynamic spectral search for flare star radio bursts
Abada-Simon M., Lecacheux A., Louarn P., Dulk G.A., Belkora L., Bookbinder J.A., Rosolen C. **288**, 219

Photometric and Hα observations of LSI +61°303: detection of a ~26 day V and JHK band modulation
Paredes J.M., Marziani P., Martí J., Fabregat J., Coe M.J., Everall C., Figueras F., Jordi C., Norton A.J., Prince T., Reglero V., Roche P., Torra J., Unger S.J., Zamanov R. **288**, 519

Synthetic AGB evolution. IV. Long-period variables in the LMC
Groenewegen M.A.T., de Jong T. **288**, 782

(RN) Near-IR monitoring of the pre-main sequence star SSV 13: October 1990 to December 1993
Aspin C., Sandell G. **288**, 803

A new frequency analysis of photometric observations of the β Cephei star IL Velorum
Heynderickx D., Haug U. **288**, 1034 (*106, 79*)

Variability of luminous blue variables. I. Intermediate-band photometry
Spoon H.W.W., de Koter A., Sterken C., Lamers H.J.G.L.M., Stahl O. **288**, 1035 (*106, 141*)

Outburst of the illuminating star of the bipolar reflection nebula RNO 138?
Miranda L.F., Eiroa C., Birkle K. **289**, L7

Automatic search for periodic light curves with any kind of shape in unevenly spaced data
Grison P. **289**, 404

Red supergiant variables in the Large Magellanic Cloud: their evolution and pulsations
Li Y., Gong Z.G. **289**, 449

Observations of suspected symbiotic stars
Cieslinski D., Elizalde F., Steiner J.E. **289**, 664 (*106, 243*)

Semiregular variables of types SRa and SRb. New *JHKL'M*-photometry for 200 stars
Kerschbaum F., Hron J. **289**, 998 (*106, 397*)

The visual magnitudes of stars in the Almagest of Ptolemeus and in later catalogues
Schmidt H. **289**, 1001 (*106, 581*)

Distances and luminosities for RR Lyrae stars in M 5 and M 92 from a Baade-Wesselink analysis
Storm J., Carney B.W., Latham D.W. **290**, 443

NGC 2024–IRS 2: an outburst in its near-infrared line and continuum emission
Nisini B., Smith H.A., Fischer J., Geballe T.R. **290**, 463

Fourier analysis of spotted star light curves as a tool to detect stellar differential rotation. II. Spots' evolution and binarity
Lanza A.F., Rodonò M., Zappalà R.A. **290**, 861

A dusty nebula around the luminous blue variable candidate HD 168625
Hutsemékers D., Van Drom E., Gosset E., Melnick J. **290**, 906

A Baade-Wesselink analysis of the RR Lyrae star V9 in 47 Tucanae
Storm J., Nordström B., Carney B.W., Andersen J. **291**, 121

Nonadiabatic observables in β Cephei models
Cugier H., Dziembowski W.A., Pamyatnykh A.A. **291**, 143

Nonlinear stellar pulsation. II. Radiative models of RR-Lyrae stars
Feuchtinger M.U., Dorfi E.A. **291**, 209

Pulsation of the yellow hypergiant ϱ Cassiopeiae in 1970
Lobel A., de Jager C., Nieuwenhuijzen H., Smolinski J., Gesicki K. **291**, 226

Nonlinear properties of double-mode pulsators
Antonello E. **291**, 820

Stability of the multimode pulsation in the β Cephei-type variable 12 (DD) Lacertae
Pigulski A. **292**, 183

Correlated long-term light, colour and spectral variations of the Be star κ Draconis
Juza K., Harmanec P., Božić H., Pavlovski K., Žižňovský J., Tarasov A.E., Horn J., Koubský P. **292**, 354 (*107, 403*)

Long-term photometry of Be stars. I. Fading events and variations on time scales of years
Mennickent R.E., Vogt N., Sterken C. **292**, 361 (*108, 237*)

Application of wavelet analysis in variable star research. I. Properties of the wavelet map of simulated variable star light curves
Szatmáry K., Vinkó J., Gál J. **292**, 363 (*108, 377*)

The light variations of some CP2 SrCrEu stars
Catalano F.A., Leone F. **292**, 368 (*108, 595*)

Coupled-mode equations and amplitude equations for nonadiabatic, nonradial oscillations of stars
Van Hoolst T. **292**, 471

(Stars:) white dwarfs 08.23.1

A statistical study of IUE spectra of dwarf novae. I. Quiescence
Shi-Bing Deng, Zhong-Yong Zhang, Jian-Sheng Chen **281**, 759

The luminosity function of massive white dwarfs
Díaz-Pinto A., García-Berro E., Hernanz M., Isern J., Mochkovitch R. **282**, 86

Line broadening in the presence of strong magnetic fields
Friedrich S., Östreicher R., Ruder H., Zeller G. **282**, 179

Beyond the mean-potential approximation in the calculation of thermonuclear reaction rates in dense stars
Sahrling M. **283**, 1004

On the neon abundance in PG 1159-type central stars of planetary nebulae
Werner K., Rauch T. **284**, L5

Numerical simulations of convection at the surface of a ZZ Ceti white dwarf
Ludwig H.-G., Jordan S., Steffen M. **284**, 105

Enhancement of thermonuclear reaction rates in dense stars
Sahrling M. **284**, 484

Spectral analysis of the hottest known helium-rich white dwarf: KPD 0005+5106
Werner K., Heber U., Fleming T. **284**, 907

ZEBRA – Zeeman Broadening Analysis of magnetic white dwarfs. I. Maximum entropy reconstruction of Hα profiles
Donati J.-F., Achilleos N., Matthews J.M., Wesemael F. **285**, 285

(RN) Spectroscopic identification of white dwarfs in galactic clusters. VII. NGC 6633
Reimers D., Koester D. **285**, 451

The Balmer line problem of hot stars and the impact of ion-dynamical effects on the Stark broadening of H I and He II lines
Napiwotzki R., Rauch T. **285**, 603

HE 1045–0908: a new magnetic DA white dwarf with a distinctive Zeeman line splitting pattern
Reimers D., Jordan S., Köhler T., Wisotzki L. **285**, 995

On the nickel abundance in hot hydrogen-rich white dwarfs
Werner K., Dreizler S. **286**, L31

Effects of Compton scattering in atmospheres of hot white dwarfs
Madej J. **286**, 515

G 191-B2B: accurate abundances for nitrogen, silicon, and iron from GHRS observations
Vidal-Madjar A., Allard N.F., Koester D., Lemoine M., Ferlet R., Bertin P., Lallement R., Vauclair G. **287**, 175

(RN) The influence of ion-atom radiative collisions on the continuous optical spectra in helium-rich DB white-dwarf atmospheres
Mihajlov A.A., Dimitrijević M.S., Ignjatović L.M. **287**, 1026

The spectra and luminosity of super-soft X-ray sources
Heise J., van Teeseling A., Kahabka P. **288**, L45

Optical identification of two soft ROSAT sources in the old open cluster M67
Pasquini L., Belloni T., Abbott T.M.C. **290**, L17

Identification of the 1600 A feature in Lambda Bootis stars
Holweger H., Koester D., Allard N.F. **290**, L21

Analysis of ROSAT pointed observations of 15 hot DA white dwarfs
Jordan S., Wolff B., Koester D., Napiwotzki R. **290**, 834

FOS observations of G 117–B 15A and the blue edge of the ZZ Ceti instability strip
Koester D., Allard N.F., Vauclair G. **291**, L9

Amplitude equations for nonadiabatic nonradial pulsators
Goupil M.J., Buchler J.R. **291**, 481

(RN) The spin period and orbital period relation for Be star/white dwarf binary systems
Apparao K.M.V. **291**, 775

CCD spectrophotometry of CVs. I. 4600–9000 Å low resolution atlas for 31 faint systems
Zwitter T., Munari U. **292**, 355 (***107**, 503)*

Free-free quasi-molecular absorption and satellites in Lyman-alpha due to collisions with H and H^+
Allard N.F., Koester D., Feautrier N., Spielfiedel A. **292**, 364 (***108**, 417)*

Stars: Wolf-Rayet 08.23.2

Radio, infrared and X-ray activity of Cygnus X-3
Kitamoto S., Miyamoto S., Waltman E.B, Fiedler R.L., Johnston K.J., Ghigo F.D. **281**, L85

Radio emission from stars: a survey at 250 GHz
Altenhoff W.J., Thum C., Wendker H.J. **281**, 161

Non-LTE spectral analyses of Wolf-Rayet stars: the nitrogen spectrum of the WN6 prototype HD 192163 (WR136)
Hamann W.-R., Wessolowski U., Koesterke L. **281**, 184

Evolutionary sequences for massive close binary stars with Magellanic Cloud metallicities with Rogers-Iglesias opacities
de Loore C., Vanbeveren D. **281**, 637 (***103**, 67)*

A study of the luminous blue variable candidate He 3–519 and its surrounding nebula
Smith L.J., Crowther P.A., Prinja R.K. **281**, 833

Photometry of the Wolf-Rayet binary HD 211853 in the Vilnius photometric system
Annuk K. **282**, 137

Stratification in WR envelopes as seen in He II lines
Niedzielski A. **282**, 529

WR 40: coherence or chaos?
Matthews J.M., Moffat A.F.J. **283**, 493

V 348 Sagittarii: analysis of the [WC 12] stellar spectrum
Leuenhagen U., Hamann W.-R. **283**, 567

Metallicity effects in star-forming regions
Cerviño M., Mas-Hesse J.M. **284**, 749

Expanding rings in the WR nebula NGC 2359
Goudis C.D., Christopoulou P.-E., Meaburn J., Dyson J.E. **285**, 631

X-ray emission from wind blown interstellar bubbles. I. ROSAT observations of NGC 6888
Wrigge M., Wendker H.J., Wisotzki L. **286**, 219

New models of Wolf-Rayet stars and comparison with data in galaxies
Maeder A., Meynet G. **287**, 803

Improved bolometric corrections for WR stars from cluster membership and evolutionary models
Smith L.F., Meynet G., Mermilliod J.-C. **287**, 835

Evolutionary sequences for massive close binaries with galactic abundances with Rogers-Iglesias opacities
de Loore C., Vanbeveren D. **287**, 1033 (***105**, 21)*

Multiple resonance line scattering and the "momentum problem" in Wolf-Rayet star winds
Springmann U. **289**, 505

Towards an understanding of very massive stars. A new evolutionary scenario relating O stars, LBVs and Wolf-Rayet stars
Langer N., Hamann W.-R., Lennon M., Najarro F., Pauldrach A.W.A., Puls J. **290**, 819

The origin of extended interstellar shells around Wolf–Rayet stars having bright optical ring nebulae
Nichols J.S., Fesen R.A. **291**, 283

Multi-frequency variations of the Wolf–Rayet system HD 193793. II. Observations of the 1991–92 radio maximum
Williams P.M., van der Hucht K.A., Spoelstra T.A.T. **291**, 805

Low resolution IUE spectra of Wolf-Rayet stars
Niedzielski A., Rochowicz K. **292**, 370 (***108**, 669)*

Observations and analyses of the S VI λ 1975, λ 1993 Å lines in the *IUE* ultraviolet spectra of WN stars
Nugis T., Willis A.J. **292**, 616

Sun: abundances 06.01.1

Mixing by internal waves. I. Lithium depletion in the Sun
Montalbán J. **281**, 421

Fe I oscillator strengths for lines with excitation energies between 3 and 7 eV
Bard A., Kock M. **282**, 1014

The 4s–4p transitions in neutral phosphorus
Biémont E., Martin F., Quinet P., Zeippen C.J. **283**, 339

High-spatial-resolution solar observations of spectral lines used for abundance analysis
Kiselman D. **284**, 699 (***104**, 23)*

A NLTE study of neutral boron in solar-type stars
Kiselman D. **286**, 169

Lithium abundances of nearby solar-like stars
Pasquini L., Liu Q., Pallavicini R. **287**, 191

Resonance transitions in neutral chlorine
Biémont E., Gebarowski R., Zeippen C.J. **287**, 290

Abundances of neutron-capture elements in metal-poor stars
Gratton R.G., Sneden C. **287**, 927

Rotation and lithium depletion in late-type binaries
Zahn J.-P. **288**, 829

Three-dimensional hydrodynamic models of solar granulation and their application to a spectral analysis problem
Atroshchenko I.N., Gadun A.S. **291**, 635

A determination of the solar abundance of iron from faint Fe I lines
Milford P.N., O'Mara B.J., Ross J.E. **292**, 276

Sun: activity 06.01.2

Instability and eruption of magnetic flux tubes in the solar convection zone
Schüssler M., Caligari P., Ferriz-Mas A., Moreno-Insertis F. **281**, L69

(RN) Secondary polar zone of prominence activity revealed from Lomnicky Štít observations
Dermendjiev V.N., Stavrev K.Y., Rušin V., Rybansky M. **281**, 241

Acceleration of electrons outside flares: evidence for coronal evolution and height-extended energy release during noise storms
Raulin J.P., Klein K.-L. **281**, 536

Erratum The solar sunspot cycle in the Maunder minimum AD 1645 to AD 1715
Ribes J.C., Nesme-Ribes E. **281**, 968

Kinematic characteristics of the surge on March 19, 1989
Gu X.M., Lin J., Li K.J., Xuan J.Y., Luan T., Li Z.K. **282**, 240

Infrared lines as probes of solar magnetic features. VII. On the nature of the Evershed effect in sunspots
Solanki S.K., Montavon C.A.P., Livingston W. **283**, 221

Polarimetry and spectroscopy of a simple sunspot. III. Velocity and magnetic field of sunspot umbral dots
Schmidt W., Balthasar H. **283**, 241

Time variations of the ^{37}Ar production rate in the chlorine solar neutrino experiment
Gavryusev V., Gavryuseva E. **283**, 978

Alpha effect in the solar atmosphere
Seehafer N. **284**, 593

The deep layers of solar magnetic elements
Grossmann-Doerth U., Knölker M., Schüssler M., Solanki S.K. **285**, 648

Are magnetic null points important in solar flares?
Démoulin P., Hénoux J.C., Mandrini C.H. **285**, 1023

Periodicities in solar radius measurements
Gavryusev V., Gavryuseva E., Delache P., Laclare F. **286**, 305

(RN) Some common characteristics of the basic components of the solar radio emission and confirmation of a fourth basic component
Ji S.C., Cao W.D., Chen G.Q., Yang K.P. **286**, 588

Fine structures in solar radio emission at decametre wavelengths
Barrow C.H., Zarka P., Aubier M.G. **286**, 597

The Maunder minimum: a mixed-parity dynamo mode?
Sokoloff D., Nesme-Ribes E. **288**, 293

Solar cycle and interplanetary hydrogen
Kyrölä E., Summanen T., Raåback P. **288**, 299

New indications for the solar origin of the 50-day cycle in the atmospheric circulation and Earth's rotation
Djurovic D., Pâquet P., Billiau A. **288**, 335

A comparison of gamma-ray and radio emissions during the 11:42 UT solar flare on 1982 June 3
Trottet G., Chupp E.L., Marschhäuser H., Pick M., Soru-Escaut I., Rieger E., Dunphy P.P. **288**, 647

Low-frequency analysis of the sunspot cycles
Bölge H., Altaş L. **288**, 967

The effect of random alpha-fluctuations and the global properties of the solar magnetic field
Hoyng P., Schmitt D., Teuben L.J.W. **289**, 265

A new analysis of the butterfly diagram for solar filaments
Mouradian Z., Soru-Escaut I. **290**, 279

Polarimetry and spectroscopy of a simple sunspot. IV. Umbral structures observed in Fe I 1027 nm
Balthasar H., Schmidt W. **290**, 649

On the temporal behaviour of the Evershed effect
Rimmele T.R. **290**, 972

A search for chaotic behaviour in solar activity
Carbonell M., Oliver R., Ballester J.L. **290**, 983

The evolution of the Sun's poloidal field
Dikpati M., Choudhuri A.R. **291**, 975

Sun: atmosphere 06.01.3

Spectral coefficients of emission and absorption due to ion-atom radiation collisions in the solar atmosphere
Mihajlov A.A., Dimitrijević M.S., Ignjatović Lj., Djurić Z. **281**, 637 (***103**, 57*)

The reliability of H^- free-free absorption coefficients
John T.L. **282**, 890

Alpha effect in the solar atmosphere
Seehafer N. **284**, 593

Propagation of acoustic waves in a stratified atmosphere. I
Kalkofen W., Rossi P., Bodo G., Massaglia S. **284**, 976

Height of formation of solar photospheric spectral lines
Grossmann-Doerth U. **285**, 1012

Flux corrected transport method for MHD plasma: description of the numerical algorithm and tests
Murawski K., Goossens M. **286**, 943

Limb observations of the He I 1083.0 nm line
Schmidt W., Knölker M., Westendorp Plaza C. **287**, 229

On the propagation of linear 3-D hydrodynamic waves in plane non-isothermal atmospheres
Schmitz F., Fleck B. **288**, 1035 (***106**, 129*)

Observed differences between large and small sunspots
Collados M., Martínez Pillet V., Ruiz Cobo B., del Toro Iniesta J.C., Vázquez M. **291**, 622

Local waves in a magnetic arcade embedded in the solar corona
Cadez V.M., Ballester J.L. **292**, 669

Sun: chromosphere 06.03.1

Giant macrospicules as possible sources of the fast solar wind
Loucif M.L. **281**, 95

Chromospheric fine structure: black & white mottles
Heinzel P., Schmieder B. **282**, 939

Stationary subalfvénic and low-β MHD flows in solar coronal loops and arcades
Surlantzis G., Démoulin P., Heyvaerts J., Sauty C. **284**, 985

Hanle effect of magnetic canopies in the solar chromosphere
Faurobert-Scholl M. **285**, 655

An operator splitting method for atmospheres with shocks
Buchholz B., Hauschildt P.H., Rammacher W., Ulmschneider P. **285**, 987

Effects of non-parallel propagation on p- and f-modes
Jain R., Roberts B. **286**, 243

Surface effects of a magnetic field on p-modes: two layer atmosphere
Jain R., Roberts B. **286**, 254

Limb observations of the He I 1083.0 nm line
Schmidt W., Knölker M., Westendorp Plaza C. **287**, 229

Solar chromospheric structures as observed simultaneously in strong UV lines. I. Observations, statistical analysis and characteristic line profiles
Bocchialini K., Vial J.-C. **287**, 233

Si II resonance multiplets in the Sun
Lanzafame A.C. **287**, 972

Time evolution of fine structures in the solar chromosphere
Tsiropoula G., Alissandrakis C.E., Schmieder B. **290**, 285

Transition region lineshifts in the rebound shock spicule model
Hansteen V.H., Wikstøl Ø. **290**, 995

Multidimensional radiative transfer with multilevel atoms. I. ALI method with preconditioning of the rate equations
Auer L., Fabiani Bendicho P., Trujillo Bueno J. **292**, 599

Sun: corona 06.03.2

Giant macrospicules as possible sources of the fast solar wind
Loucif M.L. **281**, 95

(RN) The effect of non-equilibrium ionization on the O VI resonance doublet lines originating in the solar wind source regions
Spadaro D., Ventura R. **281**, 245

CFHT eclipse observation of the very fine-scale solar corona
Koutchmy S., Belmahdi M., Coulter R.L., Démoulin P., Gaizauskas V., MacQueen R.M., Monnet G., Mouette J., Noëns J.C., November L.J., Noyes R.W., Sime D.G., Smartt R.N., Sovka J., Vial J.C., Zimmermann J.P., Zirker J.B. **281**, 249

Acceleration of electrons outside flares: evidence for coronal evolution and height-extended energy release during noise storms
Raulin J.P., Klein K.-L. **281**, 536

The shape of a magnetic arcade embedded in the solar corona
Čadež V.M., Oliver R., Ballester J.L. **282**, 934

The proper motion of network bright points and the heating of the solar corona
Muller R., Roudier T., Vigneau J., Auffret H. **283**, 232

Stationary subalfvénic and low-β MHD flows in solar coronal loops and arcades
Surlantzis G., Démoulin P., Heyvaerts J., Sauty C. **284**, 985

The directivity and polarization of radio emission at the second harmonic of plasma frequency from coronal magnetic loops
Ledenev V.G. **285**, 1019

Magnetohydrodynamic waves in coronal flux tubes
Goedbloed J.P., Halberstadt G. **286**, 275

Fine structures in solar radio emission at decametre wavelengths
Barrow C.H., Zarka P., Aubier M.G. **286**, 597

Relativistic type III solar radio bursts
Poquérusse M. **286**, 611

Excitation of nonlinear MHD waves by foot-point motions
Murawski K., Goossens M. **286**, 952

Atomic data and spectral line intensities for O VIII and Fe XVII resonance lines as well as their O VII and Fe XVI satellite lines
Cornille M., Dubau J., Faucher P., Bely-Dubau F., Blancard C. **287**, 1035 (***105, 77***)

Asymptotic formation of a current sheet in an indefinitely sheared force-free field: an analytical example
Aly J.J. **288**, 1012

The effect of non-equilibrium ionization on the H I Lyman-α line originating in the solar wind source regions
Spadaro D., Ventura R. **289**, 279

Magnetic reconnection theory for coronal loop interaction
Li X-Q., Zhang Z., Smartt R.N. **290**, 963

Fractal aggregate analogues for near solar dust properties
Mann I., Okamoto H., Mukai T., Kimura H., Kitada Y. **291**, 1011

Thermal equilibria in solar coronal magnetic loops: gravitational considerations
Steele C.D.C., Priest E.R. **292**, 291

Local waves in a magnetic arcade embedded in the solar corona
Cadez V.M., Ballester J.L. **292**, 669

Sun: faculae, plages 06.06.1

Giant macrospicules as possible sources of the fast solar wind
Loucif M.L. **281**, 95

Speckle imaging of solar small scale structure. II. Study of small scale structure in active regions
von der Lühe O. **281**, 889

The deep layers of solar magnetic elements
Grossmann-Doerth U., Knölker M., Schüssler M., Solanki S.K. **285**, 648

Sun: filaments 06.06.2

CFHT eclipse observation of the very fine-scale solar corona
Koutchmy S., Belmahdi M., Coulter R.L., Démoulin P., Gaizauskas V., MacQueen R.M., Monnet G., Mouette J., Noëns J.C., November L.J., Noyes R.W., Sime D.G., Smartt R.N., Sovka J., Vial J.C., Zimmermann J.P., Zirker J.B. **281**, 249

A new analysis of the butterfly diagram for solar filaments
Mouradian Z., Soru-Escaut I. **290**, 279

Sun: flares 06.06.3

Kinematic characteristics of the surge on March 19, 1989
Gu X.M., Lin J., Li K.J., Xuan J.Y., Luan T., Li Z.K. **282**, 240

Space and time distribution of hard X-ray emission in a loop at the beginning of a flare
Karlický M., Hénoux J.C. **283**, 202

Catalogue of 1–3 GHz solar flare radio emission
Isliker H., Benz A.O. **284**, 701 (***104, 145***)

The soft X-ray/microwave ratio of solar and stellar flares and coronae
Benz A.O., Güdel M. **285**, 621

Non-linear properties of the dynamics of bursts and flares in the solar and stellar coronae
Isliker H., Benz A.O. **285**, 663

Are magnetic null points important in solar flares?
Démoulin P., Hénoux J.C., Mandrini C.H. **285**, 1023

The frequency ratio of bands of microwave spikes during solar flares
Krucker S., Benz A.O. **285**, 1038

A comparison of gamma-ray and radio emissions during the 11:42 UT solar flare on 1982 June 3
Trottet G., Chupp E.L., Marschhäuser H., Pick M., Soru-Escaut I., Rieger E., Dunphy P.P. **288**, 647

Sun: general 06.07.1

Observations of the Sun during 1993 with the astrolabe of Santiago
Noël F. **289**, 665 (*106, 327*)

Modelling of geometric transformations of solar images
Molowny-Horas R. **290**, 1021 (*107, 121*)

Wavefront sensing and image restoration from focused and defocused solar images
Löfdahl M.G., Scharmer G.B. **292**, 352 (*107, 243*)

Sun: granulation 06.07.2

Speckle imaging of solar small scale structure. II. Study of small scale structure in active regions
von der Lühe O. **281**, 889

Solar granulation and statistical crystallography: a modeling approach using size-shape relations
Noever D.A. **282**, 252

Variations of properties of the quiet photosphere along the equator and the central meridian: spectroscopic results
Rodríguez Hidalgo I., Collados M., Vázquez M. **283**, 263

High-spatial-resolution solar observations of spectral lines used for abundance analysis
Kiselman D. **284**, 699 (*104, 23*)

Non-linear dynamics of the solar granulation: a first approach
Hanslmeier A., Nesis A. **286**, 263

On the fluctuation of wing strengths as diagnostics of the solar atmosphere
Kneer F., Nolte U. **286**, 309

The Evershed effect in penumbral fine structures. I. Height dependence of velocity fluctuations
Degenhardt D., Wiehr E. **287**, 620

The Evershed effect in penumbral fine structures. II. Spatial correlation analysis
Wiehr E., Degenhardt D. **287**, 625

Peculiar interactions between granules and network bright points in the solar photosphere
Roudier T., Espagnet O., Muller R., Vigneau J. **287**, 982

Dynamics of the solar granulation: bisector analysis
Hanslmeier A., Nesis A., Mattig W. **288**, 960

Acoustic waves in structured media and helioseismology
Zhugzhda Y.D., Stix M. **291**, 310

Three-dimensional hydrodynamic models of solar granulation and their application to a spectral analysis problem
Atroshchenko I.N., Gadun A.S. **291**, 635

Sun: infrared 06.09.2

Infrared lines as probes of solar magnetic features. VII. On the nature of the Evershed effect in sunspots
Solanki S.K., Montavon C.A.P., Livingston W. **283**, 221

(RN) On the shifts of magnesium Rydberg lines in the solar infrared spectrum
Hoang-Binh D. **286**, 607

Sun: interior 06.09.1

Instability and eruption of magnetic flux tubes in the solar convection zone
Schüssler M., Caligari P., Ferriz-Mas A., Moreno-Insertis F. **281**, L69

Mixing by internal waves. I. Lithium depletion in the Sun
Montalbán J. **281**, 421

Influence of nonideal effects of dense plasma on solar interior opacity
Luo G. **281**, 561

Seismic study of overshoot at the base of the solar convective envelope
Monteiro M.J.P.F.G., Christensen-Dalsgaard J., Thompson M.J. **283**, 247

Time variations of the ^{37}Ar production rate in the chlorine solar neutrino experiment
Gavryusev V., Gavryuseva E. **283**, 978

A new estimate of the solar core rotation from IPHIR
Toutain T., Kosovichev A.G. **284**, 265

Incorporating the atmosphere in stellar structure models: the solar case
Morel P., van 't Veer C., Provost J., Berthomieu G., Castelli F., Cayrel R., Goupil M.J., Lebreton Y. **286**, 91

Periodicities in solar radius measurements
Gavryusev V., Gavryuseva E., Delache P., Laclare F. **286**, 305

The Maunder minimum: a mixed-parity dynamo mode?
Sokoloff D., Nesme-Ribes E. **288**, 293

Acoustic waves in structured media and helioseismology
Zhugzhda Y.D., Stix M. **291**, 310

Nonasymptotic helioseismic inversion for solar structure
Antia H.M., Basu S. **292**, 354 (*107, 421*)

Sun: magnetic fields 06.13.1

Instability and eruption of magnetic flux tubes in the solar convection zone
Schüssler M., Caligari P., Ferriz-Mas A., Moreno-Insertis F. **281**, L69

(RN) Secondary polar zone of prominence activity revealed from Lomnicky Štít observations
Dermendjiev V.N., Stavrev K.Y., Rušin V., Rybansky M. **281**, 241

Spectral lines unaffected by instrumental polarization. II. Selected lines of astrophysical interest
Vela Villahoz E., Sánchez Almeida J., Wittmann A.D. **282**, 350 (*103, 293*)

The shape of a magnetic arcade embedded in the solar corona
Čadež V.M., Oliver R., Ballester J.L. **282**, 934

On the sensitivity of Stokes profiles to physical quantities
Ruiz Cobo B., del Toro Iniesta J.C. **283**, 129

The evolution of magnetic network elements in the quiet Sun
Liu Y., Zhang H., Ai G., Wang H., Zirin H. **283**, 215

Infrared lines as probes of solar magnetic features. VII. On the nature of the Evershed effect in sunspots
Solanki S.K., Montavon C.A.P., Livingston W. **283**, 221

The proper motion of network bright points and the heating of the solar corona
Muller R., Roudier T., Vigneau J., Auffret H. **283**, 232

Polarimetry and spectroscopy of a simple sunspot. III. Velocity and magnetic field of sunspot umbral dots
Schmidt W., Balthasar H. **283**, 241

Current sheet formation and dissipation in general *X*-point topologies
Craig I.J.D. **283**, 331

On the correlation of magnetic field strength and inclination with continuum brightness of a sunspot penumbra
Hofmann J., Deubner F.-L., Fleck B., Schmidt W. **284**, 269

Alpha effect in the solar atmosphere
Seehafer N. **284**, 593

Resonance line polarization for arbitrary magnetic fields in optically thick media. III. A generalization of the $\bar{Y}\varepsilon$-law
Landi Degl'Innocenti E., Bommier V. **284**, 865

Stationary subalfvénic and low-β MHD flows in solar coronal loops and arcades
Surlantzis G., Démoulin P., Heyvaerts J., Sauty C. **284**, 985

The deep layers of solar magnetic elements
Grossmann-Doerth U., Knölker M., Schüssler M., Solanki S.K. **285**, 648

Hanle effect of magnetic canopies in the solar chromosphere
Faurobert-Scholl M. **285**, 655

Are magnetic null points important in solar flares?
Démoulin P., Hénoux J.C., Mandrini C.H. **285**, 1023

Effects of non-parallel propagation on p- and f-modes
Jain R., Roberts B. **286**, 243

Surface effects of a magnetic field on p-modes: two layer atmosphere
Jain R., Roberts B. **286**, 254

New contribution functions for Zeeman split spectral lines
Solanki S.K., Bruls J.H.M.J. **286**, 269

New contribution functions for Zeeman split spectral lines
Solanki S.K., Bruls J.H.M.J. **286**, 269

Magnetohydrodynamic waves in coronal flux tubes
Goedbloed J.P., Halberstadt G. **286**, 275

On the strength of solar intra-network fields
Keller C.U., Deubner F.-L., Egger U., Fleck B., Povel H.P. **286**, 626

An analytical study of simple waves in thin magnetic flux tubes
Cheng J. **286**, 962

The height variation of sunspot umbral dots
Wiehr E. **287**, L1

Electromagnetic expulsion force in cosmic plasma
Litvinenko Y.E., Somov B.V. **287**, L37

Linear models of steady state, incompressible magnetic reconnection
Craig I.J.D., Rickard G.J. **287**, 261

Peculiar interactions between granules and network bright points in the solar photosphere
Roudier T., Espagnet O., Muller R., Vigneau J. **287**, 982

The Maunder minimum: a mixed-parity dynamo mode?
Sokoloff D., Nesme-Ribes E. **288**, 293

Asymptotic formation of a current sheet in an indefinitely sheared force-free field: an analytical example
Aly J.J. **288**, 1012

The effect of random alpha-fluctuations and the global properties of the solar magnetic field
Hoyng P., Schmitt D., Teuben L.J.W. **289**, 265

A dynamo effect due to instability of magnetic flux tubes
Ferriz-Mas A., Schmitt D., Schüssler M. **289**, 949

A new analysis of the butterfly diagram for solar filaments
Mouradian Z., Soru-Escaut I. **290**, 279

Thick penumbra in a magnetostatic sunspot model
Jahn K., Schmidt H.U. **290**, 295

Polarimetry and spectroscopy of a simple sunspot. IV. Umbral structures observed in FeI 1027 nm
Balthasar H., Schmidt W. **290**, 649

On the temporal behaviour of the Evershed effect
Rimmele T.R. **290**, 972

Observed differences between large and small sunspots
Collados M., Martínez Pillet V., Ruiz Cobo B., del Toro Iniesta J.C., Vázquez M. **291**, 622

The evolution of the Sun's poloidal field
Dikpati M., Choudhuri A.R. **291**, 975

Thermal equilibria in solar coronal magnetic loops: gravitational considerations
Steele C.D.C., Priest E.R. **292**, 291

Local waves in a magnetic arcade embedded in the solar corona
Cadez V.M., Ballester J.L. **292**, 669

Instrumental polarization in the focal plane of telescopes. II. Effects induced by seeing
Sánchez Almeida J. **292**, 713

Sun: oscillations 06.15.1

The SOLA method for helioseismic inversion
Pijpers F.P., Thompson M.J. **281**, 231

On the p-mode spectrum of solar models
Gabriel M. **281**, 551

Seismic study of overshoot at the base of the solar convective envelope
Monteiro M.J.P.F.G., Christensen-Dalsgaard J., Thompson M.J. **283**, 247

Magneto-atmospheric waves subject to Newtonian cooling
Bünte M., Bogdan T.J. **283**, 642

A new estimate of the solar core rotation from IPHIR
Toutain T., Kosovichev A.G. **284**, 265

Time/frequency analysis of solar *p*-modes
Baudin F., Gabriel A., Gibert D. **285**, L29

Incorporating the atmosphere in stellar structure models: the solar case
Morel P., van 't Veer C., Provost J., Berthomieu G., Castelli F., Cayrel R., Goupil M.J., Lebreton Y. **286**, 91

Effects of non-parallel propagation on p- and f-modes
Jain R., Roberts B. **286**, 243

Surface effects of a magnetic field on p-modes: two layer atmosphere
Jain R., Roberts B. **286**, 254

Periodicities in solar radius measurements
Gavryusev V., Gavryuseva E., Delache P., Laclare F. **286**, 305

On the amplitude modulation of low-degree solar p-modes
Gabriel M., Lazrek M. **286**, 635

Temporal and spatial variation of physical parameters in a quiescent prominence
Balthasar H., Wiehr E. **286**, 639

Excitation of nonlinear MHD waves by foot-point motions
Murawski K., Goossens M. **286**, 952

An Eulerian approach for the computation of oscillation mode visibility
Gouttebroze P., Toutain T. **287**, 535

The probability-density function of a Fourier line
Gabriel M. **287**, 685

On the propagation of linear 3-D hydrodynamic waves in plane non-isothermal atmospheres
Schmitz F., Fleck B. **288**, 1035 (***106, 129***)

Maximum likelihood estimators: an application to the estimation of the precision of helioseismic measurements
Toutain T., Appourchaux T. **289**, 649

The second order asymptotic theory for the solar and stellar low degree acoustic mode predictions
Lopes I., Turck-Chièze S. **290**, 845

Observation of global solar oscillations with a modified optical resonance spectrometer
Boumier P., van der Raay H.B., Roca Cortés T. **290**, 1022 (*107, 177*)

Acoustic waves in structured media and helioseismology
Zhugzhda Y.D., Stix M. **291**, 310

Amplitude equations for nonadiabatic nonradial pulsators
Goupil M.J., Buchler J.R. **291**, 481

Radiation-hydrodynamic waves in an optically grey atmosphere. II. Analysis of wave properties and effects of thermal conductivity in a homogeneous model
Dzhalilov N.S., Zhugzhda Y.D., Staude J. **291**, 1001

Influence of physical effects on the solar p-mode spectrum
Gabriel M. **292**, 281

Nonasymptotic helioseismic inversion for solar structure
Antia H.M., Basu S. **292**, 354 (*107, 421*)

Generation of artificial helioseismic time-series
Schou J., Brown T.M. **292**, 356 (*107, 541*)

Sun: particle emission 06.16.1

Space and time distribution of hard X-ray emission in a loop at the beginning of a flare
Karlický M., Hénoux J.C. **283**, 202

Relativistic type III solar radio bursts
Poquérusse M. **286**, 611

(RN) On the detection of cosmic high-energy neutrinos
Volkova L.V. **287**, 713

Sun: photosphere 06.16.2

The influence of the stray light in the solar image on the Fraunhofer line profiles
Barducci A., Cavallini F., Ceppatelli G., Righini A. **281**, 955

Iterative blind deconvolution method using Lucy's algorithm
Tsumuraya F., Miura N., Baba N. **282**, 699

The evolution of magnetic network elements in the quiet Sun
Liu Y., Zhang H., Ai G., Wang H., Zirin H. **283**, 215

Variations of properties of the quiet photosphere along the equator and the central meridian: spectroscopic results
Rodríguez Hidalgo I., Collados M., Vázquez M. **283**, 263

High-spatial-resolution solar observations of spectral lines used for abundance analysis
Kiselman D. **284**, 699 (*104, 23*)

The height dependence of intensity and velocity structures in the solar photosphere
Salucci G., Bertello L., Cavallini F., Ceppatelli G., Righini A. **285**, 322

Non-linear dynamics of the solar granulation: a first approach
Hanslmeier A., Nesis A. **286**, 263

On the fluctuation of wing strengths as diagnostics of the solar atmosphere
Kneer F., Nolte U. **286**, 309

On the strength of solar intra-network fields
Keller C.U., Deubner F.-L., Egger U., Fleck B., Povel H.P. **286**, 626

Dynamics of the solar granulation: bisector analysis
Hanslmeier A., Nesis A., Mattig W. **288**, 960

On the temporal behaviour of the Evershed effect
Rimmele T.R. **290**, 972

The evolution of the Sun's poloidal field
Dikpati M., Choudhuri A.R. **291**, 975

Radiation-hydrodynamic waves in an optically grey atmosphere. II. Analysis of wave properties and effects of thermal conductivity in a homogeneous model
Dzhalilov N.S., Zhugzhda Y.D., Staude J. **291**, 1001

Sun: prominences 06.16.3

(RN) Secondary polar zone of prominence activity revealed from Lomnicky Štít observations
Dermendjiev V.N., Stavrev K.Y., Rušin V., Rybansky M. **281**, 241

(RN) Dependence of the He/H_8 emission ratio on brightness, temperature, and structuring of prominences
Stellmacher G., Wiehr E. **286**, 302

Temporal and spatial variation of physical parameters in a quiescent prominence
Balthasar H., Wiehr E. **286**, 639

Electromagnetic expulsion force in cosmic plasma
Litvinenko Y.E., Somov B.V. **287**, L37

The Hα and Hβ emissions in solar prominence structures
Stellmacher G., Wiehr E. **290**, 655

Thermal equilibria in solar coronal magnetic loops: gravitational considerations
Steele C.D.C., Priest E.R. **292**, 291

Theoretical correlations between prominence plasma parameters and the emitted radiation
Heinzel P., Gouttebroze P., Vial J.-C. **292**, 656

Sun: radio radiation 06.18.1

Acceleration of electrons outside flares: evidence for coronal evolution and height-extended energy release during noise storms
Raulin J.P., Klein K.-L. **281**, 536

Enhancement of the electron runaway flux with kinetic Alfvén waves
de Assis A.S., Leubner C. **281**, 588

Observations by Ulysses of a pure electron event and its associated type III radio emission of 15 December 1990
Mangeney A., Pick M., Hoang S., Chaizy P., Anderson K., Lanzerotti L.J., Lin R.P., Sarris E.T., Forsyth R., Phillips J.L., Enome S. **283**, 982

Catalogue of 1–3 GHz solar flare radio emission
Isliker H., Benz A.O. **284**, 701 (*104, 145*)

Non-linear properties of the dynamics of bursts and flares in the solar and stellar coronae
Isliker H., Benz A.O. **285**, 663

The directivity and polarization of radio emission at the second harmonic of plasma frequency from coronal magnetic loops
Ledenev V.G. **285**, 1019

The frequency ratio of bands of microwave spikes during solar flares
Krucker S., Benz A.O. **285**, 1038

(RN) Some common characteristics of the basic components of the solar radio emission and confirmation of a fourth basic component
Ji S.C., Cao W.D., Chen G.Q., Yang K.P. **286**, 588

Fine structures in solar radio emission at decametre wavelengths
Barrow C.H., Zarka P., Aubier M.G. **286**, 597

Relativistic type III solar radio bursts
Poquérusse M. **286**, 611

A comparison of gamma-ray and radio emissions during the 11:42 UT solar flare on 1982 June 3
Trottet G., Chupp E.L., Marschhäuser H., Pick M., Soru-Escaut I., Rieger E., Dunphy P.P. **288**, 647

Interplanetary type III radio bursts that approach the plasma frequency: Ulysses observations
Hoang S., Dulk G.A., Leblanc Y. **289**, 957

On the origin of noise storm continuum depressions
Zaitsev V.V., Aurass H., Krüger A., Mann G. **291**, 990

Sun: rotation 06.18.2

The SOLA method for helioseismic inversion
Pijpers F.P., Thompson M.J. **281**, 231

Erratum The solar sunspot cycle in the Maunder minimum AD 1645 to AD 1715
Ribes J.C., Nesme-Ribes E. **281**, 968

Does solar differential rotation arise from a large scale instability?
Tuominen I., Brandenburg A., Moss D., Rieutord M. **284**, 259

A new estimate of the solar core rotation from IPHIR
Toutain T., Kosovichev A.G. **284**, 265

Reynolds stresses and differential rotation in Boussinesq convection in a rotating spherical shell
Rieutord M., Brandenburg A., Mangeney A., Drossart P. **286**, 471

Rotation and lithium depletion in late-type binaries
Zahn J.-P. **288**, 829

(Sun:) solar-terrestrial relations 06.19.1

New indications for the solar origin of the 50-day cycle in the atmospheric circulation and Earth's rotation
Djurovic D., Pâquet P., Billiau A. **288**, 335

(Sun:) solar wind 06.19.2

Giant macrospicules as possible sources of the fast solar wind
Loucif M.L. **281**, 95

(RN) The effect of non-equilibrium ionization on the O VI resonance doublet lines originating in the solar wind source regions
Spadaro D., Ventura R. **281**, 245

CFHT eclipse observation of the very fine-scale solar corona
Koutchmy S., Belmahdi M., Coulter R.L., Démoulin P., Gaizauskas V., MacQueen R.M., Monnet G., Mouette J., Noëns J.C., November L.J., Noyes R.W., Sime D.G., Smartt R.N., Sovka J., Vial J.C., Zimmermann J.P., Zirker J.B. **281**, 249

Interstellar oxygen, nitrogen and neon in the heliosphere
Geiss J., Gloeckler G., Mall U., von Steiger R., Galvin A.B., Ogilvie K.W. **282**, 924

Dynamical evolution of interplanetary dust particles
Marzari F., Vanzani V. **283**, 275

Fractal properties of the interplanetary magnetic field fluctuations: indications of chaotic dynamics
Polygiannakis J.M., Moussas X. **283**, 990

Nonradial and nonpolytropic astrophysical outflows. III. A criterion for the transition from jets to winds
Sauty C., Tsinganos K. **287**, 893

Solar cycle and interplanetary hydrogen
Kyrölä E., Summanen T., Raåback P. **288**, 299

The effect of non-equilibrium ionization on the H I Lyman-α line originating in the solar wind source regions
Spadaro D., Ventura R. **289**, 279

Observations of interplanetary Lyman-α with the Galileo Ultraviolet Spectrometer: multiple scattering effects at solar maximum
Ajello J.M., Pryor W.R., Barth C.A., Hord C.W., Stewart A.I.F., Simmons K.E., Hall D.T. **289**, 283

Origin of the O^+ pick-up ions in the heliosphere
Geiss J., Gloeckler G., Mall U. **289**, 933

The solar wind termination shock in the presence of cosmic rays
Ziemkiewicz J. **292**, 677

(Sun:) sunspots 06.19.3

Erratum The solar sunspot cycle in the Maunder minimum AD 1645 to AD 1715
Ribes J.C., Nesme-Ribes E. **281**, 968

Iterative blind deconvolution method using Lucy's algorithm
Tsumuraya F., Miura N., Baba N. **282**, 699

Infrared lines as probes of solar magnetic features. VII. On the nature of the Evershed effect in sunspots
Solanki S.K., Montavon C.A.P., Livingston W. **283**, 221

Polarimetry and spectroscopy of a simple sunspot. III. Velocity and magnetic field of sunspot umbral dots
Schmidt W., Balthasar H. **283**, 241

On the correlation of magnetic field strength and inclination with continuum brightness of a sunspot penumbra
Hofmann J., Deubner F.-L., Fleck B., Schmidt W. **284**, 269

The height variation of sunspot umbral dots
Wiehr E. **287**, L1

The Evershed effect in penumbral fine structures. I. Height dependence of velocity fluctuations
Degenhardt D., Wiehr E. **287**, 620

The Evershed effect in penumbral fine structures. II. Spatial correlation analysis
Wiehr E., Degenhardt D. **287**, 625

Low-frequency analysis of the sunspot cycles
Bölge H., Altaş L. **288**, 967

Thick penumbra in a magnetostatic sunspot model
Jahn K., Schmidt H.U. **290**, 295

Polarimetry and spectroscopy of a simple sunspot. IV. Umbral structures observed in Fe I 1027 nm
Balthasar H., Schmidt W. **290**, 649

On the temporal behaviour of the Evershed effect
Rimmele T.R. **290**, 972

A search for chaotic behaviour in solar activity
Carbonell M., Oliver R., Ballester J.L. **290**, 983

Observed differences between large and small sunspots
Collados M., Martínez Pillet V., Ruiz Cobo B., del Toro Iniesta J.C., Vázquez M. **291**, 622

Sun: transition region 06.20.1

Space and time distribution of hard X-ray emission in a loop at the beginning of a flare
Karlický M., Hénoux J.C. **283**, 202

Si II resonance multiplets in the Sun
Lanzafame A.C. **287**, 972

Transition region lineshifts in the rebound shock spicule model
Hansteen V.H., Wikstøl Ø. **290**, 995

Sun: UV radiation 06.21.1

(RN) The effect of non-equilibrium ionization on the O VI resonance doublet lines originating in the solar wind source regions
Spadaro D., Ventura R. **281**, 245

Center-to-limb observations of the λ285.2 nm Mg I UV resonance line
Briand C., Lemaire P. **282**, 621

Solar chromospheric structures as observed simultaneously in strong UV lines. I. Observations, statistical analysis and characteristic line profiles
Bocchialini K., Vial J.-C. **287**, 233

Si II resonance multiplets in the Sun
Lanzafame A.C. **287**, 972

The effect of non-equilibrium ionization on the H I Lyman-α line originating in the solar wind source regions
Spadaro D., Ventura R. **289**, 279

Observations of interplanetary Lyman-α with the Galileo Ultraviolet Spectrometer: multiple scattering effects at solar maximum
Ajello J.M., Pryor W.R., Barth C.A., Hord C.W., Stewart A.I.F., Simmons K.E., Hall D.T. **289**, 283

Sun: X-rays, gamma rays 06.24.1

Atomic data and spectral line intensities for O VIII and Fe XVII resonance lines as well as their O VII and Fe XVI satellite lines
Cornille M., Dubau J., Faucher P., Bely-Dubau F., Blancard C. **287**, 1035 (***105, 77***)

A comparison of gamma-ray and radio emissions during the 11:42 UT solar flare on 1982 June 3
Trottet G., Chupp E.L., Marschhäuser H., Pick M., Soru-Escaut I., Rieger E., Dunphy P.P. **288**, 647

Inversion of bremsstrahlung spectra emitted by solar plasma
Piana M. **288**, 949

Surveys 04.19.1

A preliminary list of stars from Tycho observations
Halbwachs J.L., Bässgen G., Bastian U., Egret D., Høg E., van Leeuwen F., Petersen C., Schwekendiek P., Wicenec A. **281**, L25

86 GHz SiO, $v = 1$, $J = 2 \rightarrow 1$ survey of southern IRAS point sources. II. Detection of 74 new maser sources
Haikala L.K., Nyman L.-Å., Forsström V. **281**, 638 (***103, 107***)

A search for active star-forming galaxies with the ESO 1 meter Schmidt telescope
Surace C., Comte G. **281**, 653

(RN) PN G160.7−2.9: a new planetary nebula
Weinberger R., Saurer W., Lercher G., Seeberger R. **282**, 197

The UKST Survey of planetary nebulae in the Large Magellanic Cloud
Morgan D.H. **282**, 349 (***103, 235***)

Procedures for the interactive analysis of point sources from the ROSAT XRT/PSPC All-Sky Survey
Belloni T., Hasinger G., Izzo C. **283**, 1037

HST observations of globular clusters in M 31. I. Surface photometry of 13 objects
Fusi Pecci F., Battistini P., Bendinelli O., Bònoli F., Cacciari C., Djorgovski S., Federici L., Ferraro F.R., Parmeggiani G., Weir N., Zavatti F. **284**, 349

Search for faint ring-shaped galaxies in the −77° to −87° declination interval
Faúndez-Abans M., Cuevas H.L., Hertling G.P. **284**, 699 (***104, 1***)

uvbyβ photometry of all stars earlier than G0 and brighter than $m_{pg} \approx 10\overset{m}{.}3$ in Selected Area 194
Franco G.A.P. **284**, 699 (***104, 9***)

A near-infrared survey of northern planetary nebulae
Phillips J.P., Cuesta L. **284**, 701 (***104, 169***)

Young stars associated with the Vela Molecular Ridge. I. VMR clouds C and D, Collinder 197 and Vela R2
Pettersson B., Reipurth B. **285**, 354 (***104, 233***)

A large, complete, volume-limited sample of G-type dwarfs. I. Completion of Strömgren *uvby* photometry
Olsen E.H. **285**, 358 (***104, 429***)

Observations of sources from the DRAO galactic plane survey: the SNR G104.7+2.8 and five sources near $l = 105°$, $b = 0°$
Green D.A., Joncas G. **285**, 358 (***104, 481***)

Search and redshift survey for IRAS galaxies behind the Northern Milky Way
Takata T., Yamada T., Saitō M., Chamaraux P., Kazés I. **285**, 359 (***104, 529***)

New X-ray bright BL Lacertae objects from the ROSAT All-Sky Survey
Bade N., Fink H.H., Engels D. **286**, 381

A deep VLA search for OH (1612 MHz) maser sources in the galactic plane
Blommaert J.A.D.L., Van Langevelde H.J., Michiels W.F.P. **287**, 479

Radio observations of the Coma cluster of galaxies and its immediate vicinity. I. Radio data and optical identifications
Kim K.-T., Kronberg P.P., Dewdney P.E., Landecker T.L. **287**, 1040 (***105, 385***)

A 3.9 GHz survey for declination −1° to 0°
Larionov M.G., Parijskij Y.N., Zhuravlev V.I., Sidorenkov V.N., Berlin A.B., Nizhel'skii N.A. **288**, 1035 (***106, 119***)

Near-infrared and optical broadband surface photometry of 86 face-on disk dominated galaxies. I. Selection, observations and data reduction
de Jong R.S., van der Kruit P.C. **289**, 999 (***106, 451***)

The Spacelab-1 Very Wide Field Survey of UV-excess objects. IV. The performance of the instrument in combination with optical photometry as a means of identifying stars with peculiar properties
Tobin W., Viton M., Sivan J.-P. **292**, 353 (***107, 385***)

Erratum Near-infrared and optical broadband surface photometry of 86 face-on disk dominated galaxies. I. Selection, observations and data reduction
de Jong R.S., van der Kruit P.C. **292**, 354 (***107, 419***)

A large-scale survey of OH in the galactic centre
Boyce P.J., Cohen R.J. **292**, 357 (***107, 563***)

Samples of ultra-steep spectrum radio sources
Röttgering H.J.A., Lacy M., Miley G.K., Chambers K.C., Saunders R. **292**, 359 (***108**, 79)*

Techniques: image processing 03.20.1

Resolution of a fossil dust shell around U Hydrae using maximum entropy image reconstruction
Waters L.B.F.M., Loup C., Kester D.J.M., Bontekoe T.R., de Jong T. **281**, L1

CAPELLA: software for stellar photometry in dense fields with an irregular background
Debray B., Llebaria A., Dubout-Crillon R., Petit M. **281**, 613

A search for active star-forming galaxies with the ESO 1 meter Schmidt telescope
Surace C., Comte G. **281**, 653

Speckle imaging of solar small scale structure. II. Study of small scale structure in active regions
von der Lühe O. **281**, 889

The structure of the halo of the giant elliptical galaxy IC 4296
Kemp S.N. **282**, 425

Image deprojection applied to the Einstein Cygnus Loop X-ray image
Leahy D.A., Volk K. **282**, 561

Iterative blind deconvolution method using Lucy's algorithm
Tsumuraya F., Miura N., Baba N. **282**, 699

Experimental estimation of the spatial-coherence outer scale from a wavefront statistical analysis
Ziad A., Borgnino J., Martin F., Agabi A. **282**, 1021

Maximum-entropy maps of the Be shell star ζ Tauri from optical long-baseline interferometry
Quirrenbach A., Buscher D.F., Mozurkewich D., Hummel C.A., Armstrong J.T. **283**, L13

Detection of intracluster light in the rich clusters of galaxies Abell 2390 and Cl 1613+31
Vílchez-Gómez R., Pelló R., Sanahuja B. **283**, 37

Image reconstruction by the wavelet transform applied to aperture synthesis
Starck J.-L., Bijaoui A., Lopez B., Perrier C. **283**, 349

HST observations of globular clusters in M 31. I. Surface photometry of 13 objects
Fusi Pecci F., Battistini P., Bendinelli O., Bònoli F., Cacciari C., Djorgovski S., Federici L., Ferraro F.R., Parmeggiani G., Weir N., Zavatti F. **284**, 349

Optical studies in the fields of gamma ray burst sources. II. GRB 910219 and the detection of flashing optical counterpart
Hudec R., Dědoch A., Pravec P., Borovička J. **284**, 839

Pyramid maximum entropy images of IRAS survey data
Bontekoe T.R., Koper E., Kester D.J.M. **284**, 1037

Studies of early-type variable stars. XII. Spectroscopic orbit and absolute parameters of AT Pegasi
Maxted P.F.L., Hill G., Hilditch R.W. **285**, 535

The multi-gaussian expansion method: a tool for building realistic photometric and kinematical models of stellar systems. I. The formalism
Emsellem E., Monnet G., Bacon R. **285**, 723

The multi-gaussian expansion method: a tool for building realistic photometric and kinematical models of stellar systems. II. Application to the central region of the Sombrero Galaxy (NGC 4594)
Emsellem E., Monnet G., Bacon R., Nieto J.L. **285**, 739

Hough transform for robust regression and automated detection
Ballester P. **286**, 1011

The FITS image extension
Ponz J.D., Thompson R.W., Muñoz J.R. **287**, 1034 (***105**, 53)*

Image restoration with noise suppression using the wavelet transform
Starck J.-L., Murtagh F. **288**, 342

The optimum open fraction of coded apertures. With an application to the wide field X-ray cameras of SAX
in 't Zand J.J.M., Heise J., Jager R. **288**, 665

Autocorrelation central value in clipped photon-counting detection from the moments of the total number of counts
Cagigal M.P., Prieto P. **289**, L51

The spheroidal halo of the Magellanic-like dwarf irregular galaxy MCG 06–30–025 in the Centaurus A group of galaxies
Kemp S.N., Meaburn J. **289**, 39

Fast eclipse mapping
Spruit H.C. **289**, 441

Optimum strategies for inverse problems in statistical astronomy
Lucy L.B. **289**, 983

An analysis of visibility-based continuum subtraction
Sault R.J. **290**, 1020 (***107**, 55)*

Modelling of geometric transformations of solar images
Molowny-Horas R. **290**, 1021 (***107**, 121)*

Speckle masking observations of the young binary Z Canis Majoris
Barth W., Weigelt G., Zinnecker H. **291**, 500

An application of the internal calibration method using stellar profiles
Markov H. **291**, 1027

When does the Richardson–Lucy deconvolution converge?
Bi H., Börner G. **292**, 364 (***108**, 409)*

Rotate-And-Stare: A new method for PSF estimation
Teuber J., Østensen R., Stabell R., Florentin-Nielsen R. **292**, 366 (***108**, 509)*

Multi-frequency synthesis techniques in radio interferometric imaging
Sault R.J., Wieringa M.H. **292**, 368 (***108**, 585)*

Techniques: interferometric 03.20.2

(RN) 1404+286: a non-ideal calibrator for VLBI observations
Zhang F.J., Bååth L.B., Spencer R.E. **281**, 649

Very Long Baseline Interferometry of 1720 MHz masers in W3(OH)
Masheder M.R.W., Field D., Gray M.D., Migenes V., Cohen R.J., Booth R.S. **281**, 871

Speckle imaging of solar small scale structure. II. Study of small scale structure in active regions
von der Lühe O. **281**, 889

The first geodetic VLBI experiment at 22 GHz between Japan and Italy
Takahashi Y., Kiuchi H., Kurihara N., Grueff G., Ambrosini R. **282**, 341

Amplitude calibration of the European *VLBI* network
Bondi M., Mantovani F., Sherwood W., Tzioumis A., Venturi T. **282**, 351 (***103**, 365)*

SHARP images of the pre-main sequence star V 536 Aquilae: a highly polarized binary
Ageorges N., Ménard F., Monin J.-L., Eckart A. **283**, L5

Maximum-entropy maps of the Be shell star ζ Tauri from optical long-baseline interferometry
Quirrenbach A., Buscher D.F., Mozurkewich D., Hummel C.A., Armstrong J.T. **283**, L13

Image reconstruction by the wavelet transform applied to aperture synthesis
Starck J.-L., Bijaoui A., Lopez B., Perrier C. **283**, 349

A contribution to the study of fortnightly and monthly zonal tides in UT 1
Schastok J., Soffel M., Ruder H. **283**, 650

Speckle imaging of T Tauri stars in the L and M near-IR bands
Tessier E., Bouvier J., Lacombe F. **283**, 827

Measurement of the atmospheric limit to narrow-angle interferometric astrometry using the Mark III stellar interferometer
Colavita M.M. **283**, 1027

Speckle interferometry with a photon-counting detector
Thiébaut E. **284**, 340

High resolution optical images of the starburst ring around the Seyfert nucleus of NGC 7469
Mauder W., Weigelt G., Appenzeller I., Wagner S.J. **285**, 44

The quasar 3C 395 revisited: new VLBI observations and numerical simulations
Lara L., Alberdi A., Marcaide J.M., Muxlow T.W.B. **285**, 393

Angular diameters of the carbon stars UU Aurigae, Y Canum Venaticorum, and TX Piscium from optical long-baseline interferometry
Quirrenbach A., Mozurkewich D., Hummel C.A., Buscher D.F., Armstrong J.T. **285**, 541

Phase-referenced visibility averaging in optical long-baseline interferometry
Quirrenbach A., Mozurkewich D., Buscher D.F., Hummel C.A., Armstrong J.T. **286**, 1019

Observations of atmospheric noise fluctuations with a metre-baseline interferometer in the 13–17 GHz band
Robson M., O'Sullivan C.M.M., Scott P.F., Duffett-Smith P.J. **286**, 1028

A deep VLA search for OH (1612 MHz) maser sources in the galactic plane
Blommaert J.A.D.L., Van Langevelde H.J., Michiels W.F.P. **287**, 479

Binary star speckle measurements during 1989–1993 from the SAO 6 m and 1 m telescopes in Zelenchuk
Balega I.I., Balega Y.Y., Belkin I.N., Maximov A.F., Orlov V.G., Pluzhnik E.A., Shkhagosheva Z.U., Vasyuk V.A. **287**, 1042 (*105, 503*)

The MPE imaging beam combiner simulator COSI
Böker T., Cruzalèbes P., Hofmann R., Katterloher R., Eckart A., Genzel R., Drapatz S., von der Lühe O. **288**, 656

Estimation of visibility amplitude by optical long-baseline Michelson interferometry with large apertures
Mourard D., Tallon-Bosc I., Rigal F., Vakili F., Bonneau D., Morand F., Stee P. **288**, 675

An optical interferometer with wavelength dispersion
Bedding T.R., Robertson J.G., Marson R.G. **290**, 340

An analysis of visibility-based continuum subtraction
Sault R.J. **290**, 1020 (*107, 55*)

Lunar VLBI observation model
Fukushima T. **291**, 320

Speckle masking observations of the young binary Z Canis Majoris
Barth W., Weigelt G., Zinnecker H. **291**, 500

Wavefront sensing and image restoration from focused and defocused solar images
Löfdahl M.G., Scharmer G.B. **292**, 352 (*107, 243*)

G.S.M.: a Grating Scale Monitor for atmospheric turbulence measurements. I. The instrument and first results of angle of arrival measurements
Martin F., Tokovinin A., Agabi A., Borgnino J., Ziad A. **292**, 360 (*108, 173*)

Multi-frequency synthesis techniques in radio interferometric imaging
Sault R.J., Wieringa M.H. **292**, 368 (*108, 585*)

Techniques: miscellaneous 03.20.3

Further decomposition of a "very massive" star
Heydari-Malayeri M., Beuzit J.-L. **287**, L17

Astronomical adaptive optics. I. Modal control optimization
Gendron E., Léna P. **291**, 337

Techniques: photometric 03.20.4

The δ Scuti star BI Canis Minoris (≡ HD 66853): pulsational behaviour and a critical discussion of physical parameter determination
Mantegazza L., Poretti E. **281**, 66

CAPELLA: software for stellar photometry in dense fields with an irregular background
Debray B., Llebaria A., Dubout-Crillon R., Petit M. **281**, 613

A semi-empirical absolute flux calibration in the near infrared. Direct stellar diameters vs. IRFM determinations
Alonso A., Arribas S., Martínez-Roger C. **282**, 684

Detection of intracluster light in the rich clusters of galaxies Abell 2390 and Cl 1613+31
Vílchez-Gómez R., Pelló R., Sanahuja B. **283**, 37

The optical and near infrared variability of η Carinae: a binary luminous blue variable?
van Genderen A.M., de Groot M.J.H., Thé P.S. **283**, 89

Reliable photometric reductions to the standard *UBV* (or *uvby*) system and accurate *UBV* magnitudes of bright standard stars from the northern part of the international Be program
Harmanec P., Horn J., Juza K. **284**, 700 (*104, 121*)

The Hamburg Quasar Monitoring program (HQM) at Calar Alto. I. Low amplitude variability in quasars
Borgeest U., Schramm K.-J. **284**, 764

Integrated photometric properties of open clusters
Battinelli P., Brandimarti A., Capuzzo-Dolcetta R. **285**, 357 (*104, 379*)

A large, complete, volume-limited sample of G-type dwarfs. I. Completion of Strömgren *uvby* photometry
Olsen E.H. **285**, 358 (*104, 429*)

The Hamburg Quasar Monitoring program (HQM) at Calar Alto. II. Lightcurves of weakly variable objects
Schramm K.-J., Borgeest U., Kühl D., von Linde J., Linnert M.D. **285**, 358 (*104, 473*)

(RN) On the systematic accuracy of the equatorial *UBVRI* standard stars
Oja T. **286**, 1006

Simultaneous intensive photometry and high resolution spectroscopy of δ Scuti stars. I. Mode typing of HD 106384≡FG Virginis
Mantegazza L., Poretti E., Bossi M. **287**, 95

Millimeter-wavelength observations of minor planets
Altenhoff W.J., Johnston K.J., Stumpff P., Webster W.J. **287**, 641

On improving IR photometric passbands
Young A.T., Milone E.F., Stagg C.R. **287**, 1038 (***105**, 259)*

Improvements to photometry. VI. Passbands and transformations
Young A.T. **288**, 683

Optical long-term variability of a sample of quasars in the field around M 3
Meusinger H., Klose S., Ziener R., Scholz R.-D. **289**, 67

Erratum Detection of intracluster light in the rich clusters of galaxies Abell 2390 and Cl 1613+31
Vílchez-Gómez R., Pelló R., Sanahuja B. **289**, 661

A *UBVRI* photoelectric sequence in the SMC cluster NGC 419
Wenderoth E., Alvarado F., Alcaino G., Liller W. **289**, 664 (***106**, 253)*

The visual magnitudes of stars in the Almagest of Ptolemeus and in later catalogues
Schmidt H. **289**, 1001 (***106**, 581)*

A search for near-infrared variability in LSI+61°303
Hunt L.K., Massi M., Zhekov S.A. **290**, 428

Determining photometric dead time by using hydrogen filters
Morris S.L., Naftilan S.A. **290**, 1020 (***107**, 71)*

Nonadiabatic observables in β Cephei models
Cugier H., Dziembowski W.A., Pamyatnykh A.A. **291**, 143

An application of the internal calibration method using stellar profiles
Markov H. **291**, 1027

Photometric CCD sequences in 7 southern Abell clusters
Cunow B., Wargau W.F. **292**, 352 (***107**, 277)*

CCD *uvbyβ* photometry of faint stars. I. Observations and reductions
Jønch-Sørensen H. **292**, 363 (***108**, 403)*

A new approach to calibrating the Strömgren photometric system in terms of metal-to-hydrogen ratio
Malyuto V. **292**, 364 (***108**, 441)*

Rotate-And-Stare: A new method for PSF estimation
Teuber J., Østensen R., Stabell R., Florentin-Nielsen R. **292**, 366 (***108**, 509)*

Photometry of the young cluster NGC 330 in the Small Magellanic Cloud
Vallenari A., Ortolani S., Chiosi C. **292**, 367 (***108**, 571)*

Techniques: polarimetric 03.20.5

Raman scattered emission lines in symbiotic stars: a spectropolarimetric survey
Schmid H.M., Schild H. **281**, 145

Recalibration of the Voyager PRA antenna for polarization sense measurement
Wang L., Carr T.D. **281**, 945

Spectral lines unaffected by instrumental polarization. II. Selected lines of astrophysical interest
Vela Villahoz E., Sánchez Almeida J., Wittmann A.D. **282**, 350 (***103**, 293)*

Hot spot 3C 20 west: an optical synchrotron source
Hiltner P.R., Meisenheimer K., Röser H.-J., Laing R.A., Perley R.A. **286**, 25

On the strength of solar intra-network fields
Keller C.U., Deubner F.-L., Egger U., Fleck B., Povel H.P. **286**, 626

Spectropolarimetry of magnetic stars. III. Measurement uncertainties
Mathys G. **292**, 367 (***108**, 547)*

Instrumental polarization in the focal plane of telescopes. II. Effects induced by seeing
Sánchez Almeida J. **292**, 713

Techniques: radar astronomy 03.20.6

Fine structure of the 1985 Giacobinids
Šimek M. **284**, 276

Is there any mechanism capable of producing the same Fresnel characteristics as fragmentation of meteoroids?
Novikov G.G., Pecina P., Radzhabov T.S. **284**, 612

On the estimation of intensity for low S/N ratio narrow emission lines
Rola C., Pelat D. **287**, 676

Techniques: radial velocities 03.20.7

Duplicity in the solar neighbourhood. VII. Spectroscopic orbits of three K-dwarf stars
Tokovinin A.A., Duquennoy A., Halbwachs J.-L., Mayor M. **282**, 831

A search for rapid radial velocity variations in α Circini
Hatzes A.P., Kürster M. **285**, 454

Temporal and spatial variation of physical parameters in a quiescent prominence
Balthasar H., Wiehr E. **286**, 639

Cross-correlation radial-velocity techniques for rotating F stars
Nordström B., Latham D.W., Morse J.A., Milone A.A.E., Kurucz R.L., Andersen J., Stefanik R.P. **287**, 338

High-resolution kinematical mapping of the core of the globular cluster M 15 ≡ NGC 7078
Dubath P., Meylan G. **290**, 104

Observation of global solar oscillations with a modified optical resonance spectrometer
Boumier P., van der Raay H.B., Roca Cortés T. **290**, 1022 (***107**, 177)*

Third bibliographic catalogue of stellar radial velocities *(Text in French)*
Barbier-Brossat M., Petit M., Figon P. **292**, 368 (***108**, 603)*

Techniques: spectroscopic 03.20.8

Photometric calibration of the International Ultraviolet Explorer (IUE) for high resolution spectra
Cassatella A., Selvelli P.L., Ponz J.D., Gonzalez-Riestra R., Vogel M. **281**, 594

"Va-et-Vient" spectroscopy: a new mode for faint object CCD spectroscopy with very large telescopes
Cuillandre J.C., Fort B., Picat J.P., Soucail G., Altieri B., Beigbeder F., Dupin J.P., Pourthié T., Ratier G. **281**, 603

Sources of uncertainty in the relative scaling of spectroscopic data
Baribaud T., Salamanca I., Alloin D., Wagner S. **281**, 638 (***103**, 121)*

The influence of the stray light in the solar image on the Fraunhofer line profiles
Barducci A., Cavallini F., Ceppatelli G., Righini A. **281**, 955

High-resolution spectroscopy of cool K and M stars through the telluric water vapor absorption band near 9360 Å. I. Methodology and first results
Widemann T., Bertaux J.L., Querci M., Querci F. **282**, 879

Hough transform for robust regression and automated detection
Ballester P. **286**, 1011

Simultaneous intensive photometry and high resolution spectroscopy of δ Scuti stars. I. Mode typing of HD 106384≡FG Virginis
Mantegazza L., Poretti E., Bossi M. **287**, 95

First light for an astronomical 3-D photon detector
Keller C.U., Graff W., Rosselet A., Gschwind R., Wild U.P. **289**, L41

Telescopes 03.20.9

Sidelobes of the SIGMA telescope
Claret A., Lebrun F., Laurent P., Leray J.P. **282**, 1034

A liquid adaptive mirror
Ragazzoni R., Marchetti E. **283**, L17

The GI2T interferometer on Plateau de Calern
Mourard D., Tallon-Bosc I., Blazit A., Bonneau D., Merlin G., Morand F., Vakili F., Labeyrie A. **283**, 705

Thermal effects on the pointing of the 32-m MERLIN radio telescope at Cambridge
Bayley A.M., Davis R.J., Haggis J.S., Kärcher H. **283**, 1051

Optical seeing at La Palma Observatory. II. Intensive site testing campaign at the Nordic Optical Telescope
Vernin J., Muñoz-Tuñón C. **284**, 311

A simple active corrector for liquid mirror telescopes observing at large zenith angles
Wang M., Moretto G., Borra E.F., Lemaître G. **285**, 344

The optimum open fraction of coded apertures. With an application to the wide field X-ray cameras of SAX
in 't Zand J.J.M., Heise J., Jager R. **288**, 665

Astronomical adaptive optics. I. Modal control optimization
Gendron E., Léna P. **291**, 337

Wavefront sensing and image restoration from focused and defocused solar images
Löfdahl M.G., Scharmer G.B. **292**, 352 (***107, 243***)

Instrumental polarization in the focal plane of telescopes. II. Effects induced by seeing
Sánchez Almeida J. **292**, 713

Time 05.20.1

A contribution to the study of fortnightly and monthly zonal tides in UT 1
Schastok J., Soffel M., Ruder H. **283**, 650

Relativistic theory for picosecond time transfer in the vicinity of the Earth
Petit G., Wolf P. **286**, 971

Turbulence 02.20.1

Non-axisymmetry vs. axisymmetry in dynamo-excited stellar magnetic fields
Rüdiger G., Elstner D. **281**, 46

Evidence for enhanced MHD turbulence outside sharp-rimmed supernova remnants
Achterberg A., Blandford R.D., Reynolds S.P. **281**, 220

Mixing by internal waves. I. Lithium depletion in the Sun
Montalbán J. **281**, 421

Lithium and beryllium depletion by rotation-induced mixing in the Sun and in galactic cluster stars
Charbonnel C., Vauclair S., Maeder A., Meynet G., Schaller G. **283**, 155

Turbulent accretion disk dynamos
Torkelsson U., Brandenburg A. **283**, 677

Diffusion effect on the dynamo action at high order approximation
Carvalho J.C. **283**, 1046

The shock strength in super- and hypergiant atmospheres derived from microturbulence data
Nieuwenhuijzen H., de Jager C., Cuntz M. **285**, 595

The non-linear galactic dynamo. I. Field strength and vertical parity
Schultz M., Elstner D., Rüdiger G. **286**, 72

Non-linear dynamics of the solar granulation: a first approach
Hanslmeier A., Nesis A. **286**, 263

Thin accretion disks near the critical luminosity: the effect of turbulent energy transport
Heinrich O.M. **286**, 338

Erratum Refractive interstellar scintillations and low frequency variability: a detailed analysis using measured source structures
Spangler S.R., Eastman W.A., Gregorini L., Mantovani F., Padrielli L. **286**, 349

Reynolds stresses and differential rotation in Boussinesq convection in a rotating spherical shell
Rieutord M., Brandenburg A., Mangeney A., Drossart P. **286**, 471

The production of turbulence by gravitational instabilities in self-gravitating differentially rotating disks
Ebert R. **286**, 997

Turbulent diffusive mixing in early B-type main sequence stars
Denissenkov P.A. **287**, 113

Large-scale vortices in rotating stratified disks
Kitchatinov L.L., Rüdiger G., Khomenko G. **287**, 320

Hydromagnetic interaction of magnetized clumps and the ambient medium in molecular clouds
Just A., Jacobi S., Deiss B.M. **289**, 237

The effect of random alpha-fluctuations and the global properties of the solar magnetic field
Hoyng P., Schmitt D., Teuben L.J.W. **289**, 265

Observational evidence for a spurious dependence of slab QLT proton mean free paths on the magnetic field angle
Wanner W., Jaekel U., Kallenrode M.-B., Wibberenz G., Schlickeiser R. **290**, L5

Magnetic field fluctuation geometry as a possible solution to the proton mean free path discrepancy problem
Jaekel U., Wanner W., Schlickeiser R., Wibberenz G. **291**, L35

The relation between microturbulence and mass loss from supergiants
Lamers H.J.G.L.M., Achmad L. **291**, 856

Λ-quenching as the nonlinearity in stellar-turbulence dynamos
Kitchatinov L.L., Rüdiger G., Küker M. **292**, 125

G.S.M.: a Grating Scale Monitor for atmospheric turbulence measurements. I. The instrument and first results of angle of arrival measurements
Martin F., Tokovinin A., Agabi A., Borgnino J., Ziad A. **292**, 360 (***108, 173***)

Ultraviolet: galaxies 13.21.1

X-ray reprocessing and UV continuum in AGN: the case of NGC 4151
Perola G.C., Piro L. **281**, 7

The distribution of the ultraviolet emission in the disk of Messier 33
Buat V., Vuillemin A., Burgarella D., Milliard B., Donas J. **281**, 666

Ultraviolet (2000 Å) galaxy counts: comparison with predictions
Armand C., Milliard B. **282**, 1

UV variability of IRAS 13224−3809, a rapidly X-ray variable far-infrared luminous galaxy
Mas-Hesse J.M., Rodríguez-Pascual P.M., Sanz Fernández de Córdoba L., Boller T. **283**, L9

Far-ultraviolet diffuse background and galaxy counts
Armand C., Milliard B., Deharveng J.M. **284**, 12

Simultaneous observations of Seyfert 1 galaxies with IUE, ROSAT and Ginga
Walter R., Orr A., Courvoisier T.J.-L., Fink H.H., Makino F., Otani C., Wamsteker W. **285**, 119

Far-UV observations of the whirlpool galaxy M 51
Bersier D., Blecha A., Golay M., Martinet L. **286**, 37

The massive star content of the blue dwarf galaxy IZw 36 from Faint Object Camera observations
Deharveng J.-M., Albrecht R., Barbieri C., Blades J.C., Boksenberg A., Crane P., Disney M.J., Jakobsen P., Kamperman T.M., King I.R., Macchetto F., Mackay C.D., Paresce F., Weigelt G., Baxter D., Greenfield P., Jedrzejewski R., Nota A., Sparks W.B. **288**, 413

Ultraviolet observations of galaxies with the FAUST experiment
Deharveng J.-M., Sasseen T.P., Buat V., Bowyer S., Lampton M., Wu X. **289**, 715

Far-UV imaging of M 81 and comparison to other spiral tracers
Reichen M., Kaufman M., Blecha A., Golay M., Huguenin D. **289**, 1000 (***106***, *523)*

The IMF and the extinction law in M 101: HST FOS spectra of extragalactic H II regions
Rosa M.R., Benvenuti P. **291**, 1

Systematic study of the ultraviolet variability of active galactic nuclei
Paltani S., Courvoisier T.J.-L. **291**, 74

Ultraviolet: general 13.21.2

Photometric calibration of the International Ultraviolet Explorer (IUE) for high resolution spectra
Cassatella A., Selvelli P.L., Ponz J.D., Gonzalez-Riestra R., Vogel M. **281**, 594

Atomic data for absorption lines from the ground level at wavelengths greater than 228 Å
Verner D.A., Barthel P.D., Tytler D. **292**, 362 (***108***, *287)*

Ultraviolet: ISM 13.21.3

Very-broadband-structure and the linear rise in the extinction curve
Jenniskens P. **284**, 227

Oscillator strength measurements in the vacuum-ultraviolet. VI. Neutral oxygen lines in the 950−1200 Å range
Goldbach C., Nollez G. **284**, 307

The contribution of small particles to the extinction curve
Boulanger F., Prévot M.L., Gry C. **284**, 956

The distance to the Complex C of high-velocity halo clouds
de Boer K.S., Altan A.Z., Bomans D.J., Lilienthal D., Moehler S., van Woerden H., Wakker B.P., Bregman J.N. **286**, 925

Ultraviolet: solar system 13.21.4

Observations of interplanetary Lyman-α with the Galileo Ultraviolet Spectrometer: multiple scattering effects at solar maximum
Ajello J.M., Pryor W.R., Barth C.A., Hord C.W., Stewart A.I.F., Simmons K.E., Hall D.T. **289**, 283

Ultraviolet: stars 13.21.5

Faint blue stars in the core of NGC 6397
De Marchi G., Paresce F. **281**, L13

A statistical study of IUE spectra of dwarf novae. I. Quiescence
Shi-Bing Deng, Zhong-Yong Zhang, Jian-Sheng Chen **281**, 759

UV-(2000 Å) imaging of globular clusters. II. The blue straggler stars of M 3
Laget M., Milliard B., Donas J. **282**, 37

NLTE model stellar atmospheres with line blanketing near the series limits
Hubeny I., Hummer D.G., Lanz T. **282**, 151

(RN) Ultraviolet flare activity on the eclipsing binary SZ Piscium
Doyle J.G., Mitrou C.K., Mathioudakis M., Antonopoulou E. **283**, 522

Integrated spectral properties of star clusters in the near-ultraviolet
Bica E., Alloin D., Schmitt H.R. **283**, 805

Rotational modulation and flares on RS Canum Venaticorum and BY Draconis stars. XVIII. Coordinated VLA, ROSAT, and IUE observations of RS CVn binaries
Fox D.C., Linsky J.L., Veale A., Dempsey R.C., Brown A., Neff J.E., Pagano I., Rodonò M., Bromage G.E., Kürster M., Schmitt J.H.M.M. **284**, 91

The ultraviolet variations of the δ Scuti stars 44 Tauri and 71 Tauri
Monier R., Kreidl T.J. **284**, 210

The EUV spectrum of AU Microscopii: temperature and density diagnostic from EUVE Spectrometers observations
Monsignori Fossi B.C., Landini M. **284**, 900

The extent of variability in the stellar wind of the O 7.5 giant ξ Persei
Henrichs H.F., Kaper L., Nichols J.S. **285**, 565

New HST observations of the core of R Aquarii. I. Imaging
Paresce F., Hack W. **287**, 154

(RN) A study of a high resolution IUE spectrum of AM Canum Venaticorum
Solheim J.-E., Sion E.M. **287**, 503

HST observations of the core of globular cluster NGC 6397
Burgarella D., Paresce F., Meylan G., King I.R., Greenfield P., Baxter D., Jedrzejewski R., Nota A., Albrecht R., Barbieri C., Blades J.C., Boksenberg A., Crane P., Deharveng J.M., Disney M.J., Jakobsen P., Kamperman T.M., Macchetto F., Mackay C.D., Weigelt G. **287**, 769

High-dispersion microfiche atlas of OB stars for the first 10 years of IUE
Bohlin R.C., Henrichs H.F., Nichols J.S. **287**, 1039 (***105***, *305)*

Extragalactic symbiotic systems. I. IUE observations of LMC 1, N 67, SMC 3, and S 154
Vogel M., Morgan D.H. **288**, 842

(RN) Determining hot star wind terminal velocities from low-resolution IUE data
Prinja R.K. **289**, 221

Identification of the 1600 A feature in Lambda Bootis stars
Holweger H., Koester D., Allard N.F. **290**, L21

Ultraviolet Fe III lines in the spectra of high galactic latitude early-type stars
Kendall T.R., Conlon E.S., Dufton P.L., Keenan F.P. **290**, 563

Surface inhomogeneities on SZ Piscium
Doyle J.G., Mitrou C.K., Mathioudakis M., Avgoloupis S., Mavridis L.N., Varvoglis P.P., Graos F., Antonopoulou E. **291**, 135

Detection of EUV emission from the low activity dwarf HD 4628: evidence for a cool corona
Mathioudakis M., Drake J.J., Vedder P.W., Schmitt J.H.M.M., Bowyer S. **291**, 517

Elemental abundances in normal late-B and HgMn stars from co-added IUE spectra. III. Copper and zinc
Smith K.C. **291**, 521

Multiwavelength observations of RV Tauri stars. IV. SX Centauri
Shenton M., Evans A., Albinson J.S., Barrett P., Davies J.K., Goldsmith M.J., Hutchinson M.G., Laney D., Maddison R.C. **292**, 102

The Spacelab-1 Very Wide Field Survey of UV-excess objects. IV. The performance of the instrument in combination with optical photometry as a means of identifying stars with peculiar properties
Tobin W., Viton M., Sivan J.-P. **292**, 353 (*107, 385*)

Observations and analyses of the S VI λ 1975, λ 1993 Å lines in the *IUE* ultraviolet spectra of WN stars
Nugis T., Willis A.J. **292**, 616

Waves 02.23.1

Magneto-atmospheric waves subject to Newtonian cooling
Bünte M., Bogdan T.J. **283**, 642

Magnetohydrodynamic waves in coronal flux tubes
Goedbloed J.P., Halberstadt G. **286**, 275

Hydromagnetic interaction of magnetized clumps and the ambient medium in molecular clouds
Just A., Jacobi S., Deiss B.M. **289**, 237

X-rays: bursts 13.25.1

The radio/infrared counterpart of the hard X-ray transient in Aquila: a possible source of repeated soft gamma-ray bursts
Mirabel I.F., Duc P.A., Rodríguez L.F., Teyssier R., Paul J., Claret A., Aurière M., Golombek D., Martí J. **282**, L17

AGN emission above 20 keV: the hard X-ray detection problem
Maisack M., Wood K.S., Gruber D.E. **284**, 28

A magnetic explanation for the rapid burster
Kuijpers J., Kuperus M. **286**, 491

HEXE observations of black hole X-ray transients
Döbereiner S., Maisack M., Englhauser J., Pietsch W., Reppin C., Trümper J., Kendziorra E., Kretschmar P., Kunz M., Staubert R., Efremov V., Kaniovsky A., Kusnetzov A., Sunyaev R. **287**, 105

A case study: the time evolution of dust scattered X-ray halos from gamma-ray bursters
Klose S. **289**, L1

Multiwaveband study of a major X-ray outburst from the Be/X-ray transient system A 1118–616
Coe M.J., Roche P., Everall C., Fishman G.J., Hagedon K.S., Finger M., Wilson R.B., Buckley D.A.H., Shrader C., Fabregat J., Polcaro V.F., Giovannelli F., Villada M. **289**, 784

Energy implications of Li production in X-ray transients
Martín E.L., Spruit H.C., van Paradijs J. **291**, L43

X-rays: galaxies 13.25.2

NGC 1068: a genuine hidden Seyfert 1 galaxy?
Jourdain E., Collin S., Dennefeld M., Ballet J., Roques J.P., Lebrun F., Mandrou P., Cordier B., Finoguenov A., Churazof E., Gilfanov M., Sunyaev R., Kuleshova N., Sheikhet A., Sukhanov K., Tserenin I. **281**, L57

PG 1416-129: a broad absorption line QSO with low intrinsic X-ray absorption
de Kool M., Meurs E.J.A. **281**, L65

X-ray reprocessing and UV continuum in AGN: the case of NGC 4151
Perola G.C., Piro L. **281**, 7

The X-ray AGN content of the Molonglo 408 MHz Survey: bulk properties of previously optically identified sources
Brinkmann W., Siebert J., Boller T. **281**, 355

Sensitive limits on the molecular gas content of cluster cooling flows
McNamara B.R., Jaffe W. **281**, 673

X-ray observations of NGC 3077
Bi H.G., Arp H., Zimmermann H.U. **282**, 386

UV variability of IRAS 13224–3809, a rapidly X-ray variable far-infrared luminous galaxy
Mas-Hesse J.M., Rodríguez-Pascual P.M., Sanz Fernández de Córdoba L., Boller T. **283**, L9

Diffuse X-ray emission from the supergiant shell LMC 4 detected with ROSAT
Bomans D.J., Dennerl K., Kürster M. **283**, L21

ROSAT PSPC X-ray observations of NGC 4258: detection of point sources, 4 million K halo emission, and anomalous arms
Pietsch W., Vogler A., Kahabka P., Jain A., Klein U. **284**, 386

Simultaneous observations of Seyfert 1 galaxies with IUE, ROSAT and Ginga
Walter R., Orr A., Courvoisier T.J.-L., Fink H.H., Makino F., Otani C., Wamsteker W. **285**, 119

Spectral properties of X-ray loud extragalactic radio sources
Brinkmann W., Siebert J. **285**, 812

New X-ray bright BL Lacertae objects from the ROSAT All-Sky Survey
Bade N., Fink H.H., Engels D. **286**, 381

Beamed X-rays in radio-loud quasars
Bühler P., Courvoisier T.J.-L., Staubert R. **287**, 433

X-ray spectra of a complete sample of extragalactic core-dominated radio sources
Brunner H., Lamer G., Worrall D.M., Staubert R. **287**, 436

Matter distribution in twelve X-ray clusters of galaxies
Durret F., Gerbal D., Lachièze-Rey M., Lima-Neto G., Sadat R. **287**, 733

The Hubble diagram for X-ray selected BL Lacertae objects
Fan J.H., Huang Z.H., Xie G.Z., Wang Y.J., Li J.J., Zhu Y.Y. **287**, 1041 (*105, 415*)

The angular correlation function of the soft X-ray background
Soltan A., Hasinger G. **288**, 77

Multi-wavelength monitoring of the BL Lacutae Object PKS 2155–304. II. The ROSAT Observations
Brinkmann W., Maraschi L., Treves A., Urry C.M., Warwick R., Siebert J., Wagner S., Edelson R., Fink H., Madejski G. **288**, 433

ROSAT X-ray survey of an area 10 degrees square around the active radio galaxy Centaurus A
Arp H. **288**, 738

Is there a β-problem in clusters of galaxies?
Gerbal D., Durret F., Lachièze-Rey M. **288**, 746

A giant arc in a ROSAT-detected cluster of galaxies
Edge A.C., Böhringer H., Guzzo L., Collins C.A., Neumann D., Chincarini G., De Grandi S., Dümmler R., Ebeling H., Schindler S., Seitter W., Vettolani P., Briel U., Cruddace R., Gruber R., Gursky H., Hartner G., MacGillivray H.T., Schuecker P., Shaver P., Voges W., Wallin J., Wolter A., Zamorani G. **289**, L34

A gravitational lens cluster – Abell 2104 – discovered in the ROSAT All-Sky Survey sample
Pierre M., Soucail G., Böhringer H., Sauvageot J.L. **289**, L37

Multifrequency observations of ROSAT selected radio sources
Neumann M., Reich W., Fürst E., Brinkmann W., Reich P., Siebert J., Wielebinski R., Trümper J. **289**, 665 (*106, 303*)

Diffuse X-ray emission around high-redshift, radio-loud QSOs
Bartelmann M., Schneider P., Hasinger G. **290**, 399

Optical observations of a ROSAT sample of clusters of galaxies. I. Techniques and X-ray/optical analysis
Pierre M., Böhringer H., Ebeling H., Voges W., Schuecker P., Cruddace R., MacGillivray H. **290**, 725

Hot gas outflow in the blue compact dwarf galaxy VII Zw 403
Papaderos P., Fricke K.J., Thuan T.X., Loose H.-H. **291**, L13

Erratum A deep X-ray survey in the Lockman Hole and in the soft X-ray log N–log S
Hasinger G., Burg R., Giacconi R., Hartner G., Schmidt M., Trümper J., Zamorani G. **291**, 348

Discovery of strong X-ray variability in an H II type galaxy
Boller T., Fink H., Schaeidt S. **291**, 403

The variable soft X-ray excess of Mkn 766
Molendi S., Maccacaro T. **291**, 420

Extended soft X-ray emission in the Seyfert 2 galaxy NGC 4388 discovered with the ROSAT HRI
Matt G., Piro L., Antonelli L.A., Fink H.H., Meurs E.J.A., Perola G.C. **292**, L13

ROSAT PSPC observation of the X-ray faint early-type galaxy NGC 5866
Pellegrini S. **292**, 395

Black-hole stellar accretion in active galactic nuclei
Hameury J.-M., King A.R., Lasota J.-P., Auvergne M. **292**, 404

X-rays: general 13.25.3

Procedures for the interactive analysis of point sources from the ROSAT XRT/PSPC All-Sky Survey
Belloni T., Hasinger G., Izzo C. **283**, 1037

(RN) eXCALIBur – absolute calibration of the X-ray spectrum of the Crab Nebula
Nørgaard-Nielsen H.U., Budtz-Jørgensen C., Westergaard N.J., Schnopper H.W. **285**, 705

Atomic data and spectral line intensities for O VIII and Fe XVII resonance lines as well as their O VII and Fe XVI satellite lines
Cornille M., Dubau J., Faucher P., Bely-Dubau F., Blancard C. **287**, 1035 (*105, 77*)

The angular correlation function of the soft X-ray background
Soltan A., Hasinger G. **288**, 77

The optimum open fraction of coded apertures. With an application to the wide field X-ray cameras of SAX
in 't Zand J.J.M., Heise J., Jager R. **288**, 665

The investigation of the error boxes of KVANT and GRANAT X-ray sources in the region of Galactic center
Cherepashchuk A.M., Goranskij V.P., Karitskaya E.A., Nadjip A.E., Savage A., Shakura N.I., Sunyaev R.A., Volchkov A.A. **289**, 419

Direct evidence for a two component spectrum of the soft X-ray background
Kerp J. **289**, 597

ROSAT PSPC observations of globular clusters
Johnston H.M., Verbunt F., Hasinger G. **289**, 763

ROSAT observation of the Sgr A region
Predehl P., Trümper J. **290**, L29

Erratum A deep X-ray survey in the Lockman Hole and in the soft X-ray log N–log S
Hasinger G., Burg R., Giacconi R., Hartner G., Schmidt M., Trümper J., Zamorani G. **291**, 348

Innershell photoionization of atomic neon: Ne III and Ne IV line production in AGN plasmas
Petrini D., Farias G.A. **292**, 337

X rays: ISM 13.25.4

Image deprojection applied to the Einstein Cygnus Loop X-ray image
Leahy D.A., Volk K. **282**, 561

The X-ray continuum of Tycho's remnant measured with Ginga
Fink H.H., Asaoka I., Brinkmann W., Kawai N., Koyama K. **283**, 635

An X-ray study of IC 443 and the discovery of a new supernova remnant by ROSAT
Asaoka I., Aschenbach B. **284**, 573

The impact of a high velocity cloud onto the galactic disk
Kerp J., Lesch H., Mack K.-H. **286**, L13

G 272.2–3.2: a centrally filled and possibly young SNR discovered by ROSAT
Greiner J., Egger R., Aschenbach B. **286**, L35

Evidence for a low-luminosity X-ray pulsar associated with a supernova remnant
Schwentker O. **286**, L47

X-ray emission from wind blown interstellar bubbles. I. ROSAT observations of NGC 6888
Wrigge M., Wendker H.J., Wisotzki L. **286**, 219

ROSAT observation of the giant H II region RCW 49
Belloni T., Mereghetti S. **286**, 935

Modeling the X-ray spectrum of Kepler's supernova remnant
Decourchelle A., Ballet J. **287**, 206

Direct evidence for a two component spectrum of the soft X-ray background
Kerp J. **289**, 597

ROSAT observation of the Sgr A region
Predehl P., Trümper J. **290**, L29

Hydrodynamic model of Kepler's supernova remnant constrained by EINSTEIN and EXOSAT X-ray spectra
Rothenflug R., Magne B., Chièze J.P., Ballet J. **291**, 271

X-rays: stars 13.25.5

Luminosity dependence of the hardness of the 13-80 keV X-ray spectra of low-mass X-ray binaries
van Paradijs J., van der Klis M. **281**, L17

SN 1987A: emergence of the soft X-ray source
Beuermann K., Brandt S., Pietsch W. **281**, L45

Another supersoft X-ray source in the LMC
Greiner J., Hasinger G., Thomas H.-C. **281**, L61

Radio, infrared and X-ray activity of Cygnus X-3
Kitamoto S., Miyamoto S., Waltman E.B, Fiedler R.L., Johnston K.J., Ghigo F.D. **281**, L85

X-ray irradiation of white dwarf atmospheres: the soft X-ray spectrum of AM Herculis
van Teeseling A., Heise J., Paerels F. **281**, 119

(RN) Optical variability of SAO 91772: a serendipitous X-ray source
Rodonò M., Cutispoto G., Messina S. **281**, 756

Simultaneous radio and X-ray observations of GX 340+0
Oosterbroek T., Lewin W.H.G., van Paradijs J., van der Klis M., Penninx W., Dotani T. **281**, 803

A ROSAT observation of the transient X-ray pulsar GRO J1008-57
Petre R., Gehrels N. **282**, L33

New optical positions of the globular cluster X-ray sources NGC 6712: S/X 1850-086 and M 15: AC 211/X 2127+119
Geffert M., Aurière M., Requième Y., Mazurier J.-M. **282**, 989

UBVRI polarimetry of AM Herculis-type binaries. V. The asynchronous (?) polar BY Camelopardalis (H0538+608)
Piirola V., Coyne G.V., Takalo S.J.L., Larsson S., Vilhu O. **283**, 163

ROSAT soft X-ray observations of the Be/X-ray binary X Persei
Haberl F. **283**, 175

A comparison of the power spectra of Z and atoll sources, pulsars and black hole candidates
van der Klis M. **283**, 469

A model for the X-ray spectrum of the symbiotic nova RR Telescopii
Jordan S., Mürset U., Werner K. **283**, 475

Thermal comptonisation in 4U 1700-377
Maisack M., Kendziorra E., Pan H.C., Skinner G.K., Pietsch W., Reppin C., Efremov V., Sunyaev R. **283**, 841

A long-duration X-ray flare on the RS Canum Venaticorum binary AR Lacertae observed with ROSAT
Ottmann R., Schmitt J.H.M.M. **283**, 871

Observation of Hercules X-1 with the ROSAT wide field camera
Rochester G.K., Barnes J., Sidher S., Sumner T.J., Bewick A., Corrigan R., Quenby J.J. **283**, 884

The crust screen model for the magnetic field of binary X-ray sources
Zhang C.-M., Wu X.-J., Yang G.-C. **283**, 889

Rotational modulation and flares on RS Canum Venaticorum and BY Draconis stars. XVIII. Coordinated VLA, ROSAT, and IUE observations of RS CVn binaries
Fox D.C., Linsky J.L., Veale A., Dempsey R.C., Brown A., Neff J.E., Pagano I., Rodonò M., Bromage G.E., Kürster M., Schmitt J.H.M.M. **284**, 91

On the modulated light in the intermediate polar FO Aquarii/ H 2215−086
de Martino D., Buckley D.A.H., Mouchet M., Mukai K. **284**, 125

Energy-dependent effects of scattering atmospheres on X-ray pulsar pulse profiles
Sturner S.J., Dermer C.D. **284**, 161

Hot stars near the position of X0512−401 in the globular cluster NGC 1851
Aurière M., Bonnet-Bidaud J.M., Koch-Miramond L. **284**, 457

Discovery of a luminous galactic supersoft X-ray source in the ROSAT all-sky survey
Motch C., Hasinger G., Pietsch W. **284**, 827

PSR 1718−19 and destructive tidal circularization
Verbunt F. **285**, L21

Soft X-ray observations of EXO 2030+375
Mavromatakis F. **285**, 209

Photometric and spectroscopic studies of cool stars discovered in EXOSAT X-ray images. II. Lithium abundances
Tagliaferri G., Cutispoto G., Pallavicini R., Randich S., Pasquini L. **285**, 272

Soft and hard X-ray observations of 4U 1626−67
Mavromatakis F. **285**, 503

Near-simultaneous ROSAT and Ginga observations of the 1991 X-ray transient in Musca
Greiner J., Hasinger G., Molendi S., Ebisawa K. **285**, 509

(RN) A 21-hour period in the quiescent radio emission of Cygnus X-3
Peracaula M., Paredes J.M., Martí J., Rius A., Estalella R. **285**, 547

The soft X-ray/microwave ratio of solar and stellar flares and coronae
Benz A.O., Güdel M. **285**, 621

ROSAT observations of soft X-ray transients in quiescence
Verbunt F., Belloni T., Johnston H.M., van der Klis M., Lewin W.H.G. **285**, 903

Structure and stability of the X-ray corona of Algol
Ottmann R. **286**, L27

Evidence for a low-luminosity X-ray pulsar associated with a supernova remnant
Schwentker O. **286**, L47

Incidence of X-ray sources among magnetic chemically peculiar stars
Leone F. **286**, 486

Hercules X-1 pulse profile simulation
Panchenko I.E., Postnov K.A. **286**, 497

On the nova rate in the Galaxy
Della Valle M., Livio M. **286**, 786

Observations of the pulsar PSR 1509−58 with the SIGMA telescope
Laurent P., Paul J., Claret A., Caraveo P.A., Schmitz-Fraysse M.C., Jourdain E., Roques J.P., Mandrou P., Churazov E., Gilfanov M., Sunyaev R., Finoguenov A., Sitdikov A., Vikhlinin A., Dyachkov A., Khavenson N. **286**, 838

Quasi-periodic oscillations in the shot noise model of X-ray sources
Vikhlinin A., Churazov E., Gilfanov M. **287**, 73

HEXE observations of black hole X-ray transients
Döbereiner S., Maisack M., Englhauser J., Pietsch W., Reppin C., Trümper J., Kendziorra E., Kretschmar P., Kunz M., Staubert R., Efremov V., Kaniovsky A., Kusnetzov A., Sunyaev R. **287**, 105

Instability in a braking disk: Herculis X-1 in the inactive state
Meyer F., Meyer-Hofmeister E. **287**, 559

e^+–e^- annihilation lines from accretion discs around Kerr black holes
Hameury J.-M., Marck J.-A., Pelat D. **287**, 795

Spatially resolved X-ray and radio observations of Castor A+B+C
Schmitt J.H.M.M., Güdel M., Predehl P. **287**, 843

The spectra and luminosity of super-soft X-ray sources
Heise J., van Teeseling A., Kahabka P. **288**, L45

Accretion disk evaporation by a coronal siphon flow
Meyer F., Meyer-Hofmeister E. **288**, 175

Discovery of multiple X-ray sources in 47 Tucanae
Hasinger G., Johnston H.M., Verbunt F. **288**, 466

On the newly discovered 3.4 hour modulated X-ray source (RX J1940.1–1025) near NGC 6814
Staubert R., König M., Friedrich S., Lamer G., Sood R.K., James S.D., Sharma D.P. **288**, 513

Photometric and Hα observations of LSI +61°303: detection of a ~26 day V and JHK band modulation
Paredes J.M., Marziani P., Martí J., Fabregat J., Coe M.J., Everall C., Figueras F., Jordi C., Norton A.J., Prince T., Reglero V., Roche P., Torra J., Unger S.J., Zamanov R. **288**, 519

Super-soft X-ray sources in the fields of the Magellanic Clouds
Kahabka P., Pietsch W., Hasinger G. **288**, 538

ROSAT soft X-ray observations of the supergiant X-ray binary Vela X-1
Haberl F. **288**, 791

The soft component in the X-ray spectrum of 4U 1700–37
Haberl F., Aoki T., Mavromatakis F. **288**, 796

Optical identification of the supersoft X-ray source 1E 0035.4–7230 in the Small Magellanic Cloud
Orio M., Della Valle M., Massone G., Ögelman H. **289**, L11

The optical thickness of stellar coronae in EUV lines
Schrijver C.J., van den Oord G.H.J., Mewe R. **289**, L23

Detection of a very low hard X-ray pulse fraction in the bright state of GX 1+4
Rao A.R., Paul B., Chitnis V.R., Agrawal P.C., Manchanda R.K. **289**, L43

The X-ray spectrum of EXO 2030+375
Sun X.-J., Li T.-P., Wu M., Cheng L.-X. **289**, 127

(RN) Optical study of LMXBs with high temporal resolution: evidence for non-thermal flares from MXB 1735–44
Beskin G., Neizvestny S., Plokhotnichenko V., Popova M., Zhuravkov A., Benvenuto O.G., Feinstein C., Méndez M. **289**, 141

Herculis X-1: coronal winds producing the tilted shape of the accretion disk
Schandl S., Meyer F. **289**, 149

The investigation of the error boxes of KVANT and GRANAT X-ray sources in the region of Galactic center
Cherepashchuk A.M., Goranskij V.P., Karitskaya E.A., Nadjip A.E., Savage A., Shakura N.I., Sunyaev R.A., Volchkov A.A. **289**, 419

ROSAT PSPC observations of globular clusters
Johnston H.M., Verbunt F., Hasinger G. **289**, 763

Multiwaveband study of a major X-ray outburst from the Be/X-ray transient system A 1118–616
Coe M.J., Roche P., Everall C., Fishman G.J., Hagedon K.S., Finger M., Wilson R.B., Buckley D.A.H., Shrader C., Fabregat J., Polcaro V.F., Giovannelli F., Villada M. **289**, 784

Spectral and correlated timing behaviour of GX 5–1
Kuulkers E., van der Klis M., Oosterbroek T., Asai K., Dotani T., van Paradijs J., Lewin W.H.G. **289**, 795

Model atmospheres and radiation of magnetic neutron stars: anisotropic thermal emission
Pavlov G.G., Shibanov Y.A., Ventura J., Zavlin V.E. **289**, 837

Spectroscopic evidence for photo-ionization wakes in Vela X-1 and 4U 1700–37
Kaper L., Hammerschlag-Hensberge G., Zuiderwijk E.J. **289**, 846

Optical identification of two soft ROSAT sources in the old open cluster M67
Pasquini L., Belloni T., Abbott T.M.C. **290**, L17

The evolution of the mass gainer in massive close binaries
Vanbeveren D., de Loore C. **290**, 129

Absolute visual magnitudes of low-mass X-ray binaries
van Paradijs J., McClintock J.E. **290**, 133

A long-term X-ray variability study of the O-type stars σ Orionis and ζ Orionis
Berghöfer T.W., Schmitt J.H.M.M. **290**, 435

The optical and radio counterpart of the X-ray Nova Ophiuchi 1993
Della Valle M., Mirabel I.F., Rodriguez L.F. **290**, 803

Analysis of ROSAT pointed observations of 15 hot DA white dwarfs
Jordan S., Wolff B., Koester D., Napiwotzki R. **290**, 834

RX J0531.5–4624: a new ROSAT-discovered AM Herculis binary in the ‚period gap'
Reinsch K., Burwitz V., Beuermann K., Schwope A.D., Thomas H.-C. **291**, L27

Evidence for cyclotron line features in high energy spectra of A 0535+26 during the March/April 1989 outburst
Kendziorra E., Kretschmar P., Pan H.C., Kunz M., Maisack M., Staubert R., Pietsch W., Trümper J., Efremov V., Sunyaev R. **291**, L31

Discovery of the new intermediate polar RX J0558.0+5353
Haberl F., Thorstensen J.R., Motch C., Schwarzenberg-Czerny A., Pakull M., Shambrook A., Pietsch W. **291**, 171

(RN) The spin period and orbital period relation for Be star/white dwarf binary systems
Apparao K.M.V. **291**, 775

The X-ray heating and evolution of LMXB's
Vilhu O., Ergma E., Fedorova A. **291**, 842

Are late B-type stars intrinsic X-ray emitters?
Berghöfer T.W., Schmitt J.H.M.M. **292**, L5

X-ray emission from Herbig Ae/Be stars: a ROSAT survey
Zinnecker H., Preibisch T. **292**, 152

High time resolution observations of Cygnus X-3 with EXOSAT
Berger M., van der Klis M. **292**, 175
Periodicities in the optical brightness variations of the intermediate polar TV Columbae
Augusteijn T., Heemskerk M.H.M., Zwarthoed G.A.A., van Paradijs J. **292**, 351 (***107**, 219)*
ROSAT X-ray observations of ten cataclysmic variables
van Teeseling A., Verbunt F. **292**, 519